

BellSouth Interconnection Services

675 West Peachtree Street Atlanta, Georgia 30375

Carrier Notification SN91081451

Date: June 29, 2001

To: Competitive Local Exchange Carriers (CLECs)

Subject: CLECs - REVISED - Listing of Petition for Waiver Filings Due to Space Exhaustion

for Physical Collocation in a Central Office (Latest revision released June 7, 2001).

This is to advise that the name of the Listing of Petition for Waiver Filings Due to Space Exhaustion for Physical Collocation in a Central Office has been changed to BellSouth Space Exhaust Locations. As other central offices are identified or if space becomes available in central offices that are on the report, the BellSouth Space Exhaust Locations Report will be updated.

All information pertaining to space exhaustion in BellSouth Central Offices that was previously provided in the Attachment to Carrier Notification Letter SN91081451 will now be provided via the BellSouth Space Exhaust Locations Report that can be found on the BellSouth Interconnection Services' Web site in the Reports Section under Space Exhaust Locations – Latest Update at:

http://www.interconnection.bellsouth.com/main/clec.html

Please Bookmark this Web site for future updates.

If you have any questions, please contact your BellSouth account team representative.

Sincerely,

ORIGINAL SIGNED BY JIM BRINKLEY

Jim Brinkley – Senior Director BellSouth Interconnection Services

BELLSOUTH SPACE EXHAUST LOCATIONS

				Petition Filed or Space	Withdrawal Petition Filed or Space	Second Petition Filed or Space	2nd Withdrawal Petition Filed or Space	Third Petition Filed or Space	3rd Withdrawal Petition Filed or Space
State	City	CLLI Code	Common Name	Exhausted	Available	Exhausted	Available	Exhausted	available
Florida	Boca Raton		Boca Teeca	7/27/1998	7/26/1999				
	Daytona Beach	DYBHFLPO	Port Orange	7/27/1998	7/26/1999				
	Holley-Navarre	HLNVFLMA		11/10/1999	12/30/2000				
	Jacksonville	JCBHFLAB		2/12/2001	6/30/2001				
	Jacksonville		J. Turner Butler	6/27/2000					
	Jacksonville		Mandarin-Loretto	12/14/1999	4/30/2000				
	Lake Mary	LKMRFLMA		10/1/1998	7/26/1999	3/15/2000			
	Miami	MIAMFLPL		7/27/1998	7/26/1999	4/17/2000			
	Miami	MIAMFLWD		4/11/2000					
	Milton	MLTNFLRA		9/20/2000	6/26/2001				
	North Dade		Golden Glades	8/7/1998	7/26/1999	3/6/2000			
	Pensacola		Perdido Bay	6/27/2000		/ /		- /- /	
	West Palm Beach	WPBHFLGR	Gardens	8/7/1998	7/26/1999	12/23/1999	1/5/2000	3/6/2000	3/31/2001
Georgia	Acworth	ACWOGAMA	Main	1/20/1999	7/23/1999	10/1/1999	3/21/2000		
	Alpharetta	ALPRGAMA	Main	12/19/1997	7/23/1999	11/22/1999	3/21/2000		
	Atlanta	ATLNGABU	Buckhead	9/25/1998	1/24/2000	1/12/2001			
	Atlanta	ATLNGAIC	Indian Creek	9/25/1998	5/31/2001				
	Atlanta		Sandy Springs	9/1/1998	7/23/1999				
	Atlanta	ATLNGAWD	Woodland Hills	10/1/1999	1/24/2000				
	Buford	BUFRGABH		1/20/1999	7/23/1999	10/6/1999	3/21/2000	6/15/2000	
	Fayetteville	FYVLGASG	Main	1/20/1999	2/19/2001				
	Lilburn	LLBNGAMA	Main	9/25/1998	6/11/1999				
	Lithonia	LTHNGAJS	Johnson Street	1/20/1999					
	Norcross	NRCRGAMA		10/30/1997	7/23/1999				
	Peachtree City	PTCYGAMA		1/20/1999	3/13/2000				
	Powder Springs		Atlanta Street	10/4/1999	3/21/2000				
	Riverdale	RVDLGAMA		9/25/1998	3/21/2000				
	Smyrna		Powers Ferry	6/6/1998	7/23/1999				
	Stockbridge	STBRGANH	Main	1/20/1999	7/23/1999				
Kentucky	Louisville	LSVLKYWE	Westport	5/8/2000	10/31/2000				
North Carolina ¹	Cary Charlotte Charlotte	CARYNCWS CHRLNCLP CHRLNCCR	Lake Point	11/22/1999 3/3/2000 7/6/2000	11/28/2000				

BELLSOUTH SPACE EXHAUST LOCATIONS

Davidson	DVSNNCPO	Potts Street	3/3/2000	4/15/2001
Greensboro	GNBONCPG	Pleasant Gardens	8/31/1999	5/15/2001
Huntersville	HSVLNCCE	Central	3/3/2000	11/27/2000
Raleigh	RLGHNCSB	Sunnybrook	11/23/1999	
Dickson	DKSNTNMT	Dickson	5/23/2000	7/9/2001
Brentwood	NSVLTNBW	Brentwood	5/23/2000	2/9/2001

Offices in Bold red are currently out of space for Physical Collocation

Note 1: The NCUC has requested that BellSouth withhold the filing of waiver petitions until Docket No. P-100, Sub 133j is concluded.

Customers wishing to be placed on the waiting list for space within a central office listed may do so by:

a) Submitting an application, or

Tennessee

b) Submitting a written request that includes the projected space/rack requirements, cross-connect capacity (DS0, DS1, DS3, and fiber optic) and projected DC power requirements (in amps).