

**BellSouth Interconnection Services** 675 West Peachtree Street Atlanta, Georgia 30375

# Carrier Notification SN91082983

Date: April 12, 2002

To: Competitive Local Exchange Carriers (CLECs)

Subject: CLECs – Update to the BellSouth Business Rules for Local Ordering (BBR-LO) REQTYP M - Remote Call Forwarding, Issue 10.4 current

This is to advise that the BBR-LO, Issue 10.4 current, has been updated to add Required, Conditional and Optional (R/C/O) and Line Number Activity (LNA) tables for <u>REQTYP M</u>-<u>Switched Combo Remote Call Forwarding (RCF UNE P BUS/RES)</u> service for manual processing only.

However, REQTYP M with ACTs of S, B, L, and Y and LNA tables of LNA = X, L and B are not applicable for this service and will be removed at the next publication of the BBR-LO current Issue.

This update will appear in the BBR-LO, Issue 10.5 current, scheduled to be posted to the BellSouth Interconnection Services' Web site on May 24, 2002. This is associated with Changed Control Process (CCP) Request CR0742.

The attachment to this letter can be used as an update when reviewing the BBR-LO, Issue 10.4 current. This update will be included in the BBR-LO, Issue 10.5 current, which will be posted to the BellSouth Interconnection Services' Web site *after* Release 10.5 is implemented.

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

#### **ORIGINAL SIGNED BY JIM BRINKLEY**

Jim Brinkley – Senior Director BellSouth Interconnection Services

Attachment

#### **REQTYP / ACT Combinations REQTYP M:** Switched Combo BUS/RES (UNE P BUS/RES) (RCF UNE P BUS/RES)

The following charts show the Required, Conditional and Optional (R/C/O) fields on the Local Service Request (LSR) and End User (EU) forms/screens for the valid REQTYP / ACT combinations.

All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated, which are not supported by BellSouth, the fields not supported will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Mandatory entries are indicated by quotation marks ("xxx").
- Optional fields marked with an asterisk (\*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (m).
- Fields used only for electronic orders are followed by (e).

See the **Data Element Dictionary** Section for additional information on each of the fields listed below.

LSR - REQTYP M/ ACT N (RCF UNE P BUS/RES)			
Required	Conditional	Optional	
CCNA (m)	VER (m)	REMARKS (m)	
PON (m)	LOCQTY (m)	APPTIME-DDD (m)	
AN (m) or ATN (m)	SUP (m)	RPON (m)	
PG_OF ( <i>m</i> )	CUST (m)	EXP (m)	
SC = " LCSC " (m)	ALTIMPCON-TEL NO. (m)	HUNTING (See Hunting Section) (m)	
D/TSENT (m)	PROJECT (m)	ALTIMPCON* (m)	
DDD (m)		SPEC (m)	
REQTYP = " MB " (m)			
ACT = " N " (m)			

#### REQTYP M / ACT N

CC (m)	
CIC (m)	
TOS (m)	
BAN1 (m)	
INIT (m)	
INIT-TEL NO. (m)	
INIT-FAX NO. (m)	
IMPCON (m)	
IMPCON-TEL NO. (m)	

EU - REQTYP M / ACT N (RCF UNE P BUS/RES))			
Required	Required Conditional		
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (Header) ( e)	
AN ( <i>m</i> ) <b>or</b> ATN ( <i>m</i> )	IWCON (m)	EU-FLOOR (m)	
PG_OF_ ( <i>m</i> )	IWCON-TEL NO. (m)	EU-ROOM (m)	
LOCNUM (DETAIL) (m)	LOCACT (m)	EU-BLDG (m)	
EU-NAME (m)	SASF (m)	LCON-NAME (m)	
SANO (m) or SADLO (m)	SASD (m)	LCON-TEL NO. (m)	
SASN (m)	SATH (m)	ACC (m)	
EU-CITY (m)	SASS (m)	WSOP (m)	
EU-STATE (m)		IWO* (m)	

EU-ZIP CODE (m)	LOCNUM (m)

## **REQTYP M / ACT C**

LSR - REQTYP M / ACT C (RCF UNE P BUS/RES)		
Required	Conditional	Optional
CCNA (m)	VER (m)	REMARKS (m)
PON (m)	LOCQTY (m)	APPTIME-DDD (m)
AN (m) <b>or</b> ATN (m)	SUP (m)	RPON (m)
PG_OF ( <i>m</i> )	CUST (m)	EXP (m)
SC = " LCSC " (m)	EXP (m)	HUNTING (See Hunting Section) (m)
D/TSENT (m)	PROJECT (m)	SPEC (m)
DDD (m)		
REQTYP = " MB " (m)		
ACT = " C " (m)		
CC (m)		
TOS (m)		
CIC (m)		
BAN1 (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		
IMPCON (m)		

IMPCON-TEL NO. (m)	

EU - REQTYP M / ACT C (RCF UNE P BUS/RES)			
Required	Conditional	Optional	
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (Header) ( e)	
AN ( <i>m</i> ) <b>or</b> ATN ( <i>m</i> )	DQTY (m)	LCON-NAME (m)	
PG_OF_( <i>m</i> )	DNUM (m)	LCON-TEL NO. (m)	
LOCNUM (Detail) ( <i>e</i> )	LOCACT (m)	ACC (m)	
EU-NAME (m)	IWCON (m)	DISC NBR* (m)	
	IWCON-TEL NO. (m)	IWO* (m)	
	SANO (m) or SADLO (m)	WSOP (m)	
	SASN (m)		
	SASF (m)		
	SASD (m)		
	SATH (m)		
	SASS (m)		
	EU-CITY (m)		
	EU-STATE (m)		
	EU-ZIP CODE (m)		

## **REQTYP M / ACT D**

LSR - REQTYP M / ACT D (RCF UNE P BUS/RES)			
Required	Conditional	Optional	
CCNA (m)	VER (m)	RPON (m)	
PON (m)	LOCQTY (m)	REMARKS (m)	
AN (m) <b>or</b> ATN (m)	SUP (m)		
PG_OF_( <i>m</i> )	CUST (m)		
SC = " LCSC " (m)			
D/TSENT (m)			
DDD (m)			
REQTYP = " MB " (m)			
ACT = " D " (m)			
CC (m)			
TOS (m)			
BAN1 (m)			
INIT (m)			
INIT-TEL NO. (m)			
INIT-FAX NO. (m)			
CIC (m)			

EU - REQTYP M / ACT D (RCF UNE P BUS/RES)			
Required	Conditional	Optional	
PON ( <i>m</i> )	VER ( <i>m</i> )	DISC NBR* (m)	
AN ( <i>m</i> ) <b>or</b> ATN ( <i>m</i> )	DQTY (m)	TC OPT* (m)	
PG_OF_ ( <i>m</i> )	DNUM (m)		
EU-NAME (m)	TC TO PRI (m)		
	TC TO SEC (m)		
	TCID (m)		
	TC NAME (m)		
	TC PER (m)		

# **REQTYP M / ACT T**

LSR - REQTYP M/ ACT T (RCF UNE P BUS/RES)		
Required	Conditional	Optional
CCNA (m)	VER (m)	APPTIME-DDD (m)
PON (m)	LOCQTY (m)	RPON (m)
ATN (m)	SUP (m)	EXP (m)
PG_OF_( <i>m</i> )	CUST (m)	REMARKS (m)
SC = " LCSC " (m)	PROJECT (m)	HUNTING (See Hunting Section) (m)
D/TSENT (m)		SPEC (m)
DDD (m)		
DDDO** (m)		

REQTYP = " MB " (m)	
ACT = " T " (m)	
CC (m)	
CIC (m)	
TOS (m)	
BAN1 (m)	
IMPCON (m)	
IMPCON-TEL NO. (m)	
INIT (m)	
INIT-TEL NO. (m)	
$INIT^{TEL}INO.(III)$	
INIT-FAX NO. (m)	

# Note: \*\* Not Required if LNA = C

EU - REQTYP M / ACT T (RCF UNE P BUS/RES)			
Required	Conditional	Optional	
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (Header) ( e)	
ATN ( <i>m</i> )	LOCACT (m)	EU-FLOOR (m)	
PG_OF_ ( <i>m</i> )	IWCON (m)	EU-ROOM (m)	
LOCNUM (Detail) ( e)	IWCON-TEL NO. (m)	EU-BLDG (m)	
EU-NAME (m)	SASF (m)	LCON-NAME (m)	
SANO (m) or SADLO (m)	SASD (m)	LCON-TEL NO. (m)	

SASN (m)	SATH (m)	TC OPT* (m)
EU-CITY (m)	SASS (m)	EUMI (m)
EU-STATE (m)	TC TO PRI (m)	ACC (m)
EU-ZIP CODE (m)	TC TO SEC (m)	IWO* (m)
EATN (m)	TCID (m)	WSOP (m)
	TC NAME (m)	LOCNUM (m)
	TC PER (m)	

# **REQTYP M / ACT V**

LSR - REQTYP M/ ACT V (RCF UNE P BUS/RES)			
Required	Conditional	Optional	
CCNA (m)	VER (m)	REMARKS (m)	
PON (m)	SUP (m)	APPTIME-DDD (m)	
ATN (m)	CUST (m)	RPON (m)	
SC = " LCSC " (m)	PROJECT (m)	VTA (m)	
PG_of_ ( <i>m</i> )		EXP (m)	
D/TSENT (m)		SPEC (m)	
DDD (m)		ALTIMPCON (m)	
REQTYP = " MB " (m)		ALTIMPCON-TEL NO. (m)	
ACT = " V " (m)		HUNTING (See Hunting Section) (m)	
CC (m)		SPEC (m)	
CIC (m)			
TOS (m)			

BAN1 (m)	
IMPCON (m)	
IMPCON-TEL NO. (m)	
INIT (m)	
INIT-TEL NO. (m)	
INIT-FAX NO. (m)	

EU - REQTYP M / ACT V (RCF UNE P BUS/RES)		
Required	Conditional	Optional
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (Header) ( e)
ATN ( <i>m</i> )	DQTY (m)	EU-FLOOR (m)
PG_OF_( <i>m</i> )	DNUM (m)	EU-ROOM (m)
LOCNUM (Detail) (m)	DDD (m)	EU-BLDG (m)
EU-NAME (m)	FB-STREET (m)	LCON-NAME (m)
ERL (m)	FB-CITY (m)	LCON-TEL NO. (m)
EATN (m)	FB-STATE (m)	FBI* (m)
	FB-ZIP CODE (m)	FB-BILLNM (m)
	FB-BILLCON (m)	FB-FLOOR (m)
	FB-BILLCON-TEL NO. (m)	FB-ROOM (m)
	TC TO PRI (m)	TC OPT* (m)
	TC TO SEC (m)	EUMI (m)

TCID (m)	IWO* (m)
TC NAME (m)	WSOP (m)
TC PER (m)	LOCNUM (m)
TC FR (m)	ACC (m)
IWCON (m)	DISC NBR* (m)
IWCON-TEL NO. (m)	SASN (m)
LOCACT (m)	
SANO (m) or SADLO (m)	
SASS (m)	
SASF (m)	
SASD (m)	
SATH (m)	
EU-CITY (m)	
EU-STATE (m)	
EU-ZIP CODE (m)	

## REQTYP M / ACT S

LSR - REQTYP M/ ACT S (RCF UNE P BUS/RES)		
Required-	Conditional	Optional

CCNA (m)	<del>VER (m)</del>	RPON (m)
PON (m)	SUP (m)	REMARKS (m)
AN (m) or ATN (m)	CUST (m)	-
PG_OF_ ( <i>m</i> )-	LOCQTY (m)	-
<del>SC = " LCSC " (m) -</del>	_	-
<del>D/TSENT (m)</del>	_	-
<del>DDD (m)</del>	_	-
REQTYP = " MB " (m)	_	-
<del>ACT = " S " (m) -</del>	_	-
<del>CC (m)</del>	_	-
<del>TOS (m)</del>	-	-
BAN1 (m)	_	-
<del>INIT (m)</del>	_	-
INIT-TEL NO. (m)	_	-
INIT-FAX NO. (m)	_	-
<del>CIC (m)</del>	_	-

EU - REQTYP M / ACT S (RCF UNE P BUS/RES)		
Required Conditional Optional		
PON ( <i>m</i> )	VER ( m)	LOCNUM (Header) (m)

AN ( <i>m</i> ) or ATN ( <i>m</i> )	LOCACT (m)	EU-ROOM (m)
PG_OF_ ( m)	SANO (m) or SADLO (m)	EU-FLOOR (m)
LOCNUM (Detail) (m)	SASD (m)	EU-BLDG (m)
EU-NAME (m)	SASF (m)	LOCNUM (m)
-	<del>SATH (m)</del>	SASN (m)
-	<del>SASS (m)</del>	-
-	EU-CITY (m)	-
_	EU-STATE (m)	-
_	EU-ZIP CODE (m)	-

#### **REQTYP M / ACT B**

LSR - REQTYP M/ ACT B (RCF UNE P BUS/RES)		
Required	Conditional	Optional
CCNA (m)	VER (m)	RPON (m)
PON (m)	SUP (m)	REMARKS (m)
AN (m) or ATN (m)	<del>CUST (m)</del>	-
PG_OF_ ( <i>m</i> )-	LOCQTY (m)	-
<del>SC = " LCSC " (m)</del>	_	-
D/TSENT (m)	_	-
<del>DDD (m)</del> –	_	-
REQTYP = " MB " (m)	_	-
<del>ACT = " B " (m)</del>		

	-	-
<del>CC (m)</del>	-	-
INIT (m)	_	-
<del>INIT-TEL NO. (m)</del>	_	-
INIT-FAX NO. (m)	_	-
BAN1 (m)	_	-
<del>TOS (m)</del>	-	-
<del>CIC (m)</del>	_	-

EU - REQTYP M / ACT B (RCF UNE P BUS/RES)			
Required	Conditional	Optional	
<del>PON ( <i>m</i>) -</del>	VER ( <i>m</i> )	LOCNUM (Header) (m)	
<del>AN ( <i>m</i>) or ATN ( <i>m</i>)</del>	_	_	
PG_OF_ ( <i>m</i> )	_	-	
EU-NAME (m)	-	_	

" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

## REQTYP M / ACT L

LSR - REQTYP M / ACT L (RCF UNE P BUS/RES)		
Required Conditional Optional		
CCNA ( e)	VER (m)	RPON (m)
PON (m)	<del>SUP (m)</del>	REMARKS (m)

AN (m) or ATN (m)	CUST (m)	-
PG_OF_ ( <i>m</i> )-	-	-
<del>SC = " LCSC " (m)</del>	_	-
D/TSENT (m)	_	-
<del>DDD (m)</del>	_	-
REQTYP = " MB " (m)	_	-
<del>ACT = " L " (m)</del>	_	-
CC (m)	-	-
<del>TOS (m)</del>	_	-
BAN1 (m)	_	-
INIT (m)	_	-
INIT-TEL NO. (m)	_	-
INIT-FAX NO. (m)	_	-
CIC (m)	_	-

EU - REQTYP M / ACT L (RCF UNE P BUS/RES)		
Required Conditional Optional		
<del>PON ( <i>m</i>) -</del>	<del>VER ( <i>m</i>) -</del>	TC OPT* (m)
AN (m) or ATN (m)	TC TO PRI (m)	SASN (m)
PG_OF_ ( m)	SANO (m) or SADLO (m)	

		_
EU-NAME (m)	<del>SASF (m)</del>	-
-	<del>SASD (m)</del>	-
-	SATH (m)	-
-	SASS (m)	-
_	EU-CITY (m)	-
_	EU-STATE (m)	-
-	EU-ZIP CODE (m)	-

## **REQTYP M / ACT W**

LSR - REQTYP M / ACT W (RCF UNE P BUS/RES)			
Required	Conditional	Optional	
CCNA ( e)	VER (m)	RPON (m)	
PON (m)	SUP (m)	REMARKS (m)	
ATN (m)	CUST (m)		
SC = " LCSC " (m)			
PG_of_ ( <i>m</i> )			
D/TSENT (m)			
DDD (m)			
REQTYP = " MB " (m)			

ACT = " W " (m)	
CC (m)	
CIC (m)	
TOS (m)	
BAN1 (m)	
INIT (m)	
INIT-TEL NO. (m)	
INIT-FAX NO. (m)	

EU - REQTYP M / ACT W (RCF UNE P BUS/RES)		
Required	Conditional	Optional
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (Header)* (m)
AN ( <i>m</i> ) <b>or</b> ATN ( <i>m</i> )	LOCACT (m)	EU-FLOOR (m)
PG_OF_( <i>m</i> )		EU-ROOM (m)
EU-NAME (m)		EU-BLDG (m)
DQTY (m)		FBI* (m)
		FB-SBILLNM (m)
		FB-FLOOR (m)
		FB-ROOM (m)

LOCNUM (m)
SANO (m) <b>or</b> SADLO (m)
SASN (m)
SASF (m)
SASD (m)
SATH (m)
SASS (m)
EU-CITY (m)
EU-STATE (m)
EU-ZIP CODE (m)

### REQTYP M / ACT Y

LSR - REQTYP M / ACT Y (RCF UNE P BUS/RES)		
Required	Conditional	Optional
CCNA (m)	VER (m)	REMARKS (m)
PON (m)	<del>SUP (m)</del>	-
AN (m) or ATN (m)	<del>CUST (m)</del>	-
PG_OF_ ( <i>m</i> )-	_	-
<del>SC = " LCSC " (m) -</del>	_	-
D/TSENT (m)		

	-	-
<del>DDD (m)</del>		
	-	-
REQTYP = " MB " (m)		
	-	-
<del>ACT = " Y " (m)</del>		
	-	-
<del>CC (m)</del>		
	-	-
<del>TOS (m)</del> –		
	-	-
BAN1 (m)		
	-	-
<del>INIT (m)</del>		
	-	-
INIT-TEL NO. (m)		
	-	-
INIT-FAX NO. (m)		
	-	-
CIC (m)		
	-	-

EU - REQTYP M / ACT Y (RCF UNE P BUS/RES)		
Required_	Conditional	Optional
<del>PON ( <i>m</i>)</del>	VER ( <i>m</i> )	LOCNUM (Header) (m)
AN ( <i>m</i> ) or ATN ( <i>m</i> )	-	-
PG_OF_ ( <i>m</i> )-	_	_
EU-NAME (m)	-	-

" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become

**REQUIRED;** (*m*) = for manual ordering only; (*e*) = for electronic ordering only

# **REQTYP M / ACT P**

LSR - REQTYP M / ACT P (RCF UNE P BUS/RES)		
Required	Conditional	Optional
CCNA ( e)	VER (m)	APPTIME DDD (m)
PON (m)	SUP (m)	RPON (m)
ATN (m)	CUST (m)	EXP (m)
PG_OF_ ( <i>m</i> )	LOCQTY (m)	VTA (m)
SC = " LCSC " (m)	PROJECT (m)	REMARKS (m)
D/TSENT (m)		HUNTING (See Hunting Section) (m)
DDD (m)		SPEC (m)
REQTYP = " MB " (m)		
ACT = " P " (m)		
CC (m)		
CIC (m)		
TOS (m)		
BAN1 (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		
IMPCON (m)		
IMPCON-TEL NO. (m)		

EU - REQTYP M / ACT P (RCF UNE P BUS/RES)		
Required	Conditional	Optional
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (Header) (m)
ATN ( <i>m</i> )	DQTY (m)	EU-FLOOR (m)
PG_OF_( <i>m</i> )	DNUM (m)	EU-ROOM (m)
LOCNUM (Header) (m)	LOCACT (m)	EU-BLDG (m)
EU-NAME (m)	IWCON (m)	LCON-NAME (m)
EATN (m)	IWCON-TEL NO. (m)	LCON-TEL NO. (m)
	TC TO PRI (m)	TC OPT* (m)
	TC TO SEC (m)	ACC (m)
	TCID (m)	IWO* (m)
-	TC NAME (m)	WSOP (m)
	TC PER (m)	LOCNUM (m)
	SANO (m) or SADLO (m)	DISC NBR* (m)
	SASF (m)	SASN (m)
	SASD (m)	
	SATH (m)	
-	SASS (m)	
	EU-CITY (m)	
	EU-STATE (m)	

EU-ZIP CODE (m)	
-----------------	--

# **REQTYP M / ACT Q**

LSR - REQTYP M / ACT Q (RCF UNE P BUS/RES)		
Required	Conditional	Optional
CCNA ( <i>e</i> )	VER (m)	APPTIME DDD (m)
PON (m)	SUP (m)	RPON (m)
ATN (m)	CUST (m)	EXP (m)
PG_OF_ ( <i>m</i> )	LOCQTY (m)	VTA (m)
SC = " LCSC " (m)	PROJECT (m)	REMARKS (m)
D/TSENT (m)		HUNTING (See Hunting Section) (m)
DDD (m)		SPEC (m)
REQTYP = " MB " (m)		
ACT = " Q " (m)		
CC (m)		
CIC (m)		
TOS (m)		
BAN1 (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		

IMPCON (m)	
IMPCON-TEL NO. (m)	

EU - REQTYP M / ACT Q (RCF UNE P BUS/RES)		
Required	Conditional	Optional
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (Header) (m)
ATN ( <i>m</i> )	DQTY (m)	EU-FLOOR (m)
PG_OF_( <i>m</i> )	DNUM (m)	EU-ROOM (m)
LOCNUM (Header) (m)	LOCACT (m)	EU-BLDG (m)
EU-NAME (m)	IWCON (m)	LCON-NAME (m)
EATN (m)	IWCON-TEL NO. (m)	LCON-TEL NO. (m)
	TC TO PRI (m)	TC OPT* (m)
	TC TO SEC (m)	ACC (m)
	TCID (m)	IWO* (m)
	TC NAME (m)	WSOP (m)
	TC PER (m)	LOCNUM (m)
	SANO (m) <b>or</b> SADLO (m)	DISC NBR* (m)
	SASF (m)	SASN (m)
	SASD (m)	
	SATH (m)	
	SASS (m)	

EU-CITY (m)	
EU-STATE (m)	
EU-ZIP CODE (m)	

# 11.3.3 LNA Tables for REQTYP M: Switched Combo Remote Call Forwarding (RCF UNE P BUS/RES)

The following charts show the Required, Conditional and Optional (R/C/O) fields for the Port Service form/screen for the valid Line Level Activities. Please refer to the **Completing the Port Service Form/Screen** Section for a listing of the valid LNAs for each account level activity.

All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, the fields not supported will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Mandatory entries are indicated by quotation marks ("xxx").
- Optional fields marked with an asterisk (\*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (m).
- Fields used only for electronic orders are followed by (e).

See the **Data Element Dictionary** Section for additional information on each of the fields listed below.

LNA	= N
-----	-----

PS LNA = N (REQTYP M -RCF UNE P BUS/RES)		
Required	Conditional	Optional
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (Detail) (m)
AN ( <i>m</i> ) <b>or</b> ATN ( <i>m</i> )	BLOCK (m)	FPI (m)
PQTY (m)	FEATURE # (m)	BA* (m)
PG_OF_( <i>m</i> )	FEATURE DETAIL # (m)	FA* (m)
LNUM (m)	TERS (m)	TC OPT* (m)

LNA = " N " (m)	
TNS (m)	
PIC (m)	
LPIC (m)	

# NOTE: Jacks may be requested utilizing FEATURE/FEATURE DETAIL fields of the PS-Port Service Form.

#### LNA = C

PS LNA = C (REQTYP M -RCF UNE P BUS/RES)		
Required	Conditional	Optional
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (Detail) ((m)
AN ( <i>m</i> ) <b>or</b> ATN ( <i>m</i> )	TERS (m)	PIC (m)
PQTY (m)	BLOCK (m)	LPIC (m)
PG_OF_( <i>m</i> )	FEATURE # (m)	TSP (m)
LNUM (m)	FEATURE DETAIL # (m)	TC OPT* (m)
LNA = " C " (m)		BA* (m)
TNS (m)		FA* (m)
		FPI (m)

" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

# NOTE: Jacks may be requested utilizing FEATURE/FEATURE DETAIL fields of the PS-Port Service Form.

LNA	= D
-----	-----

PS LNA = D (REQTYP M -RCF UNE P BUS/RES)		
Required Conditional Optional		
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (Detail) (m)

AN ( <i>m</i> ) <b>or</b> ATN ( <i>m</i> )	TC TO PRI (m)	TC OPT* (m)
PQTY (m)	TC TO SEC (m)	
PG_OF_ ( <i>m</i> )	TCID (m)	
LNUM (m)	TC NAME (m)	
TNS (m)	TC PER (m)	
LNA = " D " (m)	TERS (m)	

Note: If the line disconnecting is in a Hunt Group, the Hunting Page is also required

### LNA = G

PS LNA =G (REQTYP M -RCF UNE P BUS/RES)		
Required	Conditional	Optional
PON ( <i>m</i> )	VER ( <i>m</i> )	BA* (m)
AN ( <i>m</i> ) <b>or</b> ATN ( <i>m</i> )	BLOCK (m)	ECCKT (m)
PQTY (m)	TC TO PRI (m)	TSP (m)
PG_OF_( <i>m</i> )	TC TO SEC (m)	FPI (m)
LNA = " G " (m)	TCID (m)	TC OPT* (m)
PIC (m)	TC NAME (m)	LOCNUM (Detail) (m)
LPIC (m)	TC PER (m)	OTN (m)
LNUM (m)	LEAN (m) <b>or</b> LEATN (m)	
	TERS (m)	
	FA (m)	
	FEATURE # (m)	
	FEATURE DETAIL # (m)	

# NOTE: Jacks may be requested utilizing FEATURE/FEATURE DETAIL fields of the PS-Port Service Form.

#### LNA = X

PS LNA = X (REQTYP M -RCF UNE P BUS/RES)		
Required	Conditional	Optional
<del>PON ( <i>m</i>) -</del>	<del>VER (<i>m</i>) -</del>	LOCNUM (Detail) (m)
AN ( m) or ATN ( m)	TC TO PRI (m)	TC-OPT* (m)
PQTY (m)	TC TO SEC (m)	<del>BA* (m) -</del>
PG_OF_ ( m)-	<del>TCID (m)</del>	<del>FPI (m) -</del>
<del>LNUM (m) -</del>	TC NAME (m)	_
<del>LNA = " X " (m) -</del>	TC PER (m)	_
<del>TNS (m)</del>	<del>FA (m)</del> –	_
<del>OTN (m)</del> –	FEATURE (m)	_
PIC (m)	FEATURE DETAIL (m)	-
LPIC (m)-	-	-

" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

## LNA = V

PS LNA = V (REQTYP M -RCF UNE P BUS/RES)		
Required	Conditional	Optional
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (m)
AN ( <i>m</i> ) <b>or</b> ATN ( <i>m</i> )	LEAN or EATN ( <i>m</i> )	TSP (m)
PQTY (m)	BLOCK (m)	BA* (m)
PG_OF_ ( <i>m</i> )	TERS (m)	FPI (m)

LNUM (m)	TC TO PRI (m)	TC OPT* (m)
LNA = " V " (m)	TC TO SEC (m)	
TNS (m)	TCID (m)	
PIC (m)	TC NAME (m)	
LPIC (m)	TC PER	
	BLOCK (m)	
	FA (m)	
	FEATURE # (m)	
	FEATURE DETAIL # (m)	

" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) =

for manual ordering only; (e) = for electronic ordering only # NOTE: Jacks may be requested utilizing FEATURE/FEATURE DETAIL fields of the PS-Port Service Form.

LNA	=	Ρ
-----	---	---

PS LNA = P (REQTYP M -RCF UNE P BUS/RES)		
Required	Conditional	Optional
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (Detail) (m)
AN ( <i>m</i> ) <b>or</b> ATN ( <i>m</i> )	TERS (m)	FPI (m)
PQTY (m)		
PG_OF_ ( <i>m</i> )		
LNUM (m)		
LNA = " P " (m)		
TNS (m)		

PIC (m)	
LPIC (m)	

### LNA = L

PS LNA = L (REQTYP M -RCF UNE P BUS/RES)		
Required	Conditional	Optional
PON ( <i>m</i> )	<del>VER ( <i>m</i>) -</del>	LOCNUM (Detail) (m)
AN ( m) or ATN ( m)	TC TO PRI (m)	TC-OPT* (m)
PQTY (m)	TC TO SEC (m)	-
PG_OF_ ( <i>m</i> )-	<del>TCID (m)</del> –	-
LNUM (m)-	TC NAME (m)	-
<del>LNA = " L " (m) -</del>	TC PER (m)	-
TNS (m)	-	-

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (*m*) = for manual ordering only; (*e*) = for electronic ordering only

#### LNA = B

PS LNA = B (REQTYP M -RCF UNE P BUS/RES)			
Required-	Required Conditional Optional		
<del>PON ( <i>m</i>) -</del>	<del>VER ( <i>m</i>)</del>	LOCNUM (Detail) (m)	
AN ( m) or ATN ( m)			
	-	-	
PQTY (m)			
	-	-	
PG_OF_ ( <i>m</i> )			

	-	-
LNUM (m)	-	-
LNA = " B " (m)	-	_
<del>TNS (m)</del>	_	-

#### LNA = W

PS LNA = W (REQTYP M -RCF UNE P BUS/RES)		
Required	Conditional	Optional
PON ( <i>m</i> )	VER ( <i>m</i> )	LOCNUM (Detail) (m)
AN ( <i>m</i> ) <b>or</b> ATN ( <i>m</i> )	TERS (m)	
PQTY (m)	LEAN (m) <b>or</b> LEATN (m)	
PG_OF_ ( <i>m</i> )		
LNA = " W " (m)		
TNS (m)		
LNUM (m)		