
BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

**Carrier Notification
SN91083793**

Date: August 18, 2003

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – Update to Local Ordering Handbook (LOH) – EDI Local Mechanization
Specifications 6 (ELMS 6) Release 14.0/LOH Version 14.0a

This is to advise that BellSouth has identified the following documentation defects in the Pre-Order section of the LOH Version 14.0a for ELMS 6 Release 14.0.

| CRB | CCP | Description of Change |
|------------|------------|--|
| 3801 | 1030 | The description of WTN field will be changed to include ATN and blank entry information. Current description mentions only AN field (see attachment). |
| 3800 | 1316 | In Pre-Order, in the 14.0 LOH Documents, the NAME-DEL field's data characteristic value will be corrected from alpha to alpha/numeric. |

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 6 Release 14.0/LOH Version 14.0a scheduled for September 19, 2003.

A summary of all changes within this document will be listed in the **Summary of Changes Section**. This update can be found on the BellSouth Interconnection Services' Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachments

CR 1030

| TABLE au. Parsed Customer Record Query (PCSRQ) | | | | | | | | | |
|--|------------------|---------------------|------------------|--------------|--|-----------------|----------------|---------------------|--------------------|
| Parsed Customer Record Query (PCSRQ) | | | | | | | | | |
| Field Names | | Usage | | | | | | | |
| <i>BST</i> | <i>LSOG</i> 4 | <i>Field Length</i> | <i>Char Type</i> | <i>R/C/O</i> | <i>Business Rules</i> | <i>Iss</i> 9 | <i>T</i> AG | <i>Valid Values</i> | <i>Occurrences</i> |
| WTN | WTN | 10 | N | C | Working Telephone Number(s) - Identifies the working telephone number at the end user's location. May be populated when AN or ATN is populated. WTN field will be populated with Zeros (0) when a USOC on the Customer Service Record (CSR) does not have an associated TN. | X | X | | |
| S&E Section: Working TN | | | | | | | | | |
| WTN | N/A | 10 | N | O | Working Telephone Number(s) - Identifies the working telephone number at the end user's location. May be populated when AN or ATN is populated. WTN field will be populated with Zeros (0) when a USOC on the Customer Service Record (CSR) does not have an associated TN. | X | X | | 0, N |

| Parsed Customer Record Query (PCSRQ) | | | |
|---|--|------------------|-----------------------------|
| BST FIELD | FIELD DESCRIPTION | R / C / O | DATA CHARACTERISTICS |
| WTN | Working Telephone Number(s) - Identifies the working telephone number at the end user's location. May be populated when AN or ATN is populated. WTN field will be populated with Zeros (0) when a USOC on the Customer Service Record (CSR) does not have an associated TN. | C | 10 N |

| Parsed Customer Record Response (PCSRR) | | |
|--|-----------------------------|--|
| BST FIELD | DATA CHARACTERISTICS | FIELD DESCRIPTION |
| WTN | 10 N | Working Telephone Number(s) - Identifies the working telephone number at the end user's location. May be populated when AN or ATN is populated. WTN field will be populated with Zeros (0) when a USOC on the Customer Service Record (CSR) does not have an associated TN. |

TAG / LENS Data Dictionary

Rules Data Dictionary

WTN

Term Definition

Description name: Working telephone number(s)

Definition: Identifies the working telephone number at the end user's location. May be populated when AN or ATN is populated. **WTN field will be populated with Zeros (0) when a USOC on the Customer Service Record (CSR) does not have an associated TN.**

Characteristics: 10 N

EDI Pre-Order Data Dictionary

Rules Data Dictionary

WTN

Description name: Working telephone number(s)

Definition: Identifies the working telephone number at the end user's location. May be populated when AN or ATN is populated. **WTN field will be populated with Zeros (0) when a USOC on the Customer Service Record (CSR) does not have an associated TN.**

Characteristics: 10 N

CR 1316

| | | |
|-------------|--------------|---|
| ADI | 1 A | Address Indicator - Identifies that listing address elements should be omitted from directory assistance and published directories. |
| LISTINGDATA | Variable | Unparsed data that is returned in a block of information for CLEC use. |
| NAME-DEL | Up to 30 A/N | End User Name - Identifies the name of the end user to whom the directory is delivered. |
| DDAPR | Up to 5 A/N | Delivery Address House Prefix - Identifies the prefix for the house number of the delivery address. |
| DDANO | Up to 8 N | Delivery Address House Number - Identifies the house number of the delivery address. |

DATA DICTIONARY CORRECTION

| | | | | | | | | | |
|--------------------------------------|-------|----------|-----|---|---|---|---|--|--|
| ADI | ADI | 1 | A | O | Address Indicator - Identifies that listing address elements should be omitted from directory assistance and published directories. | X | X | | 0, N |
| Listing Data Block | | | | | | | | | |
| LISTINGDATA | N/A | Variable | A/N | O | Unparsed data that is returned in a block of information for CLEC use. | X | X | | Listing Section Data Block (unparsed data) |
| Directory Section Information | | | | | | | | | |
| Directory Section: | | | | | | | | | |
| Delivery Address | | | | | | | | | |
| NAME-DEL | N/A | Up to 30 | A/N | O | End User Name - Identifies the name of the end user to whom the directory is delivered. | X | X | | 0, 1 |
| DDAPR | DDAPR | Up to 5 | A/N | O | Delivery Address House Prefix - Identifies the prefix for the house number of the delivery address. | X | X | | 0, 1 |

NAME-DEL

| Term | Definition |
|-------------------|--|
| Description name: | End user name |
| Definition: | Identifies the name of the end user to whom the directory is delivered |
| Characteristics: | Up to 25_30 A/N |