@ BELLSOUTH

BellSouth Interconnection Services
675 West Peachtree Street
Atlanta, Georgia 30375

Carrier Notification
SN91083881

Date: November 7, 2003

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook
               (LOH) Version **13.0c** for Telecommunications Industry Forum 9 (TCIF 9) Release 13.0

This is to advise that BellSouth has identified the following documentation defects in the LOH Version
13.0c for TCIF 9 Release 13.0:

CCP Number	Description Of The Change
1465	The business rules for REMARKS for CO based DLEC-owned Splitter have changed.
1466	Correct field lengths for "BLDG" in the 13.0 C Pre-order Queries and Responses.
1467	Corrected 13.0 and 14.0 RCO tables to remove ACT C for REQTYP JB.
1469	Updated the Data Dictionary for DFDT to prohibit DFDT for REQTYP M and E Non Complex conditional usage note 3. Removed DFDT from the optional column of the R/C/O tables for the resale service and port service forms for Non-Complex.
1468	Modify the data dictionary in the resale form for PULSE to state not supported in this practice.
1464	LNA RCO tables for Line Splitting Bellsouth owned splitter were removed from the LOH.

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the TCIF9 Release 13.0/LOH Version **13.0d**
scheduled to be posted November 14, 2003.

A summary of all changes within this document will be listed in the **Summary of Changes Section**.

This update can be found on the BellSouth Interconnection Services' Web site in the Customer Guides
Section at:

   http://www.interconnection.bellsouth.com/guides/html/leo.html

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachments

CCP 1465 Attachment Listed Below

13.0

REMARKS - Remarks

Definition	Identifies a free flowing field which can be used to expand upon and clarify other data on this form/screen.
Def Notes	None
Valid Entries	None
VE Notes	None
Data Charact	Manual: Up to 160 alpha/numeric characters Electronic: Up to 240 alpha/numeric characters
Examples	`SUP DELETED ESX ESF TN 111-456-7890`
CU Notes	Note 1: Required when the 2nd character of the TOS is "R" and the ACT= C, N, P, Q or V.
Bus Rules	Rule 1: Virgules (/) and asterisks (*) are not allowed in this field.

Rule 2: The CLEC may enter Remarks which is a free flowing field which may be used to expand or clarify text data on the LSR.

Rule 3: BellSouth® does not edit this field for alpha/numeric content.

Manual:
Rule 4: On REQTYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC cage (Splitter LOC I), populate this field with CTI=B.

Rule 5: On REQTYP A where TOS 2nd character =P or R and the splitter resides inside the DLEC cage (Splitter LOC I), populate this field with CABLE ID2. (DLEC Collocated Cable ID- indicates CA for voice only cross connect).

Rule 6: On REQTYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC cage (Splitter LOC I), populate with CHAN/PR2 (DLEC Collocated Cable ID indicates CA for voice only cross connect).

Rule 7: On REQTYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC cage (Splitter LOC I), populate this field with RESID = FRN.

Electronic:
Rule 8: When ordering SynchroNet®, populate this field with CKL2 information;
i.e.- End User Name, End User Address, Contact Person, Contact Telephone Number.

13.0C PRE-ORDER LOH
EDI DATA DICTIONARY
PAGE 2-530

BUILDING

Description name: Building — EU
Definition: Identifies the building located at the street address.
Characteristics: ~~15~~ 14 A/N
Parsed Characteristics: 9 A/N
Corresponding Firm Order Field Name: EU — BLDG — End User Building

13.0C PRE-ORDER LOH
TAG/LENS DATA DICTIONARY
PAGE 2-372

BUILDING

Description name:	Building – EU
Definition:	Identifies the building located at the street address.
Characteristics:	~~15~~ 14 A/N
Parsed Characteristics:	9 A/N
Corresponding Firm Order Field Name:	EU ~~–~~ BLDG ~~–~~ End User Building

13.0C PRE-ORDER LOH
TAG/XML BUSINESS RULES
PAGE 2-358

Loop Reservation Cancel Request Query

This query requests to cancel an existing loop reservation.

Loop Reservation Cancel Request Query										
Field Names			**Usage**							
BST	**LSOG 3 4**	**LSOG 4 6**	**Field Length**	**Char Type**	**R/ C/ O**	**Business Rules**	**I s s 7**	**I s s 9**	**L E N S**	**Valid Values**
STRUC-BLDG	BLDG	BLDG	~~15~~ 14	A/N	O	Structure Building and Data

Identifies the building located at the street address. | | X | X | See Appendix C & D |
| ELEV-FLOOR | FLOOR | FLOOR | 14 | A/N | O | Elevation Floor and Data

Identifies the floor number of the street address. | | X | X | See Appendix C & D |

13.0C PRE-ORDER LOH TAG/LENS BUSINESS RULES PAGE 2-343

Loop Makeup Data On Spare Facility Query

This query requests Loop makeup data on spare facilities.

Loop Makeup Data On Spare Facility Query	
Field Names	**Usage**

BST	LSOG 3 4	LSOG 4 6	Field Length	Char Type	R/C/O	Business Rules	Iss 7	Iss 9	L E N S	Valid Values
STRUC-BLDG	BLDG	BLDG	14	A/N	O	Structure Building and Data Identifies the building located at the street address.	X	X		See Appendix C & D
ELEV-FLOOR	FLOOR	FLOOR	14	A/N	O	Elevation Floor and Data Identifies the floor number of the street address.	X	X		See Appendix C & D

13.0C PRE-ORDER LOH
EDI BUSINESS RULES

PAGE 2-509

Loop Reservation Cancel Request Query

Loop Reservation Cancel Request Query			
BST Field	**Field Description**	**R / C / O**	**Data Characteristics**
COMPANY CODE	Operating Company Code (OCN)	R	4 N
STREET-DIR	Street Directional Prefix Identifies the street directional prefix of the service address.	O	2 A/N
THOROUGHFARE	Street Thoroughfare Identifies the thoroughfare portion of the street name of the service address.	O	6 A/N

STREET-SUFFIX	Street directional Prefix Identifies the street directional prefix of the service address.	O	2 A/N
STRUC-BLDG	Structure Building and Data Identifies the building located at the street address.	O	~~15~~ 14 A/N
ELEV-FLOOR	Elevation Floor and Data Identifies the floor number of the street address.	O	14 A/N

Directory Listing

Product Listing

Directory Listings

Standard Directory Listings include the name, address and telephone number of an customer. This listing appears alphabetically in the Directory Assistance (DA) records and the White Pages Directory for the area in which the telephone service is located. Directory listings are intended to be an aid in the use of the telephone service, so they are limited to information for the identification of the listed party.

Ordering Forms/Screens for REQTYP J

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Directory Listing			
LSR	EU	DL	DSCR
R	R	C [1]	C [2]

[1] = The DL form/screen is required for ACT N, optional for ACT R, and prohibited for ACT D.

[2] = The DSCR form/screen is required to indicate:
- Captions
- Degree of Indent level detail
- Irregular placement required (indented listing in a caption or a straight line with indented listing under does not follow normal sequencing rules.)
- Name, address, telephone number, and associated degree of Indent level information.

Completing the LSR and EU Forms/Screens

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid REQTYP / ACT combination in the **REQTYP / ACT Combination for Directory Listing** Section.

BELLSOUTH ®

The following chart shows all of the valid account level activities for REQTYP J. Please refer to the **REQTYP Overview** Section for descriptions of the account level activities.

Valid Account Level Activities REQTYP J - Directory Listing			
N	C	D	R
X	X	X	X
" X " denotes valid account level activities. A dash (-) indicates a non-valid account level activity.			

Other REQTYPs

The DL form is applicable to REQTYPs B, C, E, F, J, M, N, P.

The following chart illustrates when the DL form is required, conditional, and optional, for the different ACTTYPs.

ACT	DL Form R/C/O
N	R
C	O
D	P
L	P
T	R
R	O
V	C
W	P
S	P
B	P
Y	P
P	R
Q	O

Valid LACT and DACT for ACTTYP

The Directory Listing (DL) and Directory Service Caption Request (DSCR) forms/screens may be required or invalid depending on the account level activity. Each account level activity has valid listing activities (LACTs) and valid delivery activities

BELLSOUTH®

(DACTs). These LACTs and DACTs determine how, or if, the DL and DSCR forms/screens should be populated. The following charts give the valid LACTs and DACTs for each account level activity (ACT) and the associated DL and DSCR forms/screens usage.

If ACT is:	Then LACT is:	And DL form/screen is:	And DSCR form/screen is:
N	N	Required	Optional
D	Prohibited	Prohibited	Prohibited
R	N, D, I or O	Optional	Optional
T	N	Required	Optional
C	N, D, I or O	Optional	Optional
V	N, D, I or O (REQTYP E, M)	Conditional	Optional
V	N, Z (REQTYP B, C)	Conditional	Optional
P	N, D, Z	Required	Optional
Q	N, D, Z	Optional	Optional

If ACT is:	Then DACT is:	And DL form/screen is:
N	N	Required
D	Prohibited	Not Required
R	N, D, I or O	Required
T	N	Required
C	N, D, I or O	Optional
V	N	Optional
P	N	Required
Q	N	Optional

The LACT and DACT Entries

Activities for directory listings and directory delivery are listed below.

Listing Activities (LACT) for Directory Listings:
N = New Listing
D = Delete Listing
I = Change Listing (new data to be inserted)
O = Change Listing (old data)
Z = No Change to listing

Delivery Activities (DACT) for <u>Directory Delivery</u>:

N = New Directory Delivery
D = Delete Directory Delivery*
I = Change Directory Delivery (new data to be inserted)*
O = Change Directory Delivery (old data)*

> **Note:** *DACT of D, I and O are applicable to MANUAL orders only.*

ACT, LACT (Listing Activities), and DACT (Delivery Activities) Tables

\\01gaf5142042011\bsc\Local Ordering Handbook\13\RCO Tables\j01t.doc

8.1.3 ACT, LACT (Listing Activities), and DACT (Delivery Activities) Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.
Please note the following codes:
- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the field in the Data Dictionary for additional clarification.
See the Data Dictionary Section for additional information on each field.
ACT Tables: Reqtyp J, Directory Listing

~~*ACT= C: LSR*~~
~~**Required**~~
~~ACT BAN1 CC~~
~~CCNA D/TSENT DDD~~
~~INIT INIT FAX NO. INIT TEL NO.~~
~~PG_OF_ (M) PON REQTYP~~
~~SC TOS~~
~~**Conditional**~~
~~AN ATN BI1~~
~~CIC CUST SUP~~
~~VER~~
~~**Optional**~~
~~REMARKS RPON~~
~~*ACT= C: EU*~~
~~**Required**~~
~~EU CITY EU NAME EU STATE~~
~~EU ZIP CODE PG_OF_ (M) PON (M)~~
~~SASN~~
~~**Conditional**~~
~~AN (M) ATN (M) EAN~~
~~EATN SADLO SANO~~
~~VER (M)~~
~~*BellSouth Local Ordering Handbook*~~
~~*Section 3 – Ordering*~~
~~*Version 13.0C, TCIF9 / LSOG4 Page 3-549*~~
~~*ACT Tables: Reqtyp J, Directory Listing*~~
~~**Optional**~~
~~EU BLDG EU FLOOR EU ROOM~~

~~SASD SASF SASS~~
~~SATH~~

ACT= D: LSR

Required
ACT BAN1 CC
CCNA D/TSENT DDD
INIT INIT-FAX NO. INIT-TEL NO.
PG_OF_ (M) PON REQTYP
SC TOS

Conditional
AN ATN BI1
CIC CUST SUP
VER

Optional
REMARKS RPON

ACT= D: EU

Required
EU-NAME PG_OF_ (M) PON (M)

Conditional
AN (M) ATN (M) FB-BILLCON
FB-BILLCON TEL NO. FB-BILLNM FB-CITY
FB-STATE FB-STREET FB-ZIP CODE
VER (M)

Optional
FB-FLOOR FBI* FB-ROOM
FB-SBILLNM

BellSouth Local Ordering Handbook
Section 3 – Ordering
Version 13.0C, TCIF9 / LSOG4 Page 3-550

ACT Tables: Reqtyp J, Directory Listing

ACT= N: LSR

Required
ACT BAN1 CC
CCNA D/TSENT DDD
INIT INIT-FAX NO. INIT-TEL NO.
PG_OF_ (M) PON REQTYP
SC TOS

Conditional
AN ATN BI1
CIC CUST SUP
VER

Optional
REMARKS RPON

ACT= N: EU

Required
EU-CITY EU-NAME EU-STATE
EU-ZIP CODE PG_OF_ (M) PON (M)
SASN

Conditional
AN (M) ATN (M) SADLO
SANO VER (M)

Optional
EU-BLDG EU-FLOOR EU-ROOM
SASD SASF SASS
SATH

ACT= R: LSR

Required
ACT BAN1 CC
CCNA D/TSENT DDD
INIT INIT-FAX NO. INIT-TEL NO.
PG_OF_ (M) PON REQTYP
SC TOS

BellSouth Local Ordering Handbook
Section 3 – Ordering

Version 13.0C, TCIF9 / LSOG4 Page 3-551
ACT Tables: Reqtyp J, Directory Listing

Conditional
AN ATN BI1
CIC CUST SUP
VER

Optional
REMARKS RPON

ACT= R: EU

Required
EU-CITY EU-NAME EU-STATE
EU-ZIP CODE PG_OF_ (M) PON (M)
SASN

Conditional
AN (M) ATN (M) EAN
EATN SADLO SANO
VER (M)

Optional
EU-BLDG EU-FLOOR EU-ROOM
SASD SASF SASS
SATH

BELLSOUTH ®

CCP 1469 Attachment Listed Below
LOH Version 13.0C Data Dictionary: Local Service Request Page
DFDT - Desired Frame Due Time

Definition	Identifies the desired frame cutover time. The time will reflect the local time of the end user's location(s).
Def Notes	None
Valid Entries	HHMM, HHMM-HHMM
	Military format: where HH must be numerics from 01-24 and MM must be numeric 00.
VE Notes	None
Data Charact	Manual: Up to 6 alpha/numeric characters
	Electronic: Up to 9 alpha/numeric characters
Examples	Manual: 1300
	Electronic: 13001300-1700
CU Notes	Note 1: Prohibited when the REQTYP is A and the ACT is N.
	Note 2: Prohibited when the REQTYP is A and the ACT is C and LNA is N.
	Note 3: Prohibited when the REQTYP is E (Non-Complex) or M (Non-Complex)
Bus Rules	Rule 1: For projects, frame due times are negotiated with the CLEC.
	Rule 2: For non-projects, frame due time indicates the specific time the request is to be worked.
	Rule 3: When the REQTYP is A or B, the DFDT field must be a single entry; of an hour and minute
and	not a span of time.
	Rule 4: When DFDT is populated with a time requested for time specific hot-cut, the time requested may be changed by BST to the next available time slot. This time slot assignment may be the same
day	or next business day. If assigned a different time and/or due date, the changed appointment will be reflected in the FOC.
	Rule 5: When the REQTYP is A or B, and the information populated in the NC field begins with TY or TX, the CHC field is also required.
	Rule 6: DFDT is not valid on requests for new loops. (ACT or LNA =N).
	Rule 7: [BULK] For UNE to UNE Bulk Requests, DFDT is prohibited.

Page 38 of 89

LOH Version 13.0C RCO Tables

Notes:
- (M) = Fields used only for manual orders
- (E) = Fields used only for electronic orders
- (*) = Optional fields that force at least one conditional field to become required.
- (**) = see additional clarification in the Data Dictionary.
- All unmentioned fields are either invalid, not applicable, prohibited or not
supported.

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

ACT= B: LSR
Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
LOCQTY	SUP	VER

Optional

REMARKS	RORD	RPON

ACT= B: EU
Required

EU-NAME	PG_OF_ (M)	PON (M)

BELLSOUTH®

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

Conditional

AN (M)	ATN (M)	EU-CITY
EU-STATE	EU-ZIP CODE	SADLO
SANO	SASD	SASF
SASS	SATH	VER (M)

Optional

LOCNUM (M)	LOCNUM HEADER* (E)	SASN

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
PROJECT	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	~~DFDT~~
EXP	REMARKS	RORD
RPON	SPEC	VTA

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

ACT= C: EU

Required

EU-NAME	LOCNUM DETAIL (E)	PG_OF_ (M)
PON (M)		

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY (M)	EU-CITY
EU-STATE	EU-ZIP CODE	IWCON
IWCON-TEL NO.	LOCACT (E)	SADLO
SANO	SASD	SASF
SASN	SASS	SATH
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

ACC	ACC	EU-BLDG
EU-FLOOR	EU-ROOM	IWO*
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER* (E)	TC OPT*	WSOP

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

ACT= D: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
LOCQTY	SUP	VER

Optional

~~DFDT~~	REMARKS	RORD
RPON		

ACT= D: EU

Required

EU-NAME	PG_OF_ (M)	PON (M)

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY (M)	EU-CITY
EU-STATE	EU-ZIP CODE	SADLO
SANO	SASD	SASF
SASS	SATH	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

EU-BLDG	EU-FLOOR	EU-ROOM
LOCNUM (M)	LOCNUM HEADER (E)	SASN
TC OPT*		

ACT= L: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
SUP	VER	

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

Optional

REMARKS	RORD	RPON

ACT= L: EU

Required

EU-NAME	PG_OF_ (M)	PON (M)

Conditional

AN (M)	ATN (M)	EU-CITY
EU-STATE	EU-ZIP CODE	SADLO
SANO	SASD	SASF
SASS	SATH	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

Optional

EU-BLDG	EU-FLOOR	EU-ROOM
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER* (E)	SASN	TC OPT*

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

ACT= N: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
LSO	PROJECT	SUP
VER		

Optional

ALT-IMPCON*	APPTIME-DDD	EXP
REMARKS	RORD	RPON
SPEC	VTA	

ACT= N: EU

Required

EU-CITY	EU-NAME	LOCNUM DETAIL (E)
PG_OF_ (M)	PON (M)	SASN

BELLSOUTH®

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

Conditional

AN (M)	ATN (M)	EU-STATE
EU-ZIP CODE	IWCON	IWCON-TEL NO.
LOCACT (E)	NCON (E)	SADLO
SANO	SASD	SASF
SASS	SATH	VER (M)

Optional

ACC	ACC (M)	EU-BLDG
EU-FLOOR	EU-ROOM	IWO*
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER* (E)	WSOP	

ACT= P: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
PROJECT	SUP	VER

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	REMARKS	RORD
RPON	SPEC	VTA

ACT= P: EU

Required

EU-NAME	LOCNUM DETAIL (E)	PG_OF_ (M)
PON (M)		

Conditional

AN (M)	ATN (M)	DISC NBR (M)
DNUM (M)	DQTY (M)	EAN (M)
EATN	EU-CITY	EU-STATE
EU-ZIP CODE	IWCON	IWCON-TEL NO.
LOCACT (E)	SADLO	SANO
SASD	SASF	SASS
SATH	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

Optional

ACC	EU-BLDG	EU-FLOOR
EUMI	EU-ROOM	IWO*
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER* (E)	SASN	TC OPT* (M)
WSOP		

ACT= Q: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
PROJECT	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	~~DFDT~~
EXP	REMARKS	RORD
RPON	SPEC	VTA

Updated 9/28/2003

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

ACT= Q: EU

Required

| EU-NAME | LOCNUM DETAIL (E) | PG_OF_ (M) |
| PON (M) | | |

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY (M)	EAN (M)
EATN	EU-CITY	EU-STATE
EU-ZIP CODE	IWCON	IWCON-TEL NO.
LOCACT (E)	SADLO	SANO
SASD	SASF	SASS
SATH	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

Optional

ACC	EU-BLDG	EU-FLOOR
EUMI	EU-ROOM	IWO*
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER* (E)	SASN	TC OPT* (M)
WSOP		

Updated 9/28/2003

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

ACT= S: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

| AN (M) | ATN | CUST (E) |
| LOCQTY | SUP | VER |

Optional

| REMARKS | RORD | RPON |

ACT= S: EU

Required

| EU-NAME | LOCNUM DETAIL (E) | PG_OF_ (M) |
| PON (M) | | |

Conditional

AN (M)	ATN (M)	EU-CITY
EU-STATE	EU-ZIP CODE	LOCACT (E)
SADLO	SANO	SASD
SASF	SASS	SATH
VER (M)		

Updated 9/28/2003

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

Optional

| EU-BLDG | EU-FLOOR | EU-ROOM |
| LOCNUM (M) | LOCNUM HEADER* (E) | SASN (E) |

ACT= T: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
DDDO**	IMPCON	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)
PON	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
LSO	PROJECT	SUP
VER		

Optional

ALT-IMPCON*	APPTIME-DDD	~~DFDT~~
EXP	REMARKS	RORD
RPON	SPEC	VTA

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

ACT= T: EU

Required

EATN	EU-CITY	EU-NAME
LOCNUM DETAIL (E)	PG_OF_ (M)	PON (M)
SASN		

Conditional

AN (M)	ATN (M)	EAN (M)
EU-STATE	EU-ZIP CODE	IWCON
IWCON-TEL NO.	LOCACT (E)	NCON (E)
SADLO	SANO	SASD
SASF	SASS	SATH
TC NAME	TC PER	TC TO PRI
TC TO SEC	TCID	VER (M)

Optional

ACC	EU-BLDG	EU-FLOOR
EU-ROOM	IWO*	LCON-NAME
LCON-TEL NO.	LOCNUM (M)	LOCNUM HEADER* (E)
TC OPT*	WSOP	

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

ACT= V: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
PROJECT	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	~~DFDT~~
EXP	REMARKS	RORD
RPON	SPEC	VTA

ACT= V: EU

Required

| ERL | EU-NAME | LOCNUM DETAIL (E) |
| PG_OF_ (M) | PON (M) | |

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY (M)	EAN (M)
EATN	EU-CITY	EU-STATE
EU-ZIP CODE	FB-BILLCON	FB-BILLCON TEL NO.
FB-BILLNM	FB-CITY	FB-STATE
FB-STREET	FB-ZIP CODE	IWCON
IWCON-TEL NO.	LOCACT (E)	NCON (E)
SADLO	SANO	SASD
SASF	SASS	SATH
TC NAME	TC PER	TC TO PRI
TC TO SEC	TCID	VER (M)

Optional

ACC	EU-BLDG	EU-FLOOR
EUMI*	EU-ROOM	FB-FLOOR
FBI*	FB-ROOM	FB-SBILLNM
IWO*	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER* (E)	SASN
TC OPT*	WSOP	

Updated 9/28/2003

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

ACT= W: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
PROJECT	SUP	VER

Optional

REMARKS	RORD	RPON

ACT= W: EU

Required

DQTY (M)	EU-NAME	PG_OF_ (M)
PON (M)		

Updated 9/28/2003

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

Conditional

AN (M)	ATN (M)	EU-CITY
EU-STATE	EU-ZIP CODE	FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM	FB-CITY
FBI*	FB-STATE	FB-STREET
FB-ZIP CODE	LOCACT (E)	SADLO
SANO	SASD	SASF
SASS	SATH	VER (M)

Optional

EU-BLDG	EU-FLOOR	EU-ROOM
FB-FLOOR	FB-ROOM	FB-SBILLNM
LOCNUM (M)	LOCNUM HEADER (E)	SASN

ACT= Y: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
SUP	VER	

Updated 9/28/2003

ACT Tables: Reqtyp E, Resale, non-complex (13.0C)

Optional

REMARKS

ACT= Y: EU

Required

EU-NAME	LOCNUM DETAIL (E)	PG_OF_ (M)
PON (M)		

Conditional

AN (M)	ATN (M)	EU-CITY
EU-STATE	EU-ZIP CODE	SADLO
SANO	SASD	SASF
SASS	SATH	VER (M)

LOH Version 13.0C RCO Tables

Notes:

- (M) = Fields used only for manual orders
- (E) = Fields used only for electronic orders
- (*) = Optional fields that force at least one conditional field to become required.
- (**) = see additional clarification in the Data Dictionary.
- All unmentioned fields are either invalid, not applicable, prohibited or not supported.

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

ACT= B: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	PORTTYP
REQTYP	SC	TOS

Conditional

AN	ATN	CUST (E)
LOCQTY	SUP	VER

Optional

CIC (E)	REMARKS	RORD
RPON		

ACT= B: EU

Required

EU-NAME	PG_OF_ (M)	PON (M)

Updated 9/28/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

Conditional

AN (M)	ATN (M)	EU-CITY
EU-STATE	EU-ZIP CODE	SADLO
SANO	SASD	SASF
SASS	SATH	VER (M)

Optional

EU-BLDG	EU-FLOOR	EU-ROOM
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER (E)	SASN	

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
PORTTYP	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
PROJECT	SUP	VER

Updated 9/28/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

Optional

ALT-IMPCON*	APPTIME-DDD	CIC (E)
~~DFDT~~	EXP	EXP
REMARKS	RORD	RPON
SPEC		

ACT= C: EU

Required

EU-NAME	PG_OF_ (M)	PON (M)

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY (M)	EU-CITY
EU-STATE	EU-ZIP CODE	IWCON
IWCON-TEL NO.	LOCACT (E)	LOCNUM DETAIL (E)
SADLO	SANO	SASD

SASF	SASN	SASS
SATH	TC PER	TC TO PRI
TC TO SEC	TCID	VER (M)

Optional

ACC	EU-BLDG	EU-FLOOR
EU-ROOM	IWO*	LCON-NAME
LCON-TEL NO.	LOCNUM (M)	LOCNUM HEADER (E)
TC OPT*	WSOP	

Updated 9/28/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

ACT= D: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	PORTTYP
REQTYP	SC	TOS

Conditional

| AN | ATN | CUST (E) |
| LOCQTY | SUP | VER |

Optional

| CIC (E) | ~~DFDT~~ | REMARKS |
| RORD | RPON | |

ACT= D: EU

Required

| EU-NAME | PG_OF_ (M) | PON (M) |

Updated 9/28/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY (M)	EU-CITY
EU-STATE	EU-ZIP CODE	SADLO
SASD	SASF	SASS
SATH	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

Optional

| EU-BLDG | EU-FLOOR | EU-ROOM |
| LOCNUM HEADER (E) | SASN | TC OPT* |

ACT= L: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	PORTTYP
REQTYP	SC	TOS

Conditional

| AN | ATN | CUST (E) |
| SUP | VER | |

Updated 9/28/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

Optional

| CIC (E) | REMARKS | RORD |
| RPON | | |

ACT= L: EU

Required

| EU-NAME | PG_OF_ (M) | PON (M) |

Conditional

AN (M)	ATN (M)	EU-CITY
EU-STATE	EU-ZIP CODE	SADLO
SANO	SASD	SASF
SASS	SATH	TC PER
TC TO PRI	TC TO SEC	TCID

VER (M)
Optional

EU-BLDG	EU-FLOOR	EU-ROOM
LCON-NAME	LCON-TEL NO.	LOCNUM HEADER (E)
SASN	TC OPT*	

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

ACT= N: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
PORTTYP	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
PROJECT	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	CIC (E)
DFDT	EXP	REMARKS
RORD	RPON	SPEC

ACT= N: EU

Required

EU-CITY	EU-NAME	PG_OF_ (M)
PON (M)	SASN	

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

Conditional

AN (M)	ATN (M)	EU-STATE
EU-ZIP CODE	IWCON	IWCON-TEL NO.
LOCACT (E)	LOCNUM DETAIL (E)	NCON (E)
SADLO	SANO	SASD
SASF	SASS	SATH
VER (M)		

Optional

ACC	ACC	EU-BLDG
EU-FLOOR	EU-ROOM	IWO*
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER (E)	WSOP	

ACT= P: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
PORTTYP	REQTYP	SC
TOS		

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
PROJECT	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	CIC (E)
DFDT	EXP	REMARKS
RORD	RPON	SPEC

ACT= P: EU

Required

EU-NAME	PG_OF_ (M)	PON (M)

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY (M)	EAN (M)
EATN	EU-CITY	EU-STATE
EU-ZIP CODE	IWCON	IWCON-TEL NO.
LOCACT (E)	LOCNUM DETAIL (E)	SADLO
SANO	SASD	SASF
SASS	SATH	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

Optional

ACC	EU-BLDG	EU-FLOOR
EUMI	EU-ROOM	IWO*
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER (E)	SASN	TC OPT*
WSOP		

ACT= Q: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
PORTTYP	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
PROJECT	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	CIC (E)
EXP	REMARKS	RORD
RPON	SPEC	

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

ACT= Q: EU

Required

| EU-NAME | PG_OF_ (M) | PON (M) |

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY (M)	EAN (M)
EATN	EU-CITY	EU-STATE
EU-ZIP CODE	IWCON	IWCON-TEL NO.
LOCACT (E)	LOCNUM DETAIL (E)	SADLO
SANO	SASD	SASF
SASS	SATH	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

ACC	EU-BLDG	EU-FLOOR
EUMI	EU-ROOM	IWO*
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER (E)	SASN	TC OPT*
WSOP		

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

ACT= S: LSR

Required

ACT	BAN1	CC
CCNA	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	PORTTYP
REQTYP	SC	TOS

Conditional

AN	ATN	CUST (E)
LOCQTY	SUP	VER

Optional

CIC (E)	REMARKS	RORD
RPON		

ACT= S: EU

Required

EU-NAME	PG_OF_ (M)	PON (M)

Conditional

AN (M)	ATN (M)	EU-CITY
EU-STATE	EU-ZIP CODE	LOCACT (E)
LOCNUM DETAIL (E)	SADLO	SANO
SASD	SASF	SASN
SASS	SATH	VER (M)

Updated 9/28/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

Optional

EU-BLDG	EU-FLOOR	EU-ROOM
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER (E)		

ACT= T: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
DDDO**	IMPCON	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)
PON	PORTTYP	REQTYP
SC	TOS	

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
PROJECT	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	CIC (E)
~~DFDT~~	EXP	REMARKS
RORD	RPON	SPEC

Updated 9/28/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

ACT= T: EU

Required

EATN	EU-CITY	EU-NAME
PG_OF_ (M)	PON (M)	SASN

Conditional

AN (M)	ATN (M)	EAN (M)
EU-STATE	EU-ZIP CODE	IWCON
IWCON-TEL NO.	LOCACT (E)	LOCNUM DETAIL (E)
NCON (E)	SADLO	SANO
SASD	SASF	SASS
SATH	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

Optional

ACC	EU-BLDG	EU-FLOOR
EUMI (M)	EU-ROOM	IWO*
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER (E)	TC OPT*	WSOP

Updated 9/28/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

ACT= V: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.

INIT-TEL NO.	PG_OF_ (M)	PON
PORTTYP	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
PROJECT	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	CIC (E)
~~DFDT~~	EXP	REMARKS
RORD	RPON	SPEC
VTA (M)		

ACT= V: EU

Required

| ERL | EU-NAME | PG_OF_ (M) |
| PON (M) | | |

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY (M)	EAN (M)
EATN	EU-CITY	EU-STATE
EU-ZIP CODE	FB-BILLCON	FB-BILLCON TEL NO.
FB-BILLNM	FB-CITY	FB-STATE
FB-STREET	FB-ZIP CODE	IWCON
IWCON-TEL NO.	LOCACT (E)	LOCNUM DETAIL (E)
NCON (E)	SADLO	SANO
SASD	SASF	SASS
SATH	TC FR (E)	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

ACC	EU-BLDG	EU-FLOOR
EUMI	EU-ROOM	FB-FLOOR
FBI*	FB-ROOM	FB-SBILLNM
IWO*	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER (E)	SASN
TC OPT*	WSOP	

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

ACT= W: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	PORTTYP
REQTYP	SC	TOS

Conditional

| AN | ATN | CUST (E) |
| PROJECT | SUP | VER |

Optional

| CIC (E) | REMARKS | RORD |
| RPON | | |

ACT= W: EU

Required

| DQTY (M) | EU-NAME | PG_OF_ (M) |
| PON (M) | | |

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

Conditional

AN (M)	ATN (M)	EU-CITY
EU-STATE	EU-ZIP CODE	FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM	FB-CITY
FB-STATE	FB-STREET	FB-ZIP CODE

LOCACT (E)   SADLO   SANO
SASD   SASF   SASS
SATH   VER (M)

Optional
EU-BLDG   EU-FLOOR   EU-ROOM
FB-FLOOR   FBI*   FB-ROOM
FB-SBILLNM   LOCNUM (M)   LOCNUM HEADER* (E)
SASN

ACT= Y: LSR

  Required
  ACT   BAN1   CC
  CCNA (E)   D/TSENT   DDD
  INIT   INIT-FAX NO.   INIT-TEL NO.
  PG_OF_ (M)   PON   PORTTYP
  REQTYP   SC   TOS

  Conditional
  AN   ATN   CUST (E)
  SUP   VER

Updated 9/28/2003   Page 18 of 26

ACT Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

  Optional
  CIC (E)   REMARKS

ACT= Y: EU

  Required
  EU-NAME   PG_OF_ (M)   PON (M)

  Conditional
  AN (M)   ATN (M)   EU-CITY
  EU-STATE   EU-ZIP CODE   LOCNUM DETAIL (E)
  SADLO   SANO   SASD
  SASF   SASS   SATH
  VER (M)

  Optional
  EU-BLDG   EU-FLOOR   EU-ROOM
  LOCNUM (M)   LOCNUM HEADER (E)   SASN

Updated 9/28/2003   Page 19 of 26

LNA Tables: Reqtyp M, Switched Combo Bus/Res (13.0C)

BELLSOUTH ®

CCP 1468 Attachment Listed Below

13.0 data dictionary   (RESALE)

PULSE - Type of Pulsing

Definition   Identifies the type of pulsing desired for the DID trunk.

Def Notes   None

~~Valid Entries   None~~

~~VE Notes   None~~

~~Data Charact 2 or 4 alpha characters~~

~~Examples   DP   or   DTMF~~

~~CU Notes   None~~

~~Bus Rules   None~~
This field is not supported by BellSouth in this practice.

14.0 LOH

PULSE
Type of Pulsing (RS Page)

Definition   Identifies the type of pulsing requested for the service.

~~Def Notes   None~~

~~Valid Entries   Valid Entries:~~
~~Entry   Description~~
~~DP   Dial Pulse~~
~~MF   Multi-Frequency~~
~~DTMF   Dual Tone Multi Frequency~~

~~VE Notes   None~~

~~Data Charact   2 or 4 alpha characters~~

~~Examples   DP~~
~~DTMF~~
~~CU Notes   Note 1: Prohibited when the REQTYP is E and the LNA is L or B.~~

~~Bus Rules   None~~

This field is not supported by BellSouth in this practice.

15.0 LOH

PULSE

Type of Pulsing (RS Page)

Definition   Identifies the type of pulsing requested for the service.

Def Notes   None

Valid Entries   Valid Entries:

Entry   Description

DP   Dial Pulse

MF   Multi-Frequency

DTMF   Dual Tone Multi Frequency

VE Notes   None

Data Charact 2 or 4 alpha characters

Examples   DP

DTMF

CU Notes   Note 1: Prohibited when the REQTYP is E and the LNA is L or B.

Bus Rules   None

This field is not supported by BellSouth in this practice.

CCP 1464 Attachment Listed Below

LOH Version 13.0C RCO Tables

Notes:
- (M) = Fields used only for manual orders
- (E) = Fields used only for electronic orders
- (*) = Optional fields that force at least one conditional field to become required.
- (**) = see additional clarification in the Data Dictionary.
- All unmentioned fields are either invalid, not applicable, prohibited or not supported.

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

ACT= C: LSR

Required

ACNA (M)	ACT (M)	ACTL (M)

BELLSOUTH®

ATN (M)	BI1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	LSP AUTH (M)
LSP AUTH DATE (M)	LSP AUTH NAME (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
PROJECT (M)	SUP (M)	VER (M)

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)	RPON (M)	SCA (M)

ACT= C: EU

Required

ATN (M)	EU-NAME (M)	PG_OF_ (M)
PON (M)		

Conditional

EU-BLDG (M)	EU-CITY (M)	EU-FLOOR (M)
EU-ROOM (M)	EU-STATE (M)	EU-ZIP CODE (M)
SADLO (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

LCON-NAME (M)	LCON-TEL NO. (M)	SASN (M)

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

ACT= D: LSR

Required

ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BI1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	LSP AUTH (M)
LSP AUTH DATE (M)	LSP AUTH NAME (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REQTYP (M)	SC (M)	SECNCI (M)
TOS (M)		

Conditional

CUST (M)	IMPCON-TEL NO. (M)	IMPCON-TEL NO. (M)
PROJECT (M)	SUP (M)	VER (M)

Optional

CIC (M)	DFDT (M)	REMARKS (M)
RPON (M)		

ACT= D: EU

Required

ATN (M)	EU-NAME (M)	PG_OF_ (M)
PON (M)		

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

Conditional

EU-BLDG (M)	EU-CITY (M)	EU-FLOOR (M)
EU-ROOM (M)	EU-STATE (M)	EU-ZIP CODE (M)
SADLO (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional
SASN (M)

ACT= N: LSR

Required

ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BI1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	LSP AUTH (M)
LSP AUTH DATE (M)	LSP AUTH NAME (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
PROJECT (M)	SUP (M)	VER (M)

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)	RPON (M)	SCA (M)

ACT= N: EU

Required

ATN (M)	EU-NAME (M)	PG_OF_ (M)
PON (M)		

Conditional

EU-BLDG (M)	EU-CITY (M)	EU-FLOOR (M)
EU-ROOM (M)	EU-STATE (M)	EU-ZIP CODE (M)
SADLO (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

LCON-NAME (M)	LCON-TEL NO. (M)	SASN (M)

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

ACT= P: LSR

Required

ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BAN1 (M)	BI1 (M)
CC (M)	CCNA (M)	D/TSENT (M)
DDD (M)	IMPCON (M)	INIT (M)
INIT-FAX NO. (M)	INIT-TEL NO. (M)	LSO (M)
LSP AUTH (M)	LSP AUTH DATE (M)	LSP AUTH NAME (M)
NC (M)	NCI (M)	PG_OF_ (M)
PON (M)	REMARKS (M)	REQTYP (M)
SC (M)	SECNCI (M)	TOS (M)

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
PROJECT (M)	SUP (M)	VER (M)

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)	RPON (M)	

ACT= P: EU

Required

ATN (M)	EU-NAME (M)	PG_OF_ (M)
PON (M)		

BELLSOUTH®

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

Conditional

EU-BLDG (M)	EU-CITY (M)	EU-FLOOR (M)
EU-ROOM (M)	EU-STATE (M)	EU-ZIP CODE (M)
SADLO (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

LCON-NAME (M)	LCON-TEL NO. (M)	SASN (M)

ACT= Q: LSR

Required

ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BAN1 (M)	BI1 (M)
CC (M)	CCNA (M)	D/TSENT (M)
DDD (M)	IMPCON (M)	INIT (M)
INIT-FAX NO. (M)	INIT-TEL NO. (M)	LSO (M)
LSP AUTH (M)	LSP AUTH DATE (M)	LSP AUTH NAME (M)
NC (M)	NCI (M)	PG_OF_ (M)
PON (M)	REMARKS (M)	REQTYP (M)
SC (M)	SECNCI (M)	TOS (M)

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
PROJECT (M)	SUP (M)	VER (M)

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)	RPON (M)	

ACT= Q: EU

Required

ATN (M)	EU-NAME (M)	PG_OF_ (M)
PON (M)		

Conditional

EU-BLDG (M)	EU-CITY (M)	EU-FLOOR (M)
EU-ROOM (M)	EU-STATE (M)	EU-ZIP CODE (M)
SADLO (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

LCON-NAME (M)	LCON-TEL NO. (M)	SASN (M)

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

ACT= V: LSR

Required

ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BAN1 (M)	BI1 (M)
CC (M)	CCNA (M)	CIC (M)
D/TSENT (M)	DDD (M)	IMPCON (M)
INIT (M)	INIT-FAX NO. (M)	INIT-TEL NO. (M)
LSO (M)	LSP AUTH (M)	LSP AUTH DATE (M)
LSP AUTH NAME (M)	NC (M)	NCI (M)
PG_OF_ (M)	PON (M)	REMARKS (M)
REQTYP (M)	SC (M)	SECNCI (M)
TOS (M)		

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
PROJECT (M)	SUP (M)	VER (M)

Optional

ALT-IMPCON (M)	DFDT (M)	EXP (M)
RORD (M)	RPON (M)	

ACT= V: EU

Required

ATN (M)	EU-NAME (M)	PG_OF_ (M)
PON (M)		

Updated 9/28/2003

BELLSOUTH ®

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

Conditional

EU-BLDG (M)	EU-CITY (M)	EU-FLOOR (M)
EU-ROOM (M)	EU-STATE (M)	EU-ZIP CODE (M)
SADLO (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

LCON-NAME (M)	LCON-TEL NO. (M)	SASN (M)

ACT= W: LSR

Required

ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BAN1 (M)	BI1 (M)
CC (M)	CCNA (M)	D/TSENT (M)
DDD (M)	IMPCON (M)	INIT (M)
INIT-FAX NO. (M)	INIT-TEL NO. (M)	LSO (M)
LSP AUTH (M)	LSP AUTH DATE (M)	LSP AUTH NAME (M)
NC (M)	NCI (M)	PG_OF_ (M)
PON (M)	REMARKS (M)	REQTYP (M)
SC (M)	SECNCI (M)	TOS (M)

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
PROJECT (M)	SUP (M)	VER (M)

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)	RPON (M)	SCA (M)

ACT= W: EU

Required

ATN (M)	EU-NAME (M)	PG_OF_ (M)
PON (M)		

Conditional

EU-BLDG (M)	EU-FLOOR (M)	EU-ROOM (M)
SADLO (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

LCON-NAME (M)	LCON-TEL NO. (M)	SASN (M)

Updated 9/28/2003

BELLSOUTH ®

LNA Tables: Reqtyp A, Unbundled (CO Based) Line Share BST-Owned Splitter (13.0C)

LNA= C: LS

Required

ATN (M)	CABLE ID	CHAN/PAIR
	LEAN (M)	LEATN (M)
LNA	LNUM	LQTY
PG_OF_ (M)	PON (M)	RELAY RACK (M)
SHELF (M)	SLOT (M)	

Conditional

VER (M)

Optional

REMARKS (M)

LNA= D: LS

Required

ATN (M)		LEAN (M)
LEATN (M)	LNA (M)	LNUM (m)
LQTY (M)	PG_OF_ (M)	PON (M)
Relay Rack (M)	Shelf (M)	Slot (M)

Conditional

VER (M)

Optional

REMARKS (M)

LNA Tables: Reqtyp A, Unbundled (CO Based) Line Share BST-Owned Splitter (13.0C)

LNA= N: LS

Required

ATN (M)	CABLE ID (M)	CHAN/PAIR (M)
LEAN (M)	LEATN (M)	LNA (M)
LNUM (M)	LQTY (M)	PG_OF_ (M)
PON (M)	RELAY RACK (M)	SHELF (M)
SLOT (M)		

Conditional
VER (M)

Optional
REMARKS (M)

LNA= V: LS

Required

AN (M)	CABLE ID (M)	CHAN/PAIR (M)
Ecckt (M)	LEAN (M)	LEATN (M)
LNA (M)	LNUM (M)	LQTY (M)
PG_OF_ (M)	PON (M)	RELAY RACK (M)
SHELF (M)	SLOT (M)	

Conditional
VER (M)

Optional
REMARKS (M)

LNA= W: LS

Required

AN (M)	CABLE ID (M)	CHAN/PAIR (M)
	LEAN (M)	LEATN (M)
LNA (M)	LNUM (M)	LQTY (M)
PG_OF_ (M)	PON (M)	RELAY RACK
SHELF (M)	SLOT (M)	

Conditional
VER (M)

Optional
REMARKS (M)