

BellSouth Interconnection Services 675 West Peachtree Street Atlanta, Georgia 30375

Carrier Notification SN91083882

Date: November 7, 2003

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH), Version **14.0a** Local Service Ordering Guide 6 (LSOG6) and EDI Local Mechanization Specifications 6 (ELMS6) for Release 14.0

This is to advise that BellSouth has identified the following documentation defects in the LOH **14.0a** for ELMS 6 Release 14.0:

CCP Number	Description Of The Change	
1465	The business rules for REMARKS for CO based DLEC-owned Splitter have changed.	
1470	Modify the data dictionary for the FBI field to add new business rules and new valid entry note.	
1467	Corrected 13.0 and 14.0 RCO tables to remove ACT C for REQTYP JB.	
1469	Updated the Data Dictionary for DFDT to prohibit DFDT for REQTYP M and E Non Complex conditional usage note 3. Removed DFDT from the optional column of the R/C/O tables for the resale service and port service forms for Non-Complex.	
1468	Modify the data dictionary in the resale form for PULSE to state not supported in this practice.	
1464	LNA RCO tables for Line Splitting Bellsouth owned splitter were removed from the LOH.	

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 6 Release 14.0/LOH Version **14.0b**, scheduled to be posted November 24, 2003.

A summary of all changes within this document will be listed in the **Summary of Changes Section**. This update can be found on the BellSouth Interconnection Services' Web site in the Customer Guides Section at:

http://www.interconnection.bellsouth.com/guides/html/leo.html

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President BellSouth Interconnection Services



CCP 1465 Attachment Listed Below

<u>14.0</u>

REMARKS -	Remarks
Definition	Identifies a free flowing field which can be used to expand upon and clarify other data on this form/screen.
Def Notes	None
Valid Entries	None
VE Notes	None
Data Charact	Manual: Up to 160 alpha/numeric characters Electronic: Up to 240 alpha/numeric characters
Examples	SUP DELETED ESX ESF TN 111-456-7890
CU Notes	Note 1: Required when the 2nd character of the TOS is "R" and the ACT= C, N, P, Q or V.
Bus Rules	Rule 1: Virgules (/) and asterisks (*) are not allowed in this field.
	Rule 2: The CLEC may enter Remarks which is a free flowing field which may be used to expand or clarify text data on the LSR.
	Rule 3: BellSouth® does not edit this field for alpha/numeric content.
	— — Manual: — Rule 4: On REQTYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC
cage	- (Splitter LOC I), populate this field with CTI=B
	Rule 5: On REQTYP A where TOS 2nd character =P or R and the splitter resides inside the DLEC
cage	- (Splitter LOC I), populate this field with CABLE ID2. (DLEC Collocated Cable ID- indicates CA for
voice	
	— —Rule 6: On REQTYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC
cage	
Cross	
	— —Rule 7: On REQTYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC
cage	

Electronic:

Rule 8: When ordering SynchroNet®, populate this field with CKL2 information; i.e.- End User Name, End User Address, Contact Person, Contact Telephone Number.

Page 72 of 89



Attachment SN91083882

CCP 1470 Attachment Listed Below

<u>14.0</u>

FBI

Final Bill Information Indicator (EU Page)

Definition	Indicates whether a final bill should be sent to either the existing billing address or a different address.
Def Notes	None
Valid Entries	Manual:EntryDescritionDDifferent AddressEExisting AddressElectronic:EntryDescritionYYes (Different Address)NNo (Existing Address)
VE Notes	

Manual: NOTE 1: If the valid entry is "D", the BILLNM, STREET, STATE and ZIP CODE fields must be populated. <u>Electronic</u> Note 2: Entries of 'Y' or 'N' translate to 'D' and 'E', respectively.

Electronic:

NOTE 2: The system will convert valid entries of Y to D and N to E prior to processing the service

Data Charact	1 alpha characte	er
Examples	Manual: Electronic:	D Y

CU Notes

Note 1: Prohibited when the first position of the REQTYP field on the LSR is "J " and the ACT field is N or R.

Note 2: Prohibited when the MI field is A or B.

Note 3: Required when the MI field is C or D.

Bus Rules None

Rule 1: Not valid for CLEC-to-CLEC, DLEC-to-DLEC, or DLEC-to-CLEC migration request(s).



15.0

FBI

Final Bill Information Indicator (EU Page)

Definition	Indicates whether a final bill should be sent to either the existing billing address or a different address.
Def Notes	None

Valid Entries

Manua	al:
Entry	Descrition
D	Different Address
E	Existing Address
Electro	onic:
Entry	Descrition
Ϋ́	Yes (Different Address)
Ν	No (Existing Address)

VE Notes

Manual: NOTE 1: If the valid entry is "D", the BILLNM, STREET, STATE and ZIP CODE fields must be populated. Electronic Note 2: Entries of 'Y' or 'N' translate to 'D' and 'E', respectively.

> Electronic: NOTE 2: The system will convert valid entries of Y to D and N to E prior to processing the service

Data Charact	1 alpha characte	er
Examples	Manual:	D
	Electronic:	Y

CU Notes

Note 1: Prohibited when the first position of the REQTYP field on the LSR is "J " and the ACT field is N or R. Note 2: Prohibited when the MI field is A or B. Note 3: Required when the MI field is C or D.

Bus Rules None

Rule 1: Not valid for CLEC-to-CLEC, DLEC-to-DLEC, or DLEC-to-CLEC migration request(s).

Attachment SN91083882

ccp 1467 Attachment Listed Below Reqtyp J

Directory Listing

Product Listing

Directory Listings

Standard Directory Listings include the name, address and telephone number of an customer. This listing appears alphabetically in the Directory Assistance (DA) records and the White Pages Directory for the area in which the telephone service is located. Directory listings are intended to be an aid in the use of the telephone service, so they are limited to information for the identification of the listed party.

Ordering Forms/Screens for REQTYP J

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Directory Listing			
LSR	EU	DL	
R	R	С	
		[1]	
R = Required C = Conditional O = Optional			

[1] = The DL form/screen is required for ACT N, optional for ACT R, and prohibited for ACT D.

Completing the LSR and EU Forms/Screens

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid REQTYP / ACT combination in the **REQTYP** / **ACT Combination for Directory Listing** Section.

The following chart shows all of the valid account level activities for REQTYP J. Refer to the **REQTYP Overview** Section for descriptions of the account level activities.

Valid Account Level Activities



REQTYP J - Directory Listing				
Ν	£	D	R	
X	X	X	Χ	
" X " denotes valid account level activities. A dash (-) indicates a <i>non-valid</i> account level activity.				

Other REQTYPs

The DL form is applicable to REQTYPs B, C, E, F, J, K, M, N, P.

The following chart illustrates when the DL form is required, conditional, optional or prohibited, for the different ACTTYPs.

ACT	DL Form R/C/O
N	R
С	0
D	Р
L	Р
Т	R
R	0
V	С
W	Р
S	Р
В	Р
Y	Р

R=Required, C=Conditional, O=Optional, P=Prohibited

Valid LACT and DACT for ACT Type

The Directory Listing (DL) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid listing activities (LACTs) and valid delivery activities (DACTs). These LACTs and DACTs determine how, or if, the DL form/screen should be populated. The following charts give the valid LACTs and DACTs for each account level activity (ACT) and the associated DL formsscreen usage.

If ACT is:	Then LACT is:	And DL form/screen is:	And DSCR form/screen is:
Ν	Ν	Required	Optional



D	Prohibited	Prohibited	Prohibited
R	N, D, I or O	Optional	Optional
Т	Ν	Required	Optional
С	N, D, I or O	Optional	Optional
V	N, D or Z (REQTYP E, M)	Conditional	Optional
V	N, Z (REQTYP B, C)	Conditional	Optional

If ACT is:	Then DACT is:	And DL form/screen is:
Ν	Ν	Required
D	Prohibited	Not Required
R	N, D, I or O	Required
Т	Ν	Required
С	N, D, I or O	Optional
V	Ν	Optional

The LACT and DACT Entries

Activities for directory listings and directory delivery are listed below.

Listing Activities (LACT) for Directory Listings:

- **N** = New Listing
- **D** = Delete Listing
- **I** = Change Listing (new data to be inserted)
- **O** = Change Listing (old data)
- \mathbf{Z} = No Change to listing

Delivery Activities (DACT) for Directory Delivery:

- **N** = New Directory Delivery
- **D** = Delete Directory Delivery*
- I = Change Directory Delivery (new data to be inserted)*
- **O** = Change Directory Delivery (old data)*

Note: DACT of D, I and O are applicable to MANUAL orders only.



ACT, LACT (Listing Activities), and DACT (Delivery Activities) Tables

\\01gaf5142042011\bsc\Local Ordering Handbook\14\RCO Tables\j01t.doc

8.1.3 ACT, LACT (Listing Activities), and DACT (Delivery Activities) Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.

- Fields used only for manual orders are followed by (M).

- Fields used only for electronic orders are followed by (E).

- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp J, Directory Listing

ACT= C: LSR

Required

ACT BAN1-CC CCNA-D/TSENT-DDD INIT-INIT-FAX-NO. INIT-TEL-NO. PG_OF_(M) PON REQTYP SC-TOS Conditional AN-ATN-BH CIC-CUST-SUP VER Optional REMARKS RPON ACT= C: EU Required CITY NAME PG_OF_(M) PON-(M) SASN-STATE

ZIP Conditional AALAN (M) ATN (M)

EAN EATH SANO VER (M) BellSouth Local Ordering Handbook Section 3 - Ordering Version 14.0A, LSOG6 / ELMS6 Page 3 - 477

ACT Tables: Reqtyp J, Directory Listing

Optional LD1 LD2 LD3 SASD SASE SASS SATH

ACT= D: LSR

Required ACT BAN1 CC CCNA D/TSENT DDD INIT INIT-FAX NO. INIT-TEL NO. PG_OF_ (M) PON REQTYP SC TOS Conditional AN ATN BI1



CIC CUST SUP VER **Optional** REMARKS RPON ACT= D: EU Required NAME PG_OF_ (M) PON (M) Conditional AN (M) ATN (M) FB-BILLCON FB-BILLNM FB-CITY FB-STATE FB-STREET FB-ZIP CODE TEL NO-FBCON VER (M) Optional FB-FLOOR FBI* FB-ROOM FB-SBILLNM BellSouth Local Ordering Handbook Section 3 - Ordering Version 14.0A, LSOG6 / ELMS6 Page 3 - 478 ACT Tables: Reqtyp J, Directory Listing ACT= N: LSR Required ACT BAN1 CC CCNA D/TSENT DDD INIT INIT-FAX NO. INIT-TEL NO. PG_OF_ (M) PON REQTYP SC TOS Conditional AN ATN BI1 CIC CUST SUP VER Optional **REMARKS RPON** ACT= N: EU Required CITY NAME PG_OF_ (M) PON (M) SASN STATE ΖIΡ Conditional AAI AN (M) ATN (M) SANO VER (M) Optional LD1 LD2 LD3 SASD SASF SASS SATH ACT= R: LSR Required ACT BAN1 CC CCNA D/TSENT DDD INIT INIT-FAX NO. INIT-TEL NO. PG_OF_ (M) PON REQTYP SC TOS BellSouth Local Ordering Handbook Section 3 - Ordering Version 14.0A, LSOG6 / ELMS6 Page 3 - 479 ACT Tables: Reqtyp J, Directory Listing Conditional AN ATN BI1 CIC CUST SUP VER Optional **REMARKS RPON** ACT= R: EU Required



CITY NAME PG OF (M) PON (M) SASN STATÈ ΖIΡ Conditional AAI AN (M) ATN (M) EAN EATN SANO VER (M) **Optional** LD1 LD2 LD3 SASD SASF SASS SATH BellSouth Local Ordering Handbook Section 3 - Ordering Version 14.0A, LSOG6 / ELMS6 Page 3 - 480 LACT Tables: Reqtyp J, Directory Listing LACT= D: DL Required DLNUM LACT PG_OF_ (M) PON (M) RTY SC1 (M) Conditional ADV ALI AN (M) ATN (M) INSÌ LNFN LTN VER (M) WPP Optional NSTN LACT= I: DL Required DLNUM DOI LACT LNLN LTY PG_OF_ (M) PLS (M) PON (M) RTY SC1 (M) STYC TOA Conditional ADI ADV ALI AN (M) ATN (M) DES DIRNAME DLNM FAINFO FATN LALOC LANO LAPR LASD LASF LASN LASS LAST LATH LNFN LNPL LTEXT LTN LTXNUM LTXTY NICK NSTN PLA PLINFO PLTN PLS SIC VER (M) WPP YPH **Optional BRO DIRSUB DML** SO TITLE1 TITLE2 ΤL BellSouth Local Ordering Handbook Section 3 - Ordering Version 14.0A, LSOG6 / ELMS6 Page 3 - 481 LACT Tables: Reqtyp J, Directory Listing LACT= N: DL Required DLNUM DOI LACT LNLN LTY PG_OF_ (M) PLS (M) PON (M) RTY SC1 (M) STYC TOA Conditional ADI ADV ALI AN (M) ATN (M) BRO DES DIRNAME DIRSUB DLNM DML FAINFO

FATN LALOC LANO

Attachment SN91083882

1

Ι



Attachment SN91083882

I

I

	01171002002
LAPR LASD LASF LASN LASS LAST LATH LNFN LNPL LTEXT LTN LTXNUM LTXTY NICK NSTN PLA PLINFO PLS (E) PLTN SIC VER (M) WPP YPH Optional SO TITLE1 TITLE2 TL	
LACT= O: DL	
Required DLNUM LACT PG_OF_ (M) PLS (M) PON (M) RTY SC1 (M) Conditional ADI ADV ALI	
AN (M) ATN (M) LASN	
LNFN PLS (E) VER (M) BellSouth Local Ordering Handbook Section 3 - Ordering Version 14.0A, LSOG6 / ELMS6 Page 3 - 482	
DACT Tables: Reqtyp J, Directory Listing (ACT of N)	



Attachment SN91083882

CCP 1469 Attachment Listed Below

CCP 146	9 Attachment Liste	d Below	
LOH Versio	n 14.0A Data Dictionary:	Local Service Regu	iest Page
DFDT			
	Due Time (LSR Page)		
Definition	Identifies the desired frame cutover tim	16.	
Def Notes	NOTE 1: The time indicated in this field	d will reflect the local time of th	e end user's location(s).
Valid Entries	HHMM, HHMM-HHMM		
	Military format: where HH must be num		
VE Notes Data Charact	NOTE 1: When the CHC field is popula Manual: Up to 6 alpha/numeric cha		be a single time entry.
Data Charact	Electronic: Up to 9 alpha/numeric char		
Examples	Manual: 1300		
	Electronic: 1300 1300-170	C	
CU Notes	Note 1: This field is prohibited when th		
	Note 2: Prohibited when the REQTYP		
S,	Note 3: Prohibited when the REQTYP	IS E (Non-Complex) or M (Non	-Complex)- and the ACT IS B, L,
,	W or Y.		
	Note 4: Prohibited when the REQTYP	is E with 2nd character TOS of	f H and the ACT is C, D, T, V or
	W.		
	Note 5: Prohibited when the REQTYP		
	Note 6: Prohibited when the CC or NN Electronic:	SP field is populated with a wir	reless OCN.
	Note 7: [BULK] Prohibited when the B	OPI field is populated	
Bus Rules	Rule 1: For projects, frame due times a		
	Rule 2: For non-projects, frame due tin	ne indicates the specific time th	
	Rule 3: When the CHC is populated an	id the DFDT is populated, the I	DFDT field must be a single
entry;	of an law and minute and not a same		
	of an hour and minute and not a span Rule 4: When DFDT is populated with		if is hat out the time requested
	may be changed by BST to the next av		
	day or next business day. If assigned a		
	be reflected in the FOC.		
	Rule 5: When the REQTYP is A or B, a	and the information populated i	in the NC field begins with TY or
LL. 1. (. 10/07/200	TX, the CHC field is also required.		
Updated 9/27/200	6		
	Reqtyp M, Switched Combo B	us/Res (14.0A)	
ACT= B: LSF	2		
Required			
	BAN1		CC
CCNA (E)	D/TSENT	0	
INIT	INIT-FAX N	0.	INIT-TEL NO.

ACT	BAN1		
CCNA (E)	D/TSENT	DDD	
INIT	INIT-FAX NO.	INIT-TEL NO.	
PG_OF_ (M)	PON	PORTTYP	
REQTYP	SC	TOS	
Conditional			
AN	ATN	CUST (E)	
LOCQTY	NOR	RPON	
SUP	VER		
<u>Optional</u>			
CIC (E)	REMARKS	RORD	
ACT= B: EU			
Required			
NAME	PG_OF_ (M)	PON (M)	
Updated 9/27/2003			Page 1 of 23
ACT Tables: Reqtyp M, Switche	d Combo Bus/Res (14.0A)		
Conditional			
AAI	AN (M)	ATN (M)	
CITY	LD1	LD2	
LD3	LV1	LV2	
LV3	SANO	SASD	
SASF	SASS	SATH	
STATE	VER (M)	ZIP	
Optional			

BELL SOUTH [®]		Attachment	
_		SN91083882	
LCON	LCON-TEL NO.	LOCNUM (M)	
LOCNUM HEADER (E)	SASN		
ACT= C: LSR			
<u>Required</u>	5.0.0		
CCNA (E)	BAN1 D/TSENT	CC DDD	
IMPCON	INIT	INIT-FAX NO.	
INIT-TEL NO.	PG_OF_(M)	PON	
PORTTYP TOS	REQTYP	SC	
Conditional			
ALT-IMPCON-TEL NO.	AN	ATN	
CUST (E)	IMPCON-TEL NO.	LOCQTY	
NOR SUP	PROJECT VER	RPON	
Updated 9/27/2003	VER		Page 2 of 23
ACT Tables: Reqtyp M, Switched	d Combo Bus/Res (14.0A)		0
Optional			
ALT-IMPCON*	APPTIME-DDD	CIC (E)	
	EXP	LSCP	
REMARKS ACT= C: EU	RORD		
Required			
NAME	PG_OF_ (M)	PON (M)	
Conditional			
AAI	AN (M)	ATN (M)	
CITY	DISC NBR		
DQTY IWCON-TEL NO.	EUA LD1	IWCON LD2	
LD3	LOCNUM DETAIL (E)	LV1	
LV2	LV3	SANO	
SASD SASS	SASF SATH	SASN STATE	
TC PER	TC TO PRI	TC TO SEC	
TCID	VER (M)	ZIP	
Optional ACC	IWO*		
LCON-TEL NO.	LOCNUM (M)	LCON LOCNUM HEADER (E)	
TC OPT*	WSOP	(_)	
Updated 9/27/2003			Page 3 of 23
ACT Tables: Reqtyp M, Switched	d Combo Bus/Res (14.0A)		
ACT= D: LSR			
Required			
ACT CCNA (E)	BAN1 D/TSENT	CC DDD	
INIT	INIT-FAX NO.	INIT-TEL NO.	
PG_OF_(M) REQTYP	PON	PORTTYP	
	SC	TOS	
Conditional AN	ATN	CUST (E)	
	NOR	RPON	
SUP	VER		
<u>Optional</u>	DEDT	DEMARKO	
CIC (E) RORD	DEDT	REMARKS	
ACT= D: EU			
Required			
NAME	PG_OF_ (M)	PON (M)	
Updated 9/27/2003			Page 4 of 23
ACT Tables: Reqtyp M, Switched	d Combo Bus/Res (14.0A)		
Conditional			
	AN (M) DISC NBR	ATN (M) DNUM	
		BINOW	

		Attachinent	
		SN91083882	
DQTY LD3	LD1 LV1	LD2 LV2	
LV3	SASD	SASF	
SASS	SATH	STATE	
TC NAME	TC PER	TC TO PRI	
TC TO SEC	TCID	VER (M)	
ZIP			
Optional	0.4.0.1	TO 0074	
	SASN	TC OPT*	
ACT= L: LSR			
Required	5.0.0	22	
	BAN1	CC	
CCNA (E) INIT	D/TSENT INIT-FAX NO.	DDD INIT-TEL NO.	
	PON	PORTTYP	
PG_OF_ (M) REQTYP	SC	TOS	
<u>Conditional</u>			
AN	ATN	CUST (E)	
NOR	RPON	SUP	
VER			D - (00
Updated 9/27/2003			Page 5 of 23
ACT Tables: Reqtyp M, Switched	Combo Bus/Res (14.0A)		
<u>Optional</u>			
CIC (E)	REMARKS	RORD	
ACT= L: EU			
Required			
NAME	PG_OF_ (M)	PON (M)	
<u>Conditional</u>			
AAI	AN (M)	ATN (M)	
CITY	LD1	LD2	
LD3 LV3	LV1 SANO	LV2 SASD	
SASF	SANO	SASD	
STATE	TC PER	TC TO PRI	
TC TO SEC	TCID	VER (M)	
ZIP			
<u>Optional</u>			
LCON	LCON-TEL NO.	LOCNUM HEADER (E)	
SASN	TC OPT*		D
Updated 9/27/2003			Page 6 of 23
ACT Tables: Reqtyp M, Switched	Combo Bus/Res (14.0A)		
ACT= N: LSR			
Required			
ACT	BAN1	CC	
	D/TSENT	DDD	
IMPCON INIT-TEL NO.	INIT DC OF (M)	INIT-FAX NO. PON	
PORTTYP	PG_OF_ (M) REQTYP	SC	
TOS	Regim	00	
Conditional			
ALT-IMPCON-TEL NO.	AN	ATN	
CUST (E)	IMPCON-TEL NO.	LOCQTY	
NOR	PROJECT	RPON	
SUP	VER		
ALT-IMPCON*	APPTIME-DDD EXP	CIC (E) LSCP	
REMARKS	RORD	LOUF	
ACT= N: EU			
Required			
CITY	NAME	PG_OF_ (M)	
PON (M)	SASN		
Updated 9/27/2003			Page 7 of 23
•			0



ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A) Conditional

Conditional			
AAI	AN (M)	ATN (M)	
EUA	IWCON	IWCON-TEL NO.	
LD1 LOCNUM DETAIL (E)	LD2 LV1	LD3 LV2	
LV3	NCON	SANO	
SASD	SASF	SASS	
SATH	STATE	VER (M)	
ZIP			
<u>Optional</u>			
ACC	IWO*	LCON	
LCON-TEL NO.	LOCNUM (M)	LOCNUM HEADER (E)	
WSOP			
ACT= S: LSR			
<u>Required</u>			
ACT	BAN1	CC	
	D/TSENT		
INIT BC OF (M)	INIT-FAX NO. PON	INIT-TEL NO. PORTTYP	
PG_OF_ (M) REQTYP	SC	TOS	
Updated 9/27/2003		100	Page 8 of 23
-	Combo Rus/Pas (1101)		1 ugo 0 01 20
ACT Tables: Reqtyp M, Switched	Combo Bus/Res (14.0A)		
Conditional			
AN	ATN	CUST (E) RPON	
LOCQTY SUP	NOR VER	RPON	
<u>Optional</u>	VER		
CIC (E)	REMARKS	RORD	
$\overline{ACT} = S: EU$	REMARKS	Rone	
Required			
	PG_OF_ (M)	PON (M)	
<u>Conditional</u>			
	AN (M)	ATN (M)	
CITY LD2	EUA LD3	LD1 LOCNUM DETAIL (E)	
LV1	LV2	LV3	
SANO	SASD	SASF	
SASN	SASS	SATH	
STATE	VER (M)	ZIP	
<u>Optional</u>			
LCON	LCON-TEL NO.	LOCNUM (M)	
LOCNUM HEADER (E)			
Updated 9/27/2003			Page 9 of 23
ACT Tables: Reqtyp M, Switched	Combo Bus/Res (14.0A)		
ACT= T: LSR			
Required			
ACT	BAN1	СС	
CCNA (E)	D/TSENT	DDD	
DDDO** ´	IMPCON	INIT	
INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)	
PON	PORTTYP	REQTYP	
SC	TOS		
Conditional			
ALT-IMPCON-TEL NO.	AN (M)	ATN	
CUST (E) NOR	IMPCON-TEL NO.	LOCQTY RPON	
SUP	PROJECT VER		
Optional			
ALT-IMPCON*	APPTIME-DDD	CIC (E)	
DFDT	EXP	LSCP	
REMARKS	RORD	2001	
ACT= T: EU			



Required		51()1005002	
CITY	EATN	NAME	
PG_OF_ (M)	PON (M)	SASN	
Updated 9/27/2003			Page 10 of 23
ACT Tables: Reqtyp M, Switche	d Combo Bus/Res (14.0A)		
Conditional			
AAI	AN (M)	ATN (M)	
EAN (M)	EUA	IWCON	
IWCON-TEL NO.	LD1	LD2	
LD3 LV2	LOCNUM DETAIL (E) LV3	LV1 NCON	
SANO	SASD	SASF	
SASS	SATH	STATE	
TC NAME	TC PER	TC TO PRI	
TC TO SEC	TCID	VER (M)	
ZIP Optional			
ACC	EUMI (M)	IWO*	
	LCON-TEL NO.	LOCNUM (M)	
LOCNUM HEADER (E)	TC OPT*	WSOP	
ACT= V: LSR			
Required			
ACT	BAN1	CC	
CCNA (E)	D/TSENT	DDD	
IMPCON INIT-TEL NO.	INIT MI	INIT-FAX NO. PG_OF_ (M)	
PON	PORTTYP	REQTYP	
SC	TOS		
Updated 9/27/2003			Page 11 of 23
ACT Tables: Reqtyp M, Switche	d Combo Bus/Res (14.0A)		
Conditional			
ALT-IMPCON-TEL NO.	AN	ATN	
CUST (E)	IMPCON-TEL NO.	LOCQTY	
NOR SUP	PROJECT VER	RPON	
Optional	VEIX		
ALT-IMPCON*	APPTIME-DDD	CIC (E)	
DFDT	EXP	LSCP	
REMARKS	RORD	VTA (M)	
ACT= V: EU			
<u>Required</u>			
ELT	NAME	PG_OF_ (M)	
PON (M) Updated 9/27/2003			Page 12 of 23
	d Combo Dug/Dog (14.04)		Fage 12 01 25
ACT Tables: Reqtyp M, Switche	a Combo Bus/Res (14.0A)		
Conditional AAI	AN (M)	ATN (M)	
	DISC NBR	DNUM	
DQTY	EAN (M)	EATN	
EUA	FB-BILLCON	FB-BILLNM	
FB-CITY	FBI	FB-STATE	
FB-STREET IWCON-TEL NO.	FB-ZIP CODE LD1	IWCON LD2	
LD3	LOCNUM DETAIL (E)	LV1	
LV2	LV3	NCON	
SANO	SASD	SASF	
SASS	SATH	STATE	
TC FR (E) TC TO PRI	TC NAME TC TO SEC	TC PER TCID	
TEL NO-FBCON	VER (M)	ZIP	
Optional	· ·		
ACC	EUMI	FB-FLOOR	
FB-ROOM	FB-SBILLNM		
LCON	LCON-TEL NO.	LOCNUM (M)	

•		Attachment	
LOCNUM HEADER (E)	SASN	SN91083882 tc opt*	
WSOP	0.01		
Updated 9/27/2003			Page 13 of 23
ACT Tables: Reqtyp M, Switched	l Combo Bus/Res (14.0A)		
ACT= W: LSR			
<u>Required</u>			
	BAN1	CC	
CCNA (E)	D/TSENT INIT-FAX NO.	DDD INIT-TEL NO.	
PG_OF_ (M)	PON	PORTTYP	
REQTYP	SC	TOS	
Conditional AN	ATN	CUST (E)	
	PROJECT	RPON	
SUP	VER		
<u>Optional</u>	DEMA DIKO		
	REMARKS	RORD	
ACT= W: EU			
<u>Required</u> DQTY (M)	NAME	PG OF (M)	
PON (M)			
Updated 9/27/2003			Page 14 of 23
ACT Tables: Reqtyp M, Switched	l Combo Bus/Res (14.0A)		
Conditional			
	AN (M) EUA	ATN (M) FB-BILLCON	
FB-BILLNM	FB-CITY	FBI	
FB-STATE	FB-STREET	FB-ZIP CODE	
LD1 LV1	LD2 LV2	LD3 LV3	
SANO	SASD	SASF	
SASS	SATH	STATE	
TEL NO-FBCON Optional	VER (M)	ZIP	
FB-FLOOR	FB-ROOM	FB-SBILLNM	
LOCNUM (M)	LOCNUM HEADER* (E)	SASN	
ACT= Y: LSR			
<u>Required</u>			
ACT CCNA (E)	BAN1 D/TSENT	CC DDD	
INIT	INIT-FAX NO.	INIT-TEL NO.	
PG_OF_(M)	PON	PORTTYP	
REQTYP` Conditional	SC	IOS	
AN	ATN	CUST (E)	
SUP	VER		
Updated 9/27/2003			Page 15 of 23
ACT Tables: Reqtyp M, Switched	l Combo Bus/Res (14.0A)		
Optional	2511121/0		
	REMARKS		
Required			
NAME	PG_OF_ (M)	PON (M)	
Conditional			
AAI	AN (M)	ATN (M)	
CITY LD3	LD1 LOCNUM DETAIL (E)	LD2 LV1	
LV2	LV3	SANO	
SASD	SASF	SASS	
SATH ZIP	STATE	VER (M)	
Optional			
LOCNUM (M)	LOCNUM HEADER (E)	SASN	

•		Attachment	
		SN91083882	D (0 (00
Updated 9/27/2003			Page 16 of 23
ACT Tables: Reqtyp E, Resale, n	on-complex (14.0A)		
ACT= B: LSR			
<u>Required</u>	2004		
ACT CCNA (E)	BAN1 D/TSENT	CC DDD	
INIT	INIT-FAX NO.	INIT-TEL NO.	
PG_OF_ (M)	PON	REQTYP	
SC	TOS		
Conditional			
AN (M) LOCQTY	ATN NOR	CUST (E) RPON	
SUP	VER	RFON	
Optional			
REMARKS	RORD		
ACT= B: EU			
Required			
NAME	PG_OF_ (M)	PON (M)	
Updated 9/27/2003			Page 1 of 23
ACT Tables: Regtyp E, Resale, n	on-complex (14.0A)		
Conditional	1		
AAI	AN (M)	ATN (M)	
CITY	SANO	SASD	
SASF STATE	SASS VER (M)	SATH ZIP	
Optional	VER (IVI)	ZIF	
LOCNUM (M)	LOCNUM HEADER* (E)	SASN	
$\overline{ACT} = C: LSR$		0,011	
Required			
ACT	BAN1	СС	
CCNA (E)	D/TSENT	DDD	
IMPCON	INIT	INIT-FAX NO.	
INIT-TEL NO.	PG_OF_ (M)	PON	
REQTYP Conditional	SC	TOS	
ALT-IMPCON-TEL NO.	AN (M)	ATN	
CUST (E)	IMPCON-TEL NO.	LOCQTY	
NOR	PROJECT	RPON	
SUP	VER		
Updated 9/27/2003			Page 2 of 23
ACT Tables: Reqtyp E, Resale, n	on-complex (14.0A)		
Optional			
ALT-IMPCON* EXP	APPTIME-DDD LSCP	DFDT REMARKS	
RORD	VTA	REMARKS	
ACT= C: EU			
Required			
LOCNUM DETAIL (E)	NAME	PG_OF_ (M)	
PON (M)			
Conditional			
AAI	AN (M)	ATN (M)	
	DISC NBR IWCON		
DQTY (M) LD1	LD2	IWCON-TEL NO. LD3	
LOCACT (E)	LV1	LV2	
LV3	SANO	SASD	
SASF	SASN	SASS	
SATH TC TO PRI	STATE TC TO SEC	TC PER TCID	
VER (M)	ZIP		
Optional			
ACC	IWO*	LCON	
LCON-TEL NO.	LOCNUM (M)	LOCNUM HEADER* (E)	

•		Attachment	
	W/200	SN91083882	
TC OPT* Updated 9/27/2003	WSOP		Page 3 of 23
ACT Tables: Reqtyp E, Resale, no	$on_{complex}(14.04)$		1 age 5 61 25
ACT= D: LSR	m-comptex (14.01)		
Required			
ACT	BAN1	СС	
CCNA (E)	D/TSENT	DDD	
INIT	INIT-FAX NO.	INIT-TEL NO.	
PG_OF_ (M) SC	PON TOS	REQTYP	
Conditional			
AN (M)	ATN	CUST (E)	
	NOR	RPON	
SUP Optional	VER		
	REMARKS	RORD	
$\overline{ACT} = D$: EU			
Required			
NAME	PG_OF_ (M)	PON (M)	
Updated 9/27/2003			Page 4 of 23
ACT Tables: Reqtyp E, Resale, no	on-complex (14.0A)		
Conditional			
	AN (M) DISC NBR	ATN (M) DNUM	
DQTY (M)	LD1	LD2	
LD3	LV1	LV2	
LV3	SANO SASS	SASD	
SASF STATE	TC NAME	SATH TC PER	
TC TO PRI	TC TO SEC	TCID	
VER (M)	ZIP		
		CACN	
LOCNUM (M) TC OPT*	LOCNUM HEADER (E)	SASN	
ACT= L: LSR			
Required			
ACT	BAN1	CC	
	D/TSENT INIT-FAX NO.	DDD INIT-TEL NO.	
INIT PG_OF_ (M)	PON	REQTYP	
SC	TOS		
Updated 9/27/2003			Page 5 of 23
ACT Tables: Reqtyp E, Resale, no	on-complex (14.0A)		
Conditional			
AN (M) NOR	ATN RPON	CUST (E) SUP	
VER	REON	30F	
<u>Optional</u>			
REMARKS	RORD		
ACT= L: EU			
Required			
	PG_OF_ (M)	PON (M)	
Conditional AAI	AN (M)	ATN (M)	
	LD1	LD2	
LD3	LV1	LV2	
LV3 SASF	SANO SASS	SASD SATH	
STATE	TC PER	TC TO PRI	
TC TO SEC	TCID	VER (M)	
Optional LCON	LCON-TEL NO.	LOCNUM (M)	

BELLSOUTH®

SN91083882 LOCNUM HEADER* (E) SASN TC OPT* Updated 9/27/2003 Page 6 of 23 ACT Tables: Regtyp E, Resale, non-complex (14.0A) ACT= N: LSR **Required** ACT BAN1 СС D/TSENT CCNA (E) DDD INIT-FAX NO. IMPCON INIT PG_OF_ (M) INIT-TEL NO. PON REQTYP SC TOS Conditional ALT-IMPCON-TEL NO. AN (M) ATN IMPCÓN-TEL NO. LOCQTY CUST (E) LSO NOR PROJECT RPON SUP VER Optional ALT-IMPCON* APPTIME-DDD EXP RORD LSCP REMARKS VTA ACT= N: EU Required LOCNUM DETAIL (E) CITY NAME PG_OF_ (M) PON (M) SASN Updated 9/27/2003 Page 7 of 23 ACT Tables: Regtyp E, Resale, non-complex (14.0A) **Conditional** AAI AN (M) ATN (M) EUA IWCOŃ IWCON-TEL NO. LD1 LD2 LD3 LV1 LV2 LV3 NCON (E) SANO SASD SASF SASS SATH STATE VER (M) ZIP Optional IWO* ACC LCON LCON-TEL NO. LOCNUM (M) LOCNUM HEADER* (E) WSOP ACT= S: LSR **Required** ACT BAN1 CC CCNA (E) D/TSENT DDD INIT INIT-FAX NO. INIT-TEL NO. PG_OF_(M) PON REQTYP TOS SC **Conditional** CUST (E) AN (M) ATN LOCQTY NOR RPON SUP VER Updated 9/27/2003 Page 8 of 23 ACT Tables: Regtyp E, Resale, non-complex (14.0A) Optional REMARKS RORD ACT= S: EU Required LOCNUM DETAIL (E) NAME PG_OF_(M) PON (M) Conditional AN (M) ATN (M) AAI CITY LD1 LD2 LOCACT (E) LV1 LD3 LV2 LV3 SANO SASD SASF SASS SATH STATE VER (M)

		SN91083882	
ZIP		510/1005082	
Optional LOCNUM (M) Updated 9/27/2003	LOCNUM HEADER* (E)	SASN (E)	Page 9 of 23
ACT Tables: Reqtyp E, Res	ala non complex (1/04)		Fage 9 01 25
ACT Tubles. Reglyp E, Res ACT= T: LSR	ale, non-complex (14.0A)		
Required			
ACT	BAN1	CC	
CCNA (E)	D/TSENT	DDD	
DDDO**	IMPCON	INIT	
INIT-FAX NO. PON	INIT-TEL NO. REQTYP	PG_OF_ (M) SC	
TOS		00	
Conditional			
ALT-IMPCON-TEL NO.	AN (M)	ATN	
CUST (E) LSO	IMPCON-TEL NO. NOR	LOCQTY PROJECT	
RPON	SUP	VER	
Optional			
ALT-IMPCON*	APPTIME-DDD	DEDT	
EXP	LSCP	REMARKS	
	VTA		
ACT= T: EU			
Required CITY	EATN	LOCNUM DETAIL (E)	
	PG_OF_ (M)	PON (M)	
SASN	` ,		
Updated 9/27/2003			Page 10 of 23
ACT Tables: Reqtyp E, Res	tale, non-complex (14.0A)		
Conditional			
AAI EAN (M)	AN (M) IWCON	ATN (M) IWCON-TEL NO.	
LD1	LD2	LD3	
LOCACT (E)	LV1	LV2	
LV3 SASD	NCON (E) SASF	SANO SASS	
SASD	STATE	TC NAME	
TC PER	TC TO PRI	TC TO SEC	
TCID	VER (M)	ZIP	
Optional ACC	114/0*		
LCON-TEL NO.	IWO* LOCNUM (M)	LCON LOCNUM HEADER* (E)	
TC OPT*	WSOP		
ACT= V: LSR			
Required			
	BAN1	CC	
CCNA (E) IMPCON	D/TSENT INIT	DDD INIT-FAX NO.	
INIT-TEL NO.	MI	PG_OF_ (M)	
PON	REQTYP	sc ⁻	
TOS Updated 9/27/2003			Page 11 of 23
ACT Tables: Reqtyp E, Res	ale non-complex (1101)		raye 110123
<u>Conditional</u>	uie, non-complex (14.0A)		
ALT-IMPCON-TEL NO.	AN (M)	ATN	
CUST (E)	IMPCÓN-TEL NO.	LOCQTY	
NOR	PROJECT	RPON	
SUP Optional	VER		
Optional ALT-IMPCON*	APPTIME-DDD	DFDT	
EXP	LSCP	REMARKS	
RORD	VTA		
ACT= V: EU			



		SN91083882	
Required			
ELT PG_OF_ (M)	LOCNUM DETAIL (E) PON (M)	NAME	
Updated 9/27/2003			Page 12 of 23
ACT Tables: Reqtyp E, Resale, n	non-complex (14.0A)		-
Conditional	A		
AAI	AN (M)		
	DISC NBR EAN (M)	DNUM EATN	
EUA	FB-BILLCON	FB-BILLNM	
FB-CITY FB-STREET	FBI FB-ZIP CODE	FB-STATE IWCON	
IWCON-TEL NO.	LD1	LD2	
LD3		LV2	
LV3 SASD	NCON (E) SASF	SANO SASS	
SATH	STATE	TC NAME	
		TC TO SEC	
TCID ZIP	TEL NO-FBCON	VER (M)	
<u>Optional</u>			
		FB-FLOOR	
FB-ROOM LCON	FB-SBILLNM LCON-TEL NO.	IWO* LOCNUM (M)	
LOCNUM HEADER* (E)	SASN	TC OPT*	
WSOP			Page 13 of 23
Updated 9/27/2003 ACT Tables: Reqtyp E, Resale, r	an complex (1/01)		Page 13 01 25
ACT Tubles. Regipp E, Resule, A	011-Complex (14.0A)		
Required			
ACT	BAN1	CC	
CCNA (E)	D/TSENT	DDD	
INIT NOR	INIT-FAX NO. PG_OF_ (M)	INIT-TEL NO. PON	
REQTYP	RORD	RPON	
SC	TOS		
<u>Conditional</u> AN (M)	ATN	CUST (E)	
PROJECT	SUP	VER	
<u>Optional</u>			
ACT= W: EU			
Required DQTY (M)	NAME	PG_OF_ (M)	
PON (M)		10_0 (,	
Updated 9/27/2003			Page 14 of 23
ACT Tables: Reqtyp E, Resale, n	on-complex (14.0A)		
Conditional AAI	AN (M)		
	FB-BILLCON	ATN (M) FB-BILLCON TEL NO.	
FB-BILLNM	FB-CITY	FBI	
FB-STATE LD1	FB-STREET LD2	FB-ZIP CODE LD3	
LV1	LV2	LV3	
SANO	SASD	SASF	
SASS VER (M)	SATH ZIP	STATE	
Optional			
FB-FLOOR		FB-SBILLNM	
LOCNUM (M) ACT= Y: LSR	LOCNUM HEADER (E)	SASN	
Required			
ACT	BAN1	СС	
CCNA (E)	D/TSENT	DDD	



	п	Attachment SN91083882	
INIT	INIT-FAX NO.	INIT-TEL NO.	
PG_OF_ (M)	PON	REQTYP	
SC	TOS		
Conditional			
AN (M)	ATN	CUST (E)	
SUP (VER		
Updated 9/27/2003			Page 15 of 23
ACT Tables: Reqtyp E, Res	sale, non-complex (14.0A)		·
Optional			
REMARKS			
ACT= Y: EU			
Required			
LOCNUM DETAIL (E)	NAME	PG_OF_ (M)	
PON (M)			
<u>Conditional</u>			
AAI	AN (M)	ATN (M)	
CITY	LD1	LD2	
LD3	LV1	LV2	
LV3	SANO	SASD	
SASF	SASS	SATH	
STATE	VER (M)	ZIP	
<u>Optional</u>			
LOCNUM (M)	LOCNUM HEADER* (E)	SASN	
Updated 9/27/2003			Page 16 of 23

Attachment SN91083882

CCP 1468 Attachment Listed Below

13.0 data dictionary (RESALE)

PULSE - Type of Pulsing

Definition Identifies the type of pulsing desired for the DID trunk.

Def Notes None

-Valid Entries None

-VE Notes None

-Data Charact2 or 4 alpha characters

-Examples-DP or DTMF

-CU Notes-None

<u>Bus Rules</u> None This field is not supported by BellSouth in this practice.

14.0 LOH

PULSE

Type of Pulsing (RS Page)

Definition Identifies the type of pulsing requested for the service.

Def Notes None

Valid Entries: Entry Description DP Dial Pulse MF Multi-Frequency

DTMF Dual Tone Multi Frequency

-VE Notes None

-Data Charact 2 or 4 alpha characters

-Bus Rules None

This field is not supported by BellSouth in this practice.



Attachment SN91083882

15.0 LOH

PULSE

Type of Pulsing (RS Page)DefinitionIdentifies the type of pulsing requested for the service.

Def Notes-None

-Valid Entries Valid Entries:

-Entry Description

_DP Dial Pulse

_MF____Multi-Frequency

-DTMF Dual Tone Multi Frequency

<u>VE Notes</u> None

-Data Charact2 or 4 alpha characters

-Examples DP

--DTMF

-CU Notes-Note 1: Prohibited when the REQTYP is E and the LNA is L or B.

-Bus Rules None

This field is not supported by BellSouth in this practice.

BELLSOUTH®

Attachment SN91083882

CCP 1464 Attachment Listed Below

LOH Version 14.0A RCO Tables

Notes:

- (M) = Fields used only for manual orders
- (E) = Fields used only for electronic orders
- (*) = Optional fields that force at least one conditional field to become required.
- (**) = See additional clarification in the Data Dictionary.
- All unmentioned fields are either invalid, not applicable, prohibited or not supported.

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

ACT= C: LSR

Required		
ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BI1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	LSP AUTH (M)
LSP AUTH DATE (M)	LSP AUTH NAME (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	
Conditional		
ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
NOR (M)	PROJECT (M)	RPON (M)
SUP (M)	VER (M)	

Updated 9/27/2003

Page 1 of 9



ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

<u>Optional</u>		
ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)	SCA (M)	
ACT= C: EU		
Required		
ATN (M)	NAME (M)	PG_OF_ (M)
PON (M)		
Conditional		
AAI (M)	CITY (M)	LD1 (M)
LD2 (M)	LD3 (M)	LV1 (M)
LV2 (M)	LV3 (M)	SANO (M)
SASD (M)	SASF (M)	SASS (M)
SATH (M)	STATE (M)	VER (M)
ZIP (M)		
<u>Optional</u>		
LCON (M)	LCON-TEL NO. (M)	SASN (M)

Updated 9/27/2003

Page 2 of 9

Attachment SN91083882

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

ACT= D: LSR

Required		
ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BI1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	LSP AUTH (M)
LSP AUTH DATE (M)	LSP AUTH NAME (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REQTYP (M)	SC (M)	SECNCI (M)
TOS (M)		
Conditional		
CUST (M)	IMPCON-TEL NO. (M)	NOR (M)
PROJECT (M)	RPON (M)	SUP (M)
VER (M)		
Optional CIC (M)	DFDT (M)	REMARKS (M)
ACT= D: EU		
Required		
ATN (M)	NAME (M)	PG_OF_ (M)
PON (M)		

Updated 9/27/2003

Page 3 of 9

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

<u>Conditional</u>		
AAI (M)	CITY (M)	LD1 (M)
LD2 (M)	LD3 (M)	LV1 (M)
LV2 (M)	LV3 (M)	SANO (M)
SASD (M)	SASF (M)	SASS (M)
SATH (M)	STATE (M)	VER (M)
ZIP (M)		

Optional

SASN (M)

ACT= N: LSR

Required		
ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BI1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	LSP AUTH (M)
LSP AUTH DATE (M)	LSP AUTH NAME (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	

Updated 9/27/2003

Page 4 of 9



ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

Conditional ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
PROJECT (M)	RPON (M)	SUP (M)
VER (M)		
Optional ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)	SCA (M)	
ACT= N: EU		
ACT = N. EU		
Required		
ATN (M)	NAME (M)	PG_OF_ (M)
PON (M)		
Conditional		
AAI (M)	CITY (M)	LD1 (M)
LD2 (M)	LD3 (M)	LV1 (M)
LV2 (M)	LV3 (M)	SANO (M)
SASD (M)	SASF (M)	SASS (M)
SATH (M)	STATE (M)	VER (M)
ZIP (M)		
Ontional		
Optional LCON (M)	LCON-TEL NO. (M)	SASN (M)

Updated 9/27/2003

Page 5 of 9

Attachment SN91083882

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

ACT= V: LSR

Required		
ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BAN1 (M)	BI1 (M)
CC (M)	CCNA (M)	CIC (M)
D/TSENT (M)	DDD (M)	IMPCON (M)
INIT (M)	INIT-FAX NO. (M)	INIT-TEL NO. (M)
LSO (M)	LSP AUTH (M)	LSP AUTH DATE (M)
LSP AUTH NAME (M)	MI (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	
Conditional		
ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
NOR (M)	PROJECT (M)	RPON (M)
SUP (M)	VER (M)	
Ontional		
Optional ALT-IMPCON (M)	DFDT (M)	EXP (M)
RORD (M)		

Updated 9/27/2003

Page 6 of 9

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

ACT= V: EU

Required ATN (M) PON (M)	NAME (M)	PG_OF_ (M)
Conditional AAI (M)	CITY (M)	LD1 (M)
LD2 (M)	LD3 (M)	LV1 (M)
LV2 (M)	LV3 (M)	SANO (M)
SASD (M)	SASF (M)	SASS (M)
SATH (M)	STATE (M)	VER (M)
ZIP (M)		
<u>Optional</u> LCON (M)	LCON-TEL NO. (M)	SASN (M)

Updated 9/27/2003

Page 7 of 9

Attachment SN91083882

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

ACT= W: LSR

Required			
ACNA (M)	ACT (M)	ACTL (M)	
ATN (M)	BAN1 (M)	BI1 (M)	
CC (M)	CCNA (M)	D/TSENT (M)	
DDD (M)	IMPCON (M)	INIT (M)	
INIT-FAX NO. (M)	INIT-TEL NO. (M)	LSO (M)	
LSP AUTH (M)	LSP AUTH DATE (M)	LSP AUTH NAME (M)	
NC (M)	NCI (M)	PG_OF_ (M)	
PON (M)	REMARKS (M)	REQTYP (M)	
SC (M)	SECNCI (M)	TOS (M)	
Conditional			
ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)	
NOR (M)	PROJECT (M)	RPON (M)	
SUP (M)	VER (M)		
<u>Optional</u>			
ALT-IMPCON (M)	CIC (M)	EXP (M)	
RORD (M)	SCA (M)		
ACT= W: EU			
Required			
ATN (M)	NAME (M)	PG_OF_ (M)	
PON (M)			
Updated 9/27/2003			Pag

Page 8 of 9

BELLSOUTH®

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

Conditional		
AAI (M)	LD1 (M)	LD2 (M)
LD3 (M)	LV1 (M)	LV2 (M)
LV3 (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		
<u>Optional</u>		
LCON (M)	LCON-TEL NO (M)	SASN (M)

LCON (M) Updated 9/27/2003

LCON-TEL NO. (M)

SASN (M)

Attachment SN91083882

LNA Tables: Reqtyp A, Unbundled (CO Based) Line Share BST-Owned Splitter (14.0A)

LNA= C: LS

Required ATN (M)	CABLE ID (M)	CHAN/PAIR (M)
	LEAN (M)	LEATN (M)
LNA (M)	LNUM (M)	LQTY (M)
PG_OF_(M)	PON (M)	RELAY RACK (M)
SHELF (M)	SLOT (M)	
Conditional VER (M)		
Optional REMARKS (M)		
<u>NA= D: LS</u>		
Required		
ATN (M)	ECCKT (M)	LEAN (M)
LEATN (M)	LNA (M)	LNUM (M)
<u>LQTY (M)</u> _	PG_OF_(M)	<u>PON (M)</u>
Conditional VER (M)		
Optional REMARKS (M)		
pdated 9/27/2003		

LNA Tables: Reqtyp A, Unbundled (CO Based) Line Share BST-Owned Splitter (14.0A)

<u>LNA= N: LS</u>

Required ATN (M)	CABLE ID (M)	CHAN/PAIR (M)
LEAN (M)	LEATN (M)	LNA (M)
LNUM (M)	LQTY (M)	<u>PG OF (M)</u>
PON (M)	RELAY RACK (M)	SHELF (M)
SLOT (M)		
Conditional VER (M)		
Optional REMARKS (M)		
<u>LNA= V: LS</u>		
Required		
ATN (M)	CABLE ID (M)	CHAN/PAIR (M)
ECCKT (M)	LEAN (M)	LEATN (M)
LNA (M)	LNUM (M)	LQTY (M)
<u>PG_OF_(M)</u>	PON (M)	RELAY RACK (M
SHELF (M)	SLOT (M)	
Conditional VER (M)		
Optional REMARKS (M)		
<u>LNA= W: LS</u>		
Required ATN (M)	CABLE ID	CHAN/PAIR (M)
	LEAN (M)	LEATN (M)
LNA (M)	LNUM (M)	LQTY (M)
PG_OF_ (M)	PON (M)	RELAY RACK (M
SHELF (M)	SLOT (M)	

Conditional

VER (M)

Optional

REMARKS (M)