

BellSouth Interconnection Services 675 West Peachtree Street Atlanta, Georgia 30375

Carrier Notification SN91083964

Date: January 30, 2004

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version **13.0d** for Telecommunications Industry Forum 9 (TCIF 9) Release 13.0

This is to advise that BellSouth has identified the following documentation defects in the LOH Version **13.0d** for TCIF 9 Release 13.0.

CCP Number	Description Of The Change
1655	Modifications to the conditional usage notes, also added 1 new business rule for TC FR field also modified R/C/O tables for LNA=G on REQTYP E and M (Non-Complex).
1674	The Interval Guide for Complex shows as a tab Complex Resale, but if you scroll down REQTYP M UNE-P Combo Intervals are attached. REQTYP M should be separate from Resale and have its own tab.
1676	Update LOH for release 13 and 14 for ISDN BRI UNE-P, ACT of V to update veribage to remove ACT of T and Add ACT of V that the PS form/screen or the Complex work Aid Form is required. Also, remove verbiage for "the Activity type of N is allowed only in Georgia".
1677	Update BELLSOUTH® BASIC RATE ISDN (BRI) RESALE, post to the Web at earliest convenience.
1678	Update BELLSOUTH® BASIC RATE ISDN (BRI) - REBUNDLED SWITCHED COMBINATION, post to the Web at earliest convenience.
1682	Add definition note to DQTY.

Please refer to the attachments for specific details of the changes listed above. These changes will be reflected in the next update of the TCIF9, Release 13.0/LOH Version **13.0e** scheduled to be posted March 15, 2004.

A summary of all changes within this document will be listed in the **Summary of Changes Section**.

This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

http://www.interconnection.bellsouth.com/guides/html/leo.html

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President BellSouth Interconnection Services

Attachments



CCP 1655 Attachment Listed Below

TCIF 9 (R/C/O) LNA Tables: Reqtyp E, Resale, non-complex

<u>Optional</u> LNECLS SVC (E)	LOCNUM (M)	LOCNUM DETAIL (E)
TC OPT*		
LNA = G: RS		
<u>Required</u>		
LNA	LNECLS SVC** (E)	LNUM
LPIC	PIC	TNS
Conditional		
AN (M)	ATN (M)	BLOCK
FA	FEATURE	FEATURE DETAIL
IWJK	IWJQ	JK CODE
JK NUM	JK POS	LEAN (M)
LEATN	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
TERS	VER (M)	<u>TC FR (E)</u>
Ontional		
Optional BA*	FPI	JR*
LOCNUM (M)	LOCNUM DETAIL (E)	NIDR
OTN	TC OPT*	TSP (M)

LNA=L: RS

LNA Tables:	Regtyp M,	Switched	Combo	Bus/Res

Optional LNECLS SVC (E)	LOCNUM (M)	TC OPT*
LNA= G: PS		
<u>Required</u>		
LNA	LNUM	LPIC
PG_OF_(M)	PIC	PON (M)
PQTY	TNS	
Conditional AN (M)	ATN (M)	BLOCK



		SN91083964
FA	FEATURE	FEATURE DETAIL
LEAN	LEATN	LOCNUM DETAIL (E)
TC NAME	TC PER	TC TO PRI
TC TO SEC	TCID	TERS
VER (M)	<u>TC FR (E)</u>	
Optional		
BA*	FPI	LNECLS SVC (E)
LOCNUM (M)	OTN	TC OPT*
TSP (M)		

Attachment



Release 13.0E Data Dictionary Source Document

TC FR - Transfer of Calls From (PS form/screen)

Definition

Identifies the telephone number to which calls are to be referred from.

Definition Notes

Deleted: None

Note 1: This field is for electronic ordering only.

Valid Entries

None

Valid Entry Notes None

Data Characteristics

10 numeric characters

Examples

201-699-1234

Conditional Usage Electronic

Note 1: Required when the TC OPT is populated and LNA is N, C, G, T or V.

Note 2: Required when ST is populated in the TC OPT field.

Business Rules

<u>Rule 1: When this field is populated and the LNA is G or T, the TC OPT and OTN</u> field must also be populated.

TC FR - Transfer of Calls From (RS form/screen)

Definition

Identifies the telephone number to which calls are to be referred from.

Definition Notes
Note 1: This field is for electronic ordering only.

Deleted: None

Deleted: None

Deleted: Note 1: Required when the TC OPT is populated and LNA is N, C.

Valid Entries

None

Valid Entry Notes None



Data Characteristics

10 numeric characters

Examples 201-699-1234

Conditional Usage

Electronic

Note 1: Required when ST is populated in the TC OPT field. Note 2: Required when the TC OPT is populated and LNA is N, C, G, T or V.

Business Rules

<u>Electronic</u> Rule 1: When this field is populated and the LNA is G or T, the TC OPT and OTN field must also be populated.

Deleted: None

Attachment SN91083964

BELLSOUTH®

Attachment SN91083964

CCP 1674 Attachment Listed Below

BellSouth Local Ordering Handbook Section 8 - Interval Guide Version 13.0, LSOG6 / ELMS6 Create separate REQTYP M interval table and bookmark. Complex Switched Combination Interval Table (REQTYP M) (ACT N, V, C) Complex Switched Combination Interval Table (REQTYP M) (ACT N, V, C) **Product Quantity Standard** Interval **Targeted LSR** processing Interval Project Managed UNE P Centrex ACT N All Negotiated Negotiated Y ACT C 1 - 3 lines 2 business days 2 business days - - ----- 4 - 9 lines 3 business days 2 business days ------- 10 - 24 lines 5 business days 3 business days ---- - - 25+ Negotiated Negotiated Y ACT V All Negotiated Y Miscellaneous Line Terminations / Optional Features All Negotiated Negotiated Y Complex Switched Combination Interval Table (REQTYP M) (ACT N, V, C) **Product Quantity Standard** Interval **Targeted LSR** processing Interval Project Managed 4-Wire DS1 Loop with Channelization with Port DS1 - ACT V 1-4 4 business days 3 business days 2+ Y - - - 5+ 4 business days + 1 business day for each additional DS1 3 business days Y DSO - ACT V 1-8 trunks 4 business days 3 business days - - ----9-16 trunks 4 business days 3 business days ------ 17-24 trunks 6 business days 3 business days ---- - - 25+ trunks 6 business days + 1 business day for each additional DSO 3 business days Y



DS1 - ACT N and ACT C* 1-4 7 business days 9 business days 2+ Y - - - 5+ 7 business days + 1 business day for each additional 4 DS1's 9 business days + 1 business day for each additional 4 DS1's Y DSO - ACT N and ACT C^* 1-8 trunks 6 business days 3 business days - - ----9-16 trunks 6 business days 3 business days ------ 17-24 trunks 8 business days 3 business days ------ 25+ trunks 8 business days + 1 business day for each additional DSO 3 business days Y DDITS DS1 - ACT V 1-4 4 business days 3 business days 2+ Y - - - 5+ 4 business days +1 business day for each additional DS1 3 business days Y DSO - ACT V 1-8 trunks 4 business days 3 business days - - -- - - 9-16 trunks 4 business days 3 business days - - -Complex Switched Combination Interval Table (REQTYP M) (ACT N, V, C) **Product Quantity Standard** Interval **Targeted LSR** processing Interval Project Managed --- 17-24 trunks 6 business days 3 business days ---- - - 25+ trunks 6 business days + 1 business day for each additional DSO 3 business days Y DS1 - ACT N and ACT C* 1-4 7 business days 9 business days 2+ Y - - - 5+ 7 business days +1 business day for



each additional 4 DS1's 9 business days + 1 business day for each additional 4 DS1's Y DSO - ACT N and ACT C^* 1-8 trunks 6 business days 3 business days - - ----9-16 trunks 6 business days 3 business days ------ 17-24 trunks 8 business days 3 business days ------ 25+ trunks 8 business days + 1 business day for each additional DSO 3 business days Y DID ACT V (No Changes) 1-8 trunks 5 business days 2 business days - - ----9-16 trunks 6 business days 3 business days ---- - - 17-24 trunks 7 business days 4 business days - - -- - - 25+ trunks Negotiated Negotiated Y ACT V (With Changes) 1-8 trunks 7 business days 2 business days - - ----9-16 trunks 8 business days 3 business days ------ 17-24 trunks 9 business days 4 business days ---- - - 25+ trunks Negotiated Negotiated Y ACT N and C* 1-8 trunks 9 business days 7 business days - - ----9-16 trunks 10 business days 8 business days ------ 17-24 trunks 11 business days 9 business days ---- - - 25+ trunks Negotiated Negotiated Y ISDN/PRI Complex Switched Combination Interval Table (REQTYP M) (ACT N, V, C) **Product Quantity Standard** Interval **Targeted LSR** processing Interval Project Managed ACT V 1-4 circuits 2 business days 3 business days 2+ Y - - - 5+ circuits 2 business days + 1 business day for each additional circuit 3 business days Y ACT N and C* 1-5 circuits 10 business days 5 business days 2+ Y - - - 6+ circuits 11 business days + 1 business day for each additional circuit



6 business days Y ISDN/BRI ACT V 1-4 circuits 3 business days 2 business days - - -- - - 5-24 circuits 4 business days + 1 business day for each additional circuit greater than 5 3 business days - - -- - - 25+ circuits Negotiated Negotiated Y ACT N and C 1-4 circuits 10 business days 2 business days - - ---- 5-24 circuits 10 business days + 1 business day for each additional circuit greater than 5 2 business days - - -- - - 25+ circuits Negotiated Negotiated Y PBX ACT V 1-5 trunks 4 business days 3 business days - - ---- 6-10 trunks 5 business days 4 business days ------ 11+ trunks 6 business days 4 business days Y ACT N and C 1-5 trunks 8 business days 3 business days - - ---- 6-10 trunks 11 business days 4 business days ---- - - 11+ trunks Negotiated Negotiated Y FX / FCO UNE P (Business Residence, PBX) REQTYP M FX / FCO UNE P (Business Residence, PBX) REQTYP M **Product Quantity Standard** Interval Targeted LSR processing Interval Project Managed FX / FCO UNE P (Business, Residence, PBX) ACT N, T, C, P, V1 - 8 circuits 7 business days 3 business days - - -----9-16 circuits 9 business days 3 busines days - - ----- 17 - 24 circuits 13 business days 3 business days - - ---25 + circuits 13 business days + 1 business day for each additional circuit 9 business days Y FX / FCO UNE P



(Business, Residence, PBX) ACT W 1 - 16 circuits 3 business days 2 business days - - -- - - 17 - 24 circuits 4 business days 3 business days - - -- - - 25 + circuits Negotiated Negotiated Y **UNE P Off-Premises Stations/Extensions REQTYP M UNE P Off-Premises Stations/Extensions REQTYP M Product Quantity Standard** Interval **Targeted LSR** processing Interval Project Managed UNE-P Off-Premises Stations/Extensions (REQTYP M) ACT N, C, V 1-8 circuits 9 business days 2 business days - - -- - -9-16 circuits 12 business days 2 business days - - -- - -17-24 circuits 15 business days 2 business days - - -- - - 25+ circuits 15 business days + 1 business day for each additional 4 circuits 8 business days Y

CCP 1676 Attachment Listed Below

Release 13.0

2-Wire ISDN Basic Rate-BRI Digital Port / Loop UNE

Combination

Product Listing

2-Wire ISDN Basic Rate-BRI Digital Port / Loop UNE Combination

This service offering is defined as a 2-Wire ISDN Basic Rate-BRI Digital Port/Loop. Unbundled Network Element (UNE) Combination is a 2-Way line side digital port on a 2-Wire digital loop available to convert existing BellSouth® ISDN end-user customers to CLEC customers. When ordering 2-wire ISDN-BRI, the order is sent to the BellSouth® Complex Resale Services Group (CRSG) and *not* to the Local Carrier Service Center (LCSC).

Ordering Forms/Screens

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens 2-Wire ISDN Basic Rate-BRI Digital Port / Loop UNE Combination												
SI	LSR	Hunting	EU	DL	DSCR	RS	DRS	PS	NP	LS	LSNP	Proprietary
	R	0	R	С	С			С				С
				[1]	[2]			[3]				

R = Required C = Conditional O = Optional

[1] = The DL form is required when the ACT is N, T or P

[2] = The DSCR form is required when the DL form is populated and the listings requested are a caption arrangement

[3] = PS form/screen or the Complex Work Aid Form is required only when the ACT is N, C, or \underbrace{V} . Otherwise, the PS form/screen or the Complex Work Aid form is Not Required.

Deleted: T

ISDN-BRI UNE Combination *cannot* be ordered electronically at this time.



(LSM) for additional information

Completing the Hunting Section on the LSR-HGI Form/Screen

Hunting is an optional feature only when the ACT is N, C, T, V, P or Q. For more information on Hunting, please refer to the Hunting Section following the Complex Resale Section.

CLEC Forms On-Line

Refer to the ICS WebPortal page (www.interconnection.bellsouth.com), select 'Tools, Forms & Reports' on toolbar, select 'Forms and Templates', then select "CLEC Forms Online" or just go to CLEC Forms On-Line web page located at:

http://www.interconnection.bellsouth.com/forms/html/lec_form.html

Completing the LSR and EU Forms/Screens

Account level activities (ACT) apply to the entire account. A complete list of ACTs and their definition can be found in the Data Dictionary entry for ACT.

The following chart shows all of the valid account level activities for this service.

	2-V	Vire I	SDN F						tivities / Loop		Comb	inatio	n	
	Ν	С	D	Т	R	V	S	В	W	L	Y	Р	Q	
	X	Х	Χ	-		Χ		-	-	-	-			Deleted: #
	Note: "X" denotes valid account level activities. A dash (-) indicates a non-valid account level activity.													
.	Deleted: # = Currently, the Activity Type of N is allowed only in Georgia. Contact your Local Support Manager													

ISDN-BRI UNE Combination <u>cannot</u> be ordered electronically at this time.

Attachment SN91083964

_

C	CP 1677 Attachment Listed Below
1.	Complete Local Service Request (LSR) form.
2.	Complete End User Information (EUI) form.
3.	Activity: New Change Ckt. ID.
4.	End User Name:
5.	PON: InterLATA PIC*: IntraLATA PIC*:
	Residence or Business Payment Type: Month - to - Month or Contract If Contract, then number of Months **
6.	BellSouth® BRI Serving Wire Center (NPA/NXX): /
7.	Type of BellSouth® BRI Serving Wire Center: 5ESS DMS EWSD If 5ESS, Enter Terminal Type: A B C D E
8.	Quantity of BRI Circuits:
<mark>9.</mark>	Features Package Required: Pkg. EZ1, Pkg. EZ1A, Pkg.EZ2, Pkg. EZ2A, or Pkg. Capability S or None
	If NO Feature Package selected, then check and complete the following: A. Type of ISDN: Custom (5ESS, DMS) National(5ESS, DMS, EWSD) Custom : Terminal Type (TTYP)
Di	isplay (DISP) Military Time (MT) Auto Hold (AH)
U	ne Touch (OT) Call Appearance Preference (CPEPREF) Ringing Idle
	National ISDN/1 – EKTS: Terminal Type (TTYP) Display (DISP) Military Time (MT) Call Appearance Preference (CPEPREF) Ringing
	Electronic Key Telephone Set Type (EKTS) Basic Cach



	National - ISDN/1 - Non -	– EKTS:	
	Terminal Type (TTYP) _ Display (DISP)	Military Timo (MT)	
	 B. Number of B channels to b C. Number of Telephone Num D. Application per B Channel E. Low Speed Packet Data on 	be activated per BRI: OneTwoZero nbers per BRI: I: CSV/DCSVCSDHSPD* D Channel: YesNo	*
	Optional Usage Plan: A B	S FOR PACKET PARAMETERS) C D E If Yes, Enter Quantity of Numbers in Hunting:	
11.	If electronic sets are involved, plea	ase provide a diagram with key configurations.	
12.	Is Independent Telephone Company If yes, provide the following informa ITC Name:		
	LSO (NPA/NXX): Total	l Miles: BellSouth Miles	
13.	a. If Network Interface Jacks needed b. Is inside wiring required? Yes	l provide: Type Quantity No	
14.	High Speed Dedicated B Channel Low Speed D Channel Packet (ONE PAGE PER CHANNEL)	Packet Yes No Yes No	
15.	Packet Switching Interlata Carrier (If RPOA is checked, please provid		
16.	Unique Directory Number: Yes If telephone number is already existing: X.25 Hunting: Yes No	ing, please provide number	
17.	Logical Channel Layout (LCL) Enter Quantity an Range 1-Way In 2-Way 1-Way Out (NOTE: The Total Number of Log	Allocation Range Low to High (INL) to (INH) (2WL) to (2WH) (OUT) to (OUTH) gical Channels Possible are 1-127)	
18.	<u>Throughput Class Negotiation</u> Throughput Class (TPC) Transmit (S)	Valid Input 1200, 2400 4800, 9600 S	

B	ELLSOUTH®		Attachment SN91083964
Re	eceive R	19200	R
Tr	acket Size (PSZ) Octets ansmit (S) eccive R	128,256 128,256	S R
Ser	cket Window (PWD) nd ceive	2,3 2,3	S R
Thro Inter Loca Reve Fast	Control Negotiation (FCPN) ough Put Control Negotiation (TCCN rcom Addressing (IA) I Charging Prevention (LCP)* rse Charging Acceptance (PRC)* Select Acceptance (FSA) CP is yes, then PRC MUST be no)	N) Yes Yes Yes Yes	S No S No
Retry Ackn Level Wind	Level Parameters y Limit oowledgement Timer l 2 Timeout low size Level Packet Rate (SPD)	Options 2-15 20-200 3-30 1-7 64k	
21. Pack		CUGIA (In Access) CUG (Only) UGOA (Out Access)	

22. COMPETITIVE LOCAL EXCHANGE CARRIER NAME:

22. Authorized Representative Name (Typed or Printed):

- 24. Authorized Representative Telephone Number:
- 25. Authorized Representative Signature:
- 26. Date: _____



Legend: PON - Purchase Order Number

ANSA - Alternate Network Serving Arrangement

CSV/D - Circuit Switched Voice/Data

CSV - Circuit Switched Voice

CSD - Circuit Switched Data

HSPD - High Speed Packet Data

*CLEC **must** notify long distance carrier that 64k clear channel for data transmission is required. **Payment Plan requires **SIGNED** Service Agreement Document.

Attachment SN91083964

CCP 1678 Attachment Listed Below

- 1. Complete Local Service Request (LSR) form. Note: REQTYPE M ACTYPE Restricted to N, V, C or D
- 2. 1Complete End User Information (EUI) form.

3. Activity: New Conversion to UNE Combination				
		version to UNE Combination w		
	Chan	ge to existing service		
	Ckt. ID.			
4.	End User Name:			
5.	. PON:	InterLATA PIC*:	_ IntraLATA PIC*:	
	Residence or Busine	ss		
6.	BellSouth BRI Serving Wi	ire Center (NPA/NXX):	/	
	Interoffice Channel : Yes	or No		
rec	If Interoffice Channel, then	enter End User BellSouth Servir hannel is involved, the Interoffice		
100		used because the serving wire cen	ter is not equipped for ISDN-	
BF		C	1 11	
	Interoffice Channel mileag	e will be billed).		
7.	Type of BellSouth BRI Sen If 5ESS, Enter Terminal Ty	rving Wire Center: 5ESS /pe: A B C	DMS EWSD D E	
8.	Quantity of BRI Circuits:	Network Interface Jack	s: Type Quantity	
		uired: Yes <u> </u> No	o, If yes,	
	uantity			
9.	Complete the following:	ustom (5ESS, DMS) Nat	ional (SERS DMS EWSD)	
	A. Type of ISDN: C	usiom (SESS, DIVIS) Nat	1011a1 (3E55, DW5, EW5D)	
	Custom: Terminal Type (T	ГҮР)		
	Display (DISP)	Military Time (MT)	Auto Hold (AH)	

BELLSOUTH [®]	Attachment SN91083964
One Touch (OT)	
Call Appearance Preference (CPEPREF) Ringing	Idle
National ISDN/1 – EKTS: Terminal Type (TTYP) Display (DISP) Military Time (MT) Call Appearance Preference (CPEPREF) Ringing Electronic Key Telephone Set Type (EKTS) Basic	
National - ISDN/1 - Non – EKTS: Terminal Type (TTYP) Display (DISP) Military Time (MT) B. Number of B channels to be activated per BRI: C. Number of Telephone Numbers per BRI: D. Application per B Channel: CSD (EWSD)	ne Two Zero
<i>E.</i> Low Speed Packet Data on D Channel: Yes No_	
Note: If EZ Packages are ordered, no Vertical Features should b	e ordered
9b. Optional Usage Plan: A B C D E	
10. Hunting Required : Yes or No If Yes, Enter Quantity	of Numbers in Hunting:
11. If electronic sets are involved, please provide a diagram w	ith key configurations.
 12. Area Dialing Plan Yes No Dialing Parity USOC (Only available in Alabama, Kentucky, Louisiana, Mississipp Tennessee). 	i, South Carolina, and
13. Vertical Features USOC (s) Yes No	
—	



NOTE: If Vertical Features are ordered, No EZ packages should be ordered

w None Pkg FZ1A	<u>A.</u> ,	•		Deleted: <#>
TY Pkg FZ1A				None
	w		N. 1	Pkg. EZ1A

COMPETITIVE LOCAL EXCHANGE CARRIER NAME:

Authorized Representative Name (Typed or Printed):

Authorized Representative Telephone Number:

Authorized Representative Signature: _____

Date:

Legend: PON - Purchase Order Number CSV/D - Circuit Switched Voice/Data CSV - Circuit Switched Voice CSD - Circuit Switched Data

*CLEC **must** notify long distance carrier that 64k clear channel for data transmission is required.

Deleted: <pre></pre>				
None , Pkg. EZ1 ,				
Pkg. EZ1A, ¶				
Formatted: Bullets and Numbering				
Deleted: NOTE: IF EZ PACKAGES				
ARE ORDERED, NO VERTICAL				

Attachment SN91083964

1 BASIC RATE ISDN (BRI) - REBUNDLED SWITCHED COMBINATION

2	Field	Field Definitions
3		 Identifies if the request is for ISDN BRI, or UNE ISDN BRI Combination. This information is provided by the CLEC. See CLEC Ordering Guide for f
4	 Complete Local Service Request Form (LSR) Conversion, Change to existing service. 	 This information is provided by the CLEC. See CLEC Ordering Guide for f This information is provided by the CLEC. See CLEC Ordering Guide for f
6	Conversion, change to existing service, Ckt. ID	5. This mormation is provided by the CLEC. See CLEC Ordening Guide for T
7		4. Identifies the name of the customer (Company name) the service is for.
8		 Identifies the CLEC unique order or requisition number that authorizes the
9	(Presubscription Indicator Code), and	this request. Identifies the presubscription indicator code os the carrier t
10	IntraLATA PIC (Primary Intraexchange Carrier).	has selected for InterLATA and IntraLATA traffic.
		 Identifies the 6-digit NPA-NXX (area code plus local exchange prefix) of th
12	Interoffice Channel.	Serving Wire Center where BRI is provisioned. Indicates if an Interoffice (
13		Check yes or no. Note: If yes, then enter the 6-digit NPA-NXX of the enc
14		wire center.
	7. Type of BellSouth BRI Serving Wire Center	7. Identifies type (switching equipment) of BellSouth serving wire center whe
	8. Quantity of BRI Circuits, Network Interface Jacks	
17		registered or non-registered jack used to terminate the service. Enter the
18		of jacks required. Familiarization with the FCC's registration rules is requ
19		parties involved for the determination of the proper jack.
20	9. Channels Required	9. Check appropriate channel information based on the customer's request.
21		informastion is selected, complete items A through D.
22	10. Hunting Required	10. Indicates if Hunting is required. Check yes or no. Note: If yes, enter the
23		numbers in hunting.
24	11. If electronic sets are involved, please provide a	11. Indicates is eletronic sets are involved a diagram with key configurations
25	diagram with key configurations.	provided.
26	12. Area Plus Calling Plan.	12. Indicates Area Dialing Plan. Note: Only available in Alabama, Kentucky,
27		Mississippi, South Carolina, and Tennessee. If yes provide Dialing Parity
28	13. Vertical Features	13. Indicates if Vertical Features are required. Note: If yes, enter the requir
29		
	14. Features Required	14. Check appropriate feature package based on the customer's request. ${f N}$
31	1	package is selected, complete items A through E.
32		
33		Identifies the end user's Competitive Local Exchange Carrier (Company name
	Authorized Representative Name	Identifies the CLEC representative authorized to request service on behalf of t
35		or print name.
	Authorized Representative Telephone Number	Identifies authorized CLEC representative's telephone number.
37		Enter the signature of the CLEC representative indicated at line item.
	Date	Enter date order request submitted to BellSouth.
39		
40		Legend: PON - Purchase Order Number
41		CSV/D - Circuit Switched Voice/Data
42 43		CSV - Circuit Switched Voice CSD - Circuit Switched Data
43		
44 45		*CLEC must notify long distance carrier that 64k clear channel for data trans
45 46		
40	1	



CCP 1682 Attachment Listed Below

BellSouth Local Ordering Handbook Section 4 - Data Dictionary

DQTY

Disconnect Quantity (EU Page)

Definition

Identifies the quantity of telephone numbers affected by this service request. It indicates the quantity of telephone numbers to be disconnected with this request.

Definition Notes: NOTE 1: This field may be used to identify the number of lines being migrated on a Switch As Is order. NOTE 2: Indicates the quantity of telephone numbers affecting call transfer information.

Valid Entries 001 – 999

Valid Entry Notes: None

Data Characteristics 3 numeric characters

Examples 001

Conditional Usage Notes

Note 1: Required when the DISC NBR field is populated. Manual: Note 2: Required when the REQTYP is E and the ACT field on the LSR is W. Electronic: None

Business Rules

None.

• ******** End of definition for field DQTY *********