

BellSouth Interconnection Services 675 West Peachtree Street Atlanta, Georgia 30375

Carrier Notification SN91083976

Date: March 18, 2004

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) – **REVISED** - Update to the BellSouth Local Ordering Handbook (LOH) Version **13d** for Telecommunications Industry Forum 9 (TCIF 9) Release 13.0 (Originally posted February 18, 2004)

This is to advise that BellSouth has identified the following documentation defects in the LOH Version **13.0d** for TCIF 9 Release 13.0.

CCP Number	Description Of The Change			
1629	Correct LOH Data Dictionary, for TCIF9 and ELMS6: Add "N" to manual data characteristics, so that when the listed number is not known, and will be assigned by the LCSC, the customer can still order a listing for the new telephone number. 1 st Update Data Characteristics to allow for "10 numeric or 1 alpha" to align with the Example. 2 nd UPDATE: Add valid entry indicating "N" is the only valid 'alpha' character (for this field). ie: "N or numerics"			
1644	Updated the Partial Move Process Documentation because, it did not indicate that the process is electronic			
1689	 The following updates were made: Change SAN and ORD fields too: Not supported in this practice on the RS and PS data dictionary pages for TCIF 9 and ELMS 6. Change PULSE, SGNL, SSIG and CFA too: Not supported on the RS data dictionary pages for TCIF 9. Change PULSE, CFA, CNAM too: Not supported on the RS form for ELMS 6. 			

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the TCIF9 Release 13.0/LOH Version **13.0e** scheduled to be posted March 15, 2004.

A summary of all changes within this document will be listed in the **Summary of Changes Section**.

This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

http://www.interconnection.bellsouth.com/guides/html/leo.html

Please contact your BellSouth local support manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President BellSouth Interconnection Services

Attachments



Attachment SN91083976

CCP 1629 Attachment Listed Below Changes for TCIF9 LOH Data Dictionary, LTN Field:

LTN - Listing Telephone Number

- **Definition** Indicates the telephone number to be placed in the directory and quoted in Directory Assistance (DA) as appropriate based on LTY, RTY, and STYC field entries.
- Def Notes None
- Valid EntriesNone
- VE Notes None

N or numerics

Data Charact	Manual: <mark>1 alpha</mark>	10 numeric characters (excluding optional hyphens) or
	Electronic	: 10 numeric characters

- Examples
 Manual:
 2019813500
 or
 201-981-3500
 or
 N

 Electronic:
 2019813500
 201-981-3500
 or
 N
 N
- CU Notes Note 1: Prohibited when the RTY data is FCR, or LCR.

Note 2: When the RTY data is not FCR, LCR, or LSP, the LTN is required, if LACT = N, D, I or Z..

Bus Rules Rule 1: When the NSTN field on the DL form/screen is a stylist number, the numeric equivalent is required in this field.

Rule 2: When valid entry of "Z" is indicated in the LACT field on the DL form/screen, the telephone number in the LTN field on the DL form/screen must have an identical telephone number on one of the following forms/screens:

Form/Screen	.Field
Number Portability (NP)	.Ported #
Loop Service w/Number Portability (LSNP)	Ported #
Resale:	TNS

BELLSOUTH®

CCP 1644 Attachment Listed Below

Partial Move Order Request - REQTYP E & M, Non-complex

Description

A partial move request occurs when a customer is requesting to move lines from an existing account at one location to a new location, but wishes to leave at least one (1) working line at the old location.

Restrictions

- Not applicable to remote call forwarding
- Dual service is not applicable

Ordering Considerations

The customer must submit multiple LSR packages and use the RPON and NOR fields to associate the LSRs.

- The first LSR should be submitted with an ACT C, LNA D for all lines that are moving to the new location, or are simply being disconnected at the time of the move.
- The second LSR should be submitted with an ACT N, LNA N for all lines that are being installed at the new service address. Additional lines (that did not exist at the previous address) may also be added on this LSR using LNA N.
- The RPON field should be populated with the PON from the lead LSR, on **all** LSRs involved with the partial move request.
- The NOR field, for the lead PON, must be 01-XX, where XX is equal to the total number of LSRs involved with the partial move request. Each subsequent value for this field must be increased by one digit with XX data remaining the same.
- The customer should follow the REQTYP E (NON-Complex) R/C/O tables for ACT of C and ACT of N for completing an LSR for a partial move order on a resale account.
- The customer should follow the REQTYP M (Non-Complex) R/C/O tables for ACT of C and ACT of N for completing an LSR for a partial move order on Port/Loop combination residence/business.
- When either ACT of N or C indicates manual ordering only, both LSR's must be submitted manually.



• If the existing Account Telephone Number is moving to the new location, the new Main TN must be indicated in the Remarks section of the LSR and the order must be submitted manually

NOTE: If the existing Account Telephone Number is moving to the new locatioin the new Main TN must be indicated in the Remarks section of the LSR.

BELLSOUTH[®]

Attachment SN91083976

CCP 1689 Attachment Listed Below

TCIF 9

SAN

Subscriber Authorization Number (PS Form/Screen)

Definition

Identifies a number equivalent to the end user Purchase Order Number.

This field is not supported by BellSouth ® in this practice

ORD

Order Number (PS Form/Screen)

Definition

Identifies the provider's order number for the service requested.

This field is not supported by BellSouth ® in this practice.

SAN

Subscriber Authorization Number (RS Form/Screen)

Definition

Identifies a number equivalent to the end user Purchase Order Number.

This field is not supported by BellSouth ® in this practice.

ORD

Order Number (RS Form/Screen)

Definition

Identifies the provider's order number for the service requested.

This field is not supported by BellSouth ® in this practice.

CFA

Connecting Facility Assignment (RS Form/Screen)

<u>Definition</u> Identifies the provider's carrier system and channel to be used. <u>This field is not supported by BellSouth</u> (R) in this practice.



Attachment SN91083976

PULSE Type of Pulsing (RS Form/Screen)

Definition Identifies the type of pulsing requested for the service.

This field is not supported by BellSouth ® in this practice.

SSIG

Start Signaling (RS Form/Screen)

Definition Identifies the type of start signaling requested.

This field is not supported by BellSouth ® in this practice.

SGNL Signaling (RS Form/Screen)

Definition Identifies the type of signaling requested.

This field is not supported by BellSouth ® in this practice.