
BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

Carrier Notification**SN91084270**

Date: October 21, 2004

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version **17.0a** for Telecommunications Industry Forum 9 (TCIF 9) Release 17.0

This is to advise that BellSouth has identified the following documentation defects in the LOH Version **17.0a** for TCIF 9 Release 17.0.

CCP Number	Description Of The Change
2071	Changes to R/C/O table as the result of an audit of the LOH-Ordering and LOH-Data Dictionary by the documentation team.

Please refer to the attachment for specific details of the changes listed above.

These changes will be reflected in the next update of the TCIF 9 Release 17.0/LOH Version **17.0b** scheduled to be posted Monday, November 22, 2004.

A summary of all changes within this document will be listed in the **Summary of Changes** section.

This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth local support manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachment

CCP 2071 Attachment Listed Below

TCIF9

Reqtyp	Product	Type	Field from	Action	Field to
A	Digital Data Designed Loop (DS0)	LNA= D:LS	TC FR (E)	remove field from	conditional
A	Unbundled Copper Loop – Designed (UCL)	ACT = D: EU	SASN	remove field from	conditional
A	Unbundled Copper Loop – Designed (UCL)	ACT = D: EU	SASN*	add field to	optional
A	Unbundled Copper Loop – Designed (UCL)	ACT = T: EU	RORD (M)	remove field from	optional
A	Unbundled Copper Loop – Designed (UCL)	ACT = T: LSR	RORD (M)	add field to	optional
A	Unbundled Copper Loop – Designed (UCL)	ACT= D: EU	EU-CITY	add field as	conditional
A	xDSL Loops	ACT = D: EU	SASN	remove field from	conditional
A	xDSL Loops	ACT = D: EU	SASN*	add field to	optional
A	Unbundled Sub- Loops	ACT = C: EU	CITY (M)	remove field from	conditional
A	Unbundled Sub- Loops	ACT = C: EU	EU-BLDG (M)	add field to	optional
A	Unbundled Sub- Loops	ACT = C: EU	EU-CITY (M)	add field to	conditional
A	Unbundled Sub- Loops	ACT = C: EU	EU-FLOOR (M)	add field to	optional
A	Unbundled Sub- Loops	ACT = C: EU	EU-NAME (M)	add field to	required
A	Unbundled Sub- Loops	ACT = C: EU	EU-ROOM (M)	add field to	optional
A	Unbundled Sub- Loops	ACT = C: EU	EU-STATE (M)	add field to	conditional
A	Unbundled Sub- Loops	ACT = C: EU	EU-ZIP CODE (M)	add field to	conditional
A	Unbundled Sub- Loops	ACT = C: EU	LCON (M)	remove field from	optional
A	Unbundled Sub- Loops	ACT = C: EU	LCON-NAME (M)	add field to	optional
A	Unbundled Sub- Loops	ACT = C: EU	LD1 (M)	remove field from	conditional
A	Unbundled Sub- Loops	ACT = C: EU	LD2 (M)	remove field from	conditional

Reqtyp	Product	Type	Field from	Action	Field to
A	Unbundled Sub-Loops	ACT = C: EU	LD3 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = C: EU	LV1 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = C: EU	LV2 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = C: EU	LV3 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = C: EU	NAME (M)	remove field from	required
A	Unbundled Sub-Loops	ACT = C: EU	SADLO (M)	add field to	conditional
A	Unbundled Sub-Loops	ACT = C: EU	STATE (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = C: EU	ZIP (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = D: EU	CITY (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = D: EU	EU-BLDG (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = D: EU	EU-CITY (M)	add field to	conditional
A	Unbundled Sub-Loops	ACT = D: EU	EU-FLOOR (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = D: EU	EU-NAME (M)	add field to	required
A	Unbundled Sub-Loops	ACT = D: EU	EU-ROOM (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = D: EU	EU-STATE (M)	add field to	conditional
A	Unbundled Sub-Loops	ACT = D: EU	EU-ZIP CODE (M)	add field to	conditional
A	Unbundled Sub-Loops	ACT = D: EU	LCON (M)	remove field from	optional
A	Unbundled Sub-Loops	ACT = D: EU	LCON-NAME (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = D: EU	LD1 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = D: EU	LD2 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = D: EU	LD3 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = D: EU	LV1 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = D: EU	LV2 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = D: EU	LV3 (M)	remove field from	conditional

Reqtyp	Product	Type	Field from	Action	Field to
A	Unbundled Sub-Loops	ACT = D: EU	NAME (M)	remove field from	required
A	Unbundled Sub-Loops	ACT = D: EU	SADLO (M)	add field to	conditional
A	Unbundled Sub-Loops	ACT = D: EU	SASN (M)	remove field from	optional
A	Unbundled Sub-Loops	ACT = D: EU	SASN* (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = D: EU	STATE (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = D: EU	ZIP (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = N: EU	CITY (M)	remove field from	required
A	Unbundled Sub-Loops	ACT = N: EU	EU-BLDG (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = N: EU	EU-CITY (M)	add field to	required
A	Unbundled Sub-Loops	ACT = N: EU	EU-FLOOR (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = N: EU	EU-NAME (M)	add field to	required
A	Unbundled Sub-Loops	ACT = N: EU	EU-ROOM (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = N: EU	EU-STATE (M)	add field to	required
A	Unbundled Sub-Loops	ACT = N: EU	EU-ZIP CODE (M)	add field to	required
A	Unbundled Sub-Loops	ACT = N: EU	LCON (M)	remove field from	optional
A	Unbundled Sub-Loops	ACT = N: EU	LCON-NAME (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = N: EU	LD1 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = N: EU	LD2 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = N: EU	LD3 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = N: EU	LV1 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = N: EU	LV2 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = N: EU	LV3 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = N: EU	NAME (M)	remove field from	required
A	Unbundled Sub-Loops	ACT = N: EU	SADLO (M)	add field to	conditional
A	Unbundled Sub-Loops	ACT = N: EU	STATE (M)	remove field from	conditional

Reqtyp	Product	Type	Field from	Action	Field to
A	Unbundled Sub-Loops	ACT = N: EU	ZIP (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = V: EU	CITY (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = V: EU	EU-BLDG (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = V: EU	EU-CITY (M)	add field to	conditional
A	Unbundled Sub-Loops	ACT = V: EU	EU-FLOOR (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = V: EU	EU-NAME (M)	add field to	required
A	Unbundled Sub-Loops	ACT = V: EU	EU-ROOM (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = V: EU	EU-STATE (M)	add field to	conditional
A	Unbundled Sub-Loops	ACT = V: EU	EU-ZIP CODE (M)	add field to	conditional
A	Unbundled Sub-Loops	ACT = V: EU	FB-BILLCON TEL NO. (M)	add field to	conditional
A	Unbundled Sub-Loops	ACT = V: EU	LCON (M)	remove field from	optional
A	Unbundled Sub-Loops	ACT = V: EU	LCON-NAME (M)	add field to	optional
A	Unbundled Sub-Loops	ACT = V: EU	LD1 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = V: EU	LD2 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = V: EU	LD3 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = V: EU	LV1 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = V: EU	LV2 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = V: EU	LV3 (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = V: EU	NAME (M)	remove field from	required
A	Unbundled Sub-Loops	ACT = V: EU	SADLO (M)	add field to	conditional
A	Unbundled Sub-Loops	ACT = V: EU	STATE (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = V: EU	TEL NO-FBCON (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = V: EU	ZIP (M)	remove field from	conditional
A	Unbundled Sub-Loops	ACT = V: LSR	MI (M)	remove field from	required

Reqtyp	Product	Type	Field from	Action	Field to
A	Unbundled CO-based Line Share (DLEC-Owned Splitter)	LNA= V: LS	RESID (M)	remove field from	required
A	Ordinarily Combined UNEs (OCU)	LNA = V: LS	RESID (M)	remove field from	required
A	Digital Data Designed Loop (DS1)	LNA = D: LS	DQTY (M)	remove field from	conditional
B	INP, Designed Analog Loop	ACT=P:EU	EAN (M)	add field to	conditional
B	INP, Designed Analog Loop	ACT=P:LSR	EAN (M)	remove field from	conditional
B	INP, xDSL Loops	ACT = P: EU	FB-SBILLNM	remove field from	optional
B	INP, Digital Designed Basic Rate ISDN	ACT=P:EU	EAN (M)	add field to	conditional
B	INP, Digital Designed Basic Rate ISDN	ACT=P:LSR	EAN (M)	remove field from	conditional
B	INP, Digital Data Designed Loop (DS0)	ACT=P:EU	EAN (M)	add field to	conditional
B	INP, Digital Data Designed Loop (DS0)	ACT=P:LSR	EAN (M)	remove field from	conditional
C	INP	ACT = V: EU	PROJECT	remove field from	optional
C	INP	ACT = V: LSR	PROJECT	add field to	optional
C	INP	LNA = D: NP	TC NAME	remove field from	conditional
C	INP	LNA = D: NP	TC OPT	remove field from	optional
C	INP	LNA = D: NP	TC PER	remove field from	conditional
C	INP	LNA = D: NP	TC TO PRI	remove field from	conditional
C	INP	LNA = D: NP	TC TO SEC	remove field from	conditional
C	INP	LNA = D: NP	TCID	remove field from	conditional
C	INP	LNA = V: NP	TC NAME	remove field from	conditional
C	INP	LNA = V: NP	TC OPT	remove field from	optional
C	INP	LNA = V: NP	TC PER	remove field from	conditional

Reqtyp	Product	Type	Field from	Action	Field to
C	INP	LNA = V: NP	TC TO PRI	remove field from	conditional
C	INP	LNA = V: NP	TC TO SEC	remove field from	conditional
C	INP	LNA = V: NP	TCID	remove field from	conditional
E	Resale, non-complex	ACT = P: EU	TC OPT*	add field to	optional
E	Resale, non-complex	ACT = P: EU	TC OPT* (M)	remove field from	optional
E	Resale, non-complex	ACT = Q: EU	TC OPT*	add field to	optional
E	Resale, non-complex	ACT = Q: EU	TC OPT* (M)	remove field from	optional
E	Resale, non-complex	LNA= C:RS	TC OPT	add field to	conditional
E	Resale, non-complex	LNA= C:RS	TC OPT*	remove field from	optional
E	Resale, non-complex	LNA= D:RS	TC OPT	add field to	conditional
E	Resale, non-complex	LNA= D:RS	TC OPT*	remove field from	optional
E	Resale, non-complex	LNA= L:RS	TC OPT	add field to	conditional
E	Resale, non-complex	LNA= L:RS	TC OPT*	remove field from	optional
E	Resale, non-complex	LNA= T:RS	TC NAME	add field to	conditional
E	Resale, non-complex	LNA= T:RS	TC PER	add field to	conditional
E	Resale, non-complex	LNA= T:RS	TC TO PRI	add field to	conditional
E	Resale, non-complex	LNA= T:RS	TC TO SEC	add field to	conditional
E	Resale, non-complex	LNA= T:RS	TCID	add field to	conditional
E	Resale, non-complex	LNA= V:RS	LNECLS SVC (E)	remove field from	optional
E	Resale, non-complex	LNA= V:RS	TC OPT	add field to	conditional
E	Resale, non-complex	LNA= V:RS	TC OPT*	remove field from	optional
E	Resale, non-complex	LNA= X:RS	TC OPT	add field to	conditional
E	Resale, non-complex	LNA= X:RS	TC OPT*	remove field from	optional
E	Remote Call Forwarding (RCF)	LNA= C:RS	TC OPT (M)	add field to	conditional

Reqtyp	Product	Type	Field from	Action	Field to
E	Remote Call Forwarding (RCF)	LNA= C:RS	TC OPT* (M)	remove field from	optional
E	Remote Call Forwarding (RCF)	LNA= D:RS	TC OPT (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= D:RS	TC OPT* (M)	remove field from	optional
E	Remote Call Forwarding (RCF)	LNA= N:RS	TC FR (M)	remove field from	conditional
E	Remote Call Forwarding (RCF)	LNA= N:RS	TC NAME (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= N:RS	TC OPT (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= N:RS	TC PER (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= N:RS	TC TO PRI (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= N:RS	TC TO SEC (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= N:RS	TCID (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= T:RS	TC FR (E)	remove field from	conditional
E	Remote Call Forwarding (RCF)	LNA= T:RS	TC NAME (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= T:RS	TC PER (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= T:RS	TC TO PRI (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= T:RS	TC TO SEC (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= T:RS	TCID (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= V:RS	TC OPT (M)	add field to	conditional
E	Remote Call Forwarding (RCF)	LNA= V:RS	TC OPT* (M)	remove field from	optional

Reqtyp	Product	Type	Field from	Action	Field to
	(RCF)				
E	PBX Resale Service	ACT = P: EU	TC OPT*	add field to	optional
E	PBX Resale Service	ACT = P: EU	TC OPT* (M)	remove field from	optional
E	PBX Resale Service	ACT = Q: EU	TC OPT*	add field to	optional
E	PBX Resale Service	ACT = Q: EU	TC OPT* (M)	remove field from	optional
E	PBX Resale Service	LNA = N: RS	SSIG	remove field from	optional
E	PBX Resale Service	LNA= C:RS	TC OPT	add field to	conditional
E	PBX Resale Service	LNA= C:RS	TC OPT*	remove field from	optional
E	PBX Resale Service	LNA= D:RS	TC OPT	add field to	conditional
E	PBX Resale Service	LNA= D:RS	TC OPT*	remove field from	optional
E	PBX Resale Service	LNA= N:RS	TC OPT	add field to	conditional
E	PBX Resale Service	LNA= N:RS	TC OPT*	remove field from	optional
E	PBX Resale Service	LNA= V:RS	TC OPT	add field to	conditional
E	PBX Resale Service	LNA= V:RS	TC OPT*	remove field from	optional
E	PBX Resale Service	LNA= X:RS	TC OPT	add field to	conditional
E	PBX Resale Service	LNA= X:RS	TC OPT*	remove field from	optional
E	ISDN-BRI Resale Service	ACT = C: EU	TC OPT	remove field from	conditional
E	ISDN-BRI Resale Service	ACT = C: EU	TC OPT*	add field to	optional
E	ISDN-BRI Resale Service	ACT = D: EU	TC OPT	remove field from	conditional
E	ISDN-BRI Resale Service	ACT = D: EU	TC OPT*	add field to	optional
E	ISDN-BRI Resale Service	ACT = P: EU	TC OPT	remove field from	conditional
E	ISDN-BRI Resale Service	ACT = P: EU	TC OPT*	add field to	optional
E	ISDN-BRI Resale Service	ACT = Q: EU	TC OPT	remove field from	conditional
E	ISDN-BRI Resale Service	ACT = Q: EU	TC OPT*	add field to	optional
E	ISDN-BRI Resale Service	ACT = T: EU	TC OPT (M)	remove field from	conditional

Reqtyp	Product	Type	Field from	Action	Field to
E	ISDN-BRI Resale Service	ACT = T: EU	TC OPT* (M)	add field to	optional
E	ISDN-BRI Resale Service	ACT = V: EU	TC OPT	remove field from	conditional
E	ISDN-BRI Resale Service	ACT = V: EU	TC OPT*	add field to	optional
E	ISDN-BRI Resale Service	LNA= C:RS	TC OPT	add field to	conditional
E	ISDN-BRI Resale Service	LNA= C:RS	TC OPT*	remove field from	optional
E	ISDN-BRI Resale Service	LNA= D:RS	TC OPT	add field to	conditional
E	ISDN-BRI Resale Service	LNA= D:RS	TC OPT*	remove field from	optional
E	ISDN-BRI Resale Service	LNA= V:RS	TC OPT	add field to	conditional
E	ISDN-BRI Resale Service	LNA= V:RS	TC OPT*	remove field from	optional
E	ISDN-BRI Resale Service	LNA= X:RS	TC OPT	add field to	conditional
E	ISDN-BRI Resale Service	LNA= X:RS	TC OPT*	remove field from	optional
E	Coin	LNA= C:RS	TC NAME	add field to	conditional
E	Coin	LNA= C:RS	TC OPT	add field to	conditional
E	Coin	LNA= C:RS	TC OPT*	remove field from	optional
E	Coin	LNA= C:RS	TC PER	add field to	conditional
E	Coin	LNA= C:RS	TC TO PRI	add field to	conditional
E	Coin	LNA= C:RS	TC TO SEC	add field to	conditional
E	Coin	LNA= C:RS	TCID	add field to	conditional
E	Coin	LNA= D:RS	TC OPT	add field to	conditional
E	Coin	LNA= D:RS	TC OPT*	remove field from	optional
E	Coin	LNA= N:RS	TC NAME	add field to	conditional
E	Coin	LNA= N:RS	TC OPT	add field to	conditional
E	Coin	LNA= N:RS	TC OPT*	remove field from	optional
E	Coin	LNA= N:RS	TC PER	add field to	conditional
E	Coin	LNA= N:RS	TC TO PRI	add field to	conditional
E	Coin	LNA= N:RS	TC TO SEC	add field to	conditional
E	Coin	LNA= N:RS	TCID	add field to	conditional
E	Coin	LNA= V:RS	LPIC (E)	remove field from	required
E	Coin	LNA= V:RS	PIC (E)	remove field from	required
E	Coin	LNA= V:RS	TC OPT	add field to	conditional
E	Coin	LNA= V:RS	TC OPT*	remove field from	optional
E	Coin	LNA= X:RS	TC OPT	add field to	conditional

Reqtyp	Product	Type	Field from	Action	Field to
E	Coin	LNA= X:RS	TC OPT*	remove field from	optional
E	AccuPulse®	ACT = T: LSR	IWO (M)	remove field from	optional
E	MegaLink® Channel Services	ACT = T: EU	DSGCON (M)	remove field from	conditional
E	MegaLink® Channel Services	ACT = T: EU	DSGCON-TEL NO. (M)	remove field from	conditional
E	Primary Rate ISDN -PRI	ACT = P: EU	TC NAME (M)	add field to	conditional
E	Primary Rate ISDN -PRI	ACT = P: EU	TC PER (M)	add field to	conditional
E	Primary Rate ISDN -PRI	ACT = P: EU	TC TO PRI (M)	add field to	conditional
E	Primary Rate ISDN -PRI	ACT = P: EU	TC TO SEC (M)	add field to	conditional
E	Primary Rate ISDN -PRI	ACT = P: EU	TCID (M)	add field to	conditional
E	Primary Rate ISDN -PRI	ACT = Q: EU	TC NAME (M)	add field to	conditional
E	Primary Rate ISDN -PRI	ACT = Q: EU	TC PER (M)	add field to	conditional
E	Primary Rate ISDN -PRI	ACT = Q: EU	TC TO PRI (M)	add field to	conditional
E	Primary Rate ISDN -PRI	ACT = Q: EU	TC TO SEC (M)	add field to	conditional
E	Primary Rate ISDN -PRI	ACT = Q: EU	TCID (M)	add field to	conditional
E	Private Lines	ACT = C: EU	LOCQTY (M)	remove field from	conditional
E	SMARTRing® Service	ACT= D: LSR	IMPCON* (M)	remove field from	optional
E	SMARTRing® Service	ACT= D: LSR	IMPCON-TEL NO. (M)	remove field from	conditional
E	SMARTRing® Service	ACT= D: LSR	INIT (M)	remove field from	optional
E	LIGHTGATE® Services	ACT = T: EU	DSGCON (M)	remove field from	conditional
E	LIGHTGATE® Services	ACT = T: EU	DSGCON-TEL NO. (M)	remove field from	conditional
E	LIGHTGATE® Services	ACT = T: LSR	DRC* (M)	add field to	optional
E	LIGHTGATE® Services	ACT = T: LSR	DSGCON (M)	add field to	conditional
E	LIGHTGATE® Services	ACT = T: LSR	DSGCON - TEL NO. (M)	add field to	conditional
E	LIGHTGATE® Services	ACT = T: LSR	DSGCON-CITY (M)	add field to	conditional

Reqtyp	Product	Type	Field from	Action	Field to
E	LIGHTGATE® Services	ACT = T: LSR	DSGCON-FAX NO. (M)	add field to	conditional
E	LIGHTGATE® Services	ACT = T: LSR	DSGCON-FLOOR (M)	add field to	conditional
E	LIGHTGATE® Services	ACT = T: LSR	DSGCON-ROOM/MAIL STOP (M)	add field to	conditional
E	LIGHTGATE® Services	ACT = T: LSR	DSGCON-STATE (M)	add field to	conditional
E	LIGHTGATE® Services	ACT = T: LSR	DSGCON-STREET (M)	add field to	conditional
E	LIGHTGATE® Services	ACT = T: LSR	DSGCON-ZIP CODE (M)	add field to	conditional
E	LIGHTGATE® Services	ACT= D: LSR	IMPCON* (M)	remove field from	optional
E	LIGHTGATE® Services	ACT= D: LSR	IMPCON-TEL NO. (M)	remove field from	conditional
E	SynchroNet®	ACT= N: LSR	REMARKS (M)	remove field from	required
E	TFD	ACT = C: EU	AFT (M)	remove field from	optional
E	TFD	ACT = C: EU	TC NAME (M)	add field to	conditional
E	TFD	ACT = C: EU	TC OPT (M)	remove field from	conditional
E	TFD	ACT = C: EU	TC OPT* (M)	add field to	optional
E	TFD	ACT = C: EU	TC PER (M)	add field to	conditional
E	TFD	ACT = C: EU	TC TO PRI (M)	add field to	conditional
E	TFD	ACT = C: EU	TC TO SEC (M)	add field to	conditional
E	TFD	ACT = D: EU	AFT (M)	remove field from	optional
E	TFD	ACT = D: EU	TC OPT (M)	remove field from	conditional
E	TFD	ACT = D: EU	TC OPT* (M)	add field to	optional
E	TFD	ACT = N: EU	AFT (M)	remove field from	optional
E	TFD	ACT = V: EU	AFT (M)	remove field from	optional
E	TFD	ACT = V: LSR	BILLNUM-CITY (M)	remove field from	required
E	TFD	ACT = V: LSR	BILLNUM-STATE (M)	remove field from	required
E	TFD	ACT = W: EU	AFT (M)	remove field from	optional

Reqtyp	Product	Type	Field from	Action	Field to
E	TFD	ACT = W: LSR	BILLNUM- CITY (M)	remove field from	required
E	TFD	ACT = W: LSR	BILLNUM- STATE (M)	remove field from	required
E	TFD	ACT= N: LSR	CC (M)	remove field from	optional
E	TFD	ACT= N: LSR	DFDT (M)	remove field from	conditional
E	TFD	LNA= D:RS	TC OPT (M)	add field to	conditional
E	TFD	LNA= D:RS	TC OPT* (M)	remove field from	optional
E	TFD	LNA= P:RS	TC NAME (M)	add field to	conditional
E	TFD	LNA= P:RS	TC OPT (M)	add field to	conditional
E	TFD	LNA= P:RS	TC OPT* (M)	remove field from	optional
E	TFD	LNA= P:RS	TC PER (M)	add field to	conditional
E	TFD	LNA= P:RS	TC TO PRI (M)	add field to	conditional
E	TFD	LNA= P:RS	TC TO SEC (M)	add field to	conditional
E	TFD	LNA= P:RS	TCID (M)	add field to	conditional
E	TFD	LNA= V:RS	TC OPT (M)	add field to	conditional
E	TFD	LNA= V:RS	TC OPT* (M)	remove field from	optional
E	TFD	LNA= X:RS	TC OPT (M)	add field to	conditional
E	TFD	LNA= X:RS	TC OPT* (M)	remove field from	optional
E	On/Off Premises Extensions	ACT = V: EU	DISC NBR* (M)	remove field from	optional
E	WATS	ACT = C: EU	AFT (M)	remove field from	optional
E	WATS	ACT = C: EU	TC NAME (M)	add field to	conditional
E	WATS	ACT = C: EU	TC NAME (M)	add field to	conditional
E	WATS	ACT = C: EU	TC OPT (M)	remove field from	conditional
E	WATS	ACT = C: EU	TC OPT (M)	add field to	conditional
E	WATS	ACT = C: EU	TC OPT* (M)	add field to	optional
E	WATS	ACT = C: EU	TC OPT* (M)	remove field from	optional
E	WATS	ACT = C: EU	TC PER (M)	add field to	conditional
E	WATS	ACT = C: EU	TC PER (M)	add field to	conditional
E	WATS	ACT = C: EU	TC TO PRI (M)	add field to	conditional
E	WATS	ACT = C: EU	TC TO PRI (M)	add field to	conditional

Reqtyp	Product	Type	Field from	Action	Field to
E	WATS	ACT = C: EU	TC TO SEC (M)	add field to	conditional
E	WATS	ACT = C: EU	TC TO SEC (M)	add field to	conditional
E	WATS	ACT = C: EU	TCID (M)	add field to	conditional
E	WATS	ACT = D: EU	AFT (M)	remove field from	optional
E	WATS	ACT = D: EU	TC OPT (M)	remove field from	conditional
E	WATS	ACT = D: EU	TC OPT* (M)	add field to	optional
E	WATS	ACT = N: EU	AFT (M)	remove field from	optional
E	WATS	ACT = V: EU	AFT (M)	remove field from	optional
E	WATS	ACT = V: EU	TC OPT (M)	remove field from	conditional
E	WATS	ACT = V: EU	TC OPT* (M)	add field to	optional
E	WATS	ACT = V: LSR	BILLNUM-CITY (M)	remove field from	required
E	WATS	ACT = V: LSR	BILLNUM-STATE (M)	remove field from	required
E	WATS	ACT = W: EU	AFT (M)	remove field from	optional
E	WATS	ACT = W: LSR	BILLNUM-CITY (M)	remove field from	required
E	WATS	ACT = W: LSR	BILLNUM-STATE (M)	remove field from	required
E	WATS	ACT= N: LSR	CC (M)	remove field from	optional
E	WATS	ACT= N: LSR	DFDT (M)	remove field from	conditional
E	WATS	ACT= N: LSR	DSGCON (M)	add field as	conditional
E	WATS	ACT= N: LSR	DSGCON-CITY (M)	add field as	conditional
E	WATS	ACT= N: LSR	DSGCON-FAX NO. (M)	add field as	conditional
E	WATS	ACT= N: LSR	DSGCON-FLOOR (M)	add field as	conditional
E	WATS	ACT= N: LSR	DSGCON-ROOM (M)	add field as	conditional
E	WATS	ACT= N: LSR	DSGCON-STATE (M)	add field as	conditional
E	WATS	ACT= N: LSR	DSGCON-STREET (M)	add field as	conditional
E	WATS	ACT= N: LSR	DSGCON-TEL NO. (M)	add field as	conditional

Reqtyp	Product	Type	Field from	Action	Field to
E	WATS	ACT= N: LSR	DSGCON- ZIP CODE (M)	add field as	conditional
E	WATS	LNA= C:RS	TC OPT (M)	add field to	conditional
E	WATS	LNA= C:RS	TC OPT* (M)	remove field from	optional
E	WATS	LNA= D:RS	TC OPT (M)	add field to	conditional
E	WATS	LNA= D:RS	TC OPT* (M)	remove field from	optional
E	WATS	LNA= N:RS	TC OPT (M)	add field to	conditional
E	WATS	LNA= N:RS	TC OPT* (M)	remove field from	optional
E	WATS	LNA= V:RS	TC OPT (M)	add field to	conditional
E	WATS	LNA= V:RS	TC OPT* (M)	remove field from	optional
E	WATS	LNA= X:RS	TC OPT (M)	add field to	conditional
E	WATS	LNA= X:RS	TC OPT* (M)	remove field from	optional
E	Uniserv UAN / CSA / ANI	ACT = C: EU	EU-BLDG (M)	add field to	optional
E	Uniserv UAN / CSA / ANI	ACT = C: EU	EU-FLOOR (M)	add field to	optional
E	Uniserv UAN / CSA / ANI	ACT = C: EU	EU-ROOM (M)	add field to	optional
E	Uniserv UAN / CSA / ANI	ACT = C: EU	PROJECT (M)	remove field from	required
E	Uniserv UAN / CSA / ANI	ACT = C: EU	SASD (M)	add field to	conditional
E	Uniserv UAN / CSA / ANI	ACT = C: EU	SASN (M)	add field to	conditional
E	Uniserv UAN / CSA / ANI	ACT = C: LSR	PROJECT (M)	add field to	conditional
E	Uniserv UAN / CSA / ANI	ACT = D: LSR	NOR (M)	remove field from	conditional
E	Uniserv UAN / CSA / ANI	ACT = N: EU	AFT (M)	remove field from	optional
E	Uniserv UAN / CSA / ANI	ACT = V: EU	EU-CITY (M)	add field to	required
E	Uniserv UAN / CSA / ANI	ACT = V: EU	EU-STATE (M)	add field to	required
E	Uniserv UAN / CSA / ANI	ACT = V: EU	EU-ZIP CODE (M)	add field to	required
E	Uniserv UAN / CSA / ANI	ACT = V: EU	SASN (M)	add field to	required
E	Uniserv UAN / CSA / ANI	ACT = V: EU	TMCI (M)	remove field from	conditional
E	Uniserv UAN / CSA / ANI	ACT = V: LSR	BILLNUM- STATE (M)	remove field from	required
E	Uniserv UAN / CSA / ANI	ACT=C:EU	LOCNUM (M)	remove field from	conditional

Reqtyp	Product	Type	Field from	Action	Field to
E	Uniserv UAN / CSA / ANI	LNA= W: RS	TER (M)	remove field from	conditional
E	Uniserv UAN / CSA / ANI	LNA= W: RS	TERS (M)	add field to	conditional
E	Complex PBX On/Off Premises Extensions/DPA	ACT = V: EU	DISC NBR* (M)	remove field from	optional
E	Non-Complex On/Off Premises Extensions/DPA	ACT = V: EU	DISC NBR* (M)	remove field from	optional
F	Port Service	LNA = C: PS	CABLE ID	remove field from	conditional
F	Port Service	LNA = D: PS	CABLE ID	remove field from	conditional
F	Port Service	LNA = G: PS	CABLE ID	remove field from	conditional
F	Port Service	LNA = N: PS	CABLE ID	remove field from	conditional
F	Port Service	LNA = P: PS	CABLE ID	remove field from	conditional
F	Port Service	LNA = V: PS	CABLE ID	remove field from	conditional
F	Port Service	LNA = X: PS	CABLE ID	remove field from	conditional
F	Port Service	LNA= C:PS	TC OPT	add field to	conditional
F	Port Service	LNA= C:PS	TC OPT*	remove field from	optional
F	Port Service	LNA= D:PS	TC OPT	add field to	conditional
F	Port Service	LNA= D:PS	TC OPT*	remove field from	optional
F	Port Service	LNA= L:PS	TC OPT	add field to	conditional
F	Port Service	LNA= L:PS	TC OPT*	remove field from	optional
F	Port Service	LNA= N:PS	TC NAME	add field to	conditional
F	Port Service	LNA= N:PS	TC OPT	add field to	conditional
F	Port Service	LNA= N:PS	TC OPT*	remove field from	optional
F	Port Service	LNA= N:PS	TC PER	add field to	conditional
F	Port Service	LNA= N:PS	TC TO PRI	add field to	conditional
F	Port Service	LNA= N:PS	TC TO SEC	add field to	conditional
F	Port Service	LNA= N:PS	TCID	add field to	conditional
F	Port Service	LNA= V:PS	TC OPT	add field to	conditional
F	Port Service	LNA= V:PS	TC OPT*	remove field from	optional
F	Port Service	LNA= X:PS	TC OPT	add field to	conditional

Reqtyp	Product	Type	Field from	Action	Field to
F	Port Service	LNA= X:PS	TC OPT*	remove field from	optional
F	UNE Port Service (PBX Stand Alone Port)	LNA= C:PS	TC OPT (M)	add field to	conditional
F	UNE Port Service (PBX Stand Alone Port)	LNA= C:PS	TC OPT* (M)	remove field from	optional
F	UNE Port Service (PBX Stand Alone Port)	LNA= D:PS	TC OPT (M)	add field to	conditional
F	UNE Port Service (PBX Stand Alone Port)	LNA= D:PS	TC OPT* (M)	remove field from	optional
F	UNE Port Service (PBX Stand Alone Port)	LNA= X:PS	TC OPT (M)	add field to	conditional
F	UNE Port Service (PBX Stand Alone Port)	LNA= X:PS	TC OPT* (M)	remove field from	optional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	ACT= T: EU	EUMI	add field to	optional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	ACT= T: EU	EUMI (M)	remove field from	optional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= C:PS	TC OPT	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= C:PS	TC OPT*	remove field from	optional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= D:PS	TC OPT	add field to	conditional
M	UNE-P/WLP Bus/Res	LNA= D:PS	TC OPT*	remove field from	optional

Reqtyp	Product	Type	Field from	Action	Field to
	(Switched Combo Bus/Res)				
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= L:PS	TC OPT	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= L:PS	TC OPT*	remove field from	optional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= N:PS	TC NAME	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= N:PS	TC OPT	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= N:PS	TC OPT*	remove field from	optional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= N:PS	TC PER	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= N:PS	TC TO PRI	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= N:PS	TC TO SEC	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= N:PS	TCID	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= T:PS	TC NAME	add field to	conditional

Reqtyp	Product	Type	Field from	Action	Field to
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= T:PS	TC PER	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= T:PS	TC TO PRI	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= T:PS	TC TO SEC	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= T:PS	TCID	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= V:PS	TC OPT	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= V:PS	TC OPT*	remove field from	optional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= X:PS	TC OPT	add field to	conditional
M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	LNA= X:PS	TC OPT*	remove field from	optional
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT = C: EU	TC OPT*	remove field from	optional
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT = C: EU	TC OPT* (M)	add field to	optional
M	UNE-P/WLP Remote Call Forwarding	LNA= C:PS	TC OPT (M)	add field to	conditional

Reqtyp	Product	Type	Field from	Action	Field to
	(RCF Switched Combo)				
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	LNA= C:PS	TC OPT* (M)	remove field from	optional
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	LNA= D:PS	TC OPT (M)	add field to	conditional
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	LNA= D:PS	TC OPT* (M)	remove field from	optional
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	LNA= N:PS	TC FR (M)	remove field from	conditional
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	LNA= T:PS	TC FR (E)	remove field from	conditional
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	LNA= T:PS	TC NAME (M)	add field to	conditional
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	LNA= T:PS	TC PER (M)	add field to	conditional
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	LNA= T:PS	TC TO PRI (M)	add field to	conditional
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	LNA= T:PS	TC TO SEC (M)	add field to	conditional
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	LNA= T:PS	TCID (M)	add field to	conditional

Reqtyp	Product	Type	Field from	Action	Field to
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	LNA= V:PS	TC OPT (M)	add field to	conditional
M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	LNA= V:PS	TC OPT* (M)	remove field from	optional
M	UNE-P/WLP Coin	LNA= C:PS	TC NAME	add field to	conditional
M	UNE-P/WLP Coin	LNA= C:PS	TC OPT	add field to	conditional
M	UNE-P/WLP Coin	LNA= C:PS	TC OPT*	remove field from	optional
M	UNE-P/WLP Coin	LNA= C:PS	TC PER	add field to	conditional
M	UNE-P/WLP Coin	LNA= C:PS	TC TO PRI	add field to	conditional
M	UNE-P/WLP Coin	LNA= C:PS	TC TO SEC	add field to	conditional
M	UNE-P/WLP Coin	LNA= C:PS	TCID	add field to	conditional
M	UNE-P/WLP Coin	LNA= D:PS	TC OPT	add field to	conditional
M	UNE-P/WLP Coin	LNA= D:PS	TC OPT*	remove field from	optional
M	UNE-P/WLP Coin	LNA= N:PS	TC NAME	add field to	conditional
M	UNE-P/WLP Coin	LNA= N:PS	TC OPT	add field to	conditional
M	UNE-P/WLP Coin	LNA= N:PS	TC OPT*	remove field from	optional
M	UNE-P/WLP Coin	LNA= N:PS	TC PER	add field to	conditional
M	UNE-P/WLP Coin	LNA= N:PS	TC TO PRI	add field to	conditional
M	UNE-P/WLP Coin	LNA= N:PS	TC TO SEC	add field to	conditional
M	UNE-P/WLP Coin	LNA= N:PS	TCID	add field to	conditional
M	UNE-P/WLP Coin	LNA= N:RS	TC FR (M)	remove field from	conditional
M	UNE-P/WLP Coin	LNA= N:RS	TC NAME (M)	add field to	conditional
M	UNE-P/WLP Coin	LNA= N:RS	TC OPT (M)	add field to	conditional
M	UNE-P/WLP Coin	LNA= N:RS	TC PER (M)	add field to	conditional
M	UNE-P/WLP Coin	LNA= N:RS	TC TO PRI (M)	add field to	conditional

Reqtyp	Product	Type	Field from	Action	Field to
M	UNE-P/WLP Coin	LNA= N:RS	TC TO SEC (M)	add field to	conditional
M	UNE-P/WLP Coin	LNA= N:RS	TCID (M)	add field to	conditional
M	UNE-P/WLP Coin	LNA= T:PS	TC NAME	add field to	conditional
M	UNE-P/WLP Coin	LNA= T:PS	TC PER	add field to	conditional
M	UNE-P/WLP Coin	LNA= T:PS	TC TO PRI	add field to	conditional
M	UNE-P/WLP Coin	LNA= T:PS	TC TO SEC	add field to	conditional
M	UNE-P/WLP Coin	LNA= T:PS	TCID	add field to	conditional
M	UNE-P/WLP Coin	LNA= V:PS	LPIC (E)	remove field from	required
M	UNE-P/WLP Coin	LNA= V:PS	PIC (E)	remove field from	required
M	UNE-P/WLP Coin	LNA= V:PS	TC OPT	add field to	conditional
M	UNE-P/WLP Coin	LNA= V:PS	TC OPT*	remove field from	optional
M	UNE-P/WLP Coin	LNA= X:PS	TC OPT	add field to	conditional
M	UNE-P/WLP Coin	LNA= X:PS	TC OPT*	remove field from	optional
M	UNE-P/WLP PBX	LNA = P: PS	PTKCON (M)	remove field from	optional
M	UNE-P/WLP PBX	LNA = P: PS	PTKTYP (M)	remove field from	conditional
M	UNE-P/WLP PBX	LNA = P: PS	PTLI (M)	remove field from	conditional
M	UNE-P/WLP PBX	LNA = X: PS	PTKCON (M)	remove field from	optional
M	UNE-P/WLP PBX	LNA = X: PS	PTKTYP (M)	remove field from	conditional
M	UNE-P/WLP PBX	LNA = X: PS	PTLI (M)	remove field from	conditional
M	UNE-P/WLP PBX	LNA= D:PS	TC OPT (M)	add field to	conditional
M	UNE-P/WLP PBX	LNA= D:PS	TC OPT* (M)	remove field from	optional
M	UNE-P/WLP PBX	LNA= N:PS	TC NAME (M)	add field to	conditional
M	UNE-P/WLP PBX	LNA= N:PS	TC OPT (M)	add field to	conditional
M	UNE-P/WLP PBX	LNA= N:PS	TC OPT* (M)	remove field from	optional
M	UNE-P/WLP PBX	LNA= N:PS	TC PER (M)	add field to	conditional

Reqtyp	Product	Type	Field from	Action	Field to
M	UNE-P/WLP PBX	LNA= N:PS	TC TO PRI (M)	add field to	conditional
M	UNE-P/WLP PBX	LNA= N:PS	TC TO SEC (M)	add field to	conditional
M	UNE-P/WLP PBX	LNA= N:PS	TCID (M)	add field to	conditional
M	UNE-P/WLP PBX	LNA= V:PS	TC OPT (M)	add field to	conditional
M	UNE-P/WLP PBX	LNA= V:PS	TC OPT* (M)	remove field from	optional
M	UNE-P/WLP PBX	LNA= X:PS	TC OPT (M)	add field to	conditional
M	UNE-P/WLP PBX	LNA= X:PS	TC OPT* (M)	remove field from	optional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT = C: EU	TC OPT (M)	remove field from	conditional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT = C: EU	TC OPT* (M)	add field to	optional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT = D: EU	TC OPT (M)	remove field from	conditional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT = D: EU	TC OPT* (M)	add field to	optional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT = N: LSR	BA* (M)	remove field from	optional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT = N: LSR	BLOCK (M)	remove field from	conditional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT = V: EU	TC OPT (M)	remove field from	conditional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT = V: EU	TC OPT* (M)	add field to	optional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=C:LSR	LSO (M)	remove field from	conditional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=N:LSR	LSO (M)	remove field from	conditional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=V:LSR	LSO (M)	remove field from	conditional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	LNA= C:PS	TC OPT (M)	add field to	conditional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	LNA= C:PS	TC OPT* (M)	remove field from	optional

Reqtyp	Product	Type	Field from	Action	Field to
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	LNA= V:PS	TC OPT (M)	add field to	conditional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	LNA= V:PS	TC OPT* (M)	remove field from	optional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	LNA= X:PS	TC OPT (M)	add field to	conditional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	LNA= X:PS	TC OPT* (M)	remove field from	optional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	LNA=N: PS	MATN (M)	remove field from	conditional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	LNA=N: PS	SDI (M)	remove field from	conditional
M	2-wire DID UNE Combination	ACT = C: LSR	DATED (M)	remove field from	conditional
M	2-wire DID UNE Combination	ACT = V: LSR	DATED (M)	remove field from	conditional
M	2-wire DID UNE Combination	ACT=C:EU	LOCNUM (M)	remove field from	optional
M	UNE-P/WLP DDITS - Trunk Service	ACT = C: EU	SASS (M)	remove field from	conditional
M	UNE-P/WLP DDITS - Trunk Service	ACT= V: LSR	DRC* (M)	add field as	optional
M	UNE-P/WLP DDITS - Trunk Service	ACT= V: LSR	DSGCON (M)	add field as	conditional
M	UNE-P/WLP DDITS - Trunk Service	ACT= V: LSR	DSGCON (M)	remove field from	required
M	UNE-P/WLP DDITS - Trunk Service	ACT= V: LSR	DSGCON- FAX NO. (M)	add field as	conditional
M	UNE-P/WLP DDITS - Trunk Service	ACT= V: LSR	DSGCON- FLOOR (M)	add field as	conditional
M	UNE-P/WLP DDITS - Trunk Service	ACT= V: LSR	DSGCON- ROOM (M)	add field as	conditional
M	UNE-P/WLP DDITS - Trunk Service	ACT= V: LSR	DSGCON- TEL NO. (M)	add field as	conditional
M	UNE-P/WLP DDITS - Trunk Service	ACT= V: LSR	DSGCON- TEL NO. (M)	remove field from	required

Reqtyp	Product	Type	Field from	Action	Field to
M	UNE-P/WLP DDITS - Trunk Service	ACT= V: LSR	DSGCON- ZIP CODE (M)	add field as	conditional
M	UNE-P/WLP 4- wire DS1 Loop with Channelization with Port (Trunk Service)	ACT= V: LSR	DFDT (M)	remove field from	conditional
M	UNE-P/WLP Complex PBX On/Off Premises Extensions/DPA	ACT = V: EU	DISC NBR* (M)	remove field from	optional
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT = V: EU	DISC NBR* (M)	remove field from	optional
N	DID Resale Service	ACT = V: EU	LCON-TEL NO.	add field to	optional
N	DID Resale Service	ACT = V: EU	LSP AUTH DATE	remove field from	conditional
N	DID Resale Service	ACT = V: EU	LSP AUTH NAME	remove field from	conditional
N	DID Resale Service	ACT = V: EU	LSP AUTH*	remove field from	optional
N	DID Resale Service	DTKACT= C: DRS	DSGNL	remove field from	required
N	DID Resale Service	DTKACT= C: DRS	DTK	remove field from	optional
N	DID Resale Service	DTKACT= N: DRS	DSGNL	remove field from	optional
N	DID Resale Service	DTKACT= V: DRS	DTK	remove field from	optional
N	DID Resale Service	DTKACT= W: DRS	DTK	remove field from	optional
P	MultiServ® / MultiServ PLUS®	ACT = C: EU	TC NAME (M)	add field to	conditional
P	MultiServ® / MultiServ PLUS®	ACT = C: EU	TC OPT (M)	remove field from	conditional
P	MultiServ® / MultiServ PLUS®	ACT = C: EU	TC OPT* (M)	add field to	optional
P	MultiServ® / MultiServ PLUS®	ACT = C: EU	TC PER (M)	add field to	conditional
P	MultiServ® / MultiServ	ACT = C: EU	TC TO PRI (M)	add field to	conditional

Reqtyp	Product	Type	Field from	Action	Field to
	PLUS®				
P	MultiServ® / MultiServ PLUS®	ACT = C: EU	TC TO SEC (M)	add field to	conditional
P	MultiServ® / MultiServ PLUS®	ACT = C: EU	TCID (M)	add field to	conditional
P	MultiServ® / MultiServ PLUS®	ACT = V: EU	LOCNUM DETAIL (M)	add field to	optional
P	MultiServ® / MultiServ PLUS®	ACT = V: LSR	LOCNUM DETAIL (M)	remove field from	optional

17 TCIF**TCIF9****TC OPT – Transfer of Call Options****RS Form/Screen**

(TCIF9 / LSOG4 map)

Definition:

Identifies the type of transfer of call option requested by the end user for the disconnected telephone number when the standard intercept report is not desirable.

The following standard intercept recordings will automatically apply when this field is not populated.

Order or Line Activity: Standard Intercept Report

"D" - Disconnect: The number you have reached has been disconnected.

"C" or "T" - Number change to a Non-Pub number: The number you have reached XXX-XXXX has been changed to a non-published number.

"C" or "T" - Number change to a listed number: The number you have reached XXX-XXXX has been changed. The new number is XXX-XXXX.

"C" - Seasonal suspension At the customer's request XXX-XXXX has been temporarily disconnected.

"C" - Disconnect RingMaster number refer calls to Main Number The number you have reached XXX-XXXX has been changed. The new number is XXX-XXXX.

Definition Notes:

The following standard intercept recordings will automatically apply when this field is not populated.

Order or Line Activity Standard Intercept Report

"D" - Disconnect "The number you have reached has been disconnected."

"C" or "T" - Number change to a Non-Pub number "The number you have reached XXX-XXXX

has been changed to a non-published number."

"C" or "T" - Number change to a listed number "The number you have reached XXX-XXXX has

been changed. The new number is XXX-XXXX."

"C" - Seasonal suspension "At the customer's request XXX-XXXX has been temporarily

disconnected."



"C" - Disconnect RingMaster number refer calls to Main Number "The number you have reached
XXX-XXXX has been changed. The new number is XXX-XXXX."

NOTE 1: For Multi Line disconnects when a TC OPT is not selected a Transfer of Calls Intercept message may be received such as:

Example:

"We're sorry, you have reached a number that has been disconnected or is no longer in service. If you feel you have reached this recording in error please check the number and try your call again."

or

The Transfer of Calls Intercept message will reflect the status of the main number:

Example:

"The number you have reached XXX-XXXX (disconnected number) has been changed to XXX-XXXX (main tn)."

or

When the main TN is non-published, the recording will reflect:

"The number you have reached XXX-XXXX (disconnected number) has been changed to a Non-published number."

Valid Entries:

TC: Transfer of Calls. "The number you have reached XXX-XXXX has been changed. The new

number is XXX-XXXX."

NO: None

"The number you have reached has been disconnected."

ST: Split
verifies the

"The called number is routed to an operator/recording who

number being called and then quotes the new number(s)."

Valid Entry for Manual Only:

CA: Used to cancel a transfer of call option when a number is disconnected. "The number you have reached has been disconnected."

Valid Entry Notes:

None

Data Characteristics:

Manual: 3 alpha/numeric characters

Electronic: 2 alpha characters

Examples:

TC

Conditional Usage Notes:

Note 1: Prohibited if TC FR is not populated when LNA = N, C, or V.

Note 2: Prohibited if OTN is not populated when LNA = X.

Note 3: Prohibited if TNS is not populated for LNA = D or L.

Note **14**: Prohibited when changing from business class of service to a residence class of service and the end user service address location is not in the state of Florida or North Carolina.

Business Rules

Manual:

Rule 1: If intercept report type field is not provided, a standard intercept report will be assigned based on order activity.

Rule 2: A reference from a business telephone number to a residence telephone number is prohibited.

Electronic:

No additional rules.

***** End of definition for TC OPT / RS form screen *****