

---

**BellSouth Interconnection Services**

675 West Peachtree Street  
Atlanta, Georgia 30375

**Carrier Notification  
SN91085052**

Date: March 2, 2005

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version **18.0**, New Local Service Ordering Guide 6 (LSOG 6) and EDI Local Mechanization Specifications 6 (ELMS 6) for Release 18.0

This is to advise that BellSouth has identified the following documentation defects in the LOH Version **18.0** for ELMS 6 Release 18.0.

| CCP Number | Description Of The Change  |
|------------|--|
| 2174       | TOS field (referencing Line Splitting): Adding "Line Splitting" to 4th character of N, and excluding where needed. |
| 2175       | RECCKT field (Response Data Dictionary): Adding "RECCKT" to RELATED ECCKT (SECLOC) field abbreviation.             |

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 6 Release 18.0/LOH Version **18.0a** scheduled to be posted Friday, March 4, 2005.

A summary of all changes within this document will be listed in the **Summary of Changes** section. This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth local support manager with any questions.

Sincerely,

**ORIGINAL SIGNED BY JERRY HENDRIX**

Jerry Hendrix – Assistant Vice President  
BellSouth Interconnection Services

Attachments

**CCP 2174 Attachment Listed Below****TOS – Type of Service****LSR Form/Screen, NA Section**

(LSOG6 / ELMS6 map)

**Definition:**

Identifies the type of service for the line ordered.

Definition Notes:

NOTE 1: The type of service identifies the end user account as business, residential or government.

**Valid Entries:**

1st Character (type)

1 = Business

2 = Residence

3 = Government

4 = Coin

2nd Character (product)

A = Multi-Line (Not Applicable for Complex Service.)

B = Single Line (Not Applicable for Complex Service.)

C = Coin

D = All other complex services

E = BellSouth® Centrex®, ESSX®, and MultiServ®, and UNE-P/WLP Centrex

H = ISDN-BRI

J = PBX Trunk

P = LINE SPLITTING

Q = DID

R = Line Share

9 = EELs

- (hyphen) = not applicable

3rd Character (class)

M = Measured

F = Flat Rate

G = Message

- (hyphen) = not applicable

4th Character

G = E911 Call Locator Capability Service for DID/PBX UNE-P/WLP

N = CO Based Line Share/Line Splitting DLEC Owned Splitter

W = WATS

S = Toll Free Dialing

R = Remote Call Forwarding

F = FXS (Foreign Exchange Service)

Y = Hotel/Motel

Z = Hospital

- (hyphen) = not applicable

Valid Entry Notes:

NOTE 1: The 4th character of TOS values of W, or S is not valid for electronic ordering.

NOTE 2: The 3rd character of this field must not be F when the REQ TYP is F.

NOTE 3: The 2nd character of TOS must be a (Hyphen) when the REQ TYP is J.

NOTE 4: The 3rd character of TOS must be a (Hyphen) when the REQ TYP is J or A.

NOTE 5: When the 1st character of TOS is 2, the only valid entry for the 2nd character is A, B, H, J, P, R or Hyphen.

NOTE 6: When the 1st character of the TOS is 3 the 2nd character of TOS must not be R or P.

NOTE 7: When 1st character of the TOS is 1, 2 or 3, the 2nd character must not be C.

NOTE 8: When the 1st character of the TOS is '4', then the 2nd character must be C.

NOTE 9: (Excluding REQ TYP C-Complex LNP) if a request is submitted and the RPON field is populated, the TOS must be as follows:

- 1st character 1, 2 or 4
- 2nd character A, B, C, H, J, P or R
- 3rd character M, F, G or – (Hyphen)

- 4th Character – (Hyphen) (For Line Share/Line Splitting DLEC owned Splitter 4th character can be N)

NOTE 10: For REQ TYP C- Complex LNP Services, when the RPON field is populated, the RPON LSRs must reflect the TOS of record. For example, if the service type is BRI the 1st two characters of TOS is 1H.

NOTE 11: When the REQ TYP is A (Excluding Line Share/Line Splitting DLEC Owned Splitter), the valid TOS entries are:

- 1st character 1 or 2
- 2nd character is A, B, R, P or 9
- 3rd – (Hyphen)
- 4th Character – (Hyphen)

NOTE 12: The 3rd character of the TOS must be a – (HYPHEN) when the REQTYP is N and the 4th character of the TOS field is Y or Z.

NOTE 13: When the 4th character of the TOS field is F, the 2nd character must be A, B, H or J.

NOTE 14: When the 1st character of the TOS field is 4, the 4th character must be a – (Hyphen)

NOTE 15: The 4th character of the TOS field must be a – (Hyphen) when the REQTYP is J.

**CCP 2175 Attachment Listed Below****LOH Section 6: Responses**

|                            |
|----------------------------|
| Response – Data Dictionary |
|----------------------------|

**RECCKT-RELATED ECCKT (SECLOC)**

Description name: Related Exchange Company Circuit Identification

Definition:

Identifies the provider's related physical circuit ID against which the VC activity is requested.

Valid Entries None

Characteristics: 41 A/N

Rule 1: This field is not supported by BellSouth®.