
BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

**Carrier Notification
SN91085106**

Date: May 17, 2005

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Exchange Ordering Implementation Guide (LEO-IG), Volume 2, Issue 18.0a for Release 18.0

This is to advise that BellSouth has identified the following documentation defects in the Local Exchange Ordering Implementation Guide (LEO-IG), Volume 2, Issue 18.0a, for Release 18.0.

CCP Number	Description Of The Change
2202	Removal of information regarding Visual Director from LEO-IG Volume 2: Visual Director will no longer be ordered as a vertical feature [Tariff filed to eliminate Visual Director as a product offering effective 2/15/05]. Touch Tone (TTB) USOC: Touch Tone USOC TTB is incorrect in the LEO IG volume 2 Guide for North Carolina.

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the LEO-IG, Volume 2, Issue 18.0b, scheduled to be posted on Friday, May 13, 2005.

A summary of all changes within the document will be listed in the **Summary of Changes** section. This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

<http://interconnection.bellsouth.com/guides/html/usoc.html>

Please contact your BellSouth local support manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachments

CCP 2202 Attachment Listed Below

42.0 Visual Director (SM)

42.1 Description: Visual Director (SM)

42.1.1 Description

The Visual Director SM is a grouping of optional features which addresses the incoming call management process on a more comprehensive basis. The features included provide residence and business customers (Mississippi-Business only) a single incoming call management offering at a reduced rate, rather than through the purchase of each individual capability.

Visual Director SM provides single line residence and single line business customers a broad range of flexible call disposition options. These options are available for use in conjunction with a voice messaging service/answering service of the customer's choice. Features included in the Visual Director SM are as follows:

Caller ID Deluxe -	Calling Name and Number with or without Anonymous Call Rejection
Call Waiting Deluxe -	The ability to receive calling name and number delivery on Call Waiting calls and handle those calls with various options.
Call Forwarding Busy Line -	This feature provides for calls terminating to a subscribers busy directory number to be forwarded to another telephone on a premises other than the provisioned premises.
Call Forwarding Don't Answer -	This feature provides for calls terminating to a subscriber's idle directory number to be forwarded, after a customer preselected interval, to another telephone number.
Messaging Waiting Indication - Audible (MWI) -	Message Waiting Indication - Audible is a feature that enables end users to receive Message Waiting Indication on their lines.

For a complete description of the features included, reference General Subscribers Services Tariff (GSST) A13.9, A13.19.2, and A13.47.

42.1.2 Restrictions

Visual Director SM is only available in AL, GA, MS and TN.

42.1.3 TARIFF REFERENCE

General Subscriber Services Tariff (GSST) A13.

42.1.4 USOC / FID References:

All existing regulations and limitations described in A13.19, A13.9 and A13.47 of A13 Tariff are applicable to Visual Director SM features.

Table DDDDDDD—USOC Description TABLE**Table EEEEEEE—FID / Feature Detail, USOC / Feature Code****42.2 FID ANALYSIS MAPPING PRODUCTS & SERVICES****42.2.1 FID Name:****Call Forward Number—Busy Line.****42.2.2 Purpose:**

Indicates the telephone number to which calls are forwarded when the called number is busy and the CFNB number is different from the call forward don't answer number.

42.2.3 Usage:**FEATURE LEVEL ACTIVITY**

A	C	D
O	O	O

42.2.4 Data Characteristics**Length of Element:** 8-23 characters**Alpha/Numeric/Any:** any allowable service order characters**Example:** GCE /CFNB 205 555 1212**NOTE:** When entering telephone numbers via EDI omit space and hyphen.**42.2.5 FID Name:****CFND—CALL FORWARD NUMBER DOESN'T ANSWER****42.2.6 Purpose:**

Indicates the telephone number or station to which calls are forwarded when the called number doesn't answer.

42.2.7 Usage:**FEATURE LEVEL ACTIVITY**

A	C	D
Q	Q	Q

42.2.8 Data Characteristics**Length of Element:** 8–23 characters**Alpha/Numeric/Any** any allowable service order character**Example:** GCJ/CFND-555-1234**NOTE:** When entering telephone numbers via EDI omit space and hyphen.**42.2.9 FID Name:****RCYC—RINGING CYCLE****42.2.10 Purpose:****42.2.11 Usage:****FEATURE LEVEL ACTIVITY**

A	C	D
Q	Q	Q

42.2.12 Data Characteristics**Length of Element:** 1–2**Alpha/Numeric/Any** numeric characters**Example:** GCJ/RCYC-4

**Local Exchange Ordering (LEO) Implementation Guide - Volume 2 issue-
November 2004**

Table BBBBBBB - Touch-Tone Service USOC
Touch-Tone Service USOC

USOC	RES	BUS	DESCRIPTION OF FEATURE	AL	FL	GA	KY	LA	MS	NC	SC	TN
TTB		X	Touch-Tone - Business	R	P	R	R	R	R	R	P	R
TTR	X		Touch-Tone - Residence	R	R	P	R	R	R	R	P	O

Deleted: P