

---

**BellSouth Interconnection Services**

675 West Peachtree Street  
Atlanta, Georgia 30375

**Carrier Notification  
SN91085107**

Date: May 17, 2005

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Exchange Ordering Implementation Guide (LEO-IG), Volume 2, Issue 19.0, for Release 19.0

This is to advise that BellSouth has identified the following documentation defects in the Local Exchange Ordering Implementation Guide (LEO-IG), Volume 2, Issue 19.0, for Release 19.0.

CCP Number	Description Of The Change
2202	Removal of information regarding Visual Director from LEO-IG Volume 2: Visual Director will no longer be ordered as a vertical feature [Tariff filed to eliminate Visual Director as a product offering effective 2/15/05].  Touch Tone (TTB) USOC: Touch Tone USOC TTB is incorrect in the LEO IG volume 2 Guide for North Carolina.

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the LEO-IG, Volume 2, Issue **19.0a**, scheduled to be posted on Friday, May 13, 2005.

A summary of all changes within the document will be listed in the **Summary of Changes** section. This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

<http://interconnection.bellsouth.com/guides/html/usoc.html>

Please contact your BellSouth local support manager with any questions.

Sincerely,

**ORIGINAL SIGNED BY JERRY HENDRIX**

Jerry Hendrix – Assistant Vice President  
BellSouth Interconnection Services

Attachments

## CCP 2202 Attachment Listed Below

### 42.0 Visual Director (SM)

#### 42.1 Description: Visual Director (SM)

##### 42.1.1 Description

The Visual Director SM is a grouping of optional features which addresses the incoming call management process on a more comprehensive basis. The features included provide residence and business customers (Mississippi-Business only) a single incoming call management offering at a reduced rate, rather than through the purchase of each individual capability.

Visual Director SM provides single line residence and single line business customers a broad range of flexible call disposition options. These options are available for use in conjunction with a voice messaging service/answering service of the customer's choice. Features included in the Visual Director SM are as follows:

Caller ID Deluxe -	Calling Name and Number with or without Anonymous Call Rejection
Call Waiting Deluxe -	The ability to receive calling name and number delivery on Call Waiting calls and handle those calls with various options.
Call Forwarding Busy Line -	This feature provides for calls terminating to a subscribers busy directory number to be forwarded to another telephone on a premises other than the provisioned premises.
Call Forwarding Don't Answer -	This feature provides for calls terminating to a subscriber's idle directory number to be forwarded, after a customer preselected interval, to another telephone number.
Messaging Waiting Indication - Audible (MWI) -	Message Waiting Indication - Audible is a feature that enables end users to receive Message Waiting Indication on their lines.

For a complete description of the features included, reference General Subscribers Services Tariff (GSST) A13.9, A13.19.2, and A13.47.

##### 42.1.2 Restrictions

Visual Director SM is only available in AL, GA, MS and TN.

##### 42.1.3 TARIFF REFERENCE

General Subscriber Services Tariff (GSST) A13.

##### 42.1.4 USOC / FID References:

All existing regulations and limitations described in A13.19, A13.9 and A13.47 of A13 Tariff are applicable to Visual Director SM features.

**Table DDDDDDD—USOC Description TABLE**



**Table EEEEEEE—FID / Feature Detail, USOC / Feature Code**



**42.2 FID ANALYSIS MAPPING PRODUCTS & SERVICES**

**42.2.1 FID Name:**

Call Forward Number—Busy Line.

**42.2.2 Purpose:**

Indicates the telephone number to which calls are forwarded when the called number is busy and the CFNB number is different from the call forward don't answer number.

**42.2.3 Usage:**

**FEATURE LEVEL ACTIVITY**

A	C	D
E	F	G

**42.2.4 Data Characteristics**

**Length of Element:** 8-23 characters

**Alpha/Numeric/Any:** any allowable service order characters

**Example:** GCE /CFNB 205 555 1212

**NOTE:** When entering telephone numbers via EDI omit space and hyphen.

**42.2.5 FID Name:**

**CFND—CALL FORWARD NUMBER DOESN'T ANSWER**

**42.2.6 Purpose:**

Indicates the telephone number or station to which calls are forwarded when the called number doesn't answer.

**42.2.7 Usage:****FEATURE LEVEL ACTIVITY**

<del>A</del>	<del>C</del>	<del>D</del>
<del>Q</del>	<del>Q</del>	<del>Q</del>

**42.2.8 Data Characteristics****Length of Element:** 8–23 characters**Alpha/Numeric/Any** any allowable service order character**Example:** GCJ/CFND-555-1234**NOTE:** When entering telephone numbers via EDI omit space and hyphen.**42.2.9 FID Name:****RCYC—RINGING CYCLE****42.2.10 Purpose:****42.2.11 Usage:****FEATURE LEVEL ACTIVITY**

<del>A</del>	<del>C</del>	<del>D</del>
<del>Q</del>	<del>Q</del>	<del>Q</del>

**42.2.12 Data Characteristics****Length of Element:** 1–2**Alpha/Numeric/Any** numeric characters**Example:** GCJ/RCYC-4

**Local Exchange Ordering (LEO) Implementation Guide - Volume 2 issue-  
November 2004**

---

**Table BBBBBBB - Touch-Tone Service USOC**  
Touch-Tone Service USOC

USOC	RES	BUS	DESCRIPTION OF FEATURE	AL	FL	GA	KY	LA	MS	NC	SC	TN
TTB		X	Touch-Tone - Business	R	P	R	R	R	R	<del>R</del>	P	R
TTR	X		Touch-Tone - Residence	R	R	P	R	R	R	R	P	O

Deleted: P