

Business Markets

675 West Peachtree Street
Atlanta, Georgia 30375

Carrier Notification**SN91086076**

Date: April 13, 2006

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version 22.0, New Local Service Ordering Guide 6 (LSOG 6) and EDI Local Mechanization Specifications 06 (ELMS 06) for Release 22.0

This is to advise that BellSouth will implement the following changes to update documentation in the LOH Version 22.0 for ELMS 06, Release 22.0.

CCP Number	Description Of The Change
2354	LTY field (DL Form/Screen): Update to match Appendix C in LOH-Ordering (LTY-RTY table. The table matches the UR.) PLS field (DL Form/Screen): Updated Conditional Usage Note 1 for the PLS field, to remove the words 'otherwise prohibited,' making the LOH match the user requirement UR21298.2860. (PLS is required when the LVL field is different than the value in the DOI field. Otherwise the system will generate an error message.)
2366	Line Splitting Remote Site HFS Unbundled Without Loop Modification DLEC Owned & BST Owned Splitter: Change QTY from '5+' to "10+" for quantities 9 or greater for Line Splitting Remote Site HFS Without Loop Modification DLEC Owned & BST Owned Splitter interval.
2367	BCS Field on LSR: Deleted Valid Entry Note 6, no longer applies.
2368	MI field for EEL to UNE and SPA to UNE conversions: Updated Conditional Usage Note 1 to indicate that the MI field is not needed on EEL to UNE or SPA to UNE Conversions.
2369	PROJECT Field: Update to add manual Note 3 to state that the PROJECT field should be populated with "NOAUTOTEST" if the request is an EEL to UNE or SPA to UNE Conversion.
2370	ACT Field: Update to revise Valid Entry Note 1 to add that REQ A ACT V is a valid combination for EEL to UNE and SPA to UNE Conversions.
2371	CKR field (R/C/O table) Required for REQ A, ACT V: Move the CKR field from 'Optional' to "Required" for LNA = V LS Form/Screen.

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 06, Release 22.0/LOH, Version 22.0A, scheduled to be posted on Friday, April 14, 2006.

A summary of all changes within this document will be listed in the **Summary of Changes** section.

This update can be found on the BellSouth Interconnection Services Web site in the Local Exchange Ordering (LEO) Guides Section at:

http://interconnection.bellsouth.com/reference_library/guides/html/leo.html#loh

Please contact your BellSouth local support manager with any questions.

Sincerely,

ORIGINAL SIGNED BY KRISTEN E. SHORE

Kristen E. Shore – Director
Business Markets

Attachments

CCP 2354 Attachment Listed Below**LOH Data Dictionary Changes for LOH-22.0A-ELMS06****LTY**

Listing Type (DL Page)

Definition

This field identifies the type of listings being submitted with respect to publication and directory assistance (DA) rules.

Definition Notes

None

Valid Entries

- 1 = Listed: Appears in the directory assistance records and in the directory.
- 2 = Non-Listed: Appears only in the directory assistance records.
- 3 = Non-Pub: Listed Request. Does not appear in directory and telephone number does not appear in directory assistance records.

Valid Entry Notes

- Note 1: This field must be populated with '1' when STYC is CI, SH or SI.
- Note 2: Valid entries of 2 or 3 are prohibited when the WPP field is populated.
- Note 3: Valid entries of 2 or 3 are prohibited when LTXTY field is DL, DLB or DLS.
- Note 4: Valid entry of 2 is only applicable when the RTY **data is LAL, LAM, LAS, LCM, LML, FAL, FAS, SAM, SAL, or SML.**

- Note 5: Valid entry of 3 is only applicable when the RTY **data is LAL, LML, FAL, SAL, or SML.**

Formatted: Highlight**Deleted:** field is ML, AM, AL or AS**Formatted:** Highlight**Deleted:** field is ML**Data Characteristics**

1 numeric character

Examples

1

Conditional Usage Notes

- Note 1: Prohibited when the LACT field is Z.

Business Rules

None

PLS

Prior Level Status (DL Page)

Definition

Identifies whether the level is new or a recap of an existing indent, caption header or caption sub-header supplied to define placement within the caption set.

Definition Notes

None

Valid Entries

E = Existing caption indent, SLU header, SLU Indent, caption sub-header or caption header

N = New caption sub header or caption header

Valid Entry Notes

Note 1: A valid entry of "N" is prohibited when the corresponding PLTN is populated.

Note 2: E is prohibited in this field when the SO field is populated with F.

Note 3: When the STYC is SI, PLS Associated with LVL '0' (zero) cannot be N.

Data Characteristics

1 alpha character

Examples

N

Conditional Usage Notes

Note 1: Required when the LVL field is different than the value in the DOI field.

Note 2: Required when the PLINFO field is populated.

Note 3: Prohibited when STYC field is populated with SL or SH.

Note 4: Prohibited when the LACT field is Z.

Note 5: Prohibited when STYC = SI and LVL is 1.

Business Rules

None

Deleted: otherwise
prohibited

CCP 2366 Attachment Listed Below**Line Splitting Remote Site HFS Unbundled*****With loop modification DLEC Owned & BST Owned Splitter***

ACT	Qty	SI	Standard Interval	LSR Interval	PM
All	1 - 4		Std: 11 business days	LSR : Standard	Y

	5 - 9		Std: 16 business days	LSR : Negotiated	Y

	10+		Std: Negotiated	LSR : Negotiated	Y

Without loop modification DLEC Owned & BST Owned Splitter

ACT	Qty	SI	Standard Interval	LSR Interval	PM
All	1 - 9		Std: 2 business days	LSR : Standard	

	5+ 10+		Std: Negotiated	LSR : Negotiated	Y

CCP 2367 Attachment Listed Below

CRB: 4866
CCP: 2367
Release: 22
MAP: ELMS06
LSR Data Dictionary

BCS

Basic Class of Service
LSR Form / Screen
LSOG6 / ELMS6

Definition

This field identifies the Basic Class of Service for the COMPLEX service ordered.

Definition NotesElectronic

Note 1: The Basic Class of Service identifies the End User's service.

Valid Entries

A thru Z and/or 0 thru 9

Valid Entry NotesElectronic

Note 1: Must be a Basic Class of Service and contain a valid value(s) of A - Z and/or 0 - 9.

Note 2: When the REQ TYP is N and the P field is populated with the value of A, the following USOCs are the only valid values for this field: COPXX, XMBXX, XLBXX.

Note 3: USOC: COPXX; Flat Rate; Business (except Hospital and Hotel); applicable in AL, FL, GA, KY, TN, SC, LA, MS.

Note 4: USOC: XMBXX; Message Rate (Not available for new service); Business (Except Hospital and Hotel); applicable in AL, FL, GA, KY, TN, NC, SC, LA, MS.

Note 5: USOC: XLBXX; Measured Rate & Usage Based Pricing; Business (Except Hospital and Hotel); applicable in AL, KY, TN, NC, MS.

Data Characteristics

3 or 5 alpha/numeric characters

Examples

COPXX

Conditional Usage NotesElectronic

Note 1: Required when the REQ TYP is E and the 2nd character of TOS is H.

Note 2: Required when the REQ TYP is N and the 2nd character of TOS is Q and the ACT is C, or V.

Note 3: Required when the REQ TYP is N and the 2nd character of TOS is J and the ACT is N, C, D, T, V or W.

Deleted: Note 6: When an LSR is submitted, for REQ TYP M, and the IWO field is populated with 'S' or 'U', SEQ1X is populated in the Feature field of the LSR when FEATURE ACTIVITY is N, the Basic Class of Service must be UEPRX or UEPBX. ¶



Attachment
SN91086076

Business Rules

None

***** End of definition for field BCS *****

CCP 2368 Attachment Listed Below

CRB: 4876
CCP: 2368
Release: 22
MAP: ELMS6
MI field in the LSR Data Dictionary

MI

Migration Indicator
LSR Form / Screen
LSOG6 / ELMS6

Definition

Identifies the type of account level activity when lines/numbers are converting from one LSP to another LSP.

Definition Notes

None

Valid Entries

- A = Partial migration converting lines/numbers to a new account
- B = Partial migration converting lines/numbers to an existing account
- C = Full migration converting lines/numbers to a new account
- D = Full migration converting lines/numbers to an existing account

Valid Entry Notes

Note 1: When REQ TYP = J and ACT = V, MI must be C.

Electronic

Note 2: When the valid entry is A or B there must be at least one line remaining (not migrating) on the existing CSR.

Note 3: When the valid entry is "C" or "D" all lines must either migrate, or be disconnected, there must not be any lines remaining on the existing CSR.

Note 4: For the following products the only valid entries for this field are C or D: Digital Data Designed (DS1), NON-Designed UCL-ND, EELs, Line Share, DID.

Note 5: For a Wireless Type 1 Port, the MI field valid values must be A or B.

Note 6: When the ACT is V and the LSR request is changing from a residence to a business class of service, or from a business class of service to a residence class of service the only valid value in this field is C.

Note 7: When the REQ TYP is N with ACT=V and AD=A, the MI must be B.

Manual

Note 8: Valid entries of "A" and "B" are prohibited when the MEU field is populated and the request is for a UNE-P/WLP Complex PBX ON/OFF Premise extension/DPA.

Note 9: When A or B is populated in this field and the REQ TYP N, the LSR must be submitted manually.

Note 10: Valid entries for LNP to Resale UNE-P/WLP Migration Request (REQ TYP E or M), (SC=LCSL) are A, B, C or D.

Data Characteristics

1 alpha character

Examples

A

Conditional Usage Notes

Note 1: Required when the ACT is V, **except when the REQ TYP is A and the request is for an EEL to UNE or SPA to UNE Conversion.**

Note 2: Prohibited when the ACT is W.

Manual

Note 3: Prohibited when the REQ TYP is M and the TOS is 1DM-, 1EMor 1HM.

Note 4: Prohibited with REQ TYP E for Frame Relay, SMARTRing and LightGate.

Note 5: Prohibited with REQ TYP K.

Business Rules

None

***** End of definition for field MI *****

CCP 2369 Attachment Listed Below

CRB: 4877
CCP: 2369
Release: 22
MAP: ELMS6
PROJECT field in the LSR Data Dictionary

PROJECT

Project Identification
LSR Form / Screen
LSOG6 / ELMS6

Definition

Identifies the project to which the request is to be associated.

Definition Notes

None

Valid Entries

None

Valid Entry Notes

Note 1: For REQ TYP B, when the JR field and/or NIDR is populated with Y, if this field is populated the entry in this field must be 15 alpha/numerics.

Manual

Note 2: When the REQ TYP is E, M, or N with ACT of R and the request submitted is for address correction this field must be populated with ADDR COR.

Note 3: When the REQ TYP is A, the ACT is V and the request is for a SPA to UNE or EEL to UNE Conversion submitted via LSR this field must be populated with NOAUTOTEST.

Data Characteristics

Up to 16 alpha/numeric characters

Examples

BST 736119

Conditional Usage Notes

Note 1: The PROJECT field is required when the service requested on the LSR is indicated as Project Managed in the BellSouth® Product and Services Interval Guide.

Electronic

Note 2: Required when the quantity in the IWJQ field is populated with 16 or greater.

Note 3: For REQ TYP M (Non-Complex), required when the number of terminations for non-basic inside wire, jacks or NIDR requests are 16 or greater.

Note 4: When REQ TYP = C, ACT = V, LNA = V and the TOS is in the following list and 51 or more telephone numbers are being ported, the PROJECT field is required: TOS = 1J--, 2J--, 1H--, 2H--, 1--F, or 2--F.

Business Rules

Rule 1: The customer must contact the BellSouth® Project Manager prior to submitting the LSR to obtain a project identification number.

Rule 2: All requests submitted, meeting project criteria, must have a BellSouth project identification number populated in the PROJECT field.

Rule 3: If a customer obtains a BellSouth® project identification number and the customer determines, prior to submitting the LSR(s), that the scope of the request changes and no longer qualifies as a project, the customer must not populate the BellSouth® project identification number in the PROJECT field.

Rule 4: All due dates and frame due times will be negotiated with the BellSouth® Project Manager.

Rule 5: Changes that affect the scope of the project must be referred to the BellSouth® Project Manager prior to submitting the SUP to update the service request (e.g., adding or deleting lines).

Rule 6: Project Identification number is valid for 30 days from the date of issuance.

Rule 7: Type 1 Wireless Ports over 50 numbers, REQ TYP C, must be Project Managed (contact the Bellsouth Project Manager prior to submitting LSR).

Rule 8: For All Type 1 Wireless Ports over 50 numbers, REQ TYP C, if CC or NNSP is a Wireless or CLEC OCN, a Project ID must be populated.

Rule 9: When this field is populated for REQ TYP B(NPT=D) the DDD cannot be Saturday, Sunday or a holiday.

Electronic

Rule 10: [BULK Option 1] On All BULK Requests, the PROJECT field will be populated by BellSouth® with the Bulk Order Package Identifier followed by the word BULK and shall be mapped to the PROJECT ID field on the individual LSRs associated with the BULK Package.

Rule 11: For REQ TYP B Bulk Single LSR Arrangement (Option 2), the CLEC is responsible for populating the PROJECT field on each LSR with the Bulk Order Package Identifier followed by the word BULK.

Rule 12: For REQ TYP B Bulk Single LSR Arrangement (Option 2), when SUP is 02 or 03, the PROJECT field value must match the PROJECT field value entered on the initial LSR submission.

***** End of definition for field PROJECT *****

CCP 2370 Attachment Listed Below

CRB: 4878
CCP: 2370
Release: 22
MAP: ELMS6
ACT field in the LSR Data Dictionary

ACT

Activity Type
LSR Form / Screen
LSOG6 / ELMS6

Definition

Identifies the activity involved in this service request.

Definition Notes

None

Valid Entries

N = New Installation and or account
C = Change an existing account, e.g., rearrangement, partial disconnect or addition
D = Disconnection
L = Suspend full account
T = Move of an end user location to a new location, where LSP is not changing
R = Record activity - ordering administrative changes
V = Conversion of service to a new LSP
W = Conversion of service to new LSP as is
S = Suspend / restore partial account
B = Restore full account / restore denied account
Y = Deny

Valid Entry Notes

Note 1: REQ TYP AB / ACT is V is only applicable for conversions from Retail, Resale, Non-Complex UNE-P/WLP services, Complex UNE-P/WLP, BRI or PBX services where the Telephone Number resides in the BellSouth® switch **and SPA to UNE, SWA to UNE and EEL to UNE Loop Conversions.**

Note 2: When the REQ TYP is A and the ACT is T, the serving wire center (Central Office) cannot be changed

Note 3: When the ACT is T, the LSP may not be changed.

Note 4: Valid entry of C is used for INP to LNP conversions when the NPT is D (LNP).

Note 5: When the CC or NNSP field is populated with a wireless OCN the only valid entry in this field is V.

Note 6: When the request is for directory delivery only, the ACT data must be R.

Note 7: ACT of V is only valid ACT for LNP to Resale UNE-P/WLP Migration (REQ TYP E or M), and the SC=LCSL

Note 8: ACT of R is only valid with REQ TYP J, except on a manual request to correct an incorrect service address.

Electronic

Note 9: [BULK Option 1 and Bulk Single LSR Arrangement Option 2] ACT of V is only valid ACT for Reqttyp B UNE to UNE Bulk (Option 1) and Single LSR Bulk Arrangement (Option 2).

Data Characteristics

1 alpha character

Examples

V

Conditional Usage Notes

None

Business Rules

Rule 1: In accordance with the Triennial Review Remand Order (TRRO), effective April 17, 2005, for REQTYP = M, Non Complex - Residence/Business, Remote Call Forwarding, and Coin, BellSouth will no longer accept orders for ACT = N, T, V, or W and ACT = C when LNA = N, when requesting new UNE-P without having negotiated a current Commercial Agreement. This ruling applies only in the states of Georgia, Florida, Mississippi, and North Carolina. This ruling will be effective in Kentucky on April 27, 2005. The one exception to the above is in North Carolina, when requesting a new UNE-P when UNE-P already exists at the location using ACT = C when LNA = N, a manual LSR will be accepted without having a current Commercial Agreement.

Rule 2: On a supplement to a request this field carries the original activity type.

Rule 3: When the ACT field involves a change, the PON should be canceled and a new PON submitted.

Rule 4: When ACT is S, the LNA must equal L or B. This allows the end user to seasonally suspend or restore some of the lines on an account.

Manual

Rule 5: In accordance with the Triennial Review Remand Order (TRRO), effective April 17, 2005, for REQTYP = M, Complex UNE-P/WLP FX/FCO (Residence, Business, Line Side PBX) Unbundled Network Element-Platform Foreign Exchange/Foreign Central Office, BellSouth will no longer accept orders for ACT = N, T, V, or W and ACT = C when LNA = N, when requesting new UNE-P without having negotiated a current Commercial Agreement. This ruling applies only in the states of Georgia, Florida, Mississippi, and North Carolina. This ruling will be effective in Kentucky on April 27, 2005. The one exception to the above is in North Carolina, when requesting a new UNE-P when UNE-P already exists at the location using ACT = C when LNA = N, a manual LSR will be accepted without having a current Commercial Agreement.

Rule 6: In accordance with the Triennial Review Remand Order (TRRO), effective April 17, 2005, for REQTYP = M, Complex UNE-P/WLP Complex PBX On/Off Premises Extensions/DPA, UNE-P/WLP 2-Wire ISDN Basic Rate-BRI Digital Port / Loop UNE Combination, and UNE-P/WLP Centrex, BellSouth will no longer accept orders for ACT = N, and V and ACT = C when LNA = N, when requesting new UNE-P without having negotiated a current Commercial Agreement. This ruling applies only in the states of Georgia, Florida, Mississippi, and North Carolina. This ruling will be effective in Kentucky on April 27, 2005. The one exception to the above is in North Carolina, when requesting a new UNE-P when UNE-P already exists at the location using ACT = C when LNA = N, a manual LSR will be accepted without having a current Commercial Agreement.

Rule 7: In accordance with the Triennial Review Remand Order (TRRO), effective April 17, 2005, for REQTYP = N, UNE Port Service (PBX Stand Alone Port), BellSouth will no longer accept orders for ACT = N, and ACT = C when TACT = N, when requesting new UNE-P without having negotiated a current Commercial Agreement. This ruling applies only in the states of Georgia, Florida, Mississippi, and North Carolina. This ruling will be effective in Kentucky on April



Attachment
SN91086076

27, 2005. The one exception to the above is in North Carolina, when requesting a new UNE-P when UNE-P already exists at the location using ACT = C when TACT = N, a manual LSR will be accepted without having a current Commercial Agreement.

Rule 8: In accordance with the Triennial Review Remand Order (TRRO), effective April 17, 2005, for REQ TYP = N, UNE-P/WLP 2-Wire Direct Inward Dial (DID) Trunk Port and Voice Grade Loop Combination (UNE-P/WLP 2-wire DID), BellSouth will no longer accept orders for ACT = N, and V and ACT = C when TNA = N or TACT = N, when requesting new UNE-P without having negotiated a current Commercial Agreement. This ruling applies only in the states of Georgia, Florida, Mississippi, and North Carolina. This ruling will be effective in Kentucky on April 27, 2005. The one exception to the above is in North Carolina, when requesting a new UNE-P when UNE-P already exists at the location using ACT = C when TNA = N or TACT = N, a manual LSR will be accepted without having a current Commercial Agreement.

Rule 9: In accordance with the Triennial Review Remand Order (TRRO), effective April 17, 2005, for REQ TYP = N, UNE-P/WLP PBX (2-wire Voice Grade Port and Voice Grade Loop Combination), BellSouth will no longer accept orders for ACT = N and V, and ACT = C when TACT = N, when requesting new UNE-P without having negotiated a current Commercial Agreement. This ruling applies only in the states of Georgia, Florida, Mississippi, and North Carolina. This ruling will be effective in Kentucky on April 27, 2005. The one exception to the above is in North Carolina, when requesting a new UNE-P when UNE-P already exists at the location using ACT = C when TACT = N, a manual LSR will be accepted without having a current Commercial Agreement.

Rule 10: For split billing of a multi-line account, it is necessary to submit 2 LSR's. LSR #1 (ACT=C, LNA=D) Removes the line from the existing account. LSR #2 (ACT=N, LNA=N) Establishes the NEW account.

Rule 11: (REQ TYP B and C) Use ACT of C, when NPT is D (LNP) on LSNP or NP form/screen for INP to LNP conversions.

***** End of definition for field ACT *****

CCP 2371 Attachment Listed Below

CRB: 4879

CCP: 2371

Release: 22

MAP: ELMS06

R/C/O change to REQTyp A - EEL to UNE Re-Termination LNA of V

LNA Tables: Reqtyp A, EEL to UNE Re-Termination

LNA= V: LS

Required

AN (M)

CKR (M) ECCKT (M) LNA (M)

LNUM (M) LQTY (M) PG_OF_ (M)

PON (M)

Conditional

CABLE ID (M) CFA (M) CHAN/PAIR (M)

VER (M)

Optional

CKR (M) TSP (M)