
Business Markets

675 West Peachtree Street
Atlanta, Georgia 30375

Carrier Notification**SN91086102**

Date: May 22, 2006

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version 21.0C for Telecommunications Industry Forum 9 (TCIF 9) Release 21.0

This is to advise that BellSouth will implement the following changes to update documentation in the LOH Version 21.0C for TCIF 9 Release 21.0.

CCP Number	Description Of The Change
2377	DFDT field (LSR Form/Screen): Update the Valid Entries information to show the hour for military time is "00 - 23".
2379	NPQTY and PORTED NBR field (NP Form/screen): NPQTY field - Update Data Characteristics from "5 numeric characters" to "Up to 5 numeric characters". PORTED NBR field - Add Valid Entry Notes.

Please refer to the attachment for specific details of the changes listed above.

These changes will be reflected in the next update of the TCIF 9 Release 21.0/LOH Version 21.0D scheduled to be posted Friday, May 26, 2006.

A summary of all changes within this document will be listed in the **Summary of Changes** section.

This update can be found on the BellSouth Interconnection Services Web site in the Local Exchange Ordering Guides (LEO) at:

http://interconnection.bellsouth.com/reference_library/guides/html/leo.html#loh

Please contact your BellSouth local support manager with any questions.

Sincerely,

ORIGINAL SIGNED BY KRISTEN E. SHORE

Kristen E. Shore – Director
Business Markets

Attachments

CCP 2377 Attachment Listed Below

CRB 4901
CCP: 2377
Release: 21
MAP: TCIF9
LSR Data Dictionary

DFDT

Desired Frame Due Time
LSR Form / Screen
LSOG4 / TCIF9

Definition

Identifies the desired frame cutover time. The time will reflect the local time of the end user's location(s).

Definition Notes

None

Valid Entries

HHMM, HHMM-HHMM

Military format: where HH must be numerics from **00 – 23** and MM must be numeric 00.

Deleted: 01-24

Valid Entry Notes

None

Data CharacteristicsElectronic

Up to 9 alpha/numeric characters

Manual

Up to 6 alpha/numeric characters

ExamplesElectronic

1300

1300-1700

Manual

1300

Conditional Usage Notes

Note 1: Prohibited when the REQ TYP is A and the ACT is N.

Note 2: Prohibited when the REQ TYP is A and the ACT is C and LNA is N.

Note 3: Prohibited when the request is an LNP to Resale UNE-P/WLP Migration for REQ TYP E, M, P, and N. And when the SC is "LCSL".

Note 4: Prohibited when the REQ TYP is E (Non-Complex) or M (Non-Complex).

Note 5: Prohibited when the REQ TYP is A, with ACT of C and the product type is UNTW.

Manual

Note 6: Required when REQTY is E (Complex) and the Act is C or V for Frame Relay with speed changes.

Business Rules

- Rule 1: For projects, frame due times are negotiated with the CLEC.
- Rule 2: For non-projects, frame due time indicates the specific time the request is to be worked.
- Rule 3: When the REQTY is A or B, the DFDT field must be a single entry; of an hour and minute and not a span of time.
- Rule 4: When DFDT is populated with a time requested for time specific hot-cut, the time requested may be changed by BST to the next available time slot. This time slot assignment may be the same day or next business day. If assigned a different time and/or due date, the changed appointment will be reflected in the FOC.
- Rule 5: When the REQTY is A or B, and the information populated in the NC field begins with TY or TX, the CHC field is also required.
- Rule 6: DFDT is not valid on requests for new loops. (ACT or LNA =N).
- Rule 7: [BULK] For UNE to UNE Bulk Requests, DFDT is prohibited.

***** End of definition for field DFDT *****

CCP 2379 Attachment Listed Below**NPQTY**

Number Portability Quantity
NP Form / Screen
LSOG4 / TCIF9

Definition

Identifies the quantity of ported numbers involved in this service request.

Definition Notes

None

Valid Entries

00000 – 99999

Valid Entry Notes

None

Data Characteristics

Up to 5 numeric characters

Deleted: 5 numeric characters

Examples

00008

Conditional Usage Notes

None

Business Rules

None

***** End of definition for field NPQTY *****

PORTED NBR

Ported Telephone Number
NP Form / Screen
LSOG4 / TCIF9

Definition

Identifies the telephone number to be ported.

Definition Notes

None

Valid Entries

None

Valid Entry Notes

~~None~~

Note 1: When a range of numbers is populated in the PORTED NBR field, the range must be consecutive numbers).

Note 2: When a consecutive range of telephone numbers is populated in this field the REQ TYP must be C and the NPT must be D.

Note 3: The 2nd character of the TOS must be the TOS of record when submitting a consecutive range of number.

Data CharacteristicsElectronic

10 numeric characters

Manual

Up to 15 numeric characters (excluding optional hyphens)

ExamplesElectronic

2016991234

Manual

2016991234

201-699-1234

201-699-1234-5678

Conditional Usage Notes

None

Business Rules

Rule 1: When NPT is not ' D ' (LNP), this field indicates a number being disconnected when porting a multi-line account not all numbers are to be ported.

Manual

Rule 2: Telephone numbers may be sent in consecutive ranges on a fax LSR.

***** End of definition for field PORTED NBR *****