

**BellSouth Business Markets** 675 West Peachtree Street Atlanta, Georgia 30375

# Carrier Notification SN91086270

Date: December 15, 2006

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - **REVISED** - Update to the BellSouth Local Ordering Handbook (LOH) Version 24.0, New Local Service Ordering Guide 6 (LSOG 6) and EDI Local Mechanization Specifications 06 (ELMS 06) for Release 24.0 (Originally posted on December 1, 2006)

BellSouth will implement the following changes to update documentation in the LOH Version 24.0 for ELMS 06 Release 24.0.

CCP Number	Description Of The Change
2452	AN [Account Number] field (LSR Form/Screen): Re-word [change the wording on] Conditional Usage Note1 and remove Conditional Usage Note 2.
2453	RCF REQTYP E: Add Description to REQTYPE E -Remote Call Forwarding Ordering in THE R/C/O Intro section. RCF REQTYP M: Add Description to REQTYPE M -Remote Call Forwarding Ordering in THE R/C/O Intro section.
2454	Remote Call Forwarding (RCF) R/C/O Tables [EUA field]: Remove the EUA field for the REQTYP E RCF R/C/O tables.
2455	NEWWorkaround for Combining REQTYP CB and BB when NPT = D and BellSouth <sup>®</sup> RingMaster <sup>®</sup> number is Porting: Update Workaround Information to indicate "CLEC may or may not elect to make the note in REMARKS that the RingMaster <sup>®</sup> number is also porting or call the LCSC Call Center for concurrence on the RingMaster <sup>®</sup> number".
	UNE Commingling SPEC field (LSR Form/Screen): Add Valid Entry Notes for UNE Commingling.
2456	271 Commingled Loop Interval (Note): Add NOTE for the 271 Commingled Loop to read: " 271 Commingled: CFA = Wholesale Transport SPEC Field = 271CX" to the existing DS1 Loop intervals documentation.
2457	Pre-Ordering Miscellaneous Account Telephone Number Information: Add to Pre-Ordering Helpful Hints information on Miscellaneous Account Telephone Number.
2407	Pre-Ordering TNAQ-DID Pre-Order: Change TNAQ-DID handling of sequential and non- sequential numbers.

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 06 Release 24.0/LOH Version 24.0A, scheduled to be posted Friday, December 15, 2006.

A summary of all changes within this document will be listed in the **Summary of Changes** section.

This update can be found on the BellSouth Interconnection Services Web site in the Local Exchange Ordering (LEO) Guides at:

http://interconnection.bellsouth.com/reference library/guides/html/leo.html#loh

Please contact your BellSouth local support manager with any questions.

Sincerely,

#### Original signed by Kristen E. Shore

Kristen E. Shore – Director BellSouth Business Markets

Attachments

## BELLSOUTH<sup>®</sup>

Attachment SN91086270

## CCP 2452 Attachment Listed Below

#### LOH-24.0-ELMS06

CRB: 4973 CCP: 2452 Release: 24 MAP: ELMS06 LSR Data Dictionary

#### AN

Account Number LSR Form / Screen LSOG6 / ELMS6

#### Definition

Identifies the main account number assigned by the NSP.

#### **Definition** Notes

- Note 1: Identifies a non-standard account number.
- Note 2: Identifies an account number that is not a dialable number (e.g., miscellaneous account number).
- Note 3: Use this field when listing request is for an 800 service listing or an interstate foreign listing or foreign listings in independent territories.

#### Valid Entries

<u>Electronic</u>

valid Miscellaneous Account Number or Billing Account Number Manual

N = New Account Number valid Miscellaneous Account Number or Billing Account Number

#### Valid Entry Notes

Note 1: Hyphens are automatically inserted by the BellSouth electronic interface system. *Manual* 

Note 2: When REQTYP B or C, NPT is D (LNP); the valid entry of N is prohibited.

#### **Data Characteristics**

<u>Electronic</u>

10 alpha/numeric or 13 alpha/numeric characters *Manual* 



1 alpha or up to 20 alpha/numeric characters (excluding optional hyphens)

#### Examples

<u>Electronic</u> 404M231234 404M231234123 <u>Manual</u> 404M231234123 404-M23-1234-123 N

#### **Conditional Usage Notes**

Note 1: Required when the ATN field is not populated.

Note 2: Prohibited when the REQTYP is J with ACT of R and the EATN field is populated.

#### **Business Rules**

- Rule 1: A CABS billing account number is valid only when the REQTYP is A or B.
- Rule 2: For REQTYP J, with ACT of D, when this field is populated the class of service on the Customer Service Record (CSR) must be MSA or MHT.
- Rule 3: The same Miscellaneous Account number cannot be assigned for different end users.
  - Rule 4: When REQTYP is A or B (Designed Loops) the AN and BAN1 fields must match.
  - Rule 5: When the REQTYP is A or B (designed) loops, this field is to be populated with the CABS account number.
  - Rule 6: When the REQTYP is A or B (non-designed) loops, this field is to be populated with a CRIS miscellaneous account number.
  - Rule 7: When the REQTYP= A (Designed Loops) and the ACT = W, the data in the AN field cannot match the data in the EAN field.
  - Rule 8: When the REQTYP= A (Designed Loops) and the ACT = W, the system will validate that the first 10 characters of the AN field is a valid working CABS account.
  - Rule 9: When the REQTYP= A (Non-Designed Loops) and the ACT = W, the system will validate that the first 10 characters of the AN field is a valid working CRIS account.
  - Rule 10: When the REQTYP= A (Non-Designed Loops) and the ACT = W, then the first 10 characters of the AN field must match the first 10 characters of the EAN field regardless of the total number of characters.

#### <u>Electronic</u>

Rule 11: [BULK Option 1 and Bulk Single LSR Arrangement Option 2] For LSRs with a BOPI, the Account Number is required once for each EATN.

#### <u>Manual</u>

Rule 12: (ULUE)-For LSRs with a BOPI, the AN field is required once for each ECCKT.

## **BELL**SOUTH®

Attachment SN91086270

## CCP 2453 Attachment Listed Below

#### LOH-24.0-ELMS06

CRB: 4976 CCP: 2453 Release: 24 MAP: ELMS06 REQTYP E – Remote Call Forwrding – Ordering

## Remote Call Forwarding (RCF)

#### **Description**

**Remote** Call Forwarding (RCF) is a central office service that forwards all incoming calls to a telephone number at a different location.

#### Some of the features of **Remote** Call Forwarding are:

- Calls are forwarded directly from the central office of the RCF number.
- No physical location or telephone equipment is required.
- One access path forwards one call at the time
- Additional access paths can be ordered for an additional fee.

#### **Restrictions:**

- RCF forwarding to another RCF is not allowed
- RCF with a Business listing can not be forwarded to a Residential number
- Custom Calling features are not available
- RCF can not be denied for non-payment.
- The dispatch instruction FID **ZDIS** should not be used when processing RCF orders.
- Can not use "OAD" for a listed address in GA
- LENS users must provide Central office address since LSO can't be populated and is consequently used by REPs to find central office address.
- EUMI field is prohibited.
- **SFG** is required in the 1AESS and EWSD central offices.
- GSZ (Group size) this FID identified the number of access paths with the RCF. Default is 1. Example : GSZ 1

NOTE: The maximum number of access paths allowed for RCF is 10. Multiple paths are limited to manual ordering process.



#### **Product Listing**

#### Remote Call Forwarding (RCF)

Resale Services are those bundled services where the service provider is different from the network provider. Competitive Local Exchange Carriers (CLECs) can purchase telecommunications products, features and services from Local Exchange Carriers such as BellSouth®, for resale to their customers.

#### **Ordering Forms/Screens**

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Remote Call Forwarding (RCF)												
LSR	Hunting	EU	DL	RS	DRS	PS	NP	LS	LSNP	RPL		
R		R	С	С								
			[1]	[2]								
D = Dequired	C = Conditional O = C	Intional			•		•					

R = Required C = Conditional O = Optional

[1] = DL form/screen is required when the ACT is N or T.

[2] = Required when the ACT=C, N, T or V

#### Completing the DL Form/Screen

If directory listings are required, refer to **REQTYP J** for more information on completing the DL form/screen.

#### <u>Hunting</u>

Hunting is not applicable for this product/service.

#### Completing the LSR and EU Forms/Screens

Account level activities (ACT) apply to the entire account. A complete list of ACTs and their definition can be found in the Data Dictionary entry for ACT.

The following chart shows all of the valid account level activities for this service.

Valid Account Level Activities Remote Call Forwarding (RCF)												
Ν	С	D	Т	R	V	S	В	W	L	Y		
Х	Х	Х	Х	-	Х	-	-	Х	-	-		

Note: "X" denotes valid account level activities. A dash (-) indicates a non-valid account level activity.

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid ACT code in the **ACT Tables** section.



#### Completing the RS Form/Screen

The Resale Service (RS) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid Line Level Activities (LNAs). These LNAs determine how, or if, the RS form/screen should be populated. A complete list of LNAs and their definition can be found in the Data Dictionary entry for LNA.

The following chart gives the valid LNAs for each account level activity (ACT) and the associated RS form/screen usage for this service.

If ACT is:	Then LNA is:	And RS form/screen is:
Ν	Ν	Required
С	N, C, D, or P	Required
D	Prohibited	Not Required
Т	N, T	Required
V	N, D, G, V, W or P	Required
W	Prohibited	Not Required

The Required, Conditional and Optional (R/C/O) fields for the RS form/screen are listed according to the Line Level Activity (LNA) in the **LNA Tables** Section.



CRB: 4982 CCP: 2453 Release: 23 MAP: ELMS06 Please make the following changes to REQTYP M – Remote Call Forwarding – Ordering.

## UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)

#### **Description**

**Remote** Call Forwarding (RCF) is a central office service that forwards all incoming calls to a telephone number at a different location.

Some of the features of **Remote** Call Forwarding are:

- Calls are forwarded directly from the central office of the RCF number.
- No physical location or telephone equipment is required.
- One access path forwards one call at the time
- Additional access paths can be ordered.

#### **Restrictions:**

- RCF forwarding to another RCF is not allowed
- RCF with a Business listing can not be forwarded to a Residential number
- Custom Calling features are not available
- RCF can not be denied for non-payment.
- The dispatch instruction FID **ZDIS** should not be used when processing RCF orders.
- Can not use "OAD" for a listed address in GA
- LENS users must provide Central office address since LSO can't be populated and is consequently used by REPs to find central office address.
- **EUMI** field is prohibited.
- SFG is required in the 1AESS and EWSD central offices.
- GSZ (Group size) this FID identified the number of access paths with the RCF. Default is 1. Example : GSZ 1

# NOTE: The maximum number of access paths allowed for RCF is 10. Multiple paths are limited to manual ordering process.

#### **Product Listing**

#### UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)

This service offering is defined as a UNE 2-wire Port that is provisioned in the BellSouth® switch and a UNE voice grade loop which are rebundled to create the equivalent of BellSouth® Retail or Resale service. This combination will always be measured and include switching functionality, shared interoffice transport, tandem switching, and a cross connect element. When combined, these elements will provide an end-to-end service. The Port functionality includes access to all vertical features as well as other functions and capabilities available in the central office switch.



#### **Ordering Forms/Screens**

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)												
RPL	LSNP	LS	NP	PS	DRS	RS	DL	EU	Hunting	LSR		
				С			С	R		R		
				[2]			[1]					
				C [2]			C [1]	R		R		

R = Required C = Conditional O = Optional

[1] = TheDL form/screen is required when ACT = N or T.

[2] = The PS form/screen is required only when ACT = N, C, T or V. Otherwise, the PS form/screen is not required.

Completing the DL Form/Screen

If directory listings are required, refer to **REQTYP J** for more information on completing the DL form/screen.

#### Hunting

Hunting is not applicable for this product/service.

#### Completing the LSR and EU Forms/Screens

Account level activities (ACT) apply to the entire account. A complete list of ACTs and their definition can be found in the Data Dictionary entry for ACT.

The following chart shows all of the valid account level activities for this service.

Valid Account Level Activities UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)												
N	C	D	Т	R	V	S	В	W	L	Y		
Х	Х	Х	Х	-	Х	-	-	Х	-	-		
[1]	[1]		[1]		[1]			[1]				
Note: "X" de	notes valid ac	count level ac	tivities. A das	sh (-) indicate	s a non-valid a	account leve	l activity.					

Note: "X" denotes valid account level activities. A dash (-) indicates a non-valid account level activity.

[1] = In accordance with the Triennial Review Remand Order (TRRO), effective April 17, 2005, BellSouth will no longer accept orders requesting new UNE-P without having negotiated a current Commercial Agreement. This applies to ACT = N, T, V, and W and ACT = C when LNA = N. This ruling applies only in the states of Georgia, Florida, Mississippi, and North Carolina. This ruling will be effective in Kentucky on April 27, 2005. The one exception to the above is in North Carolina, when requesting a new UNE-P when UNE-P already exists at the location using ACT = C when LNA = N, a manual LSR will be accepted without having a current Commercial Agreement.

## **BELL**SOUTH®

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid ACT code in the **ACT Tables** section.

#### Completing the PS Form/Screen

The Port Service (PS) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid Line Level Activities (LNAs). These LNAs determine how, or if, the PS form/screen should be populated. A complete list of LNAs and their definition can be found in the Data Dictionary entry for LNA.

The following chart gives the valid LNAs for each account level activity (ACT) and the associated PS form/screen usage for this service.

If ACT is:	Then LNA is:	And PS form/screen is:
Ν	Ν	Required
С	N, C, D or P	Required
D	Prohibited	Not Required
V	N, D, G, V, W or P	Required
Т	N, T	Required
W	Prohibited	Not Required

The Required, Conditional and Optional (R/C/O) fields for the PS form/screen are listed according to the Line Level Activity (LNA) in the LNA Tables Section.

#### <u>UNE RCF and ACT Type = T</u>

When the ACT Type is T the feature detail section should be populated with only the USOCS that the end user will have on the UNE RCF account.

## BELLSOUTH<sup>®</sup>

Attachment SN91086270

## CCP 2454 Attachment Listed Below

#### LOH-24.0-ELMS06

CRB: 4979 CCP: 2454 MAP: ELMS06 REL: 24 REQTYP E – Remote Call Forwarding (RCF) R/C/O tables

### Remote Call Forwarding (RCF)

#### **RCO** Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (\*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).

- For fields marked with a DOUBLE asterisk (\*\*) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

#### ACT Tables: Reqtyp E, Remote Call Forwarding (RCF)

#### ACT= C: LSR

<u>Required</u>		
ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	IMPCON-TEL NO.	INIT
INIT-FAX NO.	INIT-TEL NO.	$PG_OF_(M)$
PON	REQTYP	SC
TOS		
Conditional		
ALT-IMPCON-TEL NO.	AN	ATN



CUST	LOCQTY	NATN (E)
NOR	RCC (E)	RPON
SUP	VER	
<b>Optional</b>		
ALT-IMPCON*	APPTIME-DDD	CNO
DFDT	EXP	LSCP
REMARKS	RORD	
ACT Tables: Reqtyp E, Re	mote Call Forwarding (RCF)	
<i>ACT</i> = <i>C</i> : <i>EU</i>		
<u>Required</u>		
$PG_OF_(M)$	PON (M)	
<u>Conditional</u>		
AN (M)	ATN (M)	DISC NBR
DNUM	DQTY	
LOCNUM DETAIL (E)	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

VER (M)		
<u>Optional</u> LCON-NAME	LCON-TEL NO.	LOCNUM (M)
TC OPT*		

## BELLSOUTH<sup>®</sup>

Attachment SN91086270

## CCP 2455 Attachment Listed Below

## LOH-24.0-ELMS06

# **NEW--Workaround for Combining REQTYP CB and BB when NPT = D and RingMaster® number is Porting**

#### **Definition:**

Provides a LNP work around process for combining REQTYP CB and BB using a single LSR when the NPT=D. The LNP GUI will not accept fax or electronic (EDI/TAG) ELMS LSRs unless each LNUM includes cable ID and channel pair.

The most common scenario for combining REQTYP CB and BB is a request to port out an account that includes a **RingMaster**® number. Since there is not a loop associated with the RingMaster®, the porting request cannot be included on the LSR to port out the main telephone number with loop unless the CLEC wants to disconnect the RingMaster® number.

When the Ring master is porting and the Main account number is porting with a loop, The CLEC will submit a REQTYP BB:

- Place the ring master number on the disconnect form/page of the LSR
- If the RingMaster<sup>®</sup> number is populated on the LSNP screen/page with leading zeros in the CHANPAIR field, it will be Clarified
- Note in RMKS that the RingMaster® number is also porting (The CLEC may or may not elect to make this note)
- Then follow the other Ordering Considerations below
- After FOC is received by the CLEC, the CLEC must create a Subscription Version (SV) to port the main number and the ring master number
- The CLEC will then call the LCSC Call Center for concurrence on the RingMaster® number (The CLEC may or may not elect to call into center)
- •

#### **Ordering Considerations:**

- REQTYP: B
- ACTTYP: V
- MI: C, D
- LNA: V
- R/C/O Tables: Follow and use the appropriate REQTYP B Product Guidelines



#### **Service Restrictions:**

None

### LSR Restrictions:

The following section provides detail information to assist you in filling out certain fields on LSR

The following information must be entered on the loop service with number portability tab:

Porting telephone number LNA=V Cable ID and Chan Pair for loop

The information for the telephone number porting out without loop must be entered on the disconnect screen/page of the LSR.

### **Service Order Restrictions:**

None

## **Tariff Reference:**

None

### **USOC / FID References:**

None

### Situations / Exhibits:

None

### **Related Topics / Information:**

None

## **BELL**SOUTH®

Attachment SN91086270

## CCP 2456 Attachment Listed Below

#### LOH-24.0-ELMS06

CRB: 4977 CCP: 2456 MAP: ELMS6 REL: 23 LSR Data Dictionary

#### **SPEC**

Service and Product Enhancement Code LSR Form / Screen LSOG6 / ELMS6

#### Definition

Identifies a specific product or service offering.

#### **Definition** Notes

Note 1: SPEC may be applicable for circuit level features and options other than those already identified by the Network Channel (NC) and Network Channel Interface (NCI) codes.

#### Valid Entries

None

#### Valid Entry Notes

- Note 1: For REQTYPs A and B, positions 1 7 = any alpha character except I or any numeric character except '0' (zero)
- Note 2: For REQTYP A the following SPEC codes for EELs and OCU's service types are valid: UNCVX (Voice Grade); UNCNX (ISDN); UNCDX (56/64 kbps); UNC1X (DS1); UNC3X (DS3); UNCSX (STS-1)
- Note 3: When UNC3X or UNCSX is populated the LSR must be submitted manually.
- Note 4: When the REQTYP is B and the product is EELs, the only valid entry in the SPEC field is UNCVX (Voice Grade).

#### <u>Manual</u>

- Note 5: When ordering a REQTYP A Unbundled Dark Fiber (UDF) as an Ordinarily Combined UNE Combination the only valid entry in the SPEC field is UDFCX.
- Note 6: For REQTYP A the following SPEC codes for Single Bandwidth Commingled service types are valid: XDV2X(2w VG), XDV6X(4w VG), XDD4X(4w 56 kbps), XDDFX(4w 64kbps), XDH1X(DS1),HFQC6(DS3), HFRST(STS-1).

Note 7: For REQTYP A, UNE Loop MultiBandwidth Commingling, the following SPEC Codes are valid: NTCD1 (DS1), NTCUD (Digital Loop), NTCVG (Voice Grade).



#### Note 8: For REQTYP A, 271 Commingled Loop, the SPEC Code of 271CX is valid.

#### **Data Characteristics**

5 or 7 alpha/numeric characters

#### **Examples**

BD11T BD1T5AD

#### **Conditional Usage Notes**

<u>Manual</u>

Note 1: Required when ordering REQTYP A Unbundled Dark Fiber (UDF) as an Ordinarily Combined UNE Combination.

#### **Business Rules**

- Rule 1: For REQTYP B, when the SPEC field is populated with UNCVX, CFA is required.
- Rule 2: For REQTYP B EELS, when SPEC field is populated the 1st 8 characters of the SWC CLLI must equal the 1st 8 characters of the Non-ACTL CLLI (MUXLOC).
- Rule 3: For REQTYP B EELS the [SPEC / NC / NCI / SECNCI] combination must be one of the following to request EELS: [UNCVX / LY-- / 04QB9.11 / 02LS2] or [UNCVX / LY-- / 04QB9.11 / 02GS2]
- Rule 4: If the SPEC field is blank and the NC / NCI / SECNCI combination is LY-- / 04QB9.11 / 02LS2 or LY-- / 04QB9.11 / 02GS2 then the request will be processed as a Design Loop and not as a EELS.

#### <u>Electronic</u>

Rule 5: For REQTYP B – EELS ordered in the Single LSR BULK Arrangement (Option 2) the [SPEC / NC / NCI / SECNCI] combination must be one of the following to request EELS: [UNCVX / LY-- / 04QB9.11 / 02LS2] or [UNCVX / LY-- / 04QB9.11 / 02GS2]

\*\*\*\*\*\*\*\*\* End of definition for field SPEC \*\*\*\*\*\*\*\*\*



#### **Interval Guide**

#### LOH-24.0A-ELMS06&ELMS10

### **DS1** Loop

Comm	ingled				
ACT	SI	Quantity	Standard Interval	LSR	PM
All	SI	1–9	5 business days	Standard	
All	SI	5+-14	Add 1 day for each additional circuit above 5	2 business days	
NON-	Commir	ngled			
<i>NON-</i> ACT	Commir SI	<i>ngled</i> Quantity	Standard Interval	LSR	PM
		0	<b>Standard Interval</b> 10 business days	<b>LSR</b> Standard	PM
ACT	SI	Quantity			PM

Notes

Commingled: CFA = Special Access SPEC Field = NTCD1 -271 Commingled: CFA = Wholesale Transport SPEC Field = 271CX

## **BELL**SOUTH®

Attachment SN91086270

## CCP 2457 Attachment Listed Below

#### LOH-24.0-ELMS06

CRB: 4983 CCP: 2457 MAP: ELMS06 Release: 24 TAG Pre-Ordering Helpful Hints

## **Helpful Hints**

#### **Address Validation**

The Address Validation Transaction is meant to be conversational. If an entered address is close, but is not an exact match, address selections may be returned to enable the CLEC to narrow the selection to resubmit a transaction. The amount of information returned, (if any) will depend on the accuracy of the information initially provided by the CLEC as well as limitations regarding the number of maximum number of addresses that will be returned in a single response.

#### Search Level Processing

The Address Validation Transaction initially establishes the Search Area. Once the Search Area has been established, then the address level data is searched.

Once the Search Area has been established, address level data is searched. Search Area data is defined as City & State or State & Zip. Additionally, a 10-digit dialable telephone number is used to determine the Search Area.

Once the community (search area) has been identified, the Address Validation Transaction will search for all the matching communities that contain the address data. If more than one community is found, then a list of valid communities is returned.

If only one community is found, then the Address Validation Transaction searches for an exact match on the street and range. If more than one street matches, then a menu with the valid streets is returned.

#### **Telephone Level Searching**

If a telephone number (WTN) is input, without other Search Area information, a search is performed to locate the address that contains the specified WTN.

If more than one address is found for the WTN, then a menu is returned with the valid addresses with the WTN & status indicating working or non-working.



#### Multiple Search Areas

If more fields are input than are required to establish a Search Area, the following hierarchy is used to establish the Search Area:

- If a telephone number is input (along with city, state, zip), the telephone number is the Search Area used. If the telephone number is not found, then the other Search Area fields are used: City & State, State & Zip.
- If city, state and zip are input, zip is ignored and city and state are used. If city is not found, the state and zip are used.

#### NPANXX vs. NPATTA

The NPANXX is one of the available area code(s) & exchanges of a geographic zone. The NPATTA is the parent area code & exchange of a geographic zone. An NPATTA will equate to several NPANXXs within a geographic area. The NPATTA is returned on the Address Validation response for a matched address. NPANXX and NPATTA are interchangeable for Appointment Availability Transaction and Address Validation Transaction.

#### CLLI

The CLLI is an 8 or 11 alpha/numeric code that identifies the switch. The Address Validation response returns an 8 alpha/numeric code while the Service Availability & Telephone Number Selection/Reservation response return an 11 alpha/numeric code. The 8 alpha/numeric code identifies the switch while the 11 alpha/numeric code identifies a specific switch.

#### AHN

An AHN number will only be returned on a Single Address Match Response. The AHN number will appear in the SANO field and SASF field will have "AHN" as the returned data. The AHN-STATUS field is not returned on the Single Address Match Response. An example of how these fields will be returned is shown below.

#### SANO = 23 SASN = MAIN SATH = ST SASF = AHN

The GSG Summary Response will provide the range of addresses with the HOUSE-NUM-LOW & HOUSE-NUM-HI fields. This is provided to assist in reaching a Single Address Match Response. The range provided could be an AHN or an actual house number. The AHN-STATUS value indicates which is being returned.



#### Subsequent Telephone Number Reservation

When the CLEC submits a subsequent TNAQ to get additional Telephone Numbers, the CLEC needs to use the LSO of the original Telephone Number reserved on the initial TNAR, rather than the information received from the AVQ. This is to avoid the possibility of getting Telephone Number(s) from the other switch in a CO that has multiple switches. The NPANXX information provided on the AVR is "switch of the day information," which is random.

#### **DID Telephone Numbers**

The TNAQ-DID Telephone Number Availability Query is used to reserve DID telephone numbers. The TNAQ-DID query returns a confirmation number and either a range of sequential DID telephone numbers or non-sequential DID telephones. The reservation is for one day. The reservation can be extended up to one year by using the TNSR query. In the TNSR query, the TNSQ option must be set to DID and either a confirmation number or a 10 digit telephone must be provided. For a range of DID telephone numbers, the 10 digit telephone is the start of the range. For non-sequential DID telephone numbers, the 10 digit telephone is the non-sequential telephone number. The TNCAN-DID query is used to cancel all or part of a reservation. The TNCAN-DID query requires as input either a confirmation number or a 15 digit telephone number. In the TNCAN-DID query, the format for a range of DID telephone is NPANXXLLLL-HHHH and the format for a single non-sequential number is NPANXXLLLL-LLLL

#### Miscellaneous Account Telephone Number Reservations

For correct execution of this query, please refer to the "System User Guides" for instructions. The links are:

TAG Users:

http://www.interconnection.bellsouth.com/alerts\_and\_notifications/network/oss/index.html

EDI Users:

http://www.interconnection.bellsouth.com/reference\_library/guides/html/guides\_leo4.html

Utilize the "NPA/NXX Query" to determine correct Site Code and Location information.

Link: <u>https://apps.interconnection.bellsouth.com/npanxx/index.jsp</u> Site Table:

	N.	FL	SE	. FL	S.	FL	GA	- Atl	GA Outstate							
AL											KY	LA	MS	NC	SC	TN
D	Y	r	R	2	Q	2	C	)	P	•	G	E	C	X	W	B

Finally, In the event that a desired NPA/NXX is Exhausted, please choose/select another NPA/NXX from the list returned. The system will return available/appropriate NPA/NXXs to select from.

#### **Requesting Customer Service Record**

When the CLEC attempts to submit a Customer Service Records request, and the electronic Pre-ordering system is not available, the CLEC may submit a request manually.

Attachment SN91086270



CRB: 4983 CCP: 2457 MAP: ELMS06 Release: 24 EDI Pre-Ordering Helpful Hints

## Helpful Hints

#### **Address Validation**

The Address Validation Transaction is meant to be conversational. If an entered address is close, but is not an exact match, address selections may be returned to enable the CLEC to narrow the selection to resubmit a transaction. The amount of information returned, (if any) will depend on the accuracy of the information initially provided by the CLEC as well as limitations regarding the number of maximum number of addresses that will be returned in a single response.

#### Search Level Processing

The Address Validation Transaction initially establishes the Search Area. Once the Search Area has been established, then the address level data is searched.

Once the Search Area has been established, address level data is searched. Search Area data is defined as City & State or State & Zip. Additionally, a 10-digit dialable telephone number is used to determine the Search Area.

Once the community (search area) has been identified, the Address Validation Transaction will search for all the matching communities that contain the address data. If more than one community is found, then a list of valid communities is returned.

If only one community is found, then the Address Validation Transaction searches for an exact match on the street and range. If more than one street matches, then a menu with the valid streets is returned.

#### **Telephone Level Searching**

If a telephone number (WTN) is input, without other Search Area information, a search is performed to locate the address that contains the specified WTN.

If more than one address is found for the WTN, then a menu is returned with the valid addresses with the WTN & status indicating working or non-working.

#### Multiple Search Areas

If more fields are input than are required to establish a Search Area, the following hierarchy is used to establish the Search Area:



- If a telephone number is input (along with city, state, zip), the telephone number is the Search Area used. If the telephone number is not found, then the other Search Area fields are used: City & State, State & Zip.
- If city, state and zip are input, zip is ignored and city and state are used. If city is not found, the state and zip are used.

#### NPANXX vs. NPATTA

The NPANXX is one of the available area code(s) & exchanges of a geographic zone. The NPATTA is the parent area code & exchange of a geographic zone. An NPATTA will equate to several NPANXXs within a geographic area. The NPATTA is returned on the Address Validation response for a matched address. NPANXX and NPATTA are interchangeable for Appointment Availability Transaction and Address Validation Transaction.

#### CLLI

The CLLI is an 8 or 11 alpha/numeric code that identifies the switch. The Address Validation response returns an 8 alpha/numeric code while the Service Availability & Telephone Number Selection/Reservation response return an 11 alpha/numeric code. The 8 alpha/numeric code identifies the switch while the 11 alpha/numeric code identifies a specific switch.

#### AHN

An AHN number will only be returned on a Single Address Match Response. The AHN number will appear in the SANO field and SASF field will have "AHN" as the returned data. The AHN-STATUS field is not returned on the Single Address Match Response. An example of how the above fields will be returned is below.

SANO = 23 SASN = MAIN SATH = ST SASF = AHN

The GSG Summary Response will provide the range of addresses with the HOUSE-NUM-LOW & HOUSE-NUM-HI fields. This is provided to assist in reaching a Single Address Match Response. The range provided could be an AHN or an actual house number. The AHN-STATUS value indicates which is being returned.

#### Subsequent Telephone Number Reservation

When the CLEC submits a subsequent TNAQ to get additional Telephone Numbers, the CLEC needs to use the LSO of the original Telephone Number reserved on the initial TNAR, rather than the information received from the AVQ. This is to avoid the possibility of getting Telephone Number(s) from the other switch in a CO that has multiple switches. The NPANXX information provided on the AVR is "switch of the day information," which is random.



#### **DID Telephone Numbers**

The TNAQ-DID Telephone Number Availability Query is used to reserve DID telephone numbers. The TNAQ-DID query returns a confirmation number and either a range of sequential DID telephone numbers or non-sequential DID telephones. The reservation is for one day. The reservation can be extended up to one year by using the TNSR query. In the TNSR query, the TNSQ option must be set to DID and either a confirmation number or a 10 digit telephone must be provided. For a range of DID telephone numbers, the 10 digit telephone is the start of the range. For non-sequential DID telephone numbers, the 10 digit telephone is the non-sequential telephone number. The TNCAN-DID query is used to cancel all or part of a reservation. The TNCAN-DID query requires as input either a confirmation number or a 15 digit telephone number. In the TNCAN-DID query, the format for a range of DID telephone is NPANXXLLLL-HHHH and the format for a single non-sequential number is NPANXXLLLL-LLLL

#### Miscellaneous Account Telephone Number Reservations

For correct execution of this query, please refer to the "System User Guides" for instructions. The links are:

TAG Users:

http://www.interconnection.bellsouth.com/alerts\_and\_notifications/network/oss/index.html

EDI Users:

http://www.interconnection.bellsouth.com/reference\_library/guides/html/guides\_leo4.html

#### Utilize the "NPA/NXX Query" to determine correct Site Code and Location information.

Link: https://apps.interconnection.bellsouth.com/npanxx/index.jsp

<mark>Site Table:</mark>

	N.	FL	SE.	. FL	<mark>S.</mark>	FL	<b>GA</b>	- Atl	<mark>GΑ Οι</mark>	utstate						
AL											KY	LA	MS	NC	SC	TN
D	Y		R	2	Q		<mark>0</mark>		P		G	E	C	X	W	B

Finally, In the event that a desired NPA/NXX is Exhausted, please choose/select another NPA/NXX from the list returned. The system will return available/appropriate NPA/NXXs to select from.

#### **Requesting Customer Service Record**

When the CLEC attempts to submit a Customer Service Records request, and the electronic Pre-ordering system is not available, the CLEC may submit a request manually.



CRB: 4984 CCP: 2457 MAP: ELMS06 Release: 24 TAG Pre-Ordering Transaction Definitions

## **TAG Transaction Definitions**

	TAG Transaction Definitions				
Transaction Acronym	Definition	Response Codes	Description		
TNAQ-TN	Telephone Number Availability Query	Response Codes are not applicable.	This query request and reserves a telephone number or telephone numbers for up to a maximum of 180 days subject to availability in each central office. A maximum of 25 numbers may be selected per query. There is no cumulative maximum number of telephone numbers which may be reserved.		
TNAR-TN	Telephone Number Availability Response	Response Codes are not applicable.	This message is in response to the TNAQ-TN request. The TNAR-TN returns to the customer the telephone number or telephone numbers requested and reserved.		
TNAQ-MLH	Telephone Number Availability Query for Multi-Line Hunt	Response Codes are not applicable.	This query requests and reserves Multi- line Hunt group terminals for 365 days.		
TNAR-MLH	Telephone Number Availability Response for Multi-Line Hunt	Response Codes are not applicable.	This message is in response to the TNAQ-MLH request. For a TNAQ-MLH request, the TNAR-MLH returns to the customer the telephone number or telephone numbers requested and reserved.		
TNAQ-DID	Telephone Number Availability Query for Direct Inward Dial	Response Codes are not applicable.	This query request and reserves Direct Inward Dial numbers for one day. A maximum of 500 numbers may be selected per query. These numbers may or may not be sequential.		



TAG Transaction Definitions					
Transaction Acronym	Definition	Response Codes	Description		
TNAR-DID	Telephone Number Availability Response for Direct Inward Dial	Response Codes are not applicable.	This message is in response to the TNAQ-DID query. The TNAR-DID returns to the customer the DID telephone number or telephone numbers requested and reserved. These numbers may or may not be sequential.		
TNAQ-MISC	Telephone Number Availability Query for Miscellaneous Account Numbers	Response Codes are not applicable.	This query requests and reserves miscellaneous NPANXXs and reserves up to 25 miscellaneous account numbers for 60 days per transaction.This transaction is used twice: First, to obtain a list of miscellaneous NPANXXs from which to make a selection. Second, to request up to 25 miscellaneous account numbers.		
TNAR-MISC	Telephone Number Availability Response for Miscellaneous Account Numbers	Response Codes are not applicable.	This message is in response to the TNAQ-MISC query. For a TNAQ-MISC request, the TNAR-MISC returns to the customer the valid NPANXXs for a specific location and Miscellaneous Account number(s) requested and reserved. This transaction is received twice. First, to return a list of miscellaneous NPANXXs. Second, to return up to 25 miscellaneous account numbers requested.		
TNSQ	Telephone Number Selection Query	Response Codes are not applicable.	This query is a change to a previous reservation made via a TNAQ query. This allows the customer to change one or more telephone number reservation dates or change a complete reservation date via a confirmation number. For DID queries the customer can input a "start of a range" to select the entire range or for a non-sequential DID selection, enter a single number.		
TNAR-SQ	Telephone Number Selection Response	Response Codes are not applicable.	This message is in response to the TNSQ request. For a TNSQ query, the TNAR-SQ returns a confirmation number, if supplied on the TNSQ request.		
TNCAN-TN	Telephone Number Cancellation Query	Response Codes are not applicable.	This query cancels a reservation for a telephone number or numbers. This shall be accomplished by entering the specific telephone number(s) to be cancelled or by sending a confirmation number.		



	TAG Transaction Definitions				
Transaction Acronym	Definition	Response Codes	Description		
TNCAN-MLH	Telephone Number Cancellation Query for Multi-Line Hunt	Response Codes are not applicable.	This query cancels a reservation for a Multi-Line Hunt group(s). This shall be accomplished by entering the specific Multi-Line Hunt group(s).		
TNCAN-DID	Telephone Number Cancellation Query for DID	Response Codes are not applicable.	This query cancels a reservation for Direct Inward Dial numbers. This shall be accomplished by entering the specific DID range(s) to be cancelled or by sending a confirmation number. Non-Sequential numbers being cancelled should be entered in a range with the high and low range as the same line number.		
TNAR-CAN	Telephone Number Cancellation Response	Response Codes are not applicable.	This message is in response to the TNCAN-DID, TNCAN-MLH, or TNCAN- TN queries. Non-Sequential DID numbers being cancelled should be entered in a range with the high and low range as the same line number.		



CRB: 4984 CCP: 2457 MAP: ELMS06 Release: 24 TAG Pre-Ordering Helpful Hints

## Helpful Hints

#### **Address Validation**

The Address Validation Transaction is meant to be conversational. If an entered address is close, but is not an exact match, address selections may be returned to enable the CLEC to narrow the selection to resubmit a transaction. The amount of information returned, (if any) will depend on the accuracy of the information initially provided by the CLEC as well as limitations regarding the number of maximum number of addresses that will be returned in a single response.

#### Search Level Processing

The Address Validation Transaction initially establishes the Search Area. Once the Search Area has been established, then the address level data is searched.

Once the Search Area has been established, address level data is searched. Search Area data is defined as City & State or State & Zip. Additionally, a 10-digit dialable telephone number is used to determine the Search Area.

Once the community (search area) has been identified, the Address Validation Transaction will search for all the matching communities that contain the address data. If more than one community is found, then a list of valid communities is returned.

If only one community is found, then the Address Validation Transaction searches for an exact match on the street and range. If more than one street matches, then a menu with the valid streets is returned.

#### **Telephone Level Searching**

If a telephone number (WTN) is input, without other Search Area information, a search is performed to locate the address that contains the specified WTN.

If more than one address is found for the WTN, then a menu is returned with the valid addresses with the WTN & status indicating working or non-working.

#### Multiple Search Areas

If more fields are input than are required to establish a Search Area, the following hierarchy is used to establish the Search Area:



- If a telephone number is input (along with city, state, zip), the telephone number is the Search Area used. If the telephone number is not found, then the other Search Area fields are used: City & State, State & Zip.
- If city, state and zip are input, zip is ignored and city and state are used. If city is not found, the state and zip are used.

#### NPANXX vs. NPATTA

The NPANXX is one of the available area code(s) & exchanges of a geographic zone. The NPATTA is the parent area code & exchange of a geographic zone. An NPATTA will equate to several NPANXXs within a geographic area. The NPATTA is returned on the Address Validation response for a matched address. NPANXX and NPATTA are interchangeable for Appointment Availability Transaction and Address Validation Transaction.

#### CLLI

The CLLI is an 8 or 11 alpha/numeric code that identifies the switch. The Address Validation response returns an 8 alpha/numeric code while the Service Availability & Telephone Number Selection/Reservation response return an 11 alpha/numeric code. The 8 alpha/numeric code identifies the switch while the 11 alpha/numeric code identifies a specific switch.

#### AHN

An AHN number will only be returned on a Single Address Match Response. The AHN number will appear in the SANO field and SASF field will have "AHN" as the returned data. The AHN-STATUS field is not returned on the Single Address Match Response. An example of how these fields will be returned is shown below.

SANO = 23 SASN = MAIN SATH = ST SASF = AHN

The GSG Summary Response will provide the range of addresses with the HOUSE-NUM-LOW & HOUSE-NUM-HI fields. This is provided to assist in reaching a Single Address Match Response. The range provided could be an AHN or an actual house number. The AHN-STATUS value indicates which is being returned.

#### Subsequent Telephone Number Reservation

When the CLEC submits a subsequent TNAQ to get additional Telephone Numbers, the CLEC needs to use the LSO of the original Telephone Number reserved on the initial TNAR, rather than the information received from the AVQ. This is to avoid the possibility of getting Telephone Number(s) from the other switch in a CO



that has multiple switches. The NPANXX information provided on the AVR is "switch of the day information," which is random.

#### **DID Telephone Numbers**

The TNAQ-DID Telephone Number Availability Query is used to reserve DID telephone numbers. The TNAQ-DID query returns a confirmation number and either a range of sequential DID telephone numbers or non-sequential DID telephones. The reservation is for one day. The reservation can be extended up to one year by using the TNSR query. In the TNSR query, the TNSQ option must be set to DID and either a confirmation number or a 10 digit telephone must be provided. For a range of DID telephone numbers, the 10 digit telephone is the start of the range. For non-sequential DID telephone numbers, the 10 digit telephone is the non-sequential telephone number. The TNCAN-DID query is used to cancel all or part of a reservation. The TNCAN-DID query requires as input either a confirmation number or a 15 digit telephone for a range of DID telephone is NPANXXLLLL-HHHH and the format for a single non-sequential number is NPANXXLLLL-LLLL

#### **Requesting Customer Service Record**

When the CLEC attempts to submit a Customer Service Records request, and the electronic Pre-ordering system is not available, the CLEC may submit a request manually.



CRB: 4984 CCP: 2457 MAP: ELMS06 Release: 24 TAG Pre-Ordering Data Dictionary

## **REQNUM-IN**

#### Requested Number (TAG)

TAG Schema Field:	REQNUM_IN
Data Characteristics:	10 alpha/numerics
Definition:	This field identifies the telephone number(s) returned

#### **Definition Notes**

Transaction	Note
TNAR-MISC	This field identifies the telephone number(s) returned
TNAR-TN	This field identifies the telephone number(s) returned
TNCAN-TN	Identifies the telephone number(s) to be returned.
TNSQ	Identifies the telephone number(s) selected with TNSQ-OPTION of TN or
	the Begin Range or the 10 digit non-sequential TN with TNSQ-OPTION of DID.

#### Valid Entry Notes

# Transaction	Note
1 All Applicable	Telephone Number Format = NPANXXLLLL

#### **Occurence Notes**

Transaction	Occurences
TNAR-TN	Occurs 0 - 25 times
TNAR-MISC	Occurs 0 - 25 times
TNSQ	Occurs 0 - 500 times
TNCAN-TN	Occurs 0 - 25 times

#### **Conditional Usage Notes**

# Transaction	Note
1 TNCAN-TN	Required if CONFIRM-NUM is not populated.



## TNS

Telephone Numbers (TAG)

TAG Schema Field:	TNS
Data Characteristics:	15 alpha/numerics
Definition:	Identifies the telephone number or direct inward dial (DID) range of telephone numbers.

#### Valid Entry Notes

# Transaction	Note
1 All Applicable	Ranged <b>DID</b> Telephone Number Format = NPANXXLLLL- <b>HHHH</b>
2 All Applicable	Telephone Number Format = NPANXXLLLL
3 All Applicable	Non-Sequential DID Telephone Number Format = NPANXXLLLL-LLLL
4 All Applicable	Stated Data Characteristics do not match Data Characteristics of valid entries. However, valid entries are correct for BST.

#### **Occurence Notes**

Transaction	Occurences
TNAR-DID	May occur 0 - 500 times for DID requests.
TNCAN-DID	May occur 0, N times

#### **Conditional Usage Notes**

# Transaction	Note
1 TNCAN-DID	Required if CONFIRM-NUM is not populated.

#### **Related Ordering Forms**

Form	Field
DID	TNS - Telephone Number range (Trunk Service Detail)
DID	TNS - Telephone Number range (Telephone Number)



CRB: 4984 CCP: 2457 MAP: ELMS06 Release: 24 EDI Pre-Ordering Transaction Definitions

## **EDI Transaction Definitions**

EDI Transaction Definitions				
Transaction Acronym	Definition	Response Codes	Description	
TNAQ-TN	Telephone Number Availability Query	Response Codes are not applicable.	This query request and reserves a telephone number or telephone numbers for up to a maximum of 180 days subject to availability in each central office. A maximum of 25 numbers may be selected per query. There is no cumulative maximum number of telephone numbers which may be reserved.	
TNAR-TN	Telephone Number Availability Response	Response Codes are not applicable.	This message is in response to the TNAQ request. The TNAR returns to the customer the telephone number or telephone numbers requested and reserved.	
TNAQ-MLH	Telephone Number Availability Query for Multi-Line Hunt	Response Codes are not applicable.	This query requests and reserves Multi-line Hunt group terminals for 365 days.	
TNAR-MLH	Telephone Number Availability Response for Multi-Line Hunt	Response Codes are not applicable.	This message is in response to the TNAQ-MLH request. For a TNAQ-MLH query, the TNAR-MLH returns to the customer the telephone number or telephone numbers requested and reserved.	
TNAQ-DID	Telephone Number Availability Query for Direct Inward Dial	Response Codes are not applicable.	This query request and reserves Direct Inward Dial (DID) numbers for one day. A maximum of 500 numbers may be selected per query. These numbers may or may not be sequential.	



EDI Transaction Definitions				
Transaction Acronym	Definition	Response Codes	Description	
TNAR-DID	Telephone Number Availability Response for Direct Inward Dial	Response Codes are not applicable.	This message is in response to the TNAQ-DID request. The TNAR-DID returns to the customer the DID telephone number or telephone numbers requested and reserved. These numbers may or may not be sequential.	
TNAQ-MISC	Telephone Number Availability Query for Miscellaneous Account Numbers	Response Codes are not applicable.	This query requests and reserves miscellaneous NPANXXs and reserves up to 25 miscellaneous account numbers for 60 days per transaction.This transaction is used twice: First, to obtain a list of miscellaneous NPANXXs from which to make a selection. Second, to request up to 25 miscellaneous account numbers.	
TNAR-MISC	Telephone Number Availability Response for Miscellaneous Account Numbers	Response Codes are not applicable.	This message is in response to the TNAQ-MISC request. For a TNAQ- MISC request, the TNAR-MISC returns to the customer the valid NPANXXs for a specific location and Miscellaneous Account number(s) requested and reserved.This transaction is received twice.First, to return a list of miscellaneous NPANXXs. Second, to return up to 25 miscellaneous account numbers requested.	
TNSQ	Telephone Number Selection Query	Response Codes are not applicable.	This query is a change to a previous reservation made via a TNAQ query. This allows the customer to change one or more telephone number reservation dates or change a complete reservation date via a confirmation number. For DID queries the customer can input a "start of a range" to select the entire range or for a non-sequential DID selection, enter a single number.	
TNAR-SQ	Telephone Number Selection Response	Response Codes are not applicable.	This message is in response to the TNSQ request. For a TNSQ request, the TNAR-SQ returns a confirmation number, if supplied on the TNSQ request.	
TNCAN-TN	Telephone Number Cancellation Query	Response Codes are not applicable.	This query cancels a reservation for a telephone number or numbers. This shall be accomplished by entering the specific telephone number(s) to be cancelled or by sending a confirmation number.	



EDI Transaction Definitions				
Transaction Acronym	Definition	Response Codes	Description	
TNCAN-MLH	Telephone Number Cancellation Query for Multi-Line Hunt	Response Codes are not applicable. This query cancels a reservation Multi-Line Hunt group(s). This sh accomplished by entering the sp Multi-Line Hunt group(s).		
TNCAN-DID	Telephone Number Cancellation Query for DID	Response Codes are not applicable.	This query cancels a reservation for Direct Inward dial numbers. This shall be accomplished by entering the specific DID range(s) to be cancelled or by sending a confirmation number. Non-Sequential numbers being cancelled should be entered in a range with the high and low range as the same line number.	
TNAR-CAN	Telephone Number Cancellation Response	Response Codes are not applicable.	This message is in response to the TNCAN-DID, TNCAN-MLH, or TNCAN- TN request. Non-Sequential DID numbers being cancelled should be entered in a range with the high and low range as the same line number.	



CRB: 4984 CCP: 2457 MAP: ELMS6 Release: 24 EDI Pre-Ordering Helpful Hints

## Helpful Hints

#### **Address Validation**

The Address Validation Transaction is meant to be conversational. If an entered address is close, but is not an exact match, address selections may be returned to enable the CLEC to narrow the selection to resubmit a transaction. The amount of information returned, (if any) will depend on the accuracy of the information initially provided by the CLEC as well as limitations regarding the number of maximum number of addresses that will be returned in a single response.

#### Search Level Processing

The Address Validation Transaction initially establishes the Search Area. Once the Search Area has been established, then the address level data is searched.

Once the Search Area has been established, address level data is searched. Search Area data is defined as City & State or State & Zip. Additionally, a 10-digit dialable telephone number is used to determine the Search Area.

Once the community (search area) has been identified, the Address Validation Transaction will search for all the matching communities that contain the address data. If more than one community is found, then a list of valid communities is returned.

If only one community is found, then the Address Validation Transaction searches for an exact match on the street and range. If more than one street matches, then a menu with the valid streets is returned.

#### **Telephone Level Searching**

If a telephone number (WTN) is input, without other Search Area information, a search is performed to locate the address that contains the specified WTN.

If more than one address is found for the WTN, then a menu is returned with the valid addresses with the WTN & status indicating working or non-working.

#### Multiple Search Areas

If more fields are input than are required to establish a Search Area, the following hierarchy is used to establish the Search Area:



- If a telephone number is input (along with city, state, zip), the telephone number is the Search Area used. If the telephone number is not found, then the other Search Area fields are used: City & State, State & Zip.
- If city, state and zip are input, zip is ignored and city and state are used. If city is not found, the state and zip are used.

#### NPANXX vs. NPATTA

The NPANXX is one of the available area code(s) & exchanges of a geographic zone. The NPATTA is the parent area code & exchange of a geographic zone. An NPATTA will equate to several NPANXXs within a geographic area. The NPATTA is returned on the Address Validation response for a matched address. NPANXX and NPATTA are interchangeable for Appointment Availability Transaction and Address Validation Transaction.

#### CLLI

The CLLI is an 8 or 11 alpha/numeric code that identifies the switch. The Address Validation response returns an 8 alpha/numeric code while the Service Availability & Telephone Number Selection/Reservation response return an 11 alpha/numeric code. The 8 alpha/numeric code identifies the switch while the 11 alpha/numeric code identifies a specific switch.

#### AHN

An AHN number will only be returned on a Single Address Match Response. The AHN number will appear in the SANO field and SASF field will have "AHN" as the returned data. The AHN-STATUS field is not returned on the Single Address Match Response. An example of how the above fields will be returned is below.

SANO = 23 SASN = MAIN SATH = ST SASF = AHN

The GSG Summary Response will provide the range of addresses with the HOUSE-NUM-LOW & HOUSE-NUM-HI fields. This is provided to assist in reaching a Single Address Match Response. The range provided could be an AHN or an actual house number. The AHN-STATUS value indicates which is being returned.

#### Subsequent Telephone Number Reservation

When the CLEC submits a subsequent TNAQ to get additional Telephone Numbers, the CLEC needs to use the LSO of the original Telephone Number reserved on the initial TNAR, rather than the information received from the AVQ. This is to avoid the possibility of getting Telephone Number(s) from the other switch in a CO that has multiple switches. The NPANXX information provided on the AVR is "switch of the day information," which is random.



#### **DID Telephone Numbers**

The TNAQ-DID Telephone Number Availability Query is used to reserve DID telephone numbers. The TNAQ-DID query returns a confirmation number and either a range of sequential DID telephone numbers or non-sequential DID telephones. The reservation is for one day. The reservation can be extended up to one year by using the TNSR query. In the TNSR query, the TNSQ option must be set to DID and either a confirmation number or a 10 digit telephone must be provided. For a range of DID telephone numbers, the 10 digit telephone is the start of the range. For non-sequential DID telephone numbers, the 10 digit telephone is the non-sequential telephone number. The TNCAN-DID query is used to cancel all or part of a reservation. The TNCAN-DID query requires as input either a confirmation number or a 15 digit telephone number. In the TNCAN-DID query, the format for a range of DID telephone is NPANXXLLLL-HHHH and the format for a single non-sequential number is NPANXXLLLL-LLLL

#### **Requesting Customer Service Record**

When the CLEC attempts to submit a Customer Service Records request, and the electronic Pre-ordering system is not available, the CLEC may submit a request manually.



CRB: 4984 CCP: 2457 MAP: ELMS06 Release: 24 EDI Pre-Ordering Data Dictionary

## **REQNUM-IN**

Requested Number (EDI)

Data Characteristics:	10 alpha/numerics
Definition:	This field identifies the telephone number(s) returned

#### **Definition Notes**

Transaction	Note
TNAR-MISC	This field identifies the telephone number(s) returned
TNAR-TN	This field identifies the telephone number(s) returned
TNCAN-TN	Identifies the telephone number(s) to be returned.
TNSQ	Identifies the telephone number(s) selected with TNSQ-OPTION of TN or
	the Begin Range or the 10 digit non-sequential TN with TNSQ-OPTION of DID.

#### Valid Entry Notes

# Transaction	Note
1 All Applicable	Telephone Number Format = NPANXXLLLL

#### **Occurence Notes**

Transaction	Occurences
TNAR-TN	Occurs 0 - 25 times
TNAR-MISC	Occurs 0 - 25 times
TNSQ	Occurs 0 - 500 times
TNCAN-TN	Occurs 0 - 25 times

#### **Conditional Usage Notes**

#	Transaction	Note
1	TNCAN-TN	Required if CONFIRM-NUM is blank



## **TNS**

Telephone Numbers (EDI)

Data Characteristics:	15 alpha/numerics
Definition:	Identifies the telephone number or direct inward dial (DID) range of telephone numbers.

#### Valid Entry Notes

#	Transaction	Note		
1	All Applicable	Ranged <b>DID</b> Telephone Number Format = NPANXXLLL- <b>HHHH</b>		
2	All Applicable	Telephone Number Format = NPANXXLLLL		
3	All Applicable	Non-Sequential DID Telephone Number Format = NPANXXLLLL-LLLL	<mark>4</mark>	All Applicable
Stated Data Characteristics do not match Data Characteristics of valid				
		entries. However, valid entries are correct for BST.		

#### **Occurence Notes**

Transaction	Occurences
TNAR-DID	May occur 0 - 500 times for DID requests.
TNCAN-DID	May occur 0, N times

#### **Conditional Usage Notes**

#	Transaction	Note
1	TNCAN-DID	Required if CONFIRM-NUM is not populated.

#### **Related Ordering Forms**

Form	Field
DID	TNS - Telephone Number range (Trunk Service Detail)
DID	TNS - Telephone Number range (Telephone Number)



#### CRB: 4984 CCP: 2457 MAP: ELMS06 Release: 24 Pre-Ordering Appendix N – Direct Inward Dial Messages

## Appendix N - Direct Inward Dial Messages

	Direct Inward Dial Messages					
MSG ID	MESSAGE TEXT	DESCRIPTION				
BLP0004DID	QUANTITY OF DID REQUESTS EXCEEDS ALLOWED LIMIT	Decrease quantity.				
BLP0007DID	RTI VALUE NOT VALID; MUST BE NUMERIC	Provide 3-4 digit RTI.				
BLP1000DID	Transaction successful					
BLP1001DID	SYSTEM ERROR; CANNOT PROCESS TRANSACTION	Verify entries and resubmit If all required entries are provided and are valid contact CLEC SPOC.				
BLP1004DID	RTI VALUE NOT VALID; MUST BE NUMERIC	Provide 3-4 digit RTI.				
BLP3001DID	Numbers marked with * are reserved	Transaction successful. Take note of reserved number list.				
BLP3002DID	Dates were successfully changed	Dates were successfully changed on your telephone number reservation.				
BLP3003DID	Confirmation XXXXXXXX has been cancelled.	All telephone numbers previously reserved has been returned to Telephone Number Selection/Reservation.				
BLP3004DID	Transaction successful. Note: some ranges may contain more than one block	Transaction successful. Number range provided may contain more than 1 block of numbers. A block of numbers = 20 Telephone Numbers.				
BLP3005DID	Transaction successful. Ranges returned	Transaction successful. Take note of number ranges returned.				
BLP3006DID	Confirmation %%%%%%% has been cancelled	Transaction successful. Do not use telephone numbers on service request.				
BLP3009DID	TNs HAVE BEEN SUCCESSFULLY RESERVED	<b>Transaction successful. TNs have been</b> <b>successfully reserved.</b>				
BLP5001DID	Too few numbers to satisfy your request within same NXX	Insufficient supply of telephone numbers in requested NNX. Other telephone numbers supplied are of another NNX same CO switch.				



Direct Inward Dial Messages				
MSG ID	MESSAGE TEXT	DESCRIPTION		
BLP5002DID	No numbers to match your request. These are in the same switch	No telephone numbers available in NNX requested. Telephone numbers provided are in same CO switch.		
BLP5003DID	Switch %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%	Telephone numbers in this switch are for additions to existing service only.		
BLP5004DID	TNs provided were not reserved; no action was taken	Telephone numbers provided but not reserved. Submit for confirmation number.		
BLP5005DID	Not all TNs provided were found in Telephone Number Selection/Reservation; those that are in Telephone Number Selection/Reservation were returned	Only telephone numbers found in Telephone Number Selection/Reservation were returned. Verify all entries for return consideration. Resubmit request.		
BLP5006DID	Maximum of %%% blocks allowed per confirmation number	Maximum met for blocks allowed per confirmation. If more needed submit additional request.		
BLP5009DID	List was based on customer name alone because other criteria did not match	Try providing more information and resubmit.		
BLP5012DID	Too few numbers to satisfy quantity requested	Try another NXX in same switch and resubmit.		
BLP5013DID	TTA entered was not numeric and was ignored by Telephone Number Selection/Reservation	Correct the TTA entered and resubmit.		
BLP5014DID	The NPA NXX entered is invalid for this switch	Verify NPA NXX and resubmit request.		
BLP5015DID	These numbers can be reserved but are not valid on service orders until NXX effective date %%/%%/%%	Telephone Numbers not available until effective date and not valid on service orders.		
BLP5016DID	Maximum of 25 TNs allowed per confirmation number	Maximum met. If more TNs are required submit additional confirmation requests.		
BLP5019DID	All other DID options Exhausted. Non- Sequential DID numbers used to fulfill search.	Sequential DID numbers not available. Non- Sequential DID numbers were reserved.		
BLP7003DID	You must enter NPA NXX and/or CLLI before requesting a search	Enter required element of either NPA/NNX or CLLI and resubmit request.		
BLP7004DID	There is no CLLI in Telephone Number Selection/Reservation to support DID numbers for the information entered: NPA NXX	Remove CLLI information and resubmit request.		

