

# **BellSouth FID Glossary for CLEC's**

## **Interconnection Services**

**Copyright**

September, 2002

BellSouth Telecommunications

## Contents

---

Subject	Page
<b>Introduction</b> .....	<b>vii</b>
Purpose .....	1
Version Information .....	1
<b>1. ASGM</b> .....	<b>1</b>
1.1 A .....	1
1.2 B .....	2
1.3 C .....	3
1.4 D .....	6
1.5 E .....	8
1.6 F .....	9
1.7 G .....	12
1.8 H .....	12
1.9 I .....	13
1.10 J .....	13
1.11 K .....	14
1.12 L .....	14
1.13 M .....	15
1.14 N .....	16
1.15 O .....	17
1.16 P .....	18
1.17 R .....	20
1.18 S .....	23
1.19 T .....	25
1.20 U .....	28
1.21 W .....	28
<b>2. BILL</b> .....	<b>29</b>
2.1 A .....	29
2.2 B .....	30
2.3 C .....	32
2.4 D .....	36
2.5 E .....	37
2.6 F .....	38
2.7 G .....	39
2.8 I .....	39
2.9 K .....	40
2.10 L .....	40
2.11 M .....	41
2.12 N .....	41
2.13 O .....	44

---

2.14	P	44
2.15	R	47
2.16	S	48
2.17	T	49
2.18	U	51
2.19	W	52
2.20	Z	52
<b>3.</b>	<b>CTL</b>	<b>63</b>
3.1	A	63
3.2	C	63
3.3	D	64
3.4	E	65
3.5	F	66
3.6	I	66
3.7	L	67
3.8	N	67
3.9	O	67
3.10	P	67
3.11	R	67
3.12	S	67
3.13	T	68
3.14	W	69
3.15	Z	70
<b>4.</b>	<b>DIR</b>	<b>71</b>
4.1	D	71
4.2	Z	71
<b>5.</b>	<b>IDNT</b>	<b>73</b>
5.1	A	73
5.2	C	74
5.3	D	75
5.4	E	76
5.5	F	77
5.6	I	77
5.7	J	78
5.8	L	78
5.9	M	79
5.10	N	80
5.11	O	80
5.12	P	81
5.13	Q	82
5.14	R	82
5.15	S	83
5.16	T	84
5.17	Z	85

<b>6.</b>	<b>LIST</b>	<b>93</b>
6.1	A	93
6.2	B	95
6.3	C	95
6.4	D	96
6.5	E	96
6.6	F	97
6.7	J	98
6.8	L	98
6.9	N	99
6.10	P	99
6.11	R	100
6.12	S	100
6.13	T	101
6.14	X	102
6.15	Y	102
6.16	Z	102
<b>7.</b>	<b>RMKS</b>	<b>103</b>
7.1	A	103
7.2	C	103
7.3	D	104
7.4	P	104
7.5	R	104
7.6	T	106
7.7	U	106
7.8	Z	106
<b>8.</b>	<b>S+E</b>	<b>109</b>
8.1	A	109
8.2	B	115
8.3	C	118
8.4	D	128
8.5	E	134
8.6	F	137
8.7	G	139
8.8	H	141
8.9	I	142
8.10	J	146
8.11	K	146
8.12	L	147
8.13	M	152
8.14	N	156
8.15	O	159
8.16	P	161
8.17	Q	167

8.18	R	168
8.19	S	172
8.20	T	180
8.21	U	186
8.22	V	187
8.23	W	188
8.24	X	189
8.25	Z	190
<b>9.</b>	<b>STAT</b>	<b>207</b>
9.1	D	207
9.2	H	207
9.3	L	207
9.4	N	207
9.5	O	207
9.6	R	207
9.7	S	207
9.8	Z	208
<b>10.</b>	<b>TFC</b>	<b>209</b>
10.1	S	209
10.2	T	209

## Introduction

### Purpose

The BellSouth® FID Glossary for CLEC's (Competitive Local Exchange Carriers) provides a comprehensive alphabetic listing of FID's (Field Identifiers) and their associated descriptions to assist CLEC's in ordering BellSouth® products and services.

### Version Information

Version 2002.09.20





## 1. ASGM

### 1.1 A

---

<b>FID</b>	<b>Definition</b>
ADE - AIR DRYER EQUIPMENT	INDICATES THAT THE AIR DRYER EQUIPMENT ALARM IS CONNECTED TO THE PAIR.
ADSR - ADMIN DESIGN SVCS REVIEW	INDICATES THAT THE SERVICE ORDER CIRCUIT WITH WHICH IT IS ASSOCIATED REQUIRES A DESIGN REVIEW BY THE ADMINISTRATION OF DESIGNED SERVICES (ADS) OR AN EQUIVALENT GROUP.
AHN - ASSIGNED HOUSE NUMBER	IDENTIFIES A REFERENCE NUMBER ASSIGNED TO AN ADDRESS, IN LIEU OF A HOUSE NUMBER, WHEN NO HOUSE NUMBER HAS BEEN ESTABLISHED.
AIDC - ACCESS IDENTIFIER - CENTRAL OFFICE	INDICATES THE ACCESS IDENTIFIER OF THE CENTRAL OFFICE SIDE FACILITY OF AN ELECTRONIC CROSS-CONNECT.
AIDF - ACCESS IDENTIFIER - FIELD SIDE	INDICATES THE ACCESS IDENTIFIER OF THE FIELD SIDE FACILITY OF AN ELECTRONIC CROSS-CONNECT.
ALE - AUX LINE EQUIP TYPE & NO	IDENTIFIES THE TYPE AND NUMBER OF THE AUXILIARY LINE EQUIPMENT ASSIGNED TO THIS CIRCUIT.
AN - ACCESS NUMBER	IDENTIFIES THE CODE BY WHICH A FEATURE GROUP B OR D SWITCHED SERVICE MAY BE ACCESSED.
AR - ADVANCE RELAY	IDENTIFIES THE ADVANCE RELAY EQUIPMENT ASSIGNED TO A CUSTOMER HAVING A HUNT GROUP CONSISTING OF THE TELEPHONE NUMBERS IN TWO DIFFERENT TENS BLOCKS IN A #5 CROSSBAR OFFICE.

---

1.2 B

---

FID	Definition
BCF - BREAK CONNECTED FACILITIES	INDICATES TO THE FIELD FORCES THAT A MINOR ASSOCIATED FACILITY IS TO BE DISCONNECTED.
BCFA - BREAK CONNECTED FACILITIES ADDRESS	
BCT - BREAK CONNECT THROUGH	INSTRUCTS THE FIELD FORCES TO DISCONNECT THE CONNECT-THROUGH (CT). IT ALSO INDICATES THAT THIS ACTIVITY IS TO BE TARIFFED IN THE OUTSIDE PLANT FACILITIES CONTROL PLAN. WHEN THE CT FACILITIES ARE TO BE DISCONNECTED AT DIFFERENT TERMINAL, THE BINDING POST (BP) AND THE TERMINAL ADDRESS (TEA) FOR THE DIFFERENT TERMINAL WILL FOLLOW THE FID BCT.
BCTA - BREAK CONNECT-THROUGH ADDRESS	
BDC - BURIED CLOSURE	IDENTIFIES A LOCATION, USUALLY THE END OF A BURIED CABLE RUN, WHERE THE BURIED SERVICE WIRE IS SPLICED TO THE CABLE PAIR.
BL - BRIDGE LIFTER NUMBER	IDENTIFIES THE BRIDGE LIFTER EQUIPMENT LOCATED IN THE CENTRAL OFFICE.
BMF - BRIDGE MAIN FRAME	IDENTIFIES THE NUMBER OF THE FEEDER CABLE PAIR OR BRIDGED ORINATION EQUIPMENT WHEN THERE IS A CENTRAL OFFICE BRIDGE.
BOE - BRIDGED ORINATION EQUIPMENT	INDICATES THE ORIGINATING EQUIPMENT WHICH IS DIGITALLY BRIDGED TO ANOTHER ORIGINATING EQUIPMENT.
BP - BINDING POST	IDENTIFIES THE BINDING POST NUMBER AND/OR BINDER GROUP AND PAIR COLOR CODES ASSOCIATED WITH THE CABLE PAIR AND TERMINAL FOR THE CIRCUIT.

---

---

<b>FID</b>	<b>Definition</b>
BRG - BRIDGED TELEPHONE NUMBER	INDICATES THAT A BRIDGED CONDITION EXIST ON THE PARTY LINE CIRCUIT WITH WHICH THE ASSIGNABLE USOC IS ASSOCIATED. THIS FID IS USED ONLY FOR LINES ASSIGNED TO MULTI-PARTY SERVICE.
BUB - BUNCHING BLOCK	IDENTIFIES THE NUMBER OF THE BUNCHING BLOCK USED IN THE CENTRAL OFFICE FOR BRIDGING MORE THAN ONE CUSTOMER.

**1.3 C**

---

<b>FID</b>	<b>Definition</b>
CA - CABLE NUMBER	IDENTIFIES A SPECIFIC FEEDER OR DISTRIBUTION CABLE NUMBER CONTAINED IN AN OUTSIDE PLANT FACILITY. THE NUMBER IS ALWAYS UNIQUE WITHIN A WIRE CENTER.
CDP - CLEARED DEFECTIVE PAIR	INDICATES THAT A DEFECTIVE PAIR HAD TO BE CLEARED TO PROVIDE FACILITIES FOR THE ORDER AND THAT THIS ACTIVITY IS TO BE TALLIED IN THE OUTSIDE PLANT FACILITIES CONTROL PLAN.
CHNA - CHANNEL NUMBER ASSIGNMENT	IDENTIFIES THE CHANNEL NUMBER(S) TO BE PRE-ASSIGNED TO AN INTERGRATED SERVICES DIGITAL NEWTORK (ISDN) FACILITY.
CIR - CUSTOMER INTER-CONNECTION RECORD	INDICATES THT A CUSTOMER INTERCONNECTION RECORD WAS ISSUED TO PROVIDE FACILITIES FOR A SERVICE ORDER OR RELATED LINE STATION TRANSFER (LST).
CKL - CIRCUIT LOCATION	IDENTIFIES THE NUMBER ASSOCIATED WITH THE CIRCUIT LOCATION SERVICE TERMINATION.

---

---

FID	Definition
CKT - CIRCUIT NUMBER	IDENTIFIES THE NUMBER OF A SPECIAL SERVICE CIRCUIT THAT IS IN A FORMAT OTHER THAN STANDARD COMMON LANGUAGE FORMAT. CKT MUST BE USED FOR CIRCUIT/LINE IDENTIFICATION WHEN THE STANDARD COMMON LANGUAGE PLID IS UNAVAILABLE AND CANNOT BE CORRECTLY DETERMINED
CLF - COMMON LANGUAGE FACILITY IDENTIFICATION	CLF INDICATES THE DESIGN, TYPE A LOCATION AND Z LOCATION OF A FACILITY.
CLS - COMMON LANGUAGE CIRCUIT IDENTIFICATION	IDENTIFIES THE CIRCUIT NUMBER IN STANDARD CLCI SERIAL NUMBER FORMAT.
CLT - COMMON LANGUAGE CIRCUIT ID - TN FORMAT	IDENTIFIES A SPECIAL SERVICES CIRCUIT WHERE THE COMMON LANGUAGE CIRCUIT IDENTIFICATION (CLCI) FOR THE CIRCUIT IS IN TELEPHONE NUMBER FORMAT.
CNF - CONNECTED FACILITY	IDENTIFIES A MINOR ASSOCIATED FACILITY THAT PROVIDES FULL OR PARTIAL CONTINUITY FROM THE CENTRAL OFFICE TO THE FACILITY ADDRESS LOCATION.
CPC - CABLE PRESSURE CONTACTOR	INDICATES THAT A CABLE PRESSURE CONTACTOR IS CONNECTED TO A PAIR.
CPT - CABLE PRESSURE TRANSDUCER	INDICATES A CABLE PRESSURE TRANSDUCER IS CONNECTED TO A PAIR.
CREG - CONCENTRATED RANGE EXTENDED W/ GAIN	INDICATES THAT A CIRCUIT IS SERVED FROM A CENTRAL OFFICE CONCENTRATOR EQUIPPED WITH CONCENTRATED RANGE EXTENSION WITH GAIN.
CSID - CUSTOMER SERVICE INTERFACE ID	INDICATES THE IDENTIFICATION NUMBER OF THE CUSTOMER SERVICE INTERFACE OF AN OPTICAL NETWORK UNIT.

---

---

FID	Definition
CT - CONNECT-THROUGH	INDICATES THAT THE ASSIGNMENTS FOR THIS ORDER WAS ADMINISTERED UNDER THE CONNECT-THROUGH PLAN WHICH LEAVES DROP OR BLOCK WIRES AND CROSS-CONNECTIONS IN PLACE IN NON-DEDICATED PLAN TO THE ADDRESS WITHOUT WORKING SERVICE.
CTX - CENTREX GROUP NUMBER	IDENTIFIES THE CENTREX GROUP NUMBER ASSIGNED TO A CENTRX CUSTOMER SERVED FROM AS ESS OFFICE.
CUC - CENTRAL OFFICE TERMINAL CHANNEL UNIT	IDENTIFIES THE TYPE OF CENTRAL OFFICE TERMINAL CHANNEL UNIT IN A DIGITAL LOOP CARRIER SYSTEM (DLC).
CUD - DISTRIBUTION TERMINAL CHANNEL UNIT	INDICATES THE CHANNEL UNIT AT THE DISTRIBUTION TERMINAL.
CUR - CHANNEL UNIT REMOTE	IDENTIFIES THE TYPE OF CHANNEL UNITS FOR DIGITAL LOOP CARRIER SYSTEMS SERVING AT REMOTE TERMINALS.
CZ - CARRIER ZONE	IDENTIFIES THE CARRIER RESISTANCE ZONE OF A LINE WORKING IN A PAIR GAIN SYSTEM.

---

## 1.4 D

---

FID	Definition
DBRG - DIGITAL BRIDGE	INDICATES A DIGITAL BRIDGE THAT EXISTS BETWEEN ORIGINATING EQUIPMENTS (OE) WITHIN THE SWITCH.
DCX - DIGITAL CROSS CONNECT	INDICATES THE USE OF AN ELECTRONIC CROSS CONNECT WHEN FACILITIES EXIST WITH TIME SLOT INTERCHANGE FUNCTION.
DEF - DEFECTIVE CONDITION	INDICATES THAT THE ORIGINAL PAIR ASSIGNED TO THIS ORDER WAS FOUND TO BE DEFECTIVE AND ANOTHER PAIR WAS ASSIGNED. THE TYPE OF DEFECT WILL BE ENTERED BEFORE THE CABLE A PAIR.
DF - DISTRIBUTING FRAME	INDICATES THAT THE FACILITY ONE (F1) ORIGINATES FROM A DISTRIBUTING FRAME (DF) LOCATED WITH AN EXTENDED REMOTE SWITCHING SYSTEM (XO-RSS) APPLICATION. THE DATA ENTRY FOLLOWING DF IS THE IDENTIFYING NUMBER ASSIGNED TO THE REMOTE DISTRIBUTING FRAME (RDF).
DID - DIRECT INWARD DIALING	IDENTIFIES A TRUNK OR LINE USED FOR DIRECT INWARD DIALED CALLS IN ESS OFFICES.
DIP - DEDICATED INSIDE PLANT	IDENTIFIES THE STATUS OF A CROSS-CONNECTION JUMPER ON AN ESS MODULAR MAIN FRAME.
DM - DROP MEDIUM	INDICATES THE TYPE OF DROP FACILITY.
DP - DISTRIBUTOR POINT	IDENTIFIES THE NUMBER OF THE DISTRIBUTOR POINT ASSIGNED TO LINES REQUIRING 2 SIGNALS UPON ORIGINATION AND AT TERMINATION OF A CONNECTION IN AN ESS OFFICE.

---

---

FID	Definition
DPA - DIFFERENT PREMISES ADDRESS	INDICATES THAT ASSOCIATED EQUIPMENT AND/OR SERVICES ARE LOCATED AT AN ADDRESS DIFFERENT FROM THE MAIN ADDRESS.
DPCN - DISTRIBUTION POINT FOR COIN LINE	
DPM - DISTRIBUTOR POINT MESSAGE REGISTERS	IDENTIFIES THE NUMBER OF THE DISTRIBUTOR POINTS ASSIGNED TO A LINE REQUIRING LOCAL OR REMOTE MESSAGE REGISTERS IN ESS OFFICES.
DPO - DISTRIBUTOR POINT OVERFLOW REGISTERS	IDENTIFIES THE NUMBER OF THE DISTRIBUTOR POINTS ASSIGNED TO LINES OR GROUPS OF LINES REQUIRING AN OVERFLOW REGISTER IN ESS OFFICES.
DPP - DISTRIBUTOR PT. PROTECTION CIRCUITS	IDENTIFIES THE NUMBER OF THE DISTRIBUTOR POINT ASSIGNED TO LINES REQUIRING THE OPEN SWITCHING INTERVAL PROTECTION LINE APPLIQUE CIRCUIT IN A #1 ESS OFFICE.
DPR - DERIVED PAIR USER TELEPHONE NUMBER	IDENTIFIES THE TELEPHONE NUMBER OF THE CIRCUIT USING THE DERIVED PAIR OF A SINGLE LINE SUBSCRIBER CARRIER SYSTEM.
DPU - DISTRIBUTION POINT UNBALANCED	
DSNA - DIGITAL SERVICES NETWORK ASSIGNMENT	IDENTIFIES THE FACILITY THAT IS USED FOR THE ASSIGNMENT OF CHANNELIZED OR INTERGRATED SERVICES.
DTN - DATA TELEPHONE NUMBER	IDENTIFIES THE DATA TELEPHONE NUMBER USED ON PUBLIC ACCESS NON-VOICE PACKET SWITCHING NETWORKS.

---

1.5 E

---

FID	Definition
ELL - EQUIPMENT LOCATION LINE	
ELT - EQUIPMENT LOCATION TRUNK	
ENC - ENCAPSULATED SPLICE	INDICATES THAT THE BURIED SERVICE WIRE IS CONNECTED DIRECTED TO A BURIED CABLE IN A PERMANENT WATERPROOF (ENCAPSULATED) SPLICE.
ESL - ESSENTIAL SERVICE LINE	INDICATES THAT A CUSTOMER LINE QUALIFIES AS ESSENTIAL SERVICE AND IS ASSIGNED CENTRAL OFFICE EQUIPMENT WHICH PROVIDES LINE LOAD CONTROL.
EXX - EXCHANGE KEY	IDENTIFIES ASSIGNMENTS INVOLVING MULTIPLE CONTROL OFFICES, TO SPECIFY THE FACILITIES FOR THAT INDIVIDUAL CENTRAL OFFICE (CENTRAL OFFICE FACILITIES OR OUTSIDE PLANT FACILITIES).

---



1.6 F

---

FID	Definition
F1 - FACILITY ONE	IDENTIFIES THE FIRST OUTSIDE PLANT (OSP) SEGMENT OF A TRANSMISSION PATH WHEN REQUIRED FOR A WORKING OR PENDING- IN SERVICE. IT STARTS AT THE MAINFRAME TERMINATION AND ENDS AT THE "IN" TERMINATION AT THE FIRST INTERFACE (CROSS- CONNECTION POINT). IF THERE IS NO INTERFACE, IT ENDS AT THE BINDING POST OR COLOR TERMINATION ASSIGNMENT IN THE DISTRIBUTION TERMINAL.
F2 - FACILITY TWO	IDENTIFIES THE SECOND OUTSIDE PLANT (OSP) SEGMENT OF A TRANSMISSION PATH WHEN REQUIRED FOR A WORKING OR PENDING- IN SERVICE. EACH SEGMENT STARTS AT THE "OUT" CABLE COUNT OF AN INTERFACE (CROSS-CONNECTION POINT) AND ENDS AT THE "IN" TERMINATION OF THE NEXT INTERFACE. IF THERE IS NO OTHER INTERFACE, IT ENDS AT THE TERMINATION IN THE DISTRIBUTION TERMINAL.
F3 - FACILITY THREE	IDENTIFIES THE THIRD OUTSIDE PLANT (OSP) SEGMENT OF A TRANSMISSION PATH WHEN REQUIRED FOR A WORKING OR PENDING- IN SERVICE. EACH SEGMENT STARTS AT THE "OUT" CABLE COUNT OF AN INTERFACE (CROSS-CONNECTION POINT) AND ENDS AT THE "IN" TERMINATION OF THE NEXT INTERFACE. IF THERE IS NO OTHER INTERFACE, IT ENDS AT THE TERMINATION IN THE DISTRIBUTION TERMINAL.

---

---

FID	Definition
F4 - FACILITY FOUR	IDENTIFIES THE FOURTH OUTSIDE PLANT (OSP) SEGMENT OF A TRANSMISSION PATH WHEN REQUIRED FOR A WORKING OR A PENDING- IN SERVICE. EACH SEGMENT STARTS AT THE "OUT" CABLE COUNT OF AN INTERFACE (CROSS-CONNECTION POINT) AND ENDS AT THE "IN" TERMINATION OF THE NEXT INTERFACE. IF THERE IS NO OTHER INTERFACE, IT ENDS AT THE TERMINATION IN THE DISTRIBUTION TERMINAL.
F5 - FACILITY FIVE	IDENTIFIES THE FIFTH OUTSIDE PLANT (OSP) SEGMENT OF A TRANSMISSION PATH WHEN REQUIRED FOR A WORKING OR PENDING- IN SERVICE. EACH SEGMENT STARTS AT THE "OUT" CABLE COUNT OF AN INTERFACE (CROSS-CONNECTION POINT) AND ENDS AT THE "IN" TERMINATION OF THE NEXT INTERFACE. IF THERE IS NO OTHER INTERFACE, IT ENDS AT THE TERMINATION IN THE DISTRIBUTION TERMINAL.
F6 - FACILITY SIX	IDENTIFIES THE SIXTH OUTSIDE PLANT (OSP) SEGMENT OF A TRANSMISSION PATH WHEN REQUIRED FOR A WORKING OR PENDING- IN SERVICE. EACH SEGMENT STARTS AT THE "OUT" CABLE COUNT OF AN INTERFACE (CROSS-CONNECTION POINT) AND ENDS AT THE "IN" TERMINATION OF THE NEXT INTERFACE. IF THERE IS NO OTHER INTERFACE, IT ENDS AT THE TERMINATION IN THE DISTRIBUTION TERMINAL.

---

---

FID	Definition
F7 - FACILITY SEVEN	IDENTIFIES THE SEVENTH OUTSIDE PLANT (OSP) SEGMENT OF A TRANSMISSION PATH WHEN REQUIRED FOR A WORKING OR PENDING-IN SERVICE. EACH SEGMENT STARTS AT THE "OUT" CABLE COUNT OF AN INTERFACE (CROSS-CONNECTION POINT) AND ENDS AT THE "IN" TERMINATION OF THE NEXT INTERFACE. IF THERE IS NO OTHER INTERFACE, IT ENDS AT THE TERMINATION IN THE DISTRIBUTION TERMINAL.
F8 - FACILITY EIGHT	IDENTIFIES THE EIGHTH OUTSIDE PLANT (OSP) SEGMENT OF A TRANSMISSION PATH WHEN REQUIRED FOR A WORKING OR PENDING- IN SERVICE. EACH SEGMENT STARTS AT THE "OUT" CABLE COUNT OF AN INTERFACE (CROSS-CONNECTION POINT) AND ENDS AT THE "IN" TERMINATION OF THE NEXT INTERFACE. IF THERE IS NO OTHER INTERFACE, IT ENDS AT THE TERMINATION IN THE DISTRIBUTION TERMINAL.
F9 - FACILITY NINE	IDENTIFIES THE NINTH OUTSIDE PLANT (OSP) SEGMENT OF A TRANSMISSION PATH WHEN REQUIRED FOR A WORKING OR PENDING-IN SERVICE. EACH SEGMENT STARTS AT THE "OUT" CABLE COUNT OF AN INTERFACE (CROSS-CONNECTION POINT) AND ENDS AT THE "IN" TERMINATION OF THE NEXT INTERFACE. IF THERE IS NO OTHER INTERFACE, IT ENDS AT THE TERMINATION IN THE DISTRIBUTION TERMINAL.
FA - FACILITY ADDRESS	INDICATES THE OFFICIAL OR PHYSICAL ADDRESS AT WHICH TELEPHONE SERVICE IS LOCATED. THE FACILITY ADDRESS MAY INCLUDE THE COMMUNITY OR COMMUNITY AND STATE NAMES.
FLT - FILTER	INDICATES THAT A FILTER IS REQUIRED OR ASSOCIATED ON A CUSTOMERS LINE.

---

## 1.7 G

---

FID	Definition
G1 - GROUPING INDICATOR ONE	
G2 - GROUPING INDICATOR TWO	
G3 - GROUPING INDICATOR THREE	
G4 - GROUPING INDICATOR FOUR	
G5 - GROUPING INDICATOR FIVE	
GF - GENERAL FACILITIES	ADDITIONAL EQUIPMENT ASSIGNMENTS ARE REQUIRED FROM COSMOS FOR PROVISIONING OF CERTAIN SPECIAL SERVICES.
GST - GROUND START	INDICATES THAT THE LINE EQUIPMENT FOR THE CIRCUIT IS GROUND START.

## 1.8 H

---

FID	Definition
HCA - HOUSE CABLE	IDENTIFIES THE HOUSE CABLE NUMBER ASSIGNED TO A CIRCUIT.
HML - HUNTING-MULTILINE GROUP NUMBER	IDENTIFIES AN ESS MULTILINE HUNT GROUP NUMBER IN #1, 2, 3, OR 5 ESS, DMS 100, STROMBERG CARLSON, OR SEIMANS SWITCH.
HPR - HOME PAGE REFERENCE	

---

1.9 I

---

FID	Definition
ICE - INTELLIGENT CONTROLLER EQUIPMENT	INDICATES THE SPECIAL EQUIPMENT NEEDED TO HANDLE PARTY LINE AND COIN SERVICE IN THE AXE INTELLIGENT CONTROLLER.
ITM - ITEM NUMBER	IDENTIFIES THE NUMBER OF AN INDIVIDUAL WORK ITEM ON A LINE OR STATION TRANSFER ASSOCIATED WITH A SERVICE ORDER.

---

1.10 J

---

FID	Definition
JK - JACK NUMBER	IDENTIFIES THE JACK NUMBER ON A SWITCHBOARD.
JKB - JACK BUTTON	INDICATES THE APPEARANCE OF A SECRETARIAL ANSWERING SERVICE CLIENT'S NUMBER IN THEIR CONSOLE.

---

## 1.11 K

---

FID	Definition
KEY - KEY DESIGNATION	IDENTIFIES DIGITAL ESSX ELECTRONIC TELEPHONE SET FEATURES.

---

## 1.12 L

---

FID	Definition
LARP - LINE ACCESS RELAY PANEL	IDENTIFIES THE AUXILIARY TERMINAL STRIP ON THE MAIN DISTRIBUTING FRAME THAT IS THE INTERCONNECT POINT BETWEEN THE FEEDER CABLE PAIR, THE CABLE PRESSURE MONITORING SYSTEM (CPSM) REMOTE TERMINAL, AND THE ORIGINATING EQUIPMENT (CE).
LMU - LOOP MAKE UP	
LMUR - LOOP MAKE UP REMARKS	
LOC - LOCATION	IDENTIFIES SUPPLEMENTAL LOCATION INFORMATION ASSOCIATED WITH AN ADDRESS.
LPS - LOOP START	INDICATES THAT THE CENTRAL OFFICE LINE EQUIPMENT ASSIGNED TO A LINE OR TRUNK IS LOOP START. IT IS ENTERED FLOATING AFTER THE FID OE AND ITS DATA WHEN LOOP START LINE EQUIPMENT IS ASSIGNED.
LRN - LOCATION ROUTING NUMBER	INDICATES THE LOCATION ROUTING NUMBER OF A DIRECTORY NUMBER ASSOCIATED WITH NUMBER PORTABILITY.
LST - LINE OR STATION TRANSFER	IDENTIFIES A LINE OR STATION TRANSFER ASSOCIATED WITH A PARTICULAR SERVICE ORDER.

---

---

<b>FID</b>	<b>Definition</b>
LT - LINE TERMINAL	
LTI - LOOP TERMINATION IDENTIFIER	IDENTIFIES EACH ADDITIONAL LOOP INSTALLED AT A SINGLE SERVICE LOCATION (LA, SA, DPA, OR CKL) FOR WHICH MORE THAN ONE SEPARATE LOOP TERMINATION AT A SERVICE WIRE CENTER IS REQUIRED. A FOUR WIRE SERVICE IS CONSIDERED A SINGLE LOOP TERMINATION FOR THE APPLICATION OF THIS FID.
LTID - LOGICAL TERMINAL IDENTIFIER	IDENTIFIES ISDN TERMINALS IN A DIGITAL SWITCH.

**1.13 M**

---

<b>FID</b>	<b>Definition</b>
MBL - MINI-BRIDGE LIFTER	IDENTIFIES A PLUG-IN BRIDGE LIFTER LOCATED IN THE CENTRAL OFFICE.
ML - MULTILINE WIRE LEAD DESIGNATION	INDICATES A MULTILINE WIRE LEAD DESIGNATION, TIP COLOR, RING COLOR AND POLE NUMBER.
MLG - MLG - MULTILINE NON-HUNT GROUP NUMBER	INDENTIFIES A NO. 1 ESS NON-HUNT GROUP NUMBER.
MNN - MISCELLANEOUS NUMBER NETWORK	IDENTIFIES THE TYPE OF AUTOMATIC NUMBER IDENTIFICATION (AN) WIRING NEEDED ON ONE-WAY OUT TRUNKS IN STEP-BY-STEP CENTRAL OFFICES.

---

---

FID	Definition
MPN - MULTI-PARTY IDENTIFICATION NETWORK	INDICATES THE AUXILLARY TERMINAL NUMBER ASSIGNED TO EACH DIRECT DIAL CENTRAL OFFICE TRUNK REQUIRING IDENTIFIED OUTWARD DIALING (IOD) IN A PANEL OR A #1 XBAR OFFICE WHEN LOCAL TARIFFS PERMIT A CHARGE FOR DIRECTORY ASSISTANCE. THE USE OF THIS CENTRAL OFFICE EQUIPMENT PERMITS DIRECT DIALING TO DIRECTORY ASSISTANCE WITH THE CALLS BEING BILLED TO THE MAIN BILLING NUMBER WHILE ALLOWING TOLL CALLS TO BE ROUTED TO THE OPERATOR FOR EXTENSION IDENTIFICATION. (CABS)
MTU - MAINTENANCE TERMINATION UNIT	IDENTIFIES A MAINTENANCE TERMINATION UNIT ASSOCIATED WITH A SPECIFIED CIRCUIT TERMINATION.

**1.14 N**

---

FID	Definition
NDC - NONDEFECTIVE CHANGE IN ASSIGNMENT	
NHN - NON-HUNTING NUMBER	IDENTIFIES A NON-HUNTING TELEPHONE NUMBER IN ESS MULTILINE GROUPS.
NSV - NIGHT SERVICE FIXED	IDENTIFIES THE TRUNK WITH WHICH THE ASSIGNED 101 ESS CENTREX STATION LINE IS TO BE CONNECTED FOR NIGHT SERVICE ARRANGEMENTS.

---



1.15 O

---

FID	Definition
OAB - ORDER ASSIGNED BY	IDENTIFIES ON MANUALLY ASSIGNED ORDER THE EMPLOYEE WHO ASSIGNED THE ORDER.
OBP - OUT BINDING POST	APPEARANCE OF THE FID DELETED.
OE - ORIGINATING EQUIPMENT	IDENTIFIES THE CENTRAL OFFICE LINE EQUIPMENT WHICH PROVIDES ACCESS TO CONTROL EQUIPMENT USED TO COMPLETE A TELEPHONE CALL. THE VARIOUS TYPES OF CONTROL OFFICES USING ORIGINATING EQUIPMENT REQUIRE DIFFERENT CODE MAKE-UPS FOR DATA ENTRIES.
OER - ORIGINATING EQUIPMENT REFERENCE	INDICATES A REFERENCE TO AN ISDN PIPE'S CENTRAL OFFICE ORIGINATING EQUIPMENT.
OGO - OUTGOING ONLY LINE	IDENTIFIES LINES THAT ARE USED FOR OUT-GOING ONLY SERVICE AND FREQUENTLY DO NOT HAVE AN ASSIGNED TELEPHONE NUMBER.
ONU - OPTICAL NETWORK UNIT	INDICATES THE IDENTIFICATION NUMBER OF AN OPTICAL NETWORK UNIT.
OPC - OUT PAIR COLOR	IDENTIFIES THE STANDARD BINDER GROUP AND PAIR COLOR CODES OF THE CABLE PAIR ON THE FIELD SIDE OF A CROSSCONNECT TERMINAL WHEN THE CABLE COLOR IS CODED.
OSI - OPEN SWITCHING INTERVAL	IDENTIFIES THE NUMBER OF THE OPEN SWITCHING INTERVAL PROTETCTION LINE APPLIQUE ASSIGNED TO THE LINE.
OU - OPTICAL UNIT	INDICATES THE IDENTIFICATION NUMBER OF THE OPTICAL UNIT AT THE REMOTE ELECTRONICS SITE ASSOCIATED WITH THE ASSIGNED FIBER DISTRIBUTION SYSTEM CHANNEL.

---

---

<b>FID</b>	<b>Definition</b>
OID - OPTICAL UNIT IDENTIFIER	INDICATES THE INTELLIGENT NETWORK ELEMENT IDENTIFIER OF THE OPTICAL LINE UNIT AT THE HOST DIGITAL TERMINAL.

---

## 1.16 P

---

<b>FID</b>	<b>Definition</b>
PGS - PAIR GAIN SYSTEM	INDICATES THAT SERVICE IS ESTABLISHED BY USING A LOOP PAIR GAIN SYSTEM, I.E. 1A CONCENTRATOR, LOOP SWITCHING SYSTEM (SLM) OR SUBSCRIBER LOOP CARRIER SYSTEM (SLC).
PGSC - PAIR GAIN SYSTEM CONFIGURATION	INDICATES THE CENTRAL OFFICE SIDE CONFIGURATION OF A PAIR GAIN SYSTEM.
PN - PRIMARY NUMBER	INDICATES THE PRIMARY INDICATOR OR NUMBER OF A MULTIPLE DIRECTORY NUMBER ARRANGEMENT. (9662)
PNHN - PACKET NON-HUNTING MEMBER	IDENTIFIES NON-HUNTING DATA TERMINAL NUMBER ASSIGNED TO AN ISDN PACKET BEARER SERVICE THAT IS A MEMBER OF A MULTILINE HUNT GROUP IN A STORED PROGRAM CONTROL SWITCH (NOT ALLOWED ON DMS).
POE - PACKET ORIGINATING EQUIPMENT	INDICATES THE PHYSICAL TERMINATION ASSIGNMENT FOR A PULSELINK PACKET SERVICE.
POER - PACKET ORIGINATING EQUIPMENT REFERENCE	INDICATES A REFERENCE TO AN ISDN PIPE'S CENTRAL OFFICE PACKET ORIGINATING EQUIPMENT.
POS - POSITION NUMBER	IDENTIFIES THE SWITCHBOARD POSITION.

---

---

FID	Definition
PPR - PHYSICAL PAIR USER TELEPHONE NUMBER	IDENTIFIES THE TELEPHONE NUMBER OF THE CIRCUIT USING THE PHYSICAL PAIR OF A SINGLE LINE SUBSCRIBER CARRIER SYSTEM.
PR - PAIR NUMBER	IDENTIFIES THE CABLE PAIR NUMBER OF A SEGMENT OF OUTSIDE PLANT.
PRIM - PRIM/SEC ORIG EQUIP FOR DIGITAL BRIDGE	INDICATES THE PRIMARY/LEAD AND SECONDARY/ASSOCIATED ORIGINATING EQUIPMENT FOR THE DIGITAL BRIDGE.
PRQ - PROTECTION REQUIRED	INDICATES STATION EQUIPMENT PROTECTION REQUIREMENTS.
PRU - PAIR USAGE	INDICATES THAT HALF OF A GIVEN PAIR IS BEING USED OR THAT MORE THAN TWO SERVICES MAY USE THE PAIR.
PSM - COMMON LANGUAGE PREFIX, SERV. CD. & MODI	IDENTIFIES THE COMMON LANGUAGE PREFIX, SERVICE CODE AND MODIFIER FOR A SPECIAL SERVICE CIRCUIT.
PTLI - PACKET (DATA TERM NO.) TELE. LINE IDENTI	INDICATES THE PILOT NUMBER OF AN ISDN PACKET MULTILINE HUNT GROUP.
PTN - PLANT TEST NUMBER	IDENTIFIES THE PLANT EST NUMBER ASSOCIATED WITH ANY SERVICE REQUIRING A NUMBER FOR LOCAL TESTING PURPOSES.
PTY - PARTY DESIGNATION	IDENTIFIES THE PARTY POSITION ON AN EXCHANGE SERVICE LINE ON WHICH THERE MAY BE MORE THAN ONE PARTY.
PX - PBX STATION OR LINE NUMBER	IDENTIFIES THE PBX STATION OR LINE NUMBER.

---

1.17 R

---

FID	Definition
RBE - REMOTE BRIDGE ORIGINATING EQUIPMENT	INDICATES THE REMOTE ORIGINATING EQUIPMENT WHICH IS DIGITALLY BRIDGED TO ANOTHER ORIGINATING EQUIPMENT (OE) OR REMOTE ORIGINATING EQUIPMENT (ROE).
RCKT - REMARKS-CIRCUIT	IDENTIFIES PERTINENT CIRCUIT INFORMATION THAT IS NOT RECORDED ELSEWHERE ON THE ORDER.
RCN - REPAIR CONTROL NUMBER	IDENTIFIES IN LMOS THE REPAIR FORCE RESPONSIBLE FOR THE CIRCUIT BEING INSTALLED IF THAT REPAIR FORCE IS NOT THE FORCE RESPONSIBLE FOR MAINTENANCE AND REPAIR OF THE MAIN ACCOUNT TELEPHONE NUMBER.
RCSO - REUSE COMBINED SERVICE ORDER	INDICATES THE COMBINED (PSEUDO) SERVICE ORDER NUMBER ASSIGNED BY THE MECHANIZED FACILITY ASSIGNMENT SYSTEM TO THE REUSE GROUP OF WHICH THIS SERVICE ORDER IS A MEMBER.
RIS - RINGER ISOLATOR	IDENTIFIES THE PRESENCE AND/OR TYPE OF RINGER ISOLATOR ASSIGNED TO THE CIRCUIT.
RLA - REMOTE LOCATION ADDRESS	INDICATES THE LOCATION ADDRESS OF A REMOTE SWITCHING SYSTEM.
RLC - REMOTE LOCATION CODE	IDENTIFIES THE CLLI (COMMON LANGUAGE LOCATION IDENTIFICATION) OF AN RTI (REMOTE TERMINAL LOCATION) WHICH MIGHT BE AN RT OR AN RSU (REMOTE SWITCHING UNIT).
RLOA - REMOTE LOOP ORIGINATION ADDRESS	IDENTIFIES THE ADDRESS OF A REMOTE LOOP ORIGINATION DEVICE.
RLOC - REMOTE LOOP ORIGINATION CODE	IDENTIFIES THE CLLI CODE OF THE LOOP ORIGINATION LOCATION AT WHICH LFACS STOPPED ASSIGNING.

---

---

FID	Definition
RMB - RANDOM MAKE BUSY	
RMK - REMARKS UNRETAINED	INDICATES NOTIFIERS AND MISCELLANEOUS WORK INSTRUCTION.
RMKB - REMARKS BASIC ADDRESS	IDENTIFIES REMARKS ASSOCIATED WITH A SPECIFIC BASIC FACILITY ADDRESS.
RMKP - REMARKS PLANT	IDENTIFIES MISCELLANEOUS RETAINED ASSIGNMENT REMARKS.
RMKS - REMARKS SUPPLEMENTAL ADDRESS	INDICATES REMARKS ASSOCIATED WITH THE SPECIAL SUPPLEMENTAL ADDRESS RELATED TO THE FACILITY ADDRESS.
RMTE - REMARKS TERMINAL	IDENTIFIES INFORMATION ABOUT A TERMINAL. DATA IS REQUIRED WHEN THERE ARE ACCESS RESTRICTIONS AND THERE IS MISCELLANEOUS INFORMATION APPLICABLE TO A TERMINAL WHICH IS NEEDED FOR COMPLETION OF PENDING ORDERS.
RNG - RINGING COMBINATION	INDICATES THE RINGING REQUIRED TO SIGNAL THE CUSTOMER AND TO INDICATE TERMINATING CLASS TREATMENT OF ANY TELEPHONE NUMBER IN A #5 CROSSBAR OFFICE. WHEN USED WITH TENS BLOCK SCREENING, RNG DESIGNATES THE RINGING COMBINATION REQUIRED TO PROVIDE INCOMING SERVICE TREATMENT FOR CENTREX OR TWO LINE HUNTING.
RO - RELATED ORDER	IDENTIFIES SERVICE ORDERS THAT ARE PENDING FOR THE SAME LIVING UNIT ADDRESS OR SAME FACILITIES.
ROE - REMOTE ORIGINATING EQUIPMENT	IDENTIFIES LINE EQUIPMENT WHICH IS LOCATED IN A REMOTE SWITCHING SYSTEM.

---

---

FID	Definition
ROP - REFER TO OUTSIDE PLANT	INDICATES THAT A SERVICE ORDER HAS BEEN REFERRED TO THE OUTSIDE PLANT ENGINEERING GROUP DUE TO A SHORTAGE OF OUTSIDE PLANT FACILITIES.
RPE - REMOTE PACKET ORIGINATING EQUIPMENT	IDENTIFIES A PACKET ORIGINATING EQUIPMENT ASSIGNMENT AT A REMOTE SWITCHING UNIT.
RR - RELAY RACK	IDENTIFIES THE RELAY RACK ON WHICH A SPECIFIED PIECE OF EQUIPMENT IS LOCATED.
RT - ROUTE NUMBER	IDENTIFIES THE GEOGRAPHIC INSTALLATION ROUTE IN WHICH THE SERVICE ADDRESS IS LOCATED. WHEN A SEPARATE REPAIR FOREMAN ROUTE NUMBER IS ALSO REQUIRED, IT FOLLOWS THE INSTALLATION ROUTE NUMBER.
RTC - RETERMINATED CONNECTION	INDICATES THE ACTIVITY REQUIRED WHEN AN INSTALLER MUST RETERMINATE AN EXISTING BUT PREVIOUSLY IDLE SERVICE (DROP OR BLOCK) WIRE, OR PLACE A CONNECTION AT AN INTERCONNECT POINT TO REESTABLISH SERVICE TO A PREVIOUSLY SERVED ADDRESS.
RTF - REMOTE TERMINAL FIELD	IDENTIFIES THE REMOTE TERMINAL IN THE FIELD WHICH PROVIDES THE INTERFACE BETWEEN THE DIGITAL LINE AND THE SUBSCRIBER LOOPS ASSOCIATED WITH SUBSCRIBER LOOP MULTIPLEXER (SLM) CARRIER SYSTEMS.
RXA - REMOTE CROSS-CONNECT ADMINISTRATION	INDICATES HOW A REMOTE (ELECTRONIC) CROSS-CONNECT IS ADMINISTERED.
RZ - RESISTANCE ZONE	IDENTIFIES THE GEOGRAPHIC AREA IN TERMS OF SUBSCRIBER LOOP RESISTANCE LIMITS EXPRESSED IN HUNDREDS OF OHMS.

---

1.18 S

---

FID	Definition
SC - SLEEVE CONNECTOR RELAY	IDENTIFIES THE SPECIFIC RELAY OF A CUSTOMER LINE ASSIGNED TO A #5 CROSSBAR OFFICE WHICH WAS HUNTING SERVICE THAT INCLUDES TWO OR MORE TELEPHONE NUMBERS IN THE SAME TENS BLOCK.
SE - SPECIAL EQUIPMENT	INDICATES A GENERAL DESIGNATION FOR SPECIAL EQUIPMENT NOT INVENTORIED BUT WHICH REQUIRES THE PAIR TERMINATION IN A MECHANIZED ASSIGNMENT SYSTEM.
SGN - COMMON LANGUAGE SEGMENT NUMBER	IDENTIFIES SEGMENTS IN A MULTI-POINT SPECIAL SERVICE TELEPHONE LINE OR CIRCUIT WHICH CARRIES A COMMON LANGUAGE CIRCUIT IDENTIFICATION/SPECIAL SERVICE (CLC1/SS). THE SGN WILL ALWAYS CORRESPOND TO THE CKL IDENTIFICATION.
SIS - SPECIAL IDENTIFYING TELE. NO. SUPPLEMENT	IDENTIFIES THE SUPPLEMENT TO THE SPECIAL TELEPHONE NUMBER OF A CIRCUIT WHEN THE NPA ELEMENT OF THE NUMBER IS SPECIAL SUCH AS 800 SERVICE.
SIT - SPECIAL IDENTIFYING TELEPHONE NUMBER	IDENTIFIES THE SPECIAL TELEPHONE NUMBER OF A CIRCUIT WHEN THE NPA ELEMENT OF THE NUMBER IS A SPECIAL AREA SUCH AS 800 SERVICE.
SOP - SECTION OF PLANT	IDENTIFIES THE NUMBER OF THE SECTION OF PLANT. THIS SECTION OF PLANT IS ASSOCIATED WITH THE TERMINAL THAT SERVES THE CUSOTMER, SOP USUALLY FOLLOWS THE LAST FACILITY.
SP - SCAN POINT	IDENTIFIES THE SCAN POINT NUMBER IN AN ESS OFFICE THAT IS ASSOCIATED WITH SUCH SERVICES AS RANDOM MAKE BUSY KEY, A STOP HUNT KEY, CARRIER GROUP ALARM CIRCUITS, GROUP ALERTING LINE BUSY CIRCUITS, AND MOBILE RADIO CIRCUITS.

---

---

FID	Definition
SPID - SERVICE PROFILE IDENTIFIER	IDENTIFIES THE SERVICE PROFILE IDENTIFIER OF AN INTEGRATED SERVICE DIGITAL NETWORK (ISDN) TERMINAL.
SSC - SINGLE LINE SUBSCRIBER CARRIER	INDICATES ONE ADDITIONAL VOICE-FREQUENCY CIRCUIT FROM AN EXISTING CABLE PAIR. THE EXISTING CABLE PAIR IS REFERRED TO AS THE PHYSICAL CIRCUIT AND THE CARRIER CHANNEL AS THE DERIVED CIRCUIT. SSC CAN BE USED ONLY TO PROVIDE SINGLE PARTY RESIDENTIAL SERVICE.
SSM - SPECIAL SAFEGUARD MEASURES	INDICATES THAT THE SERVICE REQUIRES SPECIAL SAFEGUARDING MEASURES. SPECIAL SAFEGUARDING MEASURES ARE USED PRIMARILY ON SERVICES INVOLVING NATIONAL SECURITY. SSM INCLUDES SSP (SPECIAL SERVICE PROTECTION). IN ADDITION, IT MAY INCLUDE LOCKED TERMINALS, INBRIDGED PAIRS, WIRE IN CONDUIT AND CABLE IN LIEU OF DROP.
SSP - SPECIAL SERVICE PROTECTION	INDICATES THAT THE SERVICE REQUIRES SPECIAL SERVICE PROTECTION. CERTAIN CIRCUITS REQUIRE PROTECTION TO INSURE THAT PLANT OPERATIONS DO NOT INTERFERE WITH THE SERVICE PROVIDED BY THE CIRCUIT. IF SSP APPLIES TO A CIRCUIT THAT IS CHOSEN FOR AN LST, SSP IS ASSOCIATED WITH THE LST.

---



1.19 T

---

FID	Definition
TBA - TENS BLOCK AUXILIARY RELAY	IDENTIFIES THE SPECIFIC RELAY ASSIGNED TO ALL CUSTOMERS WITH HUNTING IN A PARTICULAR TENS BLOCK IN A #5 CROSSBAR OFFICE. IT IS ASSOCIATED WITH EACH HUNTING TELEPHONE NUMBER IN THAT TENS BLOCK.
TEA - TERMINAL ADDRESS	IDENTIFIES THE TERMINAL ADDRESS. IT INCLUDES A STREET ADDRESS WHEN APPLICABLE AND MAY INCLUDE SUPPLEMENTAL INFORMATION, IF REQUIRED.
TEC - TERMINAL LOCATION CODE	IDENTIFIES THE CLLI CODE ASSOCIATED WITH A DISTRIBUTION OR CROXX-BOX TERMINAL
TEI - ISDN TERMINAL END POINT IDENTIFIER	INDICATES THE CUSTOMER PROVIDED IDENTIFIER FOR A TERMINAL ON A GIVEN ISDN ACCESS LINE IN A DMS DIGITAL SWITCH.
TER - TERMINAL NUMBER	IDENTIFIES EACH ESS TERMINAL NUMBER IN A MULTILINE HUNTING OR NON-HUNTING GROUP. EACH LINE IN THE GROUP MUST BE ASSIGNED A TERMINAL NUMBER. A TERMINAL MAY BE ASSOCIATED WITH A HUNT LIST OR NON-HUNT LIST LINE OR AN OUTDIAL-LIST LINE. THE TERMINAL MAY OR MAY NOT BE ASSOCIATED WITH TELEPHONE NUMBERS.
TEST - TEST RESULTS	IDENTIFIES THE RESULTS OF VARIOUS KINDS OF TEST ON SUBSCRIBER LINES.
TF1 - TRANSPORT FACILITY ONE	IDENTIFIES THE PHYSICAL PATH FOR LOGICAL FACILITIES.
TF2 - TRANSPORT FACILITY TWO	IDENTIFIES THE PHYSICAL PATH FOR LOGICAL FACILITIES.
TF3 - TRANSPORT FACILITY THREE	IDENTIFIES THE PHYSICAL PATH FOR LOGICAL FACILITIES.

---

---

FID	Definition
TF4 - TRANSPORT FACILITY FOUR	IDENTIFIES THE PHYSICAL PATH FOR LOGICAL FACILITIES.
TIDC - TARGET IDENTIFIER - CENTRAL OFFICE SIDE	INDICATES THE TARGET IDENTIFIER OF THE CENTRAL OFFICE SIDE FACILITY OF AN ELECTRONIC CROSS-CONNECT.
TIDF - TARGET IDENTIFIER - FIELD SIDE	INDICATES THE TARGET IDENTIFIER OF THE FIELD SIDE FACILITY OF AN ELECTRONIC CROSS-CONNECT.
TIE - TIE CABLE	INDICATES THE TIE CABLE AND PAIR.
TLG - TRAFFIC LINE GROUP	IDENTIFIES THE NUMBER OF AN INTERNAL CALL STORE REGISTER WITHIN THE ESS WHICH IS USED FOR THE PURPOSE OF ACCUMULATING PEG AND OVERFLOW COUNTS ON TERMINATING CALLS.
TLI - TELEPHONE LINE IDENTIFIER	IDENTIFIES THE TELEPHONE NUMBER COMPONENT OF THE PRIMARY LINE IDENTIFIER (PLID).
TMED - TRANSPORT FACILITY MEDIUM	IDENTIFIES THE TYPE OF PHYSICAL FACILITY.
TN - TELEPHONE NUMBER	IDENTIFIES THE TELEPHONE NUMBER OF A PARTICULAR CIRCUIT.
TOE - TRANSLATION ORIGINATING EQUIPMENT	INDICATES THE ODD NUMBERED ORIGINATING EQUIPMENT THAT IS USED ONLY FOR PARTY 2 TRANSLATIONS IN A 2 PARTY SERVICE IN THE EWSD SWITCH.
TPR - TAPER CODE	INDICATES THE TAPER CODE.
TRE - TRANSMISSION EQUIPMENT	IDENTIFIES THE TRANSMISSION EQUIPMENT ASSIGNED TO A SUBSCRIBER'S SERVICE TO PROVIDE GAIN, REDUCE NOISE OR EXTEND RINGING RANGE ON AN INDIVIDUAL LINE BASIS.

---

---

FID	Definition
TRN - TRUNK NUMBER	INDICATES THE NUMBER(S) ASSIGNED TO MESSAGE TRUNK(S).
TSC - TWO SIX CODE	INDICATES THE UNIQUE IDENTITY ASSIGNED TO MESSAGE TRUNKS WITHIN A BELL OPERATING COMPANY.
TSP - TELECOMMUNICATIONS SERVICE PRIORITY	IDENTIFIES THE PROVISIONING AND RESTORATION PRIORITY OF A CIRCUIT SUBJECT TO NATIONAL SECURITY EMERGENCY PREPAREDNESS (NSEP) PROCEDURES.
TSPD - TERMINAL SERVICE PROFILE IDENTIFIER	INDICATES THE TERMINAL SERVICE PROFILE IDENTIFIER FOR AN INTEGRATED SERVICES DIGITAL NETWORK (ISDN) TERMINAL IN A TL1 SWITCH.

---

1.20 U

---

FID	Definition
UG - UNIGAUGE	INDICATES IN AN F1 FACILITY THE USE OF UNIGAUGE DESIGN PLANT AND TO DENOTE THE TYPE OF UNIGAUGE CABLE LOOP ASSIGNED.

---

1.21 W

---

FID	Definition
WC - WIRE CENTER AREA	IDENTIFIES A GEOGRAPHIC AREA SERVED BY TELEPHONE PLANT THROUGH A DISTRIBUTING FRAME OR MULTIPLE DISTRIBUTING FRAMES ADMINISTERED AS ONE AND MAY INCLUDE ONE OR MORE REMOTE DISTRIBUTING FRAMES.
WL - OPEN WIRE LEAD DESIGNATION	IDENTIFIES AND OPEN-WIRE LEAD DESIGNATION POLE NUMBER, AND PIN NUMBERS.
WOL - WIRED OUT-OF-LIMITS	INDICATES THAT A CABLE PAIR ASSIGNED TO A PARTICULAR CIRCUIT AT A SPECIFIC LIVING UNIT IS OUTSIDE THE WIRING LIMITS OF THE SERVING TERMINAL. IN MANUAL ASSIGNMENT, THE NUMBER OF SPANS WILL BE SHOWN FOLLOWING WOL.

---

## 2. BILL

### 2.1 A

---

FID	Definition
AAN - ASSOCIATED ACCOUNT NUMBER	INDICATES THE MAIN ACCOUNT NUMBER OF THE COMMON EQUIPMENT WHICH SUPPORTS SERVICE LISTED AND BILLED ON INDIVIDUAL ACCOUNTS.
ADV - ADVERTISING DISPOSITION	INDICATES THE MANNER IN WHICH DIRECTORY CHARGES ARE TO BE HANDLED.
AFT - AUTOMATIC FUNDS TRANSFER	IDENTIFIES BANKING INFORMATION USED FOR MAKING AN ELECTRONIC TRANSFER OF FUNDS.
AFTS - AUTOMATIC FUNDS TRANSFER STATUS	IDENTIFIES SUSPEND OR RESTORE ACTION TO BE TAKEN ON THE AUTOMATIC TRANSFER OF FUNDS FOR AN ACCOUNT AND THE DATE THE ACTION WAS REQUESTED.
AMC - ACCOUNT MANAGER CODE	INDICATES THE ACCOUNT MANAGERS CODE PROVIDED BY THE FEDERAL GOVERNMENT FOR ALL DECCO SERVICE ORDERS.
AP - ADVANCE PAYMENT	IDENTIFIES THE MONETARY AMOUNT OF AN ADVANCE PAYMENT.
APB - ABBREVIATED PAPER BILL	INDICATES THAT A CUSTOMER HAS SUBSCRIBED FOR CABS MAGNETIC TAPE BILLING OUTPUT AND REQUESTS AN ABBREVIATED CABS PAPER BILL IN ADDITION TO THE MAGNETIC TAPE.
API - AWARDS PROGRAM IDENTIFIER	INDICATES A NUMBER ASSIGNED TO THE CUSTOMER FOR THE SOLE PURPOSE OF COLLECTING LOYALTY POINTS ACCUMULATED BY THE CUSTOMER HAVING DIFFERENT RELATIONSHIPS WITH BELLSOUTH.

---

---

<b>FID</b>	<b>Definition</b>
ATHB - ACCOUNTING TEMPORARY HOLD BILL	INDICATES A BILL IS TO BE HELD FOR ONE MONTH AND THE TELEPHONE NUMBER IS TO PRINT ON THE HOLD BILL LIST FOLLOWED BY A REASON FOR PRINTING.
AVL - AD VALOREM TAX	IDENTIFIES THE AD VALOREM TAX CHARGED TO THE COMPANY WHEN CUSTOMERS ARE FURNISHED CERTAIN PBX SERVICES.
AVT - AVERAGE TOLL	

---

**2.2 B**

---

<b>FID</b>	<b>Definition</b>
BA2 - BILLING ADDRESS LINE 2	IDENTIFIES THE BILLING ADDRESS WHEN IT CANNOT BE DERIVED FROM THE LISTING INFORMATION. THE BILLING ADDRESS LINES ARE LIMITED TO LINES 2, 3, AND 4 AND MUST APPEAR IN NUMERICAL SEQUENCE.
BA3 - BILLING ADDRESS LINE 3	IDENTIFIES THE BILLING ADDRESS WHEN IT CANNOT BE DERIVED FROM THE LISTING INFORMATION. THE BILLING ADDRESS LINES ARE LIMITED TO LINES 2, 3, AND 4 AND MUST APPEAR IN NUMERICAL SEQUENCE.
BA4 - BILLING ADDRESS LINE 4	IDENTIFIES THE BILLING ADDRESS WHEN IT CANNOT BE DERIVED FROM THE LISTING INFORMATION. THE BILLING ADDRESS LINES ARE LIMITED TO LINES 2, 3, AND 4 AND MUST APPEAR IN NUMERICAL SEQUENCE.
BACR - BILLING ACCOUNT CROSS REFERENCE	INDICATES THE BILLING ACCOUNT REFERENCE OF THE INVOLVED MEET POINT BILLING EXCHANGE CARRIERS OTHER THAN THE ONE ISSUING THE SERVICE ORDER.

---

---

FID	Definition
BAID - BILLING ARRANGEMENT INDICATOR	INDICATES THE MEET POINT BILLING ARRANGEMENT SELECTED BY THE EXCHANGE CARRIERS.
BBI - BILLED BY INDEPENDENT	INDICATES THAT AN ACCOUNT IS BILLED BY AN INDEPENDENT TELEPHONE COMPANY.
BI - BILLING INSTRUCTIONS	INDICATES CERTAIN BILLING CONDITIONS NOT COVERED BY USOCS OR OTHER FIDS ON THE SERVICE ORDER.
BIR - BILLING INSTRUCTIONS RETAINED	INDICATES PERMANENT RECURRING BILLING INSTRUCTIONS AND IS RETAINED ON THE CUSTOMER RECORD.
BN - OUTWARD BILLING NAME	
BN1 - BILLING NAME LINE 1	IDENTIFIES THE BILLING NAME WHEN IT CANNOT BE DERIVED FROM THE LISTING INFORMATION. THE BILLING NAME LINES ARE LIMITED TO THREE LINES IN NUMERICAL SEQUENCE.
BN2 - BILLING NAME LINE 2	IDENTIFIES THE BILLING NAME WHEN IT CANNOT BE DERIVED FROM THE LISTING INFORMATION. THE BILLING NAME LINES ARE LIMITED TO THREE LINES IN NUMERICAL SEQUENCE.
BN3 - BILLING NAME THREE	IDENTIFIES THE BILLING NAME WHEN IT CANNOT BE DERIVED FROM THE LISTING INFORMATION. THE BILLING NAME LINES ARE LIMITED TO THREE LINES IN NUMERICAL SEQUENCE.
BOD - BILLING OUTPUT DETAIL	INDICATES THE PROVISION OF BILLING DETAIL, E.G., MONTH BILL OR SERVICE AND FEATURE RECORD TO AN IC ON MICROFICHE. ALSO INDICATES THE DETAIL OF BILLING PROVIDED WITH REGIONAL COIN DRAFT.

---

---

FID	Definition
BTN - BILL TELEPHONE NUMBER	IDENTIFIES THE ACCOUNT NUMBER TO WHICH ALL CHARGES ARE TO BE BILLED.
BUS - BILL USAGE SENSITIVE	INDICATES USAGE SENSITIVE BILLING ON FGA ACCESS SERVICE AND BASIC LOCAL EXCHANGE SERVICE.

---

**2.3 C**

---

FID	Definition
CACC - CARRIER CALLING CARD ADDRESS	INDICATES THE ADDRESS AT WHICH CALLING CARDS ARE TO BE SENT OTHER THAN THE BILLING ADDRESS.
CAE - CARRIER ACCOUNT EXCLUSION	INDICATES AN ACCOUNT TO BE EXCLUDED FROM REPORTS GENERATED FOR AN INTEREXCHANGE CARRIER.
CBA2 - CLOSING BILL ADDRESS LINE 2	ON A RESPONSIBILITY CHANGE C ORDER, IDENTIFIES THE BILLING ADDRESS FOR MAILING A FINAL BILL. THE CLOSING BILL ADDRESS LINES ARE LIMITED TO LINES 2, 3 AND 4 AND MUST APPEAR IN NUMERIC SEQUENCE.
CBA3 - CLOSING BILL ADDRESS LINE 3	ON A RESPONSIBILITY CHANGE C ORDER, IDENTIFIES THE BILLING ADDRESS FOR MAILING A FINAL BILL. THE CLOSING BILL ADDRESS LINES ARE LIMITED TO LINES 2, 3 AND 4 AND MUST APPEAR IN NUMERIC SEQUENCE.
CBA4 - CLOSING BILL ADDRESS LINE 4	ON A RESPONSIBILITY CHANGE C ORDER, IDENTIFIES THE BILLING ADDRESS FOR MAILING A FINAL BILL. THE CLOSING BILL ADDRESS LINES ARE LIMITED TO LINES 2, 3 AND 4 AND MUST APPEAR IN NUMERIC SEQUENCE.

---



---

FID	Definition
CBN1 - CLOSING BILL NAME LINE 1	ON A RESPONSIBILITY CHANGE C ORDER, IDENTIFIES THE BILLING NAME FOR MAILING A FINAL BILL. THE CLOSING BILL NAME LINES ARE LIMITED TO THREE LINES IN NUMERICAL SEQUENCE.
CBN2 - CLOSING BILL NAME LINE 2	ON A RESPONSIBILITY CHANGE C ORDER, IDENTIFIES THE BILLING NAME FOR MAILING A FINAL BILL. THE CLOSING BILL NAME LINES ARE LIMITED TO THREE LINES IN NUMERIC SEQUENCE.
CBN3 - CLOSING BILL NAME LINE 3	ON A RESPONSIBILITY CHANGE C ORDER, IDENTIFIES THE BILLING NAME FOR MAILING A FINAL BILL. THE CLOSING BILL NAME LINES ARE LIMITED TO THREE LINES IN NUMERIC SEQUENCE.
CBRO - CUSTOMER BILLING RECORD OPTIONS	INDICATES THE CUSTOMER BILLING OPTIONS OF THE LARGE CUSTOMER/ UPPER STRATA ACCOUNTS.
CC - CREDIT CLASSIFICATION	INDICATES THE CUSTOMER'S CREDIT CLASSIFICATION.
CCA - CANCELLATION CHARGES APPLICABLE	INDICATES THAT CANCELLATION CHARGES APPLY AND THE PERCENTAGE AND/OR DAYS APPLICABLE FOR CALCULATING CANCELLATION CHARGES.
CCB - BANK CREDIT CARD BILLING OF ACCOUNT	TO INDICATE THE CUSTOMER HAS ELECTED TO HAVE THEIR TELEPHONE BILL CHARGED TO THEIR BANK CREDIT CARD.
CCED - CALLING CARD EFFECTIVE DATE	INDICATES THE DATE ON WHICH A CALLING CARD PERSONAL IDENTIFICATION NUMBER (PIN) IS TO BECOME EFFECTIVE WHEN OTHER THAN THE NORMAL INTERVAL APPLIES.

---

---

FID	Definition
CCL - CONTRACTING CUSTOMER LOCATION	INDICATES THE ADDRESS AND ZIP CODE OF THE CUSTOMER NEGOTIATING FOR SPECIAL SERVICES WHEN OTHER THAN THE BILLING ADDRESS.
CCON - CUSTOMER CONTACT	INDICATES THE NAME AND TELEPHONE NUMBER OF THE PERSON WHO AUTHORIZED THE SPECIAL SERVICES CIRCUIT.
CCPA - CALLING CARD PERMANENT ADDRESS	IDENTIFIES A PERMANENT DISTRIBUTION ADDRESS FOR CALLING CARDS, OTHER THAN THE BILLING ADDRESS.
CCRI - CALLING CARD REISSUE	INDICATES THAT REPLACEMENT CALLING CARDS ARE TO BE REISSUED WITHOUT AFFECTING THE TOTAL NUMBER OF CREDIT CARDS ON THE CUSTOMER'S RECORD.
CCV - CREDIT CARD APPROVED	INDICATES THE CUSTOMER HAS BEEN ISSUED A BANK CREDIT CARD.
CDI - CALL DETAIL INDICATOR	INDICATES THAT CALL DETAIL WILL BE PROVIDED TO THE CUSTOMER ON THIS LINE.
CI - CREDIT INFORMATION	INDICATES THE CUSTOMER'S CREDIT INFORMATION.
CIV - CREDIT INFORMATION VERIFIED	INDICATES THE DATE WHEN EXISITNG CREDIT INFORMATION IS VERIFIED WITH THE CUSTOMER.
CKT - CIRCUIT NUMBER	IDENTIFIES THE NUMBER OF A SPECIAL SERVICE CIRCUIT THAT IS IN A FORMAT OTHER THAN STANDARD COMMON LANGUAGE FORMAT.
CLA - CUSTOMER LOCAL ACCOUNT	THIS CODE IS MECHANICALLY GENERATED ON ACCOUNTS WITH ADDITIONAL DATA TO IDENTIFY AND ASSOCIATED ALL BILLS FOR EQUIPMENT AND SERVICES PROVIDED FOR A CUSTOMER AT A GIVEN LOCATION.

---

---

FID	Definition
CN - CONTRACT NUMBER	INDICATES THE CONTRACT NUMBER USED FOR BILLING ITEMS OF SERVICE AND EQUIPMENT UNDER THE CONTRACT SERVICE ARRANGEMENT AND FOR MARKETING TRACKING PURPOSES UNDER CONTRACT SERVICE AGREEMENT.
CNCC - CARRIER NON-RECURRING CONTRACT CHARGE	INDICATES THE IC REQUIRES THE BOC, UNDER CONTRACT, TO PROVIDE CUSTOMER SERVICE INFORMATION, PENDING SERVICE ORDER INFORMATION, OR INITIATES PIC CHANGES.
CNV - CONTRACT/CONTROL NUMBER VARIABLE	INDICATES THE CONTRACT/CONTROL NUMBER USED FOR VARIABLE RATE STRUCTURES WHEN RATING ITEMS OF SERVICE AND EQUIPMENT PROVIDED UNDER A CONTRACT OR SPECIAL SERVICE ARRANGEMENT.
CONV - CONVERSION	INDICATES THAT SPECIAL TREATMENT IS TO BE GIVEN TO AN ACCOUNT DURING CRIS MECHANIZED CONVERSION.
COS - CUSTOMER'S OTHER SERVICE	INDICATES A CUSTOMER'S OTHER SERVICE TELEPHONE NUMBER WHEN IT IS DESIRABLE TO SHOW THAT THE CUSTOMER HAS OTHER SERVICE.
CPO - CLOSING BILL POST OFFICE	ON A RESPONSIBILITY CHANGE C ORDER, INDICATES THE CLOSING BILL POST OFFICE INFORMATION FOR MAILING A FINAL BILL.
CRV - CREDIT REPORT VERIFICATION	INDICATES THE CUSTOMER'S CREDIT REPORT VERIFICATION AS REPORTED BY CREDIT AGENCIES.
CSA - COMMUNICATIONS SERVICE AUTHORIZATION	IDENTIFIES THE AUTHORIZATION NUMBER PROVIDED BY THE GOVERNMENT FOR DECCO AND OTHER FEDERAL GOVERNMENT SERVICES.

---

---

<b>FID</b>	<b>Definition</b>
CSG - CONTROLLING SERVICE GROUP	INDICATES ON CERTAIN LARGE AND ACTIVE ACCOUNTS ROUTING OF CUSTOMER SERVICE RECORDS AND/OR BILLS TO A SPECIFIC BUSINESS OFFICE RATHER THAN THE OFFICE WHICH WOULD NORMALLY HANDLE THE ACCOUNT.
CSN - CONCESSION	INDICATES THE RATE AND TYPE OF CONCESSION WHEN A CONCESSION (DISCOUNT) RATE APPLIES.
CTS - CUSTOMIZED TELECOMMUNICATIONS SERVICES	
CVN - COIN VOUCHER NUMBER	INDICATES THE VOUCHER NUMBER ON COIN ACCOUNT FOR WHICH COMMISSION IS TO BE ACCUMULATED AND ISSUED ON ONE MONTHLY COMMISSION CHECK.

## 2.4 D

---

<b>FID</b>	<b>Definition</b>
DAD - DELAYED ACTIVATION CREDIT DATE	INDICATES THE START DATE FOR DELAYED ACTIVATION CREDIT.
DCR - DISCONNECT REASON	INDICATES THE REASON FOR SERVICE DISCONNECTION ON CHANGE OF BILLING RESPONSIBILITY AND COMPLETED DISCONNECT ORDERS.
DEP - DEPOSIT INFORMATION	INDICATES CUSTOMER DEPOSIT OR OTHER FORM OF SECURITY FOR THE ACCOUNT.
DFB - DELAYED FINAL BILL	INDICATES THAT THE FINAL BILL ON THIS ACCOUNT SHOULD BE DELAYED UNTIL THE REGULAR BILLING PERIOD FOR THE ACCOUNT.

---

---

<b>FID</b>	<b>Definition</b>
DFP - DEFERRED PAYMENT PLAN	SPECIFIES THE DETAILS OF A DEFERRED PAYMENT PLAN.
DI - DEPARTMENTAL IDENTIFICATION	IDENTIFIES OTHER CHARGES AND CREDIT BY DEPARTMENTAL DESIGNATION.
DMT - DUPLICATE ACCOUNT MAGNETIC TAPE	INDICATES THAT THE COMPTROLLER'S TAPE USED TO SUBSTANTIATE BILLING (S&E, OC&C, USAGE, TOLL, ETC.) FOR LARGE ACCOUNTS AND ACCESS SERVICE IS TO BE DUPLICATED.
DOI - DATE OF INSTALLATION	INDICATES THE DATE THAT SERVICE WAS ORIGINALLY CONNECTED.

## 2.5 E

---

<b>FID</b>	<b>Definition</b>
EBD - EFFECTIVE BILL DATE	INDICATES THE EFFECTIVE DATE WHEN IT IS OTHER THAN THE COMPLETION DATE.
EDP - EMPLOYEE DISCOUNT POSITION	INDICATES THAT ACCOUNT IS ELIGIBLE FOR THE EMPLOYEE DISCOUNT PLAN.
EFB - EXPEDITE FINAL BILL	INDICATES THAT AN EXPEDITED FINAL BILL IS DESIRED.
EXOC - EXPEDITED ORDER CHARGE	INDICATES THE ORDER WAS NEGOTIATED WITH AN INTERVAL SHORTER THAN THAT WHICH THE TELEPHONE COMPANY ORIGINALLY OFFERED.

---

2.6 F

---

FID	Definition
FCG - FACTORY CHARGE	INDICATES THAT A NON-RECURRING CHARGE IS TO BE BILLED AT THE FACTORY LEVEL.
FM - FREE MINUTES	INDICATES THE NUMBER OF FREE MINUTES THAT A CUSTOMER HAS EARNED FROM THE CALLING PLAN AND THE DATE THAT THE FREE MINUTES WILL EXPIRE.
FSC - FOREIGN SPEAKING CUSTOMER	INDICATES THAT A CUSTOMER REQUIRES SPECIALIZED ASSISTANCE ON CALLS TO THE BUSINESS OFFICE BY REQUIRING A REPRESENTATIVE THAT SPEAKS A FOREIGN LANGUAGE.

---

2.7 G

---

FID	Definition
GRC - GROUPING CODE	INDICATES A GROUP BILL ARRANGEMENT FOR BILLING BY AT&T LONG LINES.

---

2.8 I

---

FID	Definition
IB - INSTALLMENT BILLING	INDICATES THAT AN INSTALLMENT BILLING AGREEMENT HAS BEEN MADE TO BILL NON-RECURRING CHARGES OVER A PERIOD OF TIME OF MORE THAN ONE MONTH (THAT ARE NOT SUBJECT TO MINIMAL PAYMENT).
IFB - INITIAL FINAL BILL	INDICATES THAT AN ACCOUNT IS TO BE ESTABLISHED WHEN AN ACCESS SERVICE N ORDER IS CANCELLED OR ISSUED FOR CHARGES (I.E., ENGINEERING CONSULTATION CHARGES) AND AN INITIAL FINAL BILL IS TO BE RENDERED FOR THE CHARGES INCURRED.
IPL - INSTALLMENT PLAN-EQUIPMENT	TO PROVIDE INSTALLMENT BILLING FOR CPE EQUIPMENT.

---

2.9 K

---

FID	Definition
KCO - KEEP COST ORDER NUMBER	ASSOCIATES WORK FOR A GIVEN SYSTEM OR A GIVEN SERVICE ORDER OR ENTIRE ACCOUNT WITH A PARTICULAR KEEP COST ORDER NUMBER.

---

2.10 L

---

FID	Definition
LIN - DRIVER'S LICENSE NUMBER	INDICATES THE DRIVERS LICENSE NUMBER FOR THE SUBSCRIBER RESPONSIBLE FOR BILLING.
LPC - LATE PAYMENT CHARGE EXTENSION	IDENTIFIES CUSTOMERS ELIGIBLE FOR AN EXTENSION OF THEIR LATE PAYMENT CHARGE.
LSF - LOCAL SERVICE FREEZE	TO SET UP AND IDENTIFY ACCOUNTS THAT ARE FROZEN TO LOCAL SERVICE CHANGES FROM ANOTHER PROVIDER.
LTN - LOCAL CHARGE TELEPHONE NUMBER	INDICATES THE LOCAL TELEPHONE NUMBER AT WHICH LOCAL SERVICE CHARGES ARE TO BE BILLED FROM A DIFFERENT TELEPHONE NUMBER.
LTS - LIFE-LINE TELEPHONE SERVICE	INDICATES THOSE CUSTOMERS ENTITLED TO A CREDIT (EITHER FEDERAL ONLY OR FEDERAL AND STATE) TOWARD THEIR NON-RECURRING CHARGES, DUE TO LINK-UP-AMERICA CHARGES.
LUD - LOCAL USAGE DETAIL	INDICATES THAT A COMPLETE ITEMIZATION OF LOCAL CALLS IS TO BE PROVIDED TO A MEASURED OR MESSAGE SERVICE CUSTOMER, IN PLACE OF THE NORMAL MEASURED OR MESSAGE SERVICE BILL SUMMARY.

---



## 2.11 M

---

<b>FID</b>	<b>Definition</b>
MAN - MAJOR ACCOUNT NUMBER	INDICATES THE 5 NUMBER CODE ASSIGNED TO CERTAIN LARGE ACCOUNTS.
MCC - MONTHS IN CREDIT CLASS	INDICATES THE NUMBER OF MONTHS AN ACCOUNT HAS BEEN IN A PARTICULAR CREDIT CLASS.
MDRO - MAGNETIC DETAIL RECORDING DATA OPTIONS	INDICATES CALL DETAIL DATA OPTIONS.
MLC - MULTIPLE ACCOUNT IDENTIFIER	INDICATES THE CUSTOMER HAS AN ACCOUNT REFERENCING ANOTHER ACCOUNT FOR MULTILINE DISCOUNTED SERVICE.
MLR - MECHANIZED MAILER	INDICATES THE TYPE OF LITERATURE TO BE OR NOT TO BE MAILED TO A CUSTOMER AT THE TIME OF SERVICE ORDER ACTIVITY.
MOC - MANAGING OPERATING COMPANY	INDICATES THE COMPANY MANAGING THE ACCOUNT ON CERTAIN MULTI-STATE ACCOUNTS.

## 2.12 N

---

<b>FID</b>	<b>Definition</b>
NAR - NARRATIVE ENTRY OF OTHER CHARGES & CR.	INDICATES A SPECIAL CHANGE OR CREDIT ON THE OC&C STATEMENT.
NAT - NAME, ADDRESS AND TELEPHONE NUMBER	PREVENT BILLING NAME AND ADDRESS OF NP OR NLST CUSTOMERS FROM BEING RELEASED.
NBM - NO BILL MESSAGE	INDICATES SUPPRESSION OF PRINTING OF AT&T BILL MESSAGES.

---

---

FID	Definition
NCG - NON-FACTORY CHARGE	INDICATES THAT A NON-RECURRING CHARGE IS TO BE BILLED AT THE NON-FACTORY LEVEL.
NEL - NUMBER OF EQUIPMENT LISTINGS	INDICATES THAT AN ADDITIONAL COPY OF THE CUSTOMER SERVICE RECORD MUST BE OBTAINED.
NMB - NO MINIMUM BILLING	INDICATES THAT NON-MINIMUM BILLING APPLIES ON AN ACCESS SERVICE ORDER.
NOB - NUMBER OF BILLS	INDICATES THAT A CUSTOMER IS TO RECEIVE MORE THAN ONE COPY OF THE BILL.
NOD - NUMBER OF DAYS	INDICATES THE NUMBER OF BILLABLE DAYS FOR DAILY PART TIME OR OCCASIONAL PROGRAM SERVICE.
NOW - NUMBER OF WATS LINES	INDICATES THE EQUIVALENT OF OUTWARD WATS CREDITS, NOT TO EXCEED THE NUMBER OF REAL OUTWARD WATS LINES THAT THE IC REPORTS TO APPLY FOR PRORATE.
NRA - NON-RECURRING CHARGE	INDICATES THE MONETARY AMOUNT OF A NON-RECURRING ACCESS CHARGE
NRI - NON-RECURRING INSTALLATION CHARGE	INDICATES A NON-RECURRING INSTALLATION CHARGE THAT DIFFERS FROM THE CHARGE THAT WOULD NORMALLY BE DETERMINED BY CRIS.
NRLN - NON-RECURRING CENTRAL OFFICE LINE CHARGE	INDICATES IT IS NECESSARY TO MANUALLY RATE THE CENTRAL OFFICE LINE CHARGE ON A SERVICE ORDER.
NRM - NON-RECURRING MISC CHARGE	INDICATES AN IDENTIFYING CODE AND THE MONETARY AMOUNT OF A MISCELLANEOUS NON-RECURRING CHARGE.
NRNC - NON-RECURRING NUMBER CHANGE CHARGE	IDENTIFIES WHEN IT IS NECESSARY TO MANUALLY RATE THE NUMBER CHANGE CHARGE.

---

---

FID	Definition
NROC - NON-RECURRING OTHER CARRIER CHARGE	THE NON-RECURRING CHARGES ASSOCIATED WITH COORDINATING THE TRANSFER OF SUBSCRIBER SERVICE TO ANOTHER LOCAL EXCHANGE CARRIER.
NRPC - NON-RECURRING PIC CHARGE	IDENTIFIES WHEN THE CUSTOMER, BECAUSE OF THE CARRIER, HAS TO CHANGE HIS INTEREXCHANGE CARRIER. NRPC WAIVES THE PIC CHARGE FOR THE CUSTOMER AND BILLS IT TO THE CARRIER.
NRS - NON-RECURRING CHARGES - STANDARD	INDICATES IDENTIFYING CODE AND A MONETARY AMOUNT FOR A NON-RECURRING CHARGE WHICH CANNOT BE DETERMINED BY A USOC OR ANOTHER FID ON THE SERVICE ORDER.
NRSO - NON-RECURRING SERVICE ORDER CHARGE	INDICATES A MANUALLY RATED SERVICE ORDER CHARGE. NRSO OVERRIDES CHARGES THAT WOULD NORMALLY BE MECHANICALLY GENERATED.
NRT - NON-RECURRING CHARGE TRANSFER	USED TO TRANSFER ALL NON-RECURRING CHARGES (INCLUDING THE SERVICE ORDERING AND INSTALLATION CHARGES) GENERATED BY A PARTICULAR ORDER FROM ONE ACCOUNT TO ANOTHER.
NRVC - NON-RECURRING PREMISE VISIT CHARGE	INDICATES A NON-RECURRING PREMISE VISIT CHARGE-TARIFFED. NRVC OVERRIDES CHARGES THAT WOULD NORMALLY BE MECHANICALLY GENERATED.

---

## 2.13 O

---

<b>FID</b>	<b>Definition</b>
OCD - OTHER CHARGES AND CREDITS DETAIL	INDICATES THAT THE ADDITIONAL OC&C DETAIL IS REQUIRED ON CERTAIN LARGE USER AND GOVERNMENT ACCOUNTS.
OCT - OTHER COMPANY TARIFF	IDENTIFIES ALL ORDERS FOR OTHER COMMON CARRIERS THE TARIFF JURISDICTION TO WHICH ALL RATE ELEMENTS ON A SERVICE ORDER ARE TO BE BILLED.
OFB - OFFICIAL BILL MEDIUM	INDICATES THE PRIMARY OFFICIAL BILL MEDIUM FOR AN ACCESS CUSTOMER.
OWNR - OWNERSHIP TYPE	IDENTIFIES THE TYPE OF OWNERSHIP ON AN ACCOUNT TO TAILOR NEGOTIATION OF PAYMENT ARRANGEMENTS AND FACILITATE THE STUDY OF ACCOUNTS BY OWNERSHIP TYPE.

## 2.14 P

---

<b>FID</b>	<b>Definition</b>
PA - PROVISIONING ARRANGEMENT	INDICATES THE TYPE OF PROVISIONING ARRANGEMENT THAT INDICATES THE ACCESS SERVICE FOR THE ENTIRE CIRCUIT AT THE ORDER LEVEL.
PAB - PREWIRE AND BILL	INDICATES TO CRIS THAT A FINAL BILL IS TO BE RENDERED ON PREWIRE SERVICES.
PACI - PERSONAL ACCESS CODE IDENTIFIER	INDICATES THE UNIQUE STRING OF CHARACTERS E.G. A PASSWORD, THAT A USER MUST SUPPLY TO MEET SECURITY REQUIREMENTS TO GAIN ACCESS TO A SYSTEM.

---

---

FID	Definition
PAH - PREVIOUS ACCOUNT HISTORY	INDICATES A NON-PAY DISCONNECT CUSTOMER TO BE EXCLUDED FROM THE INSTALLATION TELSAM BASE.
PB - PROMOTIONAL BILLING INFORMATION	INDICATES THE BILLING INFORMATION FOR PROMOTIONAL OFFERINGS.
PCC - PERMANENT CREDIT CLASSIFICATION	INDICATES PERMANENT CUSTOMER ACCOUNT CREDIT CLASSIFICATION.
PDCR - PARTIAL DISCONNECT REASON	INDICATES THE REASON FOR PARTIAL DISCONNECT OF SERVICES.
PHB - PERMANENT HOLD BILL	INDICATES WHEN IT IS NECESSARY TO HOLD A BILL FOR A PERIOD OF TIME.
PIU - PERCENT OF INTERSTATE USAGE	INDICATES THE PERCENT OF INTERSTATE USAGE FOR DETERMINATION OF INTERSTATE VERSUS INTRASTATE ACCESS SERVICE USAGE.
PIUD - % OF INTERSTATE USAGE FOR DEDICATED TRANS	INDICATES THE PIU APPLICABLE ON THE DEDICATED TRANSPORT FOR DETERMINATION OF INTERSTATE VS. INTRASTATE ACCESS SERVICE USAGE AND MISCELLANEOUS CHARGES.
PIUE - % OF INTERSTATE USAGE FOR ENTRANCE FACILITY	INDICATES THE PIU APPLICABLE ON THE ENTRANCE FACILITY FOR DETERMINATION OF INTERSTATE VS. INTRASTATE ACCESS SERVICE USAGE AND MISCELLANEOUS CHARGES.
PIUM - PERCENT OF INTERSTATE USAGE FOR MULTIPLEX	INDICATES THE PIU APPLICABLE TO THE CHANNELIZED EQUIPMENT OR MULTIPLEXER FOR DETERMINATION OF INTERSTATE VS. INTRASTATE ACCESS SERVICE CHARGES.
PLU - PERCENT LOCAL USAGE	INDICATES THE PERCENT OF LOCAL USAGE FOR THE DETERMINATION OF INTERSTATE, INTRASTATE AND LOCAL ACCESS SERVICE USAGE.

---

---

FID	Definition
PNT - PERMANENT NO TREAT	INDICATES THAT AN ACCOUNT IS TO BE REFERRED TO THE BUSINESS OFFICE FOR SPECIAL COLLECTION CONSIDERATION IN LIEU OF MECHANIZED CUSTOMER TREATMENT.
PO - POST OFFICE	INDICATES THE POST OFFICE INFORMATION WHICH MAY BE EITHER A ZIP CODE OR A COMPLETE CITY, STATE, AND ZIP CODE. (SCB)
PON - PURCHASE ORDER NUMBER	INDICATES WHEN IT IS THE POLICY OF A CUSTOMER TO ISSUE A PURCHASE ORDER OR WORK ORDER TO THE TELEPHONE COMPANY BEFORE WORK IS STARTED.
PPD - PREFERRED PAYMENT DATE	INDICATES THE PAYMENT DUE DATE THAT HAS BEEN MUTUALLY AGREED UPON BETWEEN THE CUSTOMER AND THE COMPANY WHEN IT IS OTHER THAN THE NORMAL DUE DATE FOR THE ACCOUNT.
PSV - POLITICAL CAMPAIGN SERVICE	INDICATES THE SERVICE USED BY A POLITICAL CAMPAIGN ORGANIZATION.
PVER - PURCHASE ORDER VERSION	THE INTEREXCHANGE CARRIER'S OR ACCESS CUSTOMER'S VERSION OF A PURCHASE ORDER NUMBER.
PWG - PLANT WORK GROUP	IDENTIFIES SPECIAL SERVICES WORK GROUPS.

---

2.15 R

---

FID	Definition
RAN - RECURRING ACCOUNT NUMBER	IDENTIFIES IN A MEASURED SERVICE ENVIRONMENT WHERE THERE IS A SPLIT OF BILLING RESPONSIBILITY FOR THE RECURRING AND LOCAL USAGE ASSOCIATED WITH AN ENTIRE ACCOUNT OR USOC WITHIN AN ACCOUNT. THIS FID INDICATES THAT RECURRING CHARGES ARE BILLED TO THE NUMBER ENTERED AFTER RAN AND THE TOLL AND LOCAL USAGE CHARGES ARE BILLED TO THE NUMBER ENTERED IN THE TN FIELD OF THE IDENTIFICATION SECTION.
RAO - REVENUE ACCOUNTING OFFICE	IDENTIFIES THE REVENUE ACCOUNTING OFFICE RESPONSIBLE FOR BILLING.
RAX - RATE AREA EXCEPTION	INDICATES THERE IS A DIFFERENCE IN RATES WITHIN AN EXCHANGE.
RCK - RETURNED CHECK HISTORY	INDICATES THE CORRECTED DISHONORED CHECK HISTORY. EACH NUMERIC REPRESENTS THE NUMBER OF CHECKS RETURNED IN A MONTH. ENTRIES ARE ARRANGED IN ORDER OF AGE FROM LEFT TO RIGHT AND COVER A 12-MONTH PERIOD. ZERO (0) INDICATES NO CHECKS RETURNED.
RD - RATE DATE	ALLOW IN BILL SECTION FOR ESSX VINTAGE TARIFF.
RESH - RESELLER SHARER	IDENTIFIES THE TYPE OF CUSTOMER AND TRACKS ACTUAL MARKET BEHAVIOR IN RESOLD OR SHARED PRIVATE LINE SERVICES.
RMAN - REGIONAL MAJOR ACCOUNT	INDICATES PROVISION OF ONE MAGNETIC TAPE COIN DRAFT FOR LARGE USERS IN THE REGION.
RTE - RATE	INDICATES A RECURRING CHARGE FOR WHICH THERE IS NO TARIFF RATE IN THE COMPANY WHICH IS ISSUING THE SERVICE ORDERS, E.G., SPECIAL ASSEMBLIES.

---

---

FID	Definition
RTX - RESALE TAX APPLICATION	INDICATES REVENUES EXEMPT FROM TAXES BECAUSE OF RESALES.

---

**2.16 S**

---

FID	Definition
SAN - SUBSCRIBER AUTHORIZATION NUMBER	IDENTIFIES THAT WHENEVER A CUSTOMER ISSUED A CONTINUING AUTHORIZATION, GENERALLY HAVING APPLICATION TO AN ENTIRE ACCOUNT AS OPPOSED TO SPECIFIC ACTIVITY.
SCO - SERVING CENTRAL OFFICE	
SHA1 - SHPPD MTRLS RECIPIENT'S ADDRESS 1ST LN!	THE FIRST LINE OF THE RECIPIENT'S ADDRESS TO WHICH ITEMS WILL BE SHIPPED.
SHA2 - SHPPD MTRLS RECIPIENT'S ADDRESS 2ND LN!	THE SECOND LINE OF THE RECIPIENTS ADDRESS TO WHICH ITEMS WILL BE SHIPPED.
SHCN - SHPPD MTRLS RCPNT'S ADD COMM NM ST & ZIP	THE COMMUNITY NAME STATE AND ZIP CODE OF THE RECIPIENTS ADDRESS TO WHICH ITEMS WILL BE SHIPPED.
SHN1 - SHIPPED MATERIALS NAME FIRST LINE	INDICATES THE FIRST LINE OF THE RECIPIENT'S NAME TO WHICH ITEM WILL BE SHIPPED.
SHN2 - SHPPD MTRLS RECIPIENTS NAME	INDICATES THE SECOND LINE OF THE RECIPIENTS NAME TO WHICH ITEMS WILL BE SHIPPED.
SOF - SERVICE ORDER FACSIMILE	INDICATES THAT CRIS WILL GENERATE A SERVICE ORDER FACSIMILE MESSAGE WHICH INCLUDES NON-RECURRING CHARGES.
SPC - SOLICITATION/SURVEY PREFERENCE CODES	

---



---

<b>FID</b>	<b>Definition</b>
SPP - SPECIAL PRICING PLAN	IDENTIFIES AN ITEM OF EQUIPMENT UNDER A SPECIAL PRICING PLAN.
SS - SOCIAL SECURITY NUMBER	IDENTIFIES THE SOCIAL SECURITY NUMBER AND/OR NAME OF INDIVIDUAL(S) RESPONSIBLE FOR PAYMENT OF TELEPHONE BILL.

---

## 2.17 T

---

<b>FID</b>	<b>Definition</b>
TA - TERM AGREEMENT	INDICATES THAT A CONTRACT OR AN ITEM IS SUBJECT TO A TERMINATION AGREEMENT.
TAC - TERMS AND CONDITIONS IDENTIFIER	ESTABLISH REQUIREMENTS ASSOCIATED WITH TERMS & CONDITIONS.
TACC - TERMS AND CONDITIONS CUSTOMIZED TEMPLATE	ESTABLISH REQUIREMENTS ASSOCIATED WITH TERMS AND CONDITIONS.
TACR - TERMS & COND CUST TEMP NON-REV CONTRIB	ESTABLISH REQUIREMENTS ASSOCIATED WITH TERMS AND CONDITIONS.
TACT - TERMS AND CONDITIONS STANDARD TEMPLATE	ESTABLISH REQUIREMENTS ASSOCIATED WITH TERMS & CONDITIONS.
TAN - TAX ACCOUNT NUMBER	INDICATES THE TAX ACCOUNT NUMBER.
TAR - TAXING AREA	TAR INDICATES THE TAXING AREA FOR CITY AND/OR COUNTY USE TAXES.
TAX - TAX APPLICATION	INDICATES THE FRANCHISE CHARGE OR TAXING STATUS OF AN ACCOUNT WHEN IT DIFFERS FROM WHAT IS NORMAL FOR THE AREA.
TBD - TOLL BILLING DETAIL	INDICATES THE LEVEL OF TOLL BILLING DETAIL ON AN ACCOUNT.

---

---

FID	Definition
TCL - TOLL CREDIT LIMIT	INDICATES A MONETARY LIMITATION FOR TOLL USAGE OR APPROVALS FOR HIGH TOLL USAGE.
TDP - TOLL ACCUMULATION DISCOUNT PLAN	INDICATES THE ACCOUNT NUMBER WHERE THE TOLL CHANGES ARE ACCUMULATED IN ORDER TO QUALIFY FOR A MULTI-ACCOUNT TOLL VOLUME DISCOUNT.
TGC - NON-FACT TRANSLATED CHARGE	
TH - TREATMENT HISTORY	INDICATES THE PREVIOUS TREATMENT HISTORY OF AN ACCOUNT. EACH NUMERIC REPRESENTS THE TREATMENT FOR A MONTH. ENTRIES ARE ARRANGED IN ORDER OF AGE FROM THE LEFT TO RIGHT AND COVER A NINE MONTH PERIOD.
THC - TREATMENT HISTORY CURRENT MONTH	INDICATES THE CORRECT TREATMENT HISTORY FOR THE MOST RECENT BILL UNDER COLLECTION TREATMENT.
THP - TREATMENT HISTORY PRIOR MONTH	INDICATES THE CORRECT TREATMENT HISTORY FOR THE PREVIOUS MONTH'S BILL UNDER COLLECTION TREATMENT.
TNB - TRY AND BUY	DESIGNATES A CUSTOMER PARTICIPATING IN THE TRY 'N BUY SALES PROGRAM.
TNT - TEMPORARY NO TREAT	INDICATES THAT TREATMENT NOTICES ARE PREVENTED FROM BEING MAILED DURING THE CURRENT BILLING CYCLE ONLY.
TPT - TRANSFER PAYMENT	
TTH - TRANSFER TREATMENT HISTORY	INDICATES THE ACCOUNT NUMBER TO WHICH TREATMENT HISTORY FROM A DISCONNECTED OR EXISTING ACCOUNT IN THE SAME ACCOUNTING CENTER IS TO BE TRANSFERRED.
TTN - TOLL TELEPHONE NUMBER	IDENTIFIES AN ACCOUNT NUMBER TO WHICH ALL TOLL CHARGES ARE TO BE BILLED.

---

---

<b>FID</b>	<b>Definition</b>
TTX - CRIS HOLD FILE FID	*6434-C
TYA - TYPE OF ACCOUNT	IDENTIFIES CERTAIN ACCOUNTS FOR CUSTOMERS WHO HAVE VARIOUS BILLING REQUIREMENTS FOR WHICH NORMAL BILL ENTRIES WILL NOT SUFFICE.
TYS - TYPE OF SERVICE	INDICATES ACCESS SERVICE ACCOUNTS THAT RECEIVE SPECIAL TREATMENT.

**2.18 U**

---

<b>FID</b>	<b>Definition</b>
UCC - UNRECOVERABLE CAPITAL COST	INDICATES THE AMOUNT OF ANY UNRECOVERABLE CAPITAL COST INCURRED ASSOCIATED WITH A CANCELLATION OF SERVICE.
UGC - NON-FACT UNTRANSLATED CHARGE	

## 2.19 W

---

FID	Definition
WAC - WAIVE CARRIER COMMON LINE CHARGE	INDICATES THAT THE CARRIER COMMON LINE CHARGE IS NOT APPLICABLE TO A FEATURE GROUP B OR D ACCESS SERVICE FOR A "RESELLER".
WCD - WATS/800 CALL DETAIL	INDICATES WATS/800 INTRALATA CALL DETAIL.
WHA - WATS HUNTING BETWEEN ACCOUNTS	IDENTIFIES THE BILLING NUMBER OF THE ACCOUNT THAT CONTAINS A PART OF A TOTAL HUNTING CONFIGURATION INVOLVING TWO OR MORE ACCOUNTS.

## 2.20 Z

---

FID	Definition
ZAC - AUTHORIZATION CODE	INDICATES THAT A CUSTOMER HAS AUTHORIZATION CODES AT THE ACCOUNT LEVEL.
ZAEN - ASSOCIATED EARNING NUMBER	
ZAFX - AT&T FX ACCOUNT	IDENTIFIES FX ACCOUNTS ESTABLISHED DUE TO THE AT&T TAKEBACK IN SOUTHERN BELL.
ZAGG - AGGREGATED PRICING	IDENTIFIES ACCOUNTS FOR WHICH AGGREGATED PRICING SHOULD APPLY.
ZAUD - ESSX AUDIT COMPLETE	IDENTIFIES THAT AN ESSX ACCOUNT HAS BEEN MANUALLY VERIFIED.
ZBID - BATCH IDENTIFICATION	IDENTIFIES SERVICE ORDERS WHICH ARE TO BE MECHANICALLY COMPLETED BY BATCH NUMBERS IN SOCS.

---

---

FID	Definition
ZBRF - BILL REFUND (INTEREST)	
ZCAN - CANCELLATION CHARGES-MONETARY AMOUNT	INDICATES THE MONETARY CANCELLATION CHARGES AND THE JURISDICTION ASSOCIATED WITH THE CHARGES.
ZCB - CONVERGENT BILL	TO IDENTIFY PARTICULAR ACCOUNTS ASSOCIATED WITH CONVERGENT BILLING FOR COORDINATION.
ZCCD - CALLING CARD DISCOUNT	INDICATES THE ACCOUNT BELONGS TO A LAW ENFORCEMENT AGENCY THAT IS AUTHORIZED TO RECEIVE A DISCOUNT ON CALLING CARD CALLS ASSOCIATED WITH CALLER ID SERVICE.
ZCFM - CLAIMS FORM MAILED	
ZCL - COMMITMENT LEVEL	INDICATES THE NSP'S COMMITMENT LEVEL FOR ADSL SERVICE.
ZCLP - CARRIER COMMON LINE PERCENT CREDIT	INDICATES THE CARRIER COMMON LINE PERCENT CREDIT.
ZCOD - CODES RUN DATE	ZCOD IDENTIFIES THE INFORMATION RELATED TO CODES RECONCILIATION OF CRIS AND THE SWITCH.
ZCOM - COMMISSION CONTRACT	
ZCON - BILL CONSOLIDATOR	TO INDICATE THE ACCOUNT ON WHICH IT RESIDES IS A CONSOLIDATED BILLING ACCOUNT. THE FIELDDED DATA IS UNIQUELY ASSIGNED PER CUSTOMER.
ZCS - CUSTOMER SURVEY	
ZCSS - CREDIT SCREEN STUDY	IDENTIFIES ACCOUNT INVOLVED IN A STUDY OF THE CREDIT SCREEN.
ZCTV - CABLE TV BILLING IDENTIFIER	THIS FID WILL BE USED TO IDENTIFY AND EXTRACT ACCOUNTS THAT ARE SET UP FOR CATV BILLING.

---

---

FID	Definition
ZCUS - AFFILIATE CUSTOMER	TO IDENTIFY AFFILIATE CUSTOMER
ZDAV - DAVIS SETTLEMENT	
ZDBS - DUNN & BRADSTREET SCORE	SMALL BUSINESS SERVICES WILL PE-SCREEN THEIR ACCOUNT DATABASE FOR CREDIT PRE-APPROVAL WITH THE DUNN & BRADSTREET CREDIT MODEL. DUNN & BRADSTREET WILL APPEND A SCORE OF 0-660, THE DATE SCORED AND A DEPOSIT AMOUNT OF 0-9999 ON EACH ACCOUNT.
ZDCO - DAVIS CASE OPTION SELECTED	TO INDICATE THE SELECTION MADE BY THE CUSTOMER, THE TELEPHONE NUMBER THE SELECTION APPLIES TO AND THE COMPLETION DATE OF THE SERVICE ORDER.
ZDCR - CREDIT RATCHETING	ZDCR WILL BE PROVIDED ON SERVICE ORDERS WHEN A RATCHET FACTOR IS TO BE APPLIED TO NON RECURRING AND FRACTIONAL RECURRING OC&C'S.
ZDCS - DAVIS CASE SERIAL NUMBER	TO INDICATE THE SERIAL NUMBER ASSOCIATED WITH THE ACCESS LINE ON THE CLAIMS FORM RETURNED BY THE CUSTOMER, THE 10 DIGIT ACCESS LINE NUMBER AND A 2 CHARACTER STATUS INDICATOR.
ZDIM - DEPARTMENTAL IDENTIFICATION MEASURED	INDICATES SORTING AT EARNING NUMBER LEVEL ON LARGE USER BILL ACCOUNTS WITH LOCAL MEASURED SERVICE.
ZDOI - AFFILIATED DATE OF INSTALLATION	
ZDP - DISCOUNT PROMOTION	
ZDRA - DIFFERENT REFUND ADDRESS	PROVIDES THE DIFFERENT REFUND ADDRESS OF THE PREVIOUS OWNER WHEN A TRANSFER OF CONTRACT IS INVOLVED.

---

---

FID	Definition
ZDSN - DISCOUNTED RATE NON-RECURRING CHARGE	IDENTIFIES THE NON-RECURRING RATE OF SERVICE WHEN A RATE OTHER THAN A TARIFFED RATE IS BEING CHARGED.
ZDSR - DISCOUNTED RATE RECURRING CHARGE	IDENTIFY THE NON-RECURRING RATE OF SERVICE WHEN A RATE OTHER THAN A TARIFFED RATE IS BEING CHARGED.
ZECR - ELECTRONIC CHECK PAYMENT	RECURRING PAYMENT PLAN FOR ECHECK.
ZEEC - ESSX EUCLC CREDIT	THE FID WILL IDENTIFY ESSX ACCOUNTS FOR CUSTOMERS IN TENNESSEE WITH AN AGGREGATE OF 4000 LINES AND ABOVE.
ZELF - EXTENDED LOCAL FACILITIES	
ZENG - PROJECT ENERGIZE IDENTIFIER	TO IDENTITY ACCOUNTS THAT ARE ASSOCIATED WITH THE PROJECT ENERGIZE AGREEMENT WHERE CUSTOMERS AND THEIR ACCOUNT INFORMATION ARE TRANSFERRED TO BELLSOUTH BY THE POWER COMPANY.
ZFDO - FLAG DISCONNECT ORDER	INDICATES THAT A DISCONNECT ORDER FOR FEATURE GROUP B, C, D, SPECIAL ACCESS OR DEDICATED ACCESS HAS BEEN REVIEWED BY ACCOUNTING AND IS A POSITIVE ENTRY TO VALIDATE THAT THE D ORDER SHOULD WORK TO THE CUSTOMER ACCOUNTING RECORD.
ZFRM - CLAIMS FORM MAILED	DESIGNATES THOSE CUSTOMERS WHO HAVE BEEN SENT A CLAIMS FORM FOR THE INSIDE WIRE SETTLEMENT.
ZHGF - HUNTING GRANDFATHERED INDICATOR	TO IDENTIFY AND TRACK CONSUMER ACCOUNTS WITH HUNTING THAT ARE BEING GRANDFATHERED.
ZIBC - INTEGRATED BUSINESS CONNECTIONS	IDENTIFICATION OF IBC CONTRACT ARCHTECHURE

---

---

FID	Definition
ZINC - INCLUDE IN SETTLEMENT	
ZIRP - IPP REWARD PLAN	TO IDENTIFY ACCOUNTS AS APPLICABLE FOR THE IPP REWARD PLAN.
ZIV - INVOICE BILLED	INDICATES THAT THE CUSTOMER IS BILLED BY INVOICE.
ZIW - INSIDE WIRE	INDICATES ACCOUNTS MARKED FOR INTERNAL REPORTING.
ZIWS - INSIDE WIRE SUBSCRIBER	DESIGNATES WHICH CUSTOMERS WERE INSIDE WIRE SUBSCRIBERS AS OF 02-24-95 AND WHICH ARE TO BE INCLUDED IN THE SETTLEMENT CLASS.
ZIXC - RESPONSIBLE ORGANIZATION IXC	IDENTIFIES THE RESPONSIBLE ORGANIZATION IXC FROM WHICH THE TOLL FREE NUMBER IS BEING MOVED TO BELLSOUTH LONG DISTANCE.
ZLEK - LEAKY PBX	IDENTIFIES ACCOUNTS THAT HAVE THE CAPABILITY OF BYPASSING THE TOLL NETWORK.
ZMAT - IN-HOUSE MATCH TRACKING FID	TO IDENTIFY NEW CUSTOMERS WITH A RECORD OF NON-PAYMENT FOR TELEPHONE SERVICE TO SATISFY REQUIREMENTS OF ADVERSE ACTION COMMITTEE.
ZMCS - METROPOLITAN COMMUNITY SERVICE	INDICATES ACCOUNTS WITH METROPOLITAN COMMUNITY SERVICE TO PROVIDE FOR CORRECT BILLING.
ZMPO - MULTI-PRODUCT OFFERING	INDICATES THAN AN ACCOUNT QUALIFIES AS A MULTI-PRODUCT OFFERING ACCOUNT
ZMSA - MASTER SERVICE AGREEMENT	DENOTES THAT A CUSTOMER HAS SIGNED A MASTER SERVICE AGREEMENT WITH BBS
ZMSE - MEASURED SERVICE EXPERIMENT	ASSISTS IN TRACKING AVERAGE MONTHLY BILLING FOR A MEASURED SERVICE EXPERIMENT IN NORTH CAROLINA ONLY.

---



---

FID	Definition
ZMSG - MISS. STATE GOVERNMENT SPECIAL ACP RATE	INDICATES TO CRIS TO GIVE A SPECIAL RATE TO MISSISSIPPI STATE GOVERNMENT ACCOUNTS ON BANDS D, E, F AND G.
ZNET - BELLSOUTH.NET SHIP & BILL	TO ALLOW A SINGLE N ORDER TO BE ISSUED FOR SOFTWARE DISTRIBUTION TO A CUSTOMER REQUESTING BELLSOUTH.NET SOFTWARE IN ICO REGION. THIS ELIMINATES THE NEED TO FOLLOW UP AND DISCONNECT OF MISC ACCT.
ZNFB - NON-FACILITY BASED RESELLER	INDICATES THAT ALL INTRASTATE ACCESS CHARGES ARE TO BE WAIVED. INTRASTATE CHARGES WILL BE BILLED USING FIDS ALREADY IN PLACE FOR PRORATE.
ZONM - OVERNIGHT MAIL BILL	
ZOOS - OPT OUT OF SETTLEMENT	DESIGNATES CUSTOMERS WHO HAVE CHOSEN TO OPT OUT OF THE INSIDE WIRE SETTLEMENT CLASS.
ZOPT - CUSTOMER OPTION WIRE MAINTENANCE	USED TO MARK ALL OPT-OUT CUSTOMER ACCOUNTS FOR RESOLICITATION OF WIRE MAINTENANCE.
ZOSV - OLYMPICS SERVICE	INDICATES OLYMPICS SERVICE
ZOUT - SELECTED OUT OF SETTLEMENT	
ZPAC - OMIT PERSONAL ACCESS CODE IDENTIFIER	INDICATES TO CRIS THAT THE CUSTOMER DOES NOT WANT THE PERSONAL ACCESS CODE IDENTIFIER FOR RIGHTOUCH SERVICE PRINTED ON THE BILL.
ZPAS - PUBLIC ANNOUNCEMENT SERVICE	ESTABLISHES THE NETWORK FACILITIES USAGE LEVEL FOR PROPER MONTHLY BILLING ON PUBLIC ANNOUNCEMENT SERVICES (TIME AND TEMPERATURE TYPE SERVICE).
ZPF - PRINT FREQUENCY TEMPORARY PERIOD	INDICATES WHEN A HOW OFTEN TO UPDATE A CUSTOMER SERVICE RECORD (CSR) TO IBOSS.

---

---

FID	Definition
ZPK - CONVERGENT BILLING PACKAGE	TO IDENTIFY ACCOUNTS ASSOCIATED WITH CONVERGENT BILLING FOR COORDINATION.
ZPTX - PENDING TAX EXEMPTION INDICATOR	INDICATES THAT THE CUSTOMER HAS ADVISED BST THAT HE IS EXEMPT FROM ONE OR MORE TAXES AND THAT THE ISSUING GROUP HAS CONFIRMED (OR IS UNABLE TO CONFIRM) THE EXEMPTION STATUS.
ZQCC - QUALITY CONNECTIONS CORRECTIONS	IDENTIFIES ACCOUNTS FOR CRIS THAT ARE CORRECTING QCP USOCS BUT SHOULD HAVE NO CHANGE IN BILLING.
ZRBA - RELATED BILLING ACCOUNT	INDICATES THE RELATED BILLING ACCOUNT IN CABS WHERE OTHER CHARGES ASSOCIATED WITH THIS SERVICE MAY BE BILLED BY THE ALTERNATE BILLING SYSTEM.
ZRCC - RECURRING CREDIT CARD	
ZRCN - WIRELESS CONTRACT NUMBER	INDICATES CONTRACT RATES FOR COMMERCIAL MOBILE RADIO SERVICE PROVIDERS.
ZRDP - RECONSIDER DEPOSIT POLICY	INDICATES A RESIDENCE NEW CONNECT ON WHICH SERVICE WILL BE ALLOWED WITHOUT A DEPOSIT WHEN THE CREDIT SCREEN HAS BEEN FAILED.
ZREF - REFUND	
ZRST - UNBUNDLED NETWORK ELEMENT RESOLD INTRALA	UNBUNDLED NETWORK ELEMENT RESOLD INTRALATA TOLLS
ZRTE - INFRASTRUCTURE ZERO RATE	TO IDENTIFY SUPPRESSION OF BILL GENERATION AND NEGATE ALL RECURRING AND NON-RECURRING CHARGES ASSOCIATED WITH RATE ELEMENTS ON ORDERS ISSUED FOR PROVISIONING ONE-WAY WIRELESS FACILITIES AND/OR TRUNKS USED TO TRANSPORT TRAFFIC FROM BST TO COMMERCIAL MOBILE RADIO SERVICE, CMRS PROVIDERS.

---

---

FID	Definition
ZRYP - RESIDENCE YELLOW PAGES ADVERTISING	INDICATES RESIDENCE WORK AT HOME CUSTOMER BUSINESS TAX RATES APPLY.
ZSAT - SUBSCRIBER ACCESS TELEPHONE NUMBER	INDICATES THE TELEPHONE NUMBER THE SUBSCRIBER WILL CALL TO ACCESS THE NETWORK MENU FOR THE REMOTE ACCESS TO CALL FORWARDING CUSTOM CALLING FEATURE.
ZSBA - SPECIAL BILLING ARRANGEMENT	INDICATES THE SPECIAL ASSEMBLY CONTRACT NUMBER AND EXPIRATION DATE.
ZSBL - CONVERGENT SPECIAL BILLING	IDENTIFIES AT THE ACCOUNT LEVEL THAT THERE IS CONVERGENT BILLING ON THE ACCOUNT AND DATA FOLLOWING THE FID IDENTIFIES THE ENTITY SENDING THE BILLING.
ZSBP - SUBSIDIARY BILLING PLAN	IDENTIFIES EMPLOYEES AND RETIREES OF BELL SOUTH CORPORATION AND ITS SUBSIDIARIES. IT IS USED IN CONJUNCTION WITH THE CSN CODE OF "Y".
ZSCN - SPECIAL ASSEMBLY CONTRACT NUMBER	INDICATES THE CONTRACT NUMBER USED FOR BILLING ITEMS OF SERVICE UNDER A SPECIAL ASSEMBLY CONTRACT AND FOR MARKETING TRACKING PURPOSES.
ZSCO - SCB INSIDE WIRE OPTION SELECTED	INDICATES THE SELECTED BY THE CUSTOMER, THE ACCESS LINE ON THE CLAIMS FORM RETURNED AND THE COMPLETION DATE OF THE SERVICE ORDER FOR THE SCB INSIDE WIRE SETTLEMENT.
ZSCR - PRE SCORE	USED TO INDICATE PRESCORING RESULTS WITH RAW OR COMBINED (BST/BMI) SCORE AND THE DATE THE ACCOUNT WAS PRESCORED.
ZSCS - SCB INSIDE WIRE SERIAL NUMBER	SERIAL NUMBER ASSOCIATED WITH THE ACCESS LINE ON THE CLAIMS FORM RETURNED BY THE CUSTOMER, THE 10 DIGIT ACCESS LINE NUMBER AND A 2 CHARACTER STATUS INDICATOR FOR SCB INSIDE WIRE SETTLEMENT.

---

---

FID	Definition
ZSEI - STERLING E-MAIL I.D.	INDICATES THE ELECTRONIC MAIL IDENTIFICATION OF THE CUSTOMER FOR ROUTING OF THE BILL VIA THE STERLING COMMERCE NETWORK.
ZSTA - SHARED TENANT ACCOUNT	IDENTIFIES A SHARED TENANT ACCOUNT AND DIFFERENTIATES BETWEEN SHARED TENANT SERVICE AND MULTI-TENANT SERVICE.
ZSTU - STUDENT	INDICATES THE CUSTOMER IS A COLLEGE STUDENT. USED BY MARKETING FOR A HISTORICAL STUDENT INFORMATION FOR MAILOUT PROGRAMS.
ZSTY - USAGE STUDY PROCESSING	USED BY CRIS TO GENERATE REPORTS FOR USAGE STUDIES.
ZTMA - TEMPORARY MAILING ADDRESS	IDENTIFIES A TEMPORARY ADDRESS FOR MAILING CUSTOMER INSTRUCTIONAL BROCHURES.
ZTOC - AFFILIATE TRANSACTION ORIGINATION CODE	
ZTRL - TRIAL TRACKING	IDENTIFIES SPECIFIC ACCOUNTS FOR PROMOTIONAL TRIAL TRACKING.
ZUCA - BELLSOUTH UNLIMITED CALLING PLAN AGGREGA	BELLSOUTH UNLIMITED CALLING PLAN AGGREGATION
ZUCD - BELLSOUTH UNLIMITED CALLING PLAN DETAIL	INDICATE TO CRIS THE BELLSOUTH UNLIMITED CALLING PLAN USOC UCPBX SHOULD BE PROPAGATED DOWN FROM THE MAIN ACCOUNT TO ALL EARNING NUMBERS.
ZV - VINTAGE	INDICATES WHICH VINTAGE TARIFF RATES ARE APPLICABLE.
ZVAL - VALIDATION	
ZVER - BELLSOUTH CHANNELIZED TRUNKS ACCOUNT	BELLSOUTH CHANNELIZED TRUNKS ACCOUNT VERIFICATION COMPLETE

---

---

FID	Definition
ZWC - WIRELESS CARRIER	IDENTIFIES UNIQUELY ALL CELLULAR ACCOUNTS WITH A THREE CHARACTER ALPHA CODE, ASSIGNED TO EACH CARRIER.
ZWID - UNIVERSAL SERVICE DISCOUNT WORK ID	IDENTIFY ACCOUNTS THAT ARE PARTICIPATING IN THE UNIVERSAL SERVICE FUND DISCOUNT PROGRAM. THE CODESET OF THE FID WILL BE USED TO IDENTIFY THE WORK ID NUMBER.
ZWWR - WIRELESS WIRELINE INTGRE MSG SER CUSTOME	TO IDENTIFY THE WIRELINE/WIRELESS INTEGRATED MESSAGING SERVICE CUSTOMER.

---



### 3. CTL

#### 3.1 A

---

<b>FID</b>	<b>Definition</b>
AD - ASSIGNMENT DATE	INDICATES THE DATE BY WHICH INFORMATION REQUIRED TO DESIGN THE SERVICE IS TO BE AVAILABLE. ALL REQUIRED FACILITIES AND EQUIPMENT (INCLUDING PLUG-INS) ARE TO BE RESERVED, ASSIGNED AND/OR ORDERED.
ASCR - ACCESS SVCS COORD FOR JOINTLY SVCS	INDICATES THE NUMERIC IDENTIFICATION AND THE TYPE OF COORDINATION PROVIDED FOR THE COMPANY WHO ACTS AS COORDINATOR FOR ACCESS SERVICES WHICH ARE JOINTLY PROVIDED.

#### 3.2 C

---

<b>FID</b>	<b>Definition</b>
CCO - CIRCUIT CONTROL OFFICE	INDICATES THE NETWORK CIRCUIT CONTROL OFFICE RESPONSIBLE FOR ALL WORK FUNCTIONS REQUIRED TO COMPLETE CIRCUIT IMPLEMENTATION THE CCO, WHEN APPLICABLE, ALSO CONTROLS AND ASSURES THAT THE FRAME TO FRAME CONTINUITY TEST WAS COMPLETED.
CDLR - CONFIRMING DESIGN LAYOUT REPORT DATE	IDENTIFIES THE DATE BY WHICH THE CONFIRMING DESIGN LAYOUT REPORT SHOULD BE RECEIVED BY THE BELL POINT ON CONTACT.
CEIR - CONFIRMING ENGINEERING INFOR REP DATE	INDICATES THE DATE ON WHICH ALL LOCAL DESIGN GROUPS ARE TO RECEIVE A CONFIRMING REPORT OF DESIGN CHANGES FROM THE CONTROL DESIGN GROUP.

---

---

<b>FID</b>	<b>Definition</b>
CTN - CONTACT TELEPHONE NUMBER	INDICATES THE TELEPHONE NUMBER ON WHICH THE AGENT OR SUBSCRIBER MAY BE REACHED WHEN IT IS DIFFERENT FROM THE MAIN NUMBER.

---

**3.3 D**

---

<b>FID</b>	<b>Definition</b>
DCO - DESIGN CONTROL OFFICE	INDICATES THE BELL OPERATING COMPANY (BOC) DESIGN CONTROL OFFICE RESPONSIBLE FOR THE FACILITY AND TERMINATION CIRCUITS BEING PROVIDED TO ANOTHER COMMON CARRIER (OCC).
DDL - DEDICATED ACCESS LINE DESIGN LAYO.REP	INDICATES THAT A DESIGN LAYOUT REPORT (DLR) IS TO BE PROVIDED TO THE IC DEDICATED ACCESS LINE SERVICE.
DLRD - DESIGN LAYOUT REPORT DATE	INDICATES THE DATE, ON AND OCC ORDER, BY WHICH THE DESIGN LAYOUT REPORT OR THE TERMINATION LAYOUT REPORT MUST BE FORWARDED TO THE OCC REPRESENTATIVE.
DSG - DESIGN CONTROL CONTACT	INDICATES THE NAME AND TELEPHONE NUMBER OF THE IC (INTERLATA CUSTOMER) CONTACT FOR DESIGN CONTROL.
DVA - DESIGNED VERIFIED AND ASSIGNED	INDICATES THE DATE ON WHICH IMPLEMENTATION GROUPS ARE TO REPORT THAT ALL DOCUMENTS AND MATERIALS HAVE BEEN RECEIVED.

---



**3.4 E**

---

<b>FID</b>	<b>Definition</b>
ECO - ENGINEERING CONTROL OFFICE	INDICATES THE NETWORK SEGMENT'S ENGINEERING CONTROL OFFICE RESPONSIBLE FOR OVERALL DESIGN COORDINATION OF ALL CIRCUITS ON AN ORDER.
EIRD - ENGINEERING INFORMATION REPORT DATE	INDICATES THE DATE ON WHICH THE CONTROL DESIGN GROUP SHOULD HAVE RECEIVED AN ENGINEERING INFORMATION REPORT (EIR) FROM THE LOCAL CONTROL DESIGN GROUP.

---

### 3.5 F

---

FID	Definition
FCD - FRAME CONTINUITY DATE	INDICATES THE DATE ON WHICH FRAME-TO-FRAME CONTINUITY IS ASSURED BY APPROPRIATE TEST AND THE LOCAL DISTRIBUTION FACILITY, IF APPLICABLE, IS PRESENT TO THE EXTENT IT CAN BE DETERMINED.

---

### 3.6 I

---

FID	Definition
IMC - IC'S MAINTENANCE CONTACT	INDICATES THE NAME AND TELEPHONE NUMBER OF THE IC (INTERLATA CUSTOMER) CONTACT FOR MAINTENANCE
IMP - IMPLEMENTATION CONTROL CONTACT	INDICATES THE NAME AND TELEPHONE NUMBER OF THE IC (INTERLATA CUSTOMER) CONTACT FOR IMPLEMENTATION CONTROL.
INV - INTERVAL PARAMETERS	INDICATES THE APPLICABLE PARAMETERS USED BY TIRKS TO DETERMINE THE CRITICAL DATES FOR A SPECIAL SERVICES ORDER.

---

**3.7 L**

---

<b>FID</b>	<b>Definition</b>
LAM - LOOP ASSIGNMENT AND MAKEUP DATE	INDICATES THE DATE BY WHICH LOOP ASSIGNMENT INFORMATION AND THE LOOP MAKEUP, WHEN REQUIRED, ARE TRANSMITTED TO THE APPROPRIATE WORK GROUP.

---

**3.8 N**

---

<b>FID</b>	<b>Definition</b>
NCON - NEGOTIATION CONTACT	INDICATES THE NAME AND TELEPHONE NUMBER OF THE PERSON WHO AUTHORIZED THE ISSUANCE OF A SPECIAL SERVICES ORDER AND WHO IS RESPONSIBLE FOR ALL NEGOTIATIONS WITH THE CUSTOMER.

---

**3.9 O**

---

<b>FID</b>	<b>Definition</b>
OCO - OVERALL CONTROL OFFICE	INDICATES THE OVERALL CONTROL OFFICE RESPONSIBLE FOR THE COORDINATION OF ALL THE WORK ACTIVITIES RELATED TO THIS SERVICE ORDER.

---

**3.10 P**

---

<b>FID</b>	<b>Definition</b>
PTD - PLANT TEST DATE	INDICATES THE DATA ON WHICH OVERALL TESTING IS TO BE STARTED.

---

**3.11 R**

---

<b>FID</b>	<b>Definition</b>
------------	-------------------

---

### 3.13 T

---

FID	Definition
TRID - TRAFFIC RECORD ISSUE DATE	INDICATES THE TRAFFIC ENGINEERING REPORT DATE WHEN ALL TRAFFIC RELATED INFORMATION IS TO BE COMPLETED AND RECORDS POSTED.
TRO - TRAFFIC REPORTING OFFICE	INDICATES THE ENGINEERING REPORTING OFFICE RESPONSIBLE FOR TRUNK RELAY ASSIGNMENTS.

---

3.14 W

---

FID	Definition
WCO - WRITING CONTROL OFFICE	IDENTIFIES THE WIRING CONTROL OFFICE RESPONSIBLE FOR ISSUING THE PRIMARY ORDER. THE WCO IS ALSO RESPONSIBLE FOR THE RECEIPT OF COMPLETE CUSTOMER ORDER INFORMATION AND FOR THE COORDINATION OF ALL WORK ACTIVITIES FROM INITIAL CUSTOMER CONTACT THROUGH RELEASE OF A PRIMARY ORDER.
WOT - WIRED AND OFFICE TESTED	INDICATES THE DATE BY WHICH INTRA-CENTRAL OFFICE WIRING IS TO BE COMPLETED, ALL PLUG-INS OPTIONED, ALIGNED, AND FRAME TO FRAME CONTINUITY ESTABLISHED. IN ADDITION, INTEROFFICE FACILITY SECTIONS (AS APPLICABLE) ARE TESTED BY THE RESPONSIBLE WORK GROUPS. FURTHERMORE, THE SWITCHING EQUIPMENT INCLUDING TRANSLATION LOADING, SHALL BE INSTALLED AND TESTED BY THE RESPONSIBLE WORK GROUPS.

---

**3.15 Z**

---

FID	Definition
ZAT - AREA TRANSFER	INDICATES AN ACCESS ORDER THAT IS INVOLVED IN AN AREA TRANSFER OR CENTRAL OFFICE CONVERSION.
ZJEP - JEOPARDY CODE	IDENTIFIES THE JEOPARDY CODE ON TIRKS INVOLVED ORDERS.

---

## 4. DIR

### 4.1 D

---

FID	Definition
DDA - DIRECTORY DELIVERY ADDRESS	IDENTIFIES A DIRECTORY DELIVERY ADDRESS FOR MAIN SERVICE WHEN THE LISTED, SERVICE OR BILLING ADDRESS IS INSUFFICIENT OR WHEN THE DIRECTORY IS TO BE DELIVERED TO AN ADDRESS OTHER THAN THE SERVICE OR LISTED ADDRESS.
DEL - DIRECTORY DELIVERY EQUIPMENT	INDICATES THE NUMBER OF DIRECTORIES TO BE DELIVERED TO THE CUSTOMER WHEN DIFFERENT FROM NORMAL DELIVERY. DDL MAY ALSO INDICATES SPECIAL REQUIREMENTS FOR WHITE PAGES, YELLOW PAGES AND/OR FOREIGN DIRECTORIES.

### 4.2 Z

---

FID	Definition
ZDDE - DIRECTORY DELIVERY EXCEPTION	PREVENTS DELIVERY OF A DIRECTORY ON AN N OR A T ORDER.
ZTDA - TEMPORARY DELIVERY ADDRESS	INDICATES THE TEMPORARY ADDRESS TO WHICH DIRECTORIES ARE TO BE DELIVERED.
ZTDE - TEMPORARY DIRECTORY DELIVERY EXCEPTION	INDICATES THE NUMBER OF DIRECTORIES A CUSTOMER WISHES TO HAVE DELIVERED AT THE TIME SERVICE IS RESTORED VIA AND AUDIO RESPONSE UNIT (RIGHTTOUCH).

---





## 5. IDNT

### 5.1 A

---

<b>FID</b>	<b>Definition</b>
ACL - ACCOUNT CLASSIFICATION	IDENTIFIES THE MARKETING CLASSIFICATION OF BUSINESS ACCOUNTS.
ACNA - ACCESS CUSTOMER'S NAME ABBREVIATION	IDENTIFIES THE INTERLATA ACCESS CUSTOMER NAME IN ABBREVIATED FORMAT.
ADSL - ASYMMETRIC DIGITAL SUBSCRIBER	
ADSR - ADMINISTRATION OF DESIGNED SERV REVIEW	INDICATES THAT THE SERVICE ORDER HAS LINES OR CIRCUITS THAT REQUIRE DESIGN REVIEW BY THE ADMINISTRATION OF DESIGNED SERVICES (ADS) OR AN EQUIVALENT GROUP.
AECN - ALTERNATE EXCHANGE CARRIER NUMBER	NAME OF ALTERNATE EXCHANGE CARRIER WHICH OFFERS NUMBER PORTABILITY AND IS THE DIAL TONE PROVIDER.
ANR - ASSIGNMENT NOT REQUIRED	INDICATES THAT THE SPECIFIC FACILITY ASSIGNMENTS NORMALLY REQUIRED FOR AN ASSIGNABLE USOC DO NOT APPLY.
AT - AREA TRANSFER	IDENTIFIES THE NEW TELEPHONE NUMBER ASSIGNED TO AN ACCOUNT INVOLVED IN AN AREA TRANSFER.
AVN - ABBREVIATED VENDOR NAME	INDICATES THE ABBREVIATED NAME OF CODE THAT REPRESENTS THE CPE VENDOR.
AXC - AT&T CONTRACT ARRANGEMENTS	IDENTIFIES THE TYPE OF CONTRACT ARRANGEMENT BETWEEN AT&T AND THE BELL OPERATING COMPANY.

---

## 5.2 C

---

FID	Definition
CAC - CIRCUIT ACTIVITY	INDICATES THAT AN ORDER FOR A DISIGNED SERVICE IS ESTABLISHING A NEW CIRCUIT, TOTALLY DISCONNECTING A CIRCUIT OR CHANGING AN EXISTING CIRCUIT.
CAID - CUSTOMER ACCOUNT INFORMATION	A UNIQUE IDENTIFICATION NUMBER FOR A CUSTOMER ASSIGNED VIA THE CUSTOMER INFORMATION REFINERY (CIR).
CANC - CANCEL	INDICATES THE REASON A SERVICE ORDER IS CANCELLED.
CCNA - CUSTOMER'S CARRIER NAME ABBREVIATION	INDICATES THE ABBREVIATED NAME OF THE CUSTOMER'S CARRIER PROVIDING INTERLATA ACCESS SERVICE.
CENT - CENTRALIZED CUSTOMER SERVICE	INDICATES THAT ALL CUSTOMER SERVICES ARE HANDLED ON A CENTRALIZED AND/OR SPECIALIZED BASIS.
CFAM - CONNECTING FACILITY ASSIGNMENT MGMT	TO HELP WITH THE MANAGEMENT OF CONNECTING FACILITY ASSIGNMENT ACTIVITY.
COG - CENTRALIZED OPERATIONS CODE	IDENTIFIES A UNIQUE VENDOR CODE AND PROJECT CONTROL MANAGER CODE TO TRACK SERVICE ORDER ACTIVITY ISSUED BY THE COG FOR ALL VENDORS.
CONV - CONVERSION	INDICATES THAT SPECIAL TREATMENT IS TO BE GIVEN TO AN ACCOUNT DURING CRIS MECHANIZED CONVERSION.
COT - CHANGE ORDER TYPE	INDICATES THE NEW ORDER TYPE AND NUMBER OF A SERVICE ORDER WHEN IT IS NECESSARY TO CHANGE THE ORDER TYPE OF A COMPLETED ORDER.
CPS - CARRIER PIPELINE STATUS	IDENTIFIES THE SPECIAL SERVICES ORDERS THAT ARE IN THE SERVICE ORDER PROCESSORS(SOP) THAT QUALIFY FOR ACCESS.

---

---

<b>FID</b>	<b>Definition</b>
CRO - COMPLETE WITH RELATED ORDER	IDENTIFIES THE SERVICE ORDER TYPE AND NUMBER OF A RELATED ORDER THAT MUST BE COMPLETED ON THE SAME DUE DATE.
CS - CLASS OF SERVICE	INDICATES THE CLASS OF SERVICE THAT IS BEING REMOVED ON A C OR R ORDER. THIS FID IS ALWAYS SHOWN O ACTION CODED.
CSDT - COORDINATION OF SERVICE DUE TIME	
CSR - CENTREX STATION REARRANGEMENT	INDICATES ALL CENTREX/ESSX SYSTEMS THAT HAVE CUSTOMER CHANGE CAPABILITY.

### 5.3 D

---

<b>FID</b>	<b>Definition</b>
DDD - DESIRED DUE DATE	INDICATES THE DATE THE CUSTOMER DESIRES SERVICE WHEN A FIRM DUE DATE CANNOT BE NEGOTIATED.
DEMO - DEMONSTRATION LINE	TO ESTABLISH DEMONSTRATION LINES FOR A SERVICE OR FEATURE FOR USE IN A SALES OFFICE OR FOR SALES TRAINING (PRIOR TO ETET OR PRIOR TO TARIFF EFFECTIVE DATE)
DMD - DELIVERY METHOD (IDENT)	THE DELIVERY METHOD FOR AIN RELATED REPORTS.
DNPR - DO NOT PROCESS	INDICATES AN ORDER IS NOT TO BE PROCESSED TO THE DBAC AND WILL SUPPRESS REISSUANCE OF THE CALLING CARD.
DNTD - DO NOT TEAR DOWN	
DSA - DISTRIBUTION AND SUPPLEMENTAL ASSGNT	INDICATES AN ORDER IS TO BE PROCESSED BY A SPECIFIC SYSTEM.

---

---

<b>FID</b>	<b>Definition</b>
DUAL - DUAL SERVICE	INDICATES THAT A TELEPHONE NUMBER IS WORKING WITH UNINTERRUPTED SERVICE AT BOTH THE "F" (FROM) AND THE "T" (TO) ADDRESS SIMULTANEOUSLY.

---

**5.4 E**

---

<b>FID</b>	<b>Definition</b>
EAC - EXCHANGE AREA CLASSIFICATION	INDICATES THE CIRCUIT EXCHANGE AREA CLASSIFICATION USED TO DETERMINE DIVISION OF REVENUE.
EDT - EFFECTIVE DATE	INDICATES FOR DATABASE INPUT, THE DATE THAT THE SUBSCRIBER'S SERVICE IS TO BEGIN, END OR CHANGE (E.G. 800 DATA BASE SERVICE).
ESV - ENHANCED SERVICE VENDOR	INDICATES A TARIFFED SERVICE PROVIDED TO A BELLSOUTH ENHANCED SERVICE PROVIDER FOR TRACKING PURPOSES.
ETET - END TO END TESTING	INDICATES THAT END TO END TESTING IS BEING DONE ON THIS ORDER AND ACCOUNT TO CHECK THE QUALITY OF NEW PRODUCT ORDERING, PROVISIONING AND BILLING.
ETM - EFFECTIVE TIME	INDICATES FOR DATABASE INPUT, THE TIME (OTHER THAN DEFAULT TIME) THAT THE SUBSCRIBER'S SERVICE IS TO BEGIN, END OR CHANGE (E.G. 800 DATA BASE SERVICE).
EVD - EVENT DURATION	INDICATES THE DATE AND HOURS OF AIR TIME FOR DAILY PART TIME OR OCCASIONAL PROGRAM SERVICE.

---

## 5.5 F

---

<b>FID</b>	<b>Definition</b>
FDD - ORDER DUE DATE	INDICATE THE F ORDER DUE DATE WHEN IT DIFFERS FROM THE T DUE DATE.
FDT - FRAME DUE TIME	INDICATES THE TIME FOR AN ORDER TO BE WORKED OR COORDINATED AT THE FRAME.
FRD - FRAME DUE DATE	INDICATES THE DATE BY WHICH WORK ON THE FRAME SHOULD BE COMPLETE.
FRN - FACILITIES RESERVATION NUMBER	INDICATES RESERVED OUTSIDE PLANT (LOOP) AND POSSIBLE CENTRAL OFFICE FACILITIES IN A MECHANIZED ASSIGNMENT ENVIRONMENT.

## 5.6 I

---

<b>FID</b>	<b>Definition</b>
ICO - INDEPENDENT TELEPHONE COMPANY	INDICATES THE INDEPENDENT TELEPHONE COMPANY IN WHOSE TERRITORY A SPECIAL SERVICE IS TERMINATED.
IM - INTERREVENUE ACCOUNTING OFFICE MOVE	THE IM FID IS USED WHEN A CUSTOMER IS MOVING BETWEEN REVENUE ACCOUNTING OFFICES, EITHER INTRASTATE OR INTERSTATE.

---

5.7 J

---

FID	Definition
JMV - JOINT MARKETING VENTURE	IDENTIFIES AN ACCOUNT WHERE JOINT SALES AND SERVICING EXISTS BETWEEN A REGULATED AND A NON-REGULATED ENTITY.

---

5.8 L

---

FID	Definition
LAT - LOCAL AREA TRANSPORT AREA	IDENTIFIES THE COMMON LANGUAGE NAME OF THE LOCAL ACCESS TRANSPORT AREA (LATA).
LLNF - LOCAL LOOP NOT FURNISHED	INDICATES A BST LOCAL LOOP IS NOT FURNISHED.
LON - LEAD ORDER NUMBER	IDENTIFIES A SPECIFIC ORDER OUT OF A GROUP OF PROJECTS OR CUSTOMER RELATED NON-PROFIT ORDERS FOR THE PURPOSE OF BILLING ONE ADDITIONAL DISPATCH CHARGE RATHER THAN ON A PER ORDER BASIS.

---

5.9 M

---

FID	Definition
MAP - MANUAL ASSIGNMENT PROCEDURES	INDICATES MANUAL ASSIGNMENTS HAVE BEEN PREVIOUSLY MADE AND MUST BE ASSOCIATED WITH THE SERVICE ORDER.
MOJ - MATERIAL ON JOB	INDICATES THE DATE THAT MATERIALS WILL BE RECEIVED BY THE IMPLEMENTATION GROUPS FOR CORPORATE COMMUNICATION ORDERS.
MTP - MULTI-POINT INDICATOR	INDICATES THE MOST CURRENT INTRALATA CIRCUIT CONFIGURATION (I.E. 2 POINT OR MULTIPOINT) FOR A SPECIAL SERVICE CIRCUIT.

---

## 5.10 N

---

FID	Definition
NTN - NEW TELEPHONE NUMBER	INDICATES ON AN F ORDER THAT EITHER A NEW MAIN TELEPHONE NUMBER ASSIGNMENT OR THE SAME TELEPHONE NUMBER ASSIGNMENT IS REQUIRED ON THE CORRESPONDING T ORDER.

---

## 5.11 O

---

FID	Definition
OIO - ORIGINAL INCORRECT ORDER	INDICATES THE SERVICE ORDER TYPE AND NUMBER OF A COMPLETED SERVICE ORDER WHICH REQUIRES CORRECTION.
ORD - SERVICE ORDER TYPE AND NUMBER	INDICATES THE ORDER TYPE AND NUMBER ASSIGNED TO A SERVICE ORDER. WHEN GREATER THAN ELEVEN CHARACTERS, THE ORDER NUMBER WILL BE ENTERED AFTER AN UNFIELDDED LEFT-HAND ORD.

---



5.12 P

---

FID	Definition
PCL - PROPRIETARY CLASSIFICATION	IDENTIFIES THE TYPE OF ACCOUNT AND THAT THE ACCOUNT IS CLASSIFIED AS PROPRIETARY PER THE CUSTOMER'S REQUEST.
PDN - PRIMARY DIRECTORY NAME	INDICATES THE DIRECTORY IN WHICH A LISTING IS TO BE INSERTED, CHANGED OR REMOVED WHEN THE APPROPRIATE DIRECTORY CANNOT BE DETERMINED FROM THE CENTRAL OFFICE, EXCHANGE AND COMMUNITY NAME ENTRIES.
PICP - PREDES. INTEREXCHG. CARRIER CHANGE PROH.	INDICATES TO THE CRIS SYSTEM THAT A PIC CHANGE IS PROHIBITED AT THE ACCOUNT LEVEL WHEN THE REQUEST TO CHANGE A PIC IS GENERATED BY THE MECHANIZED SYSTEMS (CARE CUSTOMER ACCOUNT RECORD EXCHANGE).
PLCP - PREDSGNTD INTRLTA CARRIER CHNG PRHBTD	INDICATES TO CRIS THAT AN LPIC CHANGE IS PROHIBITED AT THE ACCOUNT LEVEL WHEN THE REQUEST TO CHANGE LPIC IS ISSUED BY CARE.
POUT - PORTING OUT	INDICATES A BST TELEPHONE NUMBER IS PORTED OUT TO ANOTHER LOCAL SERVICE PROVIDER.
PRN - PROJECT NUMBER	INDICATES A UNIQUE NUMBER ASSIGNED BY THE INTERFUNCTIONAL SERVICE COORDINATION (SC) TEAM FOR TRACKING NEGOTIATED PROJECTS AND EXPEDITES OR BY CORPORATE COMMUNICATIONS FOR SUPPLY COORDINATION.
PTF - PARTIAL MOVE	INDICATES THAT THE ORDER IS A PARTIAL SERVICE MOVE (E.G. MOVE CIRCUIT LOCATION).
PTFD - PARTIAL T AND F - DUAL SERVICE	INDICATES A PARTIAL SERVICE MOVE WITH UNINTERRUPTED SERVICE AT BOTH SERVICE LOCATIONS.

---

---

<b>FID</b>	<b>Definition</b>
PWC - PUBLIC SERVICES WORK CATEGORY	INDICATES THE PUBLIC SERVICES WORK CATEGORY (AMOUNT AND DEGREE OF DIFFICULTY OF WORK) ASSOCIATED WITH AN ORDER.

---

**5.13 Q**

---

<b>FID</b>	<b>Definition</b>
QS - QUICK SERVICE	INDICATES A QUICK SERVICE NEW CONNECT IS TO BE MECHANICALLY ISSUED.
QSN - QUICK SERVICE NUMBER	INDICATES TO THE MECHANIZED SYSTEM TO GENERATE A DISCONNECT ORDER ON THE QUICK SERVICE TELEPHONE NUMBER FOLLOWING THE FID QSN.

---

**5.14 R**

---

<b>FID</b>	<b>Definition</b>
RIN - RELATED INQUIRY NUMBER	ALLOWS THE TRACKING OF SERVICE ORDERS ORIGINATING IN CSPS WHERE A SERVICE INQUIRY HAS PRECEDED THE SERVICE ORDER.
RO - RELATED ORDERS	INDICATES RELATED ORDERS WHICH MAY REFLECT VARYING DUE DATES AND WHICH ARE NOT NECESSARY IN THE COMPLETION PROCESS OF THIS ORDER FOR CROSS REFERENCE PURPOSES.
RORG - RESPONSIBLE ORGANIZATION	INDICATES THE RESPONSIBLE ORGAINZATION (RESP ORG) FOR DATABASE INPUT (E.G., 800 DATABASE SERVICE).

---

---

<b>FID</b>	<b>Definition</b>
RRSO - REUSE RELATED SERVICE ORDER	INDICATES THE SERVICE ORDER TYPE AND NUMBER OF A RELATED SERVICE ORDER(S) IN A REUSE GROUP - IS ENTERED AS A CROSS-REFERENCE WHEN REUSING FACILITIES.
RTG - ROUTING	INDICATES THE LOCATION(S) TO WHICH AN ORDER IS ROUTED.

---

**5.15 S**

---

<b>FID</b>	<b>Definition</b>
SCA - SYSTEM WITH CUSTOMER ADMINISTRATION	IDENTIFIES A SYSTEM EQUIPPED FOR CUSTOMER ADMINISTRATION OF CHANGE AND REARRANGEMENT.
SCN - SERIAL COMPENSATION NUMBER	IDENTIFIES THE EMPLOYEE AND ORGANIZATION RESPONSIBLE FOR NEGOTIATING THE ARRANGEMENTS ON THE ORDER.
SD - SUBSEQUENT DUE DATE	INDICATES A SUBSEQUENT DATE WHEN THE ORDER IS NOT COMPLETED ON THE ORIGINAL DUE DATE.
SEQ - SEQUENCE	INDICATES THE ORDER NUMBER AFTER WHICH THIS ORDER IS TO BE SEQUENCED FOR PROCESSING.
SF - SUPPLEMENTAL FORM	INDICATES TO THE DSAC (DIALED SERVICES ADMINISTRATION CENTER) THAT A SUPPLEMENTAL FORM FOR ORDERING VERTICAL FEATURES HAS BEEN USED.
SLI - SALES LEAD INITIATED	INDICATES THE INDIVIDUAL WHO INITIATED THE SALES LEAD FOR AN ITEM OF SERVICE ORD EQUIPMENT.

---

---

<b>FID</b>	<b>Definition</b>
SLSS - SALES CODE SUFFIX	IDENTIFIES THE SUPPORT PERSON PLUS THE SALES ENTITY OUTSIDE THE REGION.
SM - SPEED OF ORDER ISSUANCE MEASUREMENT	INDICATES REPORT CODE USED TO DEVELOP MEASUREMENTS FOR THE SPEED OF ORDER ISSUANCE.
SPO - SERVICE PROVISIONING OVERALL	IDENTIFIES OVP (OVERALL SERVICE PROVISIONING) RESULTS DATA FOR THE SERVICE PROVISIONING PERFORMANCE PLAN AND OTHER DEPARTMENTAL PROCESSES ON DESIGNED AND NON-DESIGNED SPECIALS.
SPS - SPECIAL STUDIES	
STI - STUDY TYPE INDICATOR	INDICATES ACCOUNTS OR ORDERS THAT RECEIVE SPECIAL STUDY OR ANALYSIS.
STS - SHARED TENANT SERVICE	INDICATES A RESALE OF EXCHANGE SERVICE ACCOUNT.

## 5.16 T

---

<b>FID</b>	<b>Definition</b>
TACC - TERMS AND CONDITIONS CUSTOMIZED TEMPLATE	ESTABLISH REQUIREMENTS ASSOCIATED WITH TERMS & CONDITIONS.
TACR - TERMS AND COND CUST TEMP NON-REV CONTRIB	ESTABLISH REQUIREMENTS ASSOCIATED WITH TERMS & CONDITIONS
TACT - TERMS AND CONDITIONS STANDARD TEMPLATE	ESTABLISH REQUIREMENTS ASSOCIATED WITH TERMS AND CONDITIONS.
TDD - T ORDER DUE DATE	IDENTIFIES THE T ORDER DUE DATE WHEN IT DIFFERS FROM THE F ORDER DUE DATE.

---

---

<b>FID</b>	<b>Definition</b>
TN - TELEPHONE NUMBER	INDICATES THE TELEPHONE NUMBER BEING CHANGED OR REMOVED. THIS FID MAY ONLY APPEAR OUTWARD ACTION CODED.
TRAK - TRACKING CODE	IDENTIFIES ACCOUNTS THAT ARE HANDLED BY AUTHORIZED SALES REPRESENTATIVES AND ALSO TRACK SPECIFIC INFORMATION SUCH AS REVENUE.
TSW - TYPE OF SWITCH	INDICATES THE TYPE OF SERVING CENTRAL OFFICE FROM WHICH THE CUSTOMER IS SERVED.
TTRA - TERMINATING TRAFFIC RATE AREA	INDICATES THE TERMINATING TRAFFIC RATE AREA FOR TOLL CHARGING PURPOSES.

## 5.17 Z

---

<b>FID</b>	<b>Definition</b>
ZAC - CALL AUTHORIZATION MANAGEMENT	IDENTIFY THAT AN ACCOUNT HAS CALL AUTHROIZATION MANAGEMENT.
ZADD - CONSUMER ADDL LINE	
ZAFF - BELLSOUTH AFFILIATE	IDENTIFIES THE BELLSOUTH AFFILIATE (E.G., BELLSOUTH LONG DISTANCE, BELLSOUTH DOTNET, ETC.) VIA THE CUSTOMER INFORMATION REFINERY (CIR).
ZAOK - A-ERROR AUTHORIZATION FOR OVERRIDE	INDICATES AN ORDER ON WHICH CERTAIN EDITS ARE BEING OVERRIDDEN.
ZASC - ATTCOM SALES CODE	INDICATES THE ATTCOM SALES CODE.
ZB4F - BEFORE F ORDER	INDICATES TO CRIS TO WORK THE C OR R ORDER TO THE ACCOUNT PRIOR TO THE F ORDER.

---

---

FID	Definition
ZCAC - CIRCUIT ACCESS CODE	INDICATES THE CIRCUIT ACCESS CODE ON SPECIAL SERVICE ORDERS.
ZCBC - CABS BILLING CLEAN-UP	IDENTIFIES ORDERS ISSUED TO CORRECT HANGING, MISSING OR INCORRECT ASG'S.
ZCC - COMPANY CODE	IDENTIFIES THE COMPANY PLACING AN ORDER FOR UNE LINE SPLITTING SERVICE.
ZCCA - COMPANY CANCELLED APPOINTMENT	INDICATES THE COMPANY NOTIFIED THE CUSTOMER PRIOR TO AN APPOINTMENT TO ADVISE THAT THE APPOINTMENT WOULD NOT BE MET. IT IS USED FOR THE FLORIDA PSC REPORT.
ZCCR - CENTREX STATION REARRANGEMENT	INDICATES TO LMOS AND COSMOS THAT A SERVICE ORDER HAS BEEN PROCESSED THROUGH CCRS AND THE LMOS AND COSMOS HAVE ALREADY BEEN UPDATED WITH THIS ORDER INFORMATION.
ZCNA - MEET POINT BILLING ACNA	INDICATES THE CARRIER RESPONSIBLE FOR BILLING.
ZCNR - CONSTRUCTION REQUIRED	INDICATES THAT CONSTRUCTION WORK WAS REQUIRED ON THE SERVICE ORDER. IT IS USED FOR THE FLORIDA PSC REPORT.
ZCP - CUSTOMER PROPRIETARY CLASSIFICATION	IDENTIFIES THAT CUSTOMER RECORD IS CLASSIFIED AS PROPRIETARY PER CUSTOMER REQUEST AND BLOCKED FROM CLEC ACCESS.
ZCRA - CROSS REFERENCE ACCOUNTS	TO CROSS REFERENCE ACCOUNTS THAT ARE RELATED BUT USOCS CANNOT APPEAR ON THE SAME ACCOUNT.
ZCRO - COMPLETE WITH RELATED ORDER	INDICATES THE EQUIPMENT ORDER NUMBER(S) THAT MUST BE COMPLETED ON THE SAME DATE.

---

---

FID	Definition
ZCSR - CENTREX STATION REARRANGEMENT	INDICATES THAT THE SERVICE ORDER INVOLVES A TELEPHONE NUMBER SWAP ON A CENTREX OR ESSX STATION LINE EQUIPPED WITH CENTREX STATION REARRANGEMENT.
ZDBO - DISCONNECT BILLING ONLY	PREVENTS RESPONSIBILITY CHANGE ORDERS FROM FLOWING TO THE LAC AND IDENTIFIES CHANGE SERVICE FOR LMOS.
ZDDC - DUE DATE CHANGE REQUEST DATE	INDICATES THE DATE OF A SUBSEQUENT REQUEST FOR A DUE DATE CHANGE BY THE CUSTOMER.
ZDDD - DUE DATE DESIRED	INDICATES CUSTOMER'S REQUESTED DUE DATE.
ZDEL - DELETE SERVICE ORDER	INDICATES AN ORDER DELETED BY REVENUE ACCOUNTING.
ZDID - DIRECT INWARD DIALING CONVERSION	INDICATES ORDERS INVOLVED IN THE DIRECT INWARD DIALING CONVERSION.
ZDIS - DISPATCH INSTRUCTION	INDICATES THE ORDER IS EITHER ALLOWED OR PREVENTED ENTRY INTO THE MECHANIZED MAPPER AND ASSIGNER SYSTEM. THIS FID OVERRIDES SYSTEM CRITERIA LOGIC.
ZDOK - DISCONNECT ORDER OKAY	INDICATES MANAGEMENT APPROVAL FOR DISCONNECT OF AN ACCOUNT.
ZDUN - DUN & BRADSTREET PROCESS	A UNIQUE NUMBER FOR BUSINESS CUSTOMERS TO FURTHER IDENTIFY CORPORATE AFFILIATIONS AND HEIRARCHY ASSIGNED VIA THE CUSTOMER INFORMATION REFINERY (CIR).
ZEMC - ESSX/MULTISERV CONVERSION	IDENTIFIES FOR THE CARE SYSTEM THAT THE ORDER IS A CONVERSION ORDER AND NO PIC DATA IS CHANGING.
ZFOC - FIRM ORDER COMMITMENT IDENTIFIER	IDENTIFY ACCOUNTS THAT ARE READY FOR A FIRM ORDER COMMITMENT BY ADDING FID ZFOC TO THE UNFIELDID IDENT SECTION.

---

---

FID	Definition
ZFP - PAGER ON "T" ORDER	INDICATES CUSTOMER HAD PAGING SERVICE AT "F" ADDRESS.
ZFX - LMOS SPECIAL HANDLING	INDICATES (FOR LMOS AND OTHER AFFECTED SYSTEMS) A SECONDARY ORDER HAS BEEN ISSUED TO ESTABLISH A CIRCUIT.
ZHLD - HOLD EDITED SERVICE ORDER	ALLOWS ALL SOER EDITING TO BE PERFORMED IN THE AO OR RG STATUS, BUT PREVENTS THE SERVICE ORDER FROM FLOWING DOWNSTREAM UNTIL THE FID IS REMOVED FROM THE SERVICE ORDER.
ZIA - INTERAREA SWITCHED ORDERS	IDENTIFIES THE HOST SITE SERVICE ORDER THAT IS ASSOCIATED WITH THE REMOTE SITE SERVICE ORDER ON INTER-AREA SWITCHED ORDERS.
ZIAC - IGNORE AUTOMATIC COMPLETIONS	INDICATES BYPASSING OF AUTOMATIC COMPLETIONS.
ZICS - IN CLASS OF SERVICE	TO ALLOW CORRECTION OF BASIC CLASS OF SERVICE WITHOUT CHANGING THE LINE ASSIGNABLE USOC.
ZIP - SPECIAL BILLING CONVERSION	INDICATES TO LMOS THAT LINE ASSIGNMENTS NEED TO BE RETAINED OR TRANSFERRED; NOT DROPPED AS IN NORMAL ORDER PROCESSING.
ZISH - ISOS SPECIAL HANDLING	INDICATES A MISCELLANEOUS ACCOUNT THAT MUST BE READ BY ISOS.
ZKEP - KEEP LISTINGS IN ALL COMPANY RECORDS	IDENTIFIES T ORDERS ISSUED FOR CLASS OF SERVICE CHANGES ONLY WHEN THE CUSTOMER IS NOT MOVING AND THE TN IS NOT CHANGING, WHERE DOWNSTREAM SYSTEMS WILL RETRIEVE AND RETAIN ALL LISTINGS PRESENTLY IN THEIR FILES. THIS FID WILL ALLOW THE T & F ORDERS TO BE ISSUED WITHOUT RETYPING AND EDITING ALL EXISTING LISTINGS.

---



---

FID	Definition
ZL - LMOS FLAG - MANUAL HANDLING	INDICATES THAT AN ORDER SHOULD BE REJECTED FOR MANUAL HANDLING IN LMOS.
ZLCS - LCSC NOTIFIER CLEC TN AFFECTED	USED BY SOCS AS IDENTIFIED TO DROP A COPY OF THE ORDER TO LCSC.
ZLIG - LMOS IGNORE ORDER	INDICATES TO LMOS THAT NO ACTION IS NECESSARY ON THIS ORDER.
ZLNC - LEAD NUMBER CHANGE	TO INDICATE TO DOWNSTREAM SYSTEMS THAT THE OTN THAT IS SHOWN ON THE SERVICE ORDER IS TO CHANGE THE LEAD NUMBER ONLY. THERE MAY BE CHANGES ON THE ACCOUNT, BUT THE REASON FOR THE OTN IS TO CHANGE THE ACCOUNT LEVEL TELEPHONE NUMBER TO ANOTHER NUMBER.
ZLRO - LISTING RELATED ORDER	INDICATES THAT ANOTHER ORDER IS RELATED TO THIS ONE FOR LISTING PURPOSES OF END USERS FOR CLECS.
ZMIC - MARKET ISLAND CONCEPT	IDENTIFIES AND TRACKS ACCOUNTS FOR A MARKET ISLAND CONCEPT KNOWN AS FIRST PARK.
ZMSO - MECHANIZED SERVICE ORDER	INDICATES THAT THE SERVICE ORDER WAS GENERATED MECHANICALLY.
ZNCT - NEGOTIATED COMMITMENT TIME	
ZNOD - NO LCSC DROP	TO BE USED BY SOCS TO EXCEPTION CODE ORDERS TO BE DROPPED TO THE LCSC.
ZNPA - NUMBER PLAN AREA FOR MECHSO	TO SUPPORT A SKELETON CROSS BOUNDARY NPA MECHANIZED SERVICE ORDERS WITHOUT OPENING THE S&E.
ZOCD - OFFERED COMPANY DATE	

---

---

FID	Definition
ZOSD - OBJECTIVE SERVICE DATE	INDICATES THE OBJECTIVE SERVICE DATE ON A NON-DUE DATED SERVICE ORDER, ZOSD MAY ALSO BE ADDED TO DUE DATED ORDERS THAT HAVE BEEN MISSED AND NO FIRM DUE DATE CAN BE ESTABLISHED. THIS DATE CAN BE CHANGED AS REQUIRED.
ZPC - PROGRAMMATIC CONVERSION	INDICATES THAT ADDITIONAL LISTINGS ARE TO BE RECAPPED WHEN A CUSTOMER IS CHANGING HIS SERVICE AND THE CHANGE IS DONE VIA PROGRAMMATIC CONVERSION BY CRIS.
ZPF - PF STATUS POSITION	TO IDENTIFY DATE ORDER FIRST WENT INTO PF STATUS!
ZPFU - PENDING FACILITIES FOLLOW-UP DATE AND RE	PENDING FACILITIES FOLLOW-UP DATE AND REASON CODE
ZPMI - PROMOD IDENTIFICATION	INDICATES THE TYPE OF PROMOTIONAL CAMPAIGN IN WHICH THE CUSTOMER IS PARTICIPATING AND ALSO PROVIDES TRACKING INFORMATION USED BY THE DIRECT MARKETING CENTER.
ZPSP - PAYPHONE SERVICE PROVIDER	TO IDENTIFY THOSE PAY PHONE PROVIDER ACCOUNTS THAT SHOULD BE LISTED IN THE DIRECTORY OR DIRECTORY ASSISTANCE.
ZRBO - RELATED BILLING ORDER	INDICATES A RELATED BILLING ORDER THAT HAS BEEN ISSUED IN ANOTHER SYSTEM.
ZRO - RELATED EQUIPMENT ORDER	INDICATES RELATED ORDER(S) WHICH MAY REFLECT VARYING DUE DATES AND WHICH ARE NOT NECESSARY IN THE COMPLETION PROCESS OF THE ORDER.
ZROC - RELATED ORDER COMPLETION	INDICATES THE RELATED NON-DESIGNED ORDER THAT REQUIRES A MECHANICAL COMPLETION IN SOCS BUT IS NOT LOGGED INTO GOC.

---

---

FID	Definition
ZRSLS - RESELLER SERVICE	INDICATES ACCOUNTS THAT ARE PROVIDED TO RESELLERS TO ASSIST IN SPECIAL RATING, TRACKING AND PRODUCING RECORDS THAT MAY BE REQUIRED.
ZRTI - REPORTS/TRACKING/DISTRIBUTION/INDICATOR	INDICATES THE ORDER INPUT SYSTEM, THE CARRIER DESIGNATION, TELEPHONE NUMBER OF THE ISSUING ORGANIZATION, INITIALS OF THE PERSON ISSUING THE ORDER, AND THE SECONDARY NPA NXX FOR TRACKING AND DISTRIBUTION OF ORDERS AND SOCS REPORTS.
ZSEN - SENSITIVE ACCOUNTS	INDICATES AN ACCOUNT IS SENSITIVE AND ALL DIRECTORY LISTINGS MUST BE VERIFIED PRIOR TO EACH DIRECTORY CLOSE.
ZSLI - SINGLE LINE INDICATOR	
ZSPA - IDENTIFY FACILITY & INTERVAL	TO IDENTIFY INTERVAL AND TYPE OF FACILITIES AND AVAILABILITY AT A GIVEN LOCATION FOR ACCESS SERVICE.
ZSRN - SERVICE REQUEST NUMBER	TO CROSS REFERENCE SERVICE ORDERS BY SERVICE REQUEST NUMBER
ZSUB - SUBSECTION ROUTING	INDICATES ADDITIONAL NPA NXXS FOR ROUTING SUBSECTION GENERATION BY SOCS.
ZTAP - TEST AND ANALYSIS PROGRAM	TO INDICATE THAT SERVICE HAS BEEN TESTED FOR DIAL TONE ON THE DUE DATE OF THE ORDER AND THAT A DISPATCHABLE TROUBLE WAS DETECTED.
ZTM - TIME	INDICATES A SPECIAL TIME OTHER THAN AM OR PM THAT IS NEGOTIATED WITH A CUSTOMER.

---

---

FID	Definition
ZTN - CROSS REFERENCE TELEPHONE NUMBER	SERVES AS A FLAG TO DOWNSTREAM SYSTEMS TO RETAIN INFORMATION NECESSARY TO MAINTAIN TELEPHONE NUMBER DATA FILES FOR REPAIR AND RECORD PURPOSES. THIS FID IS USED WHEN AN ACCOUNT IS ESTABLISHED IN MISC ACCT NUMBER FORMAT WITH VALID TELEPHONE NUMBERS IN THE S&E
ZTRN - TECHNICIAN RESERVE NUMBER	
ZUSD - UNIVERSAL SERVICE DISCOUNT INDICATOR	IDENTIFY ACCOUNTS THAT ARE PARTICIPATING IN THE UNIVERSAL SERVICE FUND DISCOUNT PROGRAM. THE CODESET OF THE FID WILL BE USED TO IDENTIFY THE ACCOUNT TYPE.
ZWEB - PRI WEB SI/SR NUMBER	TO REFLECT THE PRIMARY RATE ISDN SI/SR WEB NUMBER ON THE SERVICE ORDER FOR TRACKING PURPOSES.
ZWTL - WAIVE TERMINATION LIABILITY	PREVENTS COMPLETION OR CANCELLATION OF ORDER WITHOUT MANUAL REVIEW.
ZXAT - AT&T ORDER TRACKING	RELATES GENERATED RAO ORDER BACK TO THE TRACKING DATABASE MAINTAINED IN CDC.

---

## 6. LIST

### 6.1 A

---

<b>FID</b>	<b>Definition</b>
AC - ALTERNATE CALL LISTING	PROVIDES AN ALTERNATE NUMBER TO RECEIVE CALLS WHEN EITHER THE PRIMARY NUMBER DOES NOT ANSWER OR DURING CERTAIN PERIODS.
ACA - ACCOUNT CUSTOMER'S ADDRESS	IDENTIFIES THE INTERLATA CUSTOMER OF THE SPECIAL ACCESS VG13 CUSTOMER ADDRESS.
ACN - ACCOUNT CUSTOMER'S NAME	IDENTIFIES THE INTERLATA ACCESS CUSTOMER NAME.
ACTL - ACCESS CUSTOMER TERMINAL LOCATION	INDICATES THE COMMON LANGUAGE LOCATION IDENTIFICATION OF THE INTERLATA ACCESS CUSTOMER TERMINAL LOCATION.
AHN - ASSIGNED HOUSE NUMBER	IDENTIFIES A REFERENCE NUMBER ASSIGNED TO AN ADDRESS, IN LIEU OF A HOUSE NUMBER, WHEN NO HOUSE NUMBER HAS BEEN ESTABLISHED.
AL - ALTERNATE LISTING	PROVIDES A MEANS TO ENABLE A CALLING PARTY TO LOOK FOR A TELEPHONE NUMBER UNDER NAMES OTHER THAN USED FOR THE PRIMARY LISTING.
AML - ADDITIONAL MAIN LISTING	INDICATES THE LISTING OF A NON-HUNTING LINE OR OF A PERSON, FIRM OR CORPORATION OTHER THAN THE CUSTOMER OF RECORD.
ASL - ANSWER SERVICE LISTING	INDICATES DIRECTORY LISTINGS OF DIRECT INWARD DIALING NUMBERS OR ADMINISTRATIVE SERVICES NUMBERS LISTED FOR TELEPHONE ANSWERING SERVICE PATRONS.

---

---

FID	Definition
AVL - ADVANCED LISTING	IDENTIFIES THE ADVANCED ORDER CONDITION OF AN ORDER ISSUED PRIOR TO THE DIRECTORY CLOSE DATE WHICH WILL NOT COMPLETE UNTIL AFTER THE DATE.

---

6.2 B

---

FID	Definition
BOX - BOX LISTING	INDICATES THE BOX NUMBER THAT IS PART OF A RURAL ADDRESS IN UNNUMBERED ADDRESS AREAS.

---

6.3 C

---

FID	Definition
CML - CLIENT MAIN LISTING	INDICATES THE CUSTOMER'S CLIENT NAME AS IT IS TO APPEAR IN THE WHITE PAGES DIRECTORY, DIRECTORY ASSISTANCE RECORDS, AND THE ADDRESS TELEPHONE DIRECTORY.
CR - CROSS REFERENCE LIST	CROSS REFERENCE LISTINGS ARE PROVIDED WHERE A CUSTOMER WISHES TO REFER DIRECTORY USERS FROM A COMMONLY USED NAME TO A LISTING BY WHICH HE DESIRES TO KNOWN, OR FROM A FORMER NAME TO A NEW NAME.
CSZ - COMMUNITY, STATE AND ZIP	IDENTIFIES THE COMMUNITY, STATE AND ZIP CODE FOR LISTED AND SERVICE ADDRESS. THIS DATA IS SENT TO BSLD AS REQUIREMENTS FOR POSTAL INFORMATION.

---

## 6.4 D

---

<b>FID</b>	<b>Definition</b>
DGN - DESIGNATION	IDENTIFIES THE CUSTOMER'S PREMISES, THE NATURE OF THE BUSINESS OR THE CUSTOMER'S PROFESSION.
DPA - DIFFERENT PREMISES ADDRESS	INDICATES THAT ASSOCIATED EQUIPMENT AND/OR SERVICES ARE LOCATED AT AN ADDRESS DIFFERENT FROM THE MAIN ADDRESS.
DZIP - DIRECTORY ZIP CODE	INDICATES THE ZIP CODE ASSOCIATED WITH THE CUSTOMER'S LISTED ADDRESS OR SERVICE ADDRESS.

## 6.5 E

---

<b>FID</b>	<b>Definition</b>
EEX - E911 EXCLUDED	INDICATES CUSTOMER ACCOUNTS EXCLUDED FROM E911 DATA BASE.
ENT - ENTERPRIZE LISTING	INDICATES A LISTING ARRANGEMENT FOR CUSTOMERS THAT ALLOWS AN OUT-OF-TOWN CLIENT TO A PLACE A CALL AT NO CHARGE. WX NUMBER ARE PROVIDED WHEN A CUSTOMER SUBSCRIBES TO A SPECIAL REVERSE CHARGE LISTING SERVICE.

---



6.6 F

---

FID	Definition
FAC - FOREIGN ALTERNATE CALL LISTING	INDICATES AN INDENTED FOREIGN LISTING WHICH IDENTIFIES INFORMATION NECESSARY TO DIRECT CALLS TO ANOTHER NUMBER.
FCR - FOREIGN CROSS-REFERENCE LISTING	INDICATES FOREIGN LISTINGS WHICH MAY BE USED WHEN A CUSTOMER WISHES TO REFER DIRECTORY USERS FROM A COMMONLY USED NAME TO A LISTING BY WHICH THE CUSTOMER DESIRES TO BE KNOWN, OR FROM A FORMER NAME TO A NEW NAME.
FCTN - FORMER CUSTOMER TELEPHONE NUMBER	IDENTIFIES THE FORMER CUSTOMER TELEPHONE NUMBER.
FDN - FOREIGN DIRECTORY NAME	IDENTIFIES THE DIRECTORY WHERE THE LISTING IS TO APPEAR.
FL - FOREIGN LISTING	IDENTIFIES A LISTING TO BE SHOWN IN A DIRECTORY OTHER THAN THE CUSTOMER'S SERVING DIRECTORY.
FSPL - FOREIGN SPECIAL LISTING TEXT	INDICATES A FOREIGN SPECIAL LISTING TEXT PHRASE WHICH INCLUDES NARRATIVE DESCRIPTION OR INSTRUCTIONAL INFORMATION.

---

6.7 J

---

FID	Definition
JU - JOINT USER	IDENTIFIES A PERSON OR A FIRM SHARING THE TELEPHONE SERVICE OF THE MAIN CUSTOMER.

---

6.8 L

---

FID	Definition
LA - LISTED ADDRESS	IDENTIFIES THE ADDRESS TO BE LISTED IN BOTH THE DIRECTORY AND DIRECTORY ASSISTANCE RECORDS. THE LISTED ADDRESS IS NORMALLY THE LOCATION WHERE THE CUSTOMER RESIDES OR THE PREMISES OF A BUSINESS.
LAI - LISTING APPEARANCE INDICATOR	INDICATES THE CONTENT AND POSITIONING OF LISTING INFORMATION CONTAINED WITHIN A SPECIFIC SPACE OR BOX.
LN - LISTED NAME	INDICATES THE CUSTOMER'S LISTING AS IT IS TO APPEAR IN THE WHITE PAGES, YELLOW PAGES DIRECTORIES AND THE DIRECTORY ASSISTANCE RECORDS.
LOC - LOCATION	IDENTIFIES MORE SPECIFIC INFORMATION ASSOCIATED WITH AN ADDRESS.
LSC - LISTING SET UP CODE	INDICATES STANDARD INFORMATIONAL PHRASES ASSOCIATED WITH A CUSTOMER'S DIRECTORY/DIRECTORY ASSISTANCE LISTING.
LSO - LOCAL SERVICING OFFICE	INDICATES THE NPA/NXX ASSOCIATED WITH THE WIRE CENTER WHICH SERVES A CUSTOMER'S PREMISES IN WHICH A CIRCUIT TERMINATES.

---

**6.9 N**

---

<b>FID</b>	<b>Definition</b>
NBF - NON-BISCUS/FACS	INDICATES THAT A SPECIFIC ADDRESS ON THE SERVICE ORDER IS NOT ON THE STREET ADDRESS GUIDE (SAG) FOR THE LOCAL AREA.
NLST - NON-LISTED NAME	IDENTIFIES CUSTOMER LISTING WHICH MAY ONLY APPEAR ON THE DIRECTORY ASSISTANCE RECORDS OR MAY BE USED FOR ACCOUNT IDENTIFICATION.
NP - NON-PUBLISHED	IDENTIFIES CUSTOMER LISTINGS WHICH DO NOT APPEAR IN THE CUSTOMER WHITE PAGES DIRECTORY.
NSTN - NON-STANDARD TELEPHONE NUMBER	IDENTIFIES A TELEPHONE NUMBER THAT DOES NOT HAVE A STANDARD FORMAT.

**6.10 P**

---

<b>FID</b>	<b>Definition</b>
PCN - PUBLISHED CUSTOMIZED NUMBER	INDICATES THE CUSTOMIZED DISPLAY, EITHER ALPHABETIC, OR A COMBINATION OF ALPHA AND NUMERIC CHARACTERS OF A CUSTOMER'S TELEPHONE NUMBER IN LISTING SERVICES PRODUCTS.
PHR - PHRASE	INDICATES WHEN PHRASES ARE REQUIRED IN A LISTING.

---

## 6.11 R

---

FID	Definition
RL - RELATED LISTING	INDICATES A RELATIONSHIP BETWEEN PRIMARY AND/OR ADDITIONAL TYPE LISTINGS.
ROUT - RURAL ROUTE NUMBER	INDICATES THE RURAL ROUTE NUMBER THAT IS USED IN UNNUMBERED ADDRESS ORDERS.

---

## 6.12 S

---

FID	Definition
SA - SERVICE ADDRESS	IDENTIFIES THE PHYSICAL ADDRESS AT WHICH TELEPHONE SERVICE IS LOCATED WHEN THE ADDRESS IS DIFFERENT FROM THE LISTED ADDRESS.
SDN - SECONDARY DIRECTORY NAME	IDENTIFIES THE DIRECTORY NAME OF A DIRECTORY OTHER THAN THE PRIMARY DIRECTORY IN WHICH A CUSTOMER IS ENTITLED TO BE LISTED
SIC - STANDARD INDUSTRIAL CLASSIFICATION	INDICATES A CONSUMER'S PRIMARY BUSINESS ACTIVITY.
SL - SECONDARY LISTING	IDENTIFIES A LISTING WHICH APPEARS IN A SECONDARY DIRECTORY. THESE LISTINGS ARE MECHANICALLY GENERATED EXCEPT FOR OFFICIAL TELEPHONE SERVICE.
SPFT - SPECIAL FONT	INDICATES A SPECIAL OR DIFFERENT PRINT TYPE IS TO BE USED FOR CUSTOER LISTING INFORMATION IN THE DIRECTORY WHITE PAGES.
SPL - SPECIAL LISTING TEXT	INDICATES SPECIAL DIALING INSTRUCTION FOR CALLS RECEIVED AFTER HOURS WEEKENDS, OR HOLIDAYS.

---

6.13 T

---

FID	Definition
TN - TELEPHONE NUMBER	IDENTIFIES THE TELEPHONE NUMBER (OTHER THAN THE MAIN NUMBER) OR PHRASE ASSOCIATED WITH A LISTING.
TNPC - TELEPHONE NUMBER PHRASE CODE	IDENTIFIES A SPECIAL PHRASE TO BE PRINTED IN THE DIRECTORY PRECEDING THE TELEPHONE NUMBER. THIS PHRASE MAY REFLECT CALL MONITORING OR IDENTIFY CUSTOMERS USING A TELECOMMUNICATION DEVICE FOR THE DEAF (TDD).

---

**6.14 X**

---

<b>FID</b>	<b>Definition</b>
XL - EXTRA LISTING	INDICATES AN EXTRA BUSINESS LISTING FOR A PERSON, FIRM OR CORPORATION HAVING A MAIN OR AN ADDITIONAL LISTING.

---

**6.15 Y**

---

<b>FID</b>	<b>Definition</b>
YPH - YELLOW PAGE HEADING	INDICATES THAT A LISTING IS TO APPEAR UNDER A SPECIFIC HEADING IN THE YELLOW PAGE DIRECTORY.

---

**6.16 Z**

---

<b>FID</b>	<b>Definition</b>
ZAEC - ACCOUNT ENTITY CODE	IDENTIFIES THE MARKETING GROUP RESPONSIBLE FOR HANDLING THE CUSTOMERS ACCOUNT.

---

## 7. RMKS

### 7.1 A

---

FID	Definition
ACC - ACCESS	IDENTIFIES THE ACCESS INFORMATION REQUIRED BY THE SERVICES TECHNICIAN FOR SERVICE INSTALLATION.

---

### 7.2 C

---

FID	Definition
CLR - CLOSED ROUTINE	INDICATES THAT A LOCATION IS CLOSED ON A PARTICULAR DAY OR DAYS (MAXIMUM OF TWO) OF THE WEEK AND THAT THERE WILL BE NO COLLECTION ACCESS DURING THAT TIME.
CTN - CONTACT TELEPHONE NUMBER	INDICATES THE TELEPHONE NUMBER ON WHICH THE AGENT OR SUBSCRIBER MAY BE REACHED.

---

### 7.3 D

---

FID	Definition
DRD - DELIVERY ROUTE DIRECTORY	INDICATES THAT SPECIAL DIRECTORY DELIVERY OR SPECIAL BOOTH CLEANING ROUTES ARE ESTABLISHED IN A SEQUENCE DIFFERENT FROM THE COLLECTION ROUTE SEQUENCE.

---

### 7.4 P

---

FID	Definition
PMH - PUBLIC STATION MOUNTING HEIGHT	INDICATES THE MOUNTING HEIGHT OF PUBLIC OR SEMI-PUBLIC TELEPHONES.
PRI - PRIORITY	INDICATES AN ESTABLISHED ORDER OF PRECEDENCE FOR INSTALLATION OR CHANGE OF SERVICES.

---

### 7.5 R

---

FID	Definition
RAS - ROUTE AND STOP	
RMI - REQUESTED MAXIMUM INTERVAL	INDICATES THE MAXIMUM NUMBER OF DAYS ALLOWED TO ELAPSE BETWEEN COLLECTIONS.
RMK - REMARKS UNRETAINED	INDICATES GENERAL REMARKS WHICH ARE NOT TO BE RETAINED ON THE ACCOUNT RECORD.
RMKD - REMARKS DIRECTORY	IDENTIFIES SPECIFIC INFORMATION WHICH IS MEANINGFUL TO THE DIRECTORY DEPARTMENT.

---



---

FID	Definition
RMKR - REMARKS RETAINED	IDENTIFIES REMARKS WHICH ARE TO BE RETAINED ON THE ACCOUNT RECORD.

---

7.6 T

---

FID	Definition
TFSC - TRAN AND FEA SPEC CODE	INDICATES THE TRANSMISSION PARAMETERS AND/OR FEATURES DESIRED FOR A CUSTOMIZED CHANNEL.

---

7.7 U

---

FID	Definition
UHT - UPPER HOUSING TAG NUMBER	INDICATES THE UPPER HOUSING TAG SERIAL NUMBER WHICH IS USED IN LIEU OF A KEY NUMBER

---

7.8 Z

---

FID	Definition
ZCBR - CAN BE REACHED NUMBER	IDENTIFIES THE CONTACT TELEPHONE NUMBER FOR SUBSEQUENT CALL BACK.
ZCCE - COMPANY CANCELLED ENTRY	ALLOWS DISTRIBUTION/IMC TO RECORD NARRATIVE ENTRIES IN CONJUNCTION WITH FID ZCCA. IT IS USED FOR THE FLORIDA PSC REPORT.
ZCRD - CREDIT TRACKING FID	TO IDENTIFY NEW CUSTOMERS WITH A RECORD OF NON-PAYMENT FOR TELEPHONE SERVICE; TO SATISFY REQUIREMENTS OF ADVERSE ACTION.
ZRNN - REMARKS NETWORK NOTIFICATION	INDICATES REMARKS WHICH ARE TO BE RETAINED IN LMOS ONLY FOR CUSTOMER COMPLETION NOTIFICATION INFORMATION.

---

---

FID	Definition
ZTRK - GENERIC TRACKING FID	USED BY CRIS TO TRACK IDENTIFIED ENTRIES ON SERVICE ORDERS.

---



## 8. S+E

### 8.1 A

---

FID	Definition
AA - APPEARS AT	INDICATES THE TELEPHONE LOCATIONS OF: 1) A PERSONAL CENTRAL OFFICE LINE IN A COMKEY OR HORIZON COMMUNICATIONS SYSTEM, 2) A PBX STATION LINE TERMINATION IN A DIMENSION ELECTRONIC CUSTOM TELEPHONE SET, OR 3) A STRAIGHT LINE SET.
ABS - AUTHORIZED BEARER SERVICES EXCEPTIONS	INDICATES THE AUTHORIZED BEARER SERVICES EXCEPTIONS APPLICABLE FOR DMS-100 ISDN FUNCTIONAL LOGICAL TERMINALS.
ACDG - AUTOMATIC CALL DIST. GROUP & SUP GROUP	IDENTIFIES THE AUTOMATIC CALL DISTRIBUTION GROUP (ACD) NUMBER AND THE AUTOMATIC CALL DISTRIBUTION SUB GROUP NUMBER.
ACDI - AUTOMATIC CALL DISTRIBUTION (ACD) AGENT	INDICATES THE AGENTS INCALLS OPTION FOR AUTOMATIC DISTRIBUTION
ACL - ACCOUNT CLASSIFICATION	IDENTIFIES THE USOC THAT THE LONG LINES ACCOUNTING CONTROL OFFICE IS RESPONSIBLE FOR BILLING.
ACLS - ACCOUNTING CLASS PACKET SERVICE	INDICATES THE ACCOUNTING CLASS WHICH IS USED FOR NETWORK OPERATIONS TO DEFINE THE ACCOUNTING PARAMETERS FOR A PACKET SERVICE CUSTOMER.
ACM - AREA COMMITMENT LEVEL	INDICATES THE NUMBER OF RATE ELEMENTS SUBJECT TO A SPECIAL PRICING PLAN.
ACNA - ACCESS CUSTOMER'S NAME APPBREVATION	IDENTIFIES THE INTERLATA ACCESS CUSTOMER NAME IN ABBREVIATED FORMAT.
ACNT - ACCOUNT CODE 5ESS	THE ACCOUNT CODE GROUP NAME ASSIGNED TO A LINE IN THE 5ESS SWITCH.

---

---

FID	Definition
ACOS - ADDITIONAL CALL OFFERING	INDICATES THE TYPE OF ADDITIONAL CALL OFFERING SERVICE TO BE PROVIDED AND THE TOTAL NUMBER OF CALLS WHICH CAN BE SUPPORTED FOR AN ISDN USER OVER A STANDARD INTERFACE.
ACPA - AREA COMMITMENT PLAN ARRANGEMENT	INDICATES THE CONTRACT NUMBER USED FOR BILLING RATE ELEMENTS UNDER THE AREA COMMITMENT PLAN FOR PORTABILITY.
ACRG - ACCESS CODE RESTRICTION GROUP	IDENTIFIES THE ACCESS CODE RESTRICTION GROUP VALUE FOR 1A SWITCH TO USE IDENTIFY TOUCHSTAR FEATURES AND CNDB-PERMANENTY AND CNDB-PER CALL.
ACSR - AUTOMATIC CUSTOMER STATION REARRANGEMENT	IDENTIFIES THE ACSR FEATURE NAME AND "INHIBIT" CONDITION ASSIGNED TO AN ISDN DIGITAL SUBSCRIBER LINE (DSL), OR THE ACSR FEATURE NAME AND OPTIONAL ATTRIBUTES ASSIGNED TO A BASIC RATE ACCESS DIRECTORY NUMBER.
ACTL - ACCESS CUSTOMER LOCATION	INDICATES THE COMMON LANGUAGE LOCATION IDENTIFICATION OF THE INTERLATA ACCESS CUSTOMER TERMINAL LOCATION.
ACTN - ACCESS TELEPHONE NO. FOR MODEM POOLING	INDICATES THE ANALOG TELEPHONE NUMBER FOR ACCESS INTO A MODEM POOL ARRANGEMENT THAT ALLOWS CALL TERMINATION TO ISDN PACKET TELEPHONE NUMBER, AND THE OPTIONAL CROSS REFERENCE TO THE MODEM POOL LEAD HUNT NUMBER.
ACTU - ACTIVE USER	INDICATES AN ACTIVE USER CONDITION ON A ISDN DIGITAL SUBSCRIBER LINE (DSL).
ACWT - ANALOG CALL WAITING	INDICATES THE CALL APPEARANCES ASSOCIATED WITH AN ANALOG EKTS MEMBER WHO IS ASSIGNED A CALL WAITING FEATURE.

---

---

FID	Definition
ADC - ASYNC AUTO CALL - DIR CALL OPTION	TO IDENTIFY THE DIRECT CALL/AUTO CALL OPTIONS SELECTED FOR USE WITH ASYNCHRONOUS DIRECT ACCESS LINES AND PRIVATE DIAL PORTS IN PULSELINK. THIS FEATURE CAN BE USED TO SHORTEN THE END USERS CALL SET UP REQUIREMENTS WHEN THE MAJORITY OF THE CALLS ARE MADE TO ONE SPECIFIC DATA TELEPHONE NUMBER.
ADL - ADDITIONAL RESIDENCE LINE	INDICATES THAT THE SERVICE IS BEING INSTALLED AT A PREMISE WHERE OTHER KNOWN SERVICE IS PENDING OR EXISTING.
ADS - ADDRESS SIGNALING	INDICATES THE OPTIONAL ADDRESS SIGNALING FEATURES FOR AN ENTRY SWITCH TRANSMISSION PATH.
ADSR - ADMINISTRATION OF DESIGNED SERV REVIEW	INDICATES THAT THE RELATED USOC REQUIRES A DESIGN REVIEW BY THE ADMINISTRATION OF DESIGNED SERVICES (ADS) OR AN EQUIVALENT GROUP ON DESIGNED SERVICES.
AECN - ALTERNATE EXCHANGE CARRIER NAME	NAME OF ALTERNATE EXCHANGE CARRIER WHICH OFFERS NUMBER PORTABILITY AND IS THE DIAL TONE PROVIDER.
AFCO - ADDITIONAL FUNCTIONAL CALL OFFERING	INDICATES THE NUMBER OF CALL APPEARANCES FOR THE ADDITIONAL FUNCTIONAL CALLS OFFERING.
AFN - ALLOWED FOREIGN NPAS	INDICATES THE FOREIGN NUMBERING AREAS TO WHICH KEY SYSTEMS SUBSCRIBERS WITH TOLL RESTRICTION HAVE ACCESS.
AGCY - AGENCY AGREEMENT	INDICATES THE NAME OF AN INTEREXCHANGE CARRIER OR VENDOR WHO IS ACTION ON BEHALF OF A CUSTOMER FOR ACCESS SERVICE.
AGI - ASSOCIATED GROUP INDICATOR	INDICATES THE GROUP OF WHICH A USER ON A STANDARD DLS IS A MEMBER.

---

---

FID	Definition
AHM - ACCESS SERVICE HOURS AND MINUTES	INDICATES THE NUMBER OF TECHNICIANS AND THE AMOUNT OF REGULAR TIME, OVERTIME AND/OR PREMIUM TIME TO BE CHARGED FOR ADDITIONAL LABOR OR ENGINEERING ON ACCESS SERVICE.
AHMN - AFTER HOURS MAILBOX NUMBER	INDICATES THE AFTER HOURS MAILBOX NUMBER FOR THE COMMUNITY OF INTEREST FEATURE OF A VOICE MESSAGING SERVICE.
AHN - ASSIGNED HOUSE NUMBER	IDENTIFIES A REFERENCE NUMBER ASSIGNED TO AN ADDRESS, IN LIEU OF A HOUSE NUMBER, WHEN NO HOUSE NUMBER HAS BEEN ESTABLISHED.
AID - AUTOMATIC IDENTIFIED OUTWARD DIALING	(SC) INDICATES ACTIVATED TN'S FOR SYSTEMS THAT HAVE AUTOMATIC IDENTIFIED OUTWARD DIALING (AIOD) AND DIRECT INWARD DIALING (DID)
ALC - INTRALATA CARRIER	INDICATES THE INTRALATA CARRIER AND 800 NUMBER TRANSLATION INDICATOR.
ALEK - ANALOG LINE ELEC. TELE. SVC (EKTS) FEAT	INDICATES THAT AN ALALOG LINE IS PART OF AN EKTS AND THE LINE'S CAPABILITIES.
AMIG - AUTOMATIC/MANUAL INTERCOM GROUP	IDENTIFIES THE MIMENSION ELECTRONIC CUSTOM TELEPHONE SET (ECTS) IN A MANUAL INTERCOM GROUP, AN AUTOMATIC INTERCOM GROUP OR A COMBINED AUTOMATIC/MANUAL INTERCOM GROUP.
AN - ACCESS NUMBER	IDENTIFIES THE CODE BY WHICH A FEATURE GROUP B OR D SWITCHED SERVICE MAY BE ACCESSED.
ANI - AUTOMATIC NUMBER IDENTIFICATION	INDICATES THAT AN ACCESS SERVICE IN FEATURE GROUP B, C OR D IS EQUIPPED TO TRANSMIT SEVEN TO TEN NUMBERS OR INFORMATION DIGITS TO IDENTIFY THE CALLING STATION.

---



---

FID	Definition
ANR - ASSIGNMENT NOT REQUIRED	INDICATES THAT SPECIFIC FACILITY ASSIGNMENTS NORMALLY REQUIRED FOR AN ASSIGNABLE USOC DO NOT APPLY. DATA IDENTIFIES THE SPECIFIC FACILITY ASSIGNMENTS NOT NEEDED.
ANT - AGENCY NAME AND TELEPHONE NUMBER	INDICATES THE CONTACT NAME AND TELEPHONE NUMBER WITHIN ANOTHER FIRM THAT PROVIDES A SERVICE TO OUR CUSTOMER (E.G. A BURGLAR ALARM COMPANY).
AODN - AUXLRY OUTWARD DIAL NUMBER	DESIGNATES THE TELEPHONE NUMBER (HAULBACK NUMBER) THAT WILL BE USED ON DID SERVICE TO PERFORM CALL FORWARDING FUNCTIONS.
AOS - AREAS OF SERVICE	DEFINES THE AREAS OF SERVICE ON BOC 800 SERVICE.
APID - APPLICATION PROCESSOR IDENTIFICATION	IDENTIFIES THE APPLICATION PROCESSOR AND THE BUSINESS CUSTOMER FOR MESSAGE CENTER MULTILINE HUNT GROUPS SERVED BY A #5 ESS OFFICE.
APZ - A AND Z LOCATION AND PULSING	INDICATES THE A AND Z LOCATION AND THE TYPE AND DIRECTION OF PULSING OF A MESSAGE TRUNK.
ARS - AUTOMATIC ROUTE SELECTION GROUP NAME	INDICATES THE AUTOMATIC ROUTE SELECTION GROUP NAME, ATTRIBUTE NAME AND ATTRIBUTE VALUE TO BE ASSIGNED TO A LINE IN A #5 ESS OFFICE.
ARTG - ALTERNATE TRAFFIC ROUTING	INDICATES AN ACCESS TRUNK GROUP THAT ROUTES TRAFFIC TO THE IC OVER OTHER THAN THE PRIMARY TRUNK ROUTE FOR FEATURE GROUPS B, C AND D. THE TRAFFIC COULD BE TRANSPORTED TO THE SAME OR DIFFERENT IC TERMINAL LOCATION.

---

---

FID	Definition
ASG - ACCESS SERVICE GROUP	INDICATES A GROUP OF SERVICES, BY END OFFICE SWITCH FOR FEATURE GROUPS B, C AND D ACCESS SERVICE AND BY DIAL TONE OFFICE FOR DEDICATED ACCESS LINES (DAL'S), FEATURE GROUP A. FOR SPECIAL ACCESS SERVICE, ASG RELATES THE HIGH CAPACITY CHANNEL TO THE CIRCUITS THAT WORK OUT OF THE CHANNEL.
ASLS - AUTO CALL DIST (ACD) AGEND STATUS LAMPS	TO PROVISION AGEND STATUS LAMP FEATURE IN THE DMS 100 SWITCH.
ASO - ALTERNATE SERVING OFFICE	INDICATES ALTERNATE SERVING WIRE CENTER PROVIDING ALTERNATE ROUTE PROTECTION.
ATH - AUTHORIZATION CODE	INDICATES THE AUTHORIZATION CODE ATTRIBUTE NAME AND ATTRIBUTE VALUE TO BE ASSIGNED TO A LINE IN A #5 ESS OFFICE.
ATN - ATTENDANT TELEPHONE NUMBER	INDICATES THE ATTENDANT MAILBOX TELEPHONE NUMBER TO WHICH AN INCOMING CALL TO A VOICE MESSAGING SERVICE IS TO BE ROUTED.
ATS - ATTENDANT SCHEDULE	INDICATES THE TIMES OF DAY WHEN A VOICE MESSAGING SERVICE ATTENDANT IS AVAILABLE.
ATSU - AUTOMATIC TERMINAL SETUP	INDICATES THE FIRST APPEARANCE IDENTIFIER AND TOTAL QUANTITY OF APPEARANCES FOR A GIVEN DIRECTORY NUMBER ON AN ISDN TERMINAL SERVED BY A 5ESS (5E9 OR LATER) STANDARD DSL.
AUC - AUTHORIZATION CODE INDICATOR	INDICATES IF A #5 ESS FEATURE MAY BE IMPLEMENTED VIA AN AUTHORIZATION CODE.
AUL - AUTOMATIC LINE	INDICATES THE PREDETERMINED INTERNAL TELEPHONE NUMBER TO WHICH AUTOMATIC CONNECTION IS MADE FOR AN ESSX STATION LINE.

---

---

<b>FID</b>	<b>Definition</b>
AXC - AT&T CONTRACT ARRANGEMENTS	IDENTIFIES THE TYPE OF CONTRACT ARRANGEMENT BETWEEN ATTCOM AND THE BOCS.

---

**8.2 B**

---

<b>FID</b>	<b>Definition</b>
BAAD - BAND ADVANCE	INDICATES AUTOMATIC OVERFLOW OF TERMINATING CALLS TO ANOTHER DEDICATED ACCESS LINE (DAL) GROUP WHEN THE FIRST GROUP HAS EXCEEDED ITS CALL CAPACITY. PROVIDED IN ASSOCIATION WITH TWO OR MORE DAL GROUPS. ALSO CAN INDICATE A HUNTING ARRANGEMENT TO A HIGHER BAND 800 SERVICE GROUP.
BAID - BILLING ARRANGEMENT INDICATOR	INDICATES THE MEET POINT BILLING ARRANGEMENT SELECTED BY THE EXCHANGE CARRIER OR INDEPENDENT COMPANY.
BAND - BAND IDENTIFICATION	CRIS: INDICATES THE END OFFICE CUSTOMER LINE SCREENING.
BBI - BILLED BY INDEPENDENT	INDICATES THAT AN ACCOUNT IS BILLED BY AN INDEPENDENT TELEPHONE COMPANY.
BCI - BULK CALLING LINE IDENT USAGE GUIDE IND	INDICATES USAGE WILL BE BILLED WHEN THE BULD CALLING LINE IDENTIFICATION IS ACTIVATED.
BCN - BEARER CAPABILITY NAME	INDICATES THE TYPE OF BEARER CAPABILITY SERVICE FOR INTEGRATED SERVICES DIGITAL NETWORK.
BCSJ - BILLING AND COLLECTION SVC JURISDICTION	INDICATES THE SPECIFIC JURISDICTION TO WHICH BILLING AND COLLECTION SERVICES APPLY FOR REVENUE REPORTING PURPOSES.

---

---

FID	Definition
BCX - COMMITTED BURST SIZE	IDENTIFIES THE MAXIMUM AMOUNT OF DATA A USER IS PERMITTED TO OFFER TO THE NETWORK DURING THE INTERVAL ACROSS THE BELL SOUTH CIRCUIT ON FRAME RELAY ORDERS.
BEX - EXCESS BURST SIZE	TO PROVIDE INFORMATION THAT IS USED TO ESTABLISH PVC (PERMANENT VIRTUAL CONNECTION).
BGI - BULK CALLING LINE IDENT GROUP IDENTIFIER	INDICATES THE MULTI-LINE HUNT GROUP, CENTREX GROUP OR PBX DIRECT INWARD DIALING (DID) TRUNK GROUP IS EQUIPPED WITH THE BULK CALLING LINE IDENTIFICATION (BCLID) FEATURE.
BI - BILLING INSTRUCTIONS	INDICATES CERTAIN BILLING CONDITIONS NOT COVERED BY USOCS OR OTHER FIDS ON THE SERVICE ORDER.
BIP - BORDER INTERCONNECTION PERCENTAGE	INDICATES THE PERCENTAGE OF THE ELEMENT THAT IS TO BE BILLED BY A GIVEN EXCHANGE TELEPHONE COMPANY, OR TO BE RATED BY THE PRIMARY BILLING JURISDICTION ACCOUNT ON A MULTIPLE JURISDICTION ACCOUNT.
BIR - BILLING INSTRUCTION RETAINED	INDICATES PERMANENT RECURRING BILLING INSTRUCTIONS AND IS RETAINED ON THE CUSTOMER RECORD.
BLF - BUSY LAMP FIELD OPTION	TO IDENTIFY THE DN THAT IS MONITORED USING THE BUSY LAMP FIELD OPTION IN THE DMS 100 SWITCH. THE DATA BEHIND THE BLF FID MUST BE A 10 DIGIT NUMBER.
BLKD - BLOCK DIRECTORY ASSISTANCE REQUEST	IDENTIFIES CUSTOMERS WHO HAVE REQUESTED THAT DA CALL COMPLETIONS NOT BE ALLOWED FROM THEIR PHONE.

---

---

FID	Definition
BLOC - BILLING BLOCK	TO SUPPORT A MANDATE TO BLOCK 3RD PARTY UNREGULATED NON TOLL MISCELLANEOUS TYPE CHARGES THAT ARE SUBMITTED ON CATEGORY 42 RECORDS AND TO TRIGGER AN EMIFEED TO THE CARRIERS AS NOTIFI- CATION OF THE BLOCK
BPR - BEEPER NOTIFICATION NUMBER	
BS - BEARER SERVICES/CAPABILITIES	IDENTIFIES THE TYPE OF ISDN SERVICE TO WHICH A USER HAS ACCESS
BSA - BASIC SERVING AGREEMENT	INDICATES THAT THE SERVICE IS ORDERED AS A BASIC SERVICE ARRANGEMENT, WHICH IS THE MINIMUM NECESSARY TRANSPORT ARRANGEMENT FOR THE DELIVERY OF UNBUNDLED NETWORK FEATURES AND FUNCTIONS.
BTN - BILL TELEPHONE NUMBER	INDICATES THE ACCOUNT NUMBER TO WHICH ALL CHARGES EXCEPT MULTI-ELEMENT CHARGES ARE TO BE BILLED. THE DATA MAY BE IN EXCHANGE ACCOUNT NUMBER FORMAT OF MISCELLANEOUS ACCOUNT NUMBER FORMAT.
BUS - BILL USAGE SENSITIVE	INDICATES USAGE SENSITIVE BILLING ON FGA ACCESS SERVICE AND BASIC LOCAL EXCHANGE SERVICE.
BYL - BUSY LIMIT	INDICATES THE LIMIT OF CALLS THAT CAN BE TERMINATED TO A SPECIFIC ISDN MULTILINE HUNT MEMBER BEFORE BEING MARKED BUSY.

---

### 8.3 C

---

FID	Definition
CA - CABLE NUMBER	IDENTIFIES A SPECIFIC FEEDER OR DISTRIBUTION CABLE NUMBER CONTAINED IN AN OUTSIDE PLANT FACILITY. THE NUMBER IS ALWAYS UNIQUE WITHIN A WIRE CENTER.
CAC - CIRCUIT ACTIVITY	INDICATES THAT AN ORER FOR A DESIGNED SERVICE IS ESTABLISHING A NEW CIRCUIT, TOTALLY DISCONNECTING A CIRCUIT OR CHANGING AN AN EXISTING CIRCUIT.
CAD - CALL DENIAL	INDICATES THAT A FEATURE GROUP A ACCESS SERVICE IS EQUIPPED WITH THE CALL DENIAL FEATURE WHICH SCREENS CALLS TO SPECIFIED NXX OR NUMBERS.
CAP - CAPACITY	INDICATES THE ESTIMATED NUMBER OS MESSAGES CAPACITY.
CAPI - CALL APPEARANCE IDENTIFIER	INDICATES THE ASSIGNMENT OF A CALL APPEARANCE OF A DIRECTORY NUMBER/CALL TYPE TO A CORRESPONDING IDENTIFIER THAT IS USED BETWEEN THE CUTOMER EQUIPMENT AND THE SWITCH, AND THE ALERTING PATTERN FOR THE DN.
CAPP - CALL APPEARANCE	INDICATES A CALL APPEARANCE DESIGNATION ON A MULTIPLE APPEARANCE TERMINAL FOR PRIMARY AND SECONDARY LINE NUMBERS, OR MULTILINE HUNT GROUP TERMINAL NUMBER, SERVED BY A #5 ESS.
CAS - CALL SCREENING CODE ASSIGNMENT	IDENTIFIES THE SCREENING CODE ASSIGNMENT FOR SELECTIVE CLASS OF CALL SERVICE.
CAT - CAT WITH DATA OF 1 MUST APPEAR!	INDICATES THE ACCESS TREATMENT CODE ASSIGNED TO AN ESS CENTREX - CO OR ESSX 2 STATION LINE.
CBK - CALL BLOCKING	INDICATES COMPANY OR CUSTOMER INITIATED BLOCKING.

---

---

FID	Definition
CCED - CALLING CARD EFFECTIVE DATE	INDICATES THE DATE ON WHICH A CALLING CARD PERSONAL IDENTIFICATION NUMBER (PIN) IS TO BECOME EFFECTIVE WHEN OTHER THAN THE NORMAL INTERVAL APPLIES.
CCHN - CALLING CARD HOLDER'S NAME	INDICATES THE CUSTOMIZED CARD HOLDER'S NAME WHICH APPEARS ON A CALLING CARD.
CCI - CHANGE CUSTOM INTERCOM LIST	IDENTIFIES THE DIMENSION STATION LINE WHICH CONTROLS ALL CHANGES TO A CUSTOM INTERCOM LIST AND STATES THE SIZE OF THE LIST WHICH IS BEING CONTROLLED.
CCNA - CUSTOMER'S CARRIER NAME ABBREVIATION	INDICATES THE ABBREVIATED NAME OF THE CUSTOMER'S CARRIER PROVIDING ACCESS SERVICE.
CCNR - CALLING CARD NUMBER RESTRICTIONS	INDICATES THE CALLED NUMBER SCREENING PROFILE OF THE CALLING CARD.
CCOA - CO. CARRIER OFFICE ADDRESS	THE FID WILL BE USED TO IDENTIFY THE STREET ADDRESS OF THE CENTRAL OFFICE LOCATION WHERE THE OLEC'S INVENTORY IS BUILT.
CCOL - CO. CARRIER OFFICE LOCATION	THE FID WILL BE USED TO IDENTIFY THE LOCATION IN THE CENTRAL OFFICE ADDRESS WHERE THE OLEC'S INVENTORY IS BUILT.
CCPA - CALLING CARD PERM ADDRESS	INDICATES A PERMANENT DISTRIBUTION ADDRESS FOR CALLING CARDS OTHER THAN THE BILLING ADDRESS.
CCQ - CALLING CARD QUANTITY	INDICATES THE NAME REQUESTED BY THE CUSTOMER TO BE PRINTED ON THE CARD AND THE QUANTITY OF CARDS TO BE ISSUED IN THE SPECIFIED NAME.
CCSN - CALLING CARD SPECIAL NUMBER	INDICATES A SPECIAL NUMBER, OTHER THAN A TELEPHONE NUMBER, ASSIGNED TO A CALLING CARD.

---

---

FID	Definition
CCSO - CALLING CARD SPECIAL OPTIONS	SPECIAL OPTIONS FOR CALLING CARD SERVICES
CDC - CALL DIRECTING CODE	IDENTIFIES THE CODE BY WHICH A COMMUNICATIONS TERMINAL ON AL SPECIAL SERVICES CIRCUIT IS ENERGIZED TO RECEIVE A MESSAGE BASED ON THE LINE PROTOCOL OF A PARTICULAR SELECTIVE CALLING SYSTEM.
CDI - CALL DETAIL INDICATOR	PROVIDES CALL DETAIL INFORMATION FOR THE ADVANCED INTELLIGENT NETWORK (AIN) AREA NUMBER CALLING FEATURE.
CDS - CONTROL DATA SET	IDENTIFIES A DATA SET AS A "CONTROL" SET. INDICATES THAT THE CONTROL DATA SET TERMINATES IN A DIAGNOSTIC CONTROL DEVICE.
CFA - CONNECTION FACILITY ASSIGNMENT	INDICATES THE CARRIER SYSTEM AND CHANNEL THAT IS TO BE USED FOR HIGH CAPACITY INTERFACE AND EXCHANGE DIGITAL SERVICES AND ACCESS SERVICE.
CFBE - CALL FORWARDING NUMB EXTERNAL-BUSY LINE	INDICATES THE TELEPHONE NUMBER OR STATION NUMBER OUTSIDE THE CUSTOMER GROUP TO WHICH CALLS ARE FORWARDED WHEN THE CALLED NUMBER IS BUSY.
CFBI - CALL FORWARDING NUMB INTERNAL-BUSY LINE	INDICATES THE TELEPHONE NUMBER OF STATION NUMBER IN THE SAME CUSTOMER GROUP, TO WHICH CALLS ARE FORWARDED WHEN THE CALL NUMBER IS BUSY.
CFDE - CALL FORWARDING NUM EXTERNAL DON'T ANSW	INDICATES THE TELEPHONE NUMBER OF STATION NUMBER OUTSIDE OF THE CUSTOMER GROUP WHICH CALLS ARE FORWARDED WHEN THE CALLED NUMBER DOESN'T ANSWER.
CFDI - CALL FORWARDING NUM INTERNAL-DON'T ANSW	INDICATES THE TELEPHONE NUMBER OF STATION NUMBER IN THE SAME CUSTOMER GROUP TO WHICH CALLS ARE FORWARDED WHEN THE CALLED NUMBER DOESN'T ANSWER.

---



---

FID	Definition
CFF - CALL FORWARDING FROM NUMBER	INDICATES THE TELEPHONE NUMBER OF STATION FROM WHICH CALLS ARE FORWARDED.
CFG - CUSTOMER FACILITY GROUP	IDENTIFIES THE CUSTOMER FACILITY GROUP NUMBER THAT IS ASSOCIATED WITH SIMULATED FACILITES SERVING NETWORK ACCESS REGISTERS FOR CENTREX ESSX-1 IN 1E5 AND 1E5A ESS OFFICES.
CFN - CALL FORWARDING NUMBER	INDICATES THE TELEPHONE NUMBER OR STATION NUMBER TO WHICH CALLS ARE FORWARDED.
CFNB - CALL FORWARDING NUMBER BUSY	INDICATES THE TELEPHONE NUMBER OF STATION TO WHICH CALLS ARE FORWARDED WHEN THE CALLED NUMBER IS BUSY AND WHEN THE CFNB NUMBER IS DIFFERENT THAT THE CFND (CALL FORWARD NUMBER - DON'T ANSWER) NUMBER.
CFND - CALL FORWARDING NUMBER DON'T ANSWER	INDICATES THE TELEPHONE NUMBER OR STATION NUMBER TO WHICH CALLS ARE FORWARDED WHEN THE CALLED NUMBER DOESN'T ANSWER AND WHEN THE CFND NUMBER IS DIFFERENT THAN THE CFNB (CALL FORWARD NUMBER - BUSY LINE) NUMBER.
CFNI - ACCESS CARRIER FIBER NETWORK IDENT	INDICATES ACCESS CARRIER CIRCUIT IDENTIFICATION CODE FOR THE RING TYPE SERVICE BEING REQUESTED.
CFSO - CALL FORWARDING SIMULTANEOUS SCREENING O	CALL FORWADING SIMULTANEOUS SCREENING OPTIONS
CFW - CALL FORWARDING	INDICATES THE CALL FORWARDING FEATURE NAME(S) AND OTIONAL FEATURE ATTRIBUTES TO BE ASSIGNED TO A LINE IN A STORED PROGRAM SWITCH.
CGA - CLOSED USER GROUP AUTHORITY	INDICATES THE INTERNATIONAL CLOSED USER GROUP NUMBER OR INTERLOCK CODE.

---

---

FID	Definition
CGAP - CALL GAPPING	INDICATES THAT A CALL GAPPING (OR TRUNK ACCESS LIMITATION) ARRANGEMENT IS PROVIDED ON FEATURE GROUP D ACCESS SERVICE.
CGN - CALLING GROUP NUMBER	IDENTIFIES A UNIQUE IDENTIFICATION NUMBER FOR A GROUP OF MAILBOXES AND THEIR ACCESS PRIVILEGES ON A VOICE MESSAGING SERVICE.
CHD - CALL HOLD	INDICATES THAT A STATION LINE HAS THE CALL HOLD FEATURE.
CHNA - CHANNEL NUMBER ASSIGNMENT	IDENTIFIES THE CHANNEL NUMBER (S) TO BE PRE-ASSIGNED TO AN INTERGRATED SERVICES DIGITAL NETWORK (ISDN) FACILITY.
CHOK - TRUNK ACCESS LIMITATION	INDICATES THE TRUNK ACCESS LIMITATION ARRANGEMENTS PROVIDED ON FEATURE GROUP C AND D ACCESS SERVICE.
CID - CUSTOMER IDENTIFICATION CODE	INDICATES THE IDENTIFICATION CODE OF THE CUSTOMER/CARRIER FOR WHICH OPERATOR ASSISTANCE SERVICE OR DIRECTORY ASSISTANCE SERVICE IS BEING PROVIDED.
CIG - CUSTOM INTERCOM GROUP	IDENTIFIES THE GROUP NUMBER ASSIGNED TO EACH DIMENSION STATION LINE IN A CUSTOM INTERCOM GROUP.
CIRX - COMMITTED INFORMATION RATE	IDENTIFIES THE RATE OF TRAFFIC ACROSS THE CIRCUIT UNDER NORMAL CONDITIONS.
CKL - CIRCUIT LOCATION	IDENTIFIES THE SERVICE (TERMINATING) ADDRESS AT WHICH AT LEAST ONE LOOP OF A SPECIAL SERVICES CIRCUIT TERMINATES. EACH TERMINATING ADDRESS IS ASSIGNED A UNIQUE NUMERIC IDENTIFIER PRECEDING THE ADDRESS.

---

---

FID	Definition
CKLP - CIRCUIT POINT OF CONNECTION	INDICATES THE COMMON LANGUAGE LOCATION IDENTIFICATION (CLLI) OF A DESIGNATED POINT-OF-PRESENCE WHERE A CIRCUIT TERMINATES (TRANSPORT SERVICE).
CKLT - CIRCUIT LOCATION TELE. CO. WIRE CENTER	INDICATES THE COMMON LANGUAGE LOCATION IDENTIFICATION (CLLI) OF A TELEPHONE COMPANY BRIDGING OR HUBBING WIRE CENTER.
CKR - CIRCUIT REFERENCE	INDICATES THE ACCESS SERVICE TARIFF CUSTOMER'S OVERALL CIRCUIT NAME.
CKT - CIRCUIT NUMBER	IDENTIFIES THE NUMBER OF A SPECIAL SERVICE CIRCUIT THAT IS IN A FORMAT OTHER THAN STANDARD COMMON LANGUAGE FORMAT.
CL - CYCLE LENGTH	IDENTIFIES THE NUMBER OF PORTS INCLUDED IN A SINGLE POLLING CYCLE.
CLF - COMMON LANGUAGE FACILITY IDENTIFICATION	INDICATES THE DESIGN, TYPE A LOCATION AND Z LOCATION OF A FACILITY.
CLFC - INDICATES CALL FORCING OPTION FOR ACD	INDICATES THE CALL FORCING OPTION FOR A LINE EQUIPPED WITH THE CALL DISTRIBUTION FEATURE.
CLM - CLCI MESSAGE TRUNK IDENTIFICATION	INDICATES THE CLCI MESSAGE TRUNK IDENTIFICATION.
CLS - COMMON LANGUAGE CKT ID SERIAL NUMBER	IDENTIFIES THE CIRCUIT NUMBER IN STANDARD CLCI SERIAL NUMBER FORMAT.
CLT - COMMON LANGUAGE CIRCUIT ID - TN FORMAT	IDENTIFIES A SPECIAL SERVICES CIRCUIT WHERE THE COMMON LANGUAGE CIRCUIT IDENTIFICATION (CLCI) FOR THE CIRCUIT IS IN TELEPHONE NUMBER FORMAT.
CLTB - CLCI TELEPHONE NUMBER BILLING	INDICATES THE CLCI CIRCUIT IDENTIFICATION IN TELEPHONE NUMBER FORMAT, FOR BILLING PURPOSES.

---

---

FID	Definition
CLV - CLASS LEVEL CODE	IDENTIFIES A SPECIFIC COMBINATION OF FEATURES ASSOCIATED WITH A PBX CONSOLE OR PBX STATION LINE ON A CUSTOMER'S SWITCHING SYSTEMS.
CMA - CUSTOMER MAINTENANCE AGREEMENT	INDICATES THE TYPE OF MAINTENANCE AGREEMENT PURCHASED BY THE CUSTOMER AND THE EXPIRATION DATE OF THE AGREEMENT.
CMR - CONTRACT MONTH REMAINING	INDICATES THE NUMBER OF MONTHS REMAINING ON A CONTRACT AGREEMENT.
CMT - COMMON TRANSPORT LOCATION	INDICATES THE COMMON LANGUAGE LOCATION IDENTITY OF A TANDEM SWITCH VIA THE TANDEM AND THE PERCENTAGE OF OVERALL TRAFFIC BY BHM TYPE THAT IS ROUTED.
CMTA - CONNECTING MESSAGE TRUNK ASSIGNMENT	INDICATES ON THE SWITCHED ACCESS ACCOUNT, THE CROSS REFERENCE TO THE MESSAGE TRUNK OR TRUNKS THAT RESIDE ON THE SPECIAL ACCESS ACCOUNT.
CN - CONTRACT NUMBER	THE CONTRACT NUMBER/CONTROL NUMBER USED AS A BASIS FOR THE RATING OF ITEMS OF SERVICE AND EQUIPMENT.
CNDI - CALLING NAME DISPLAY	INDICATES THE NAME TO BE DISPLAYED ON ELECTRONIC TELEPHONE SETS EQUIPPED WITH THE DISPLAY FEATURE.
CNI - CUSTOMER NETWORK IDENTIFICATION	INDICATES THE CUSTOMER'S RECONFIGURABLE NETWORK IDENTIFICATION
CNV - CONTRACT/CONTROL NUMBER VARIABLE	INDICATES THE CONTRACT/CONTROL NUMBER USED FOR VARIABLE RATE STRUCTURES WHEN RATING ITEMS OF SERVICE AND EQUIPMENT PROVIDED UNDER A CONTRACT OR SPECIAL SERVICE ARRANGEMENT.

---

---

FID	Definition
COD - CUT OFF ON DISCONNECT	INDICATES THAT A DMS-100 LINE IS EQUIPPED WITH THE CUTOFF ON DISCONNECT OPTION WHICH FORCES THE CALLING PARTY TO BE CUT OFF UPON DISCONNECT.
COI - COMMUNITY OF INTEREST	INDICATES A UNIQUE IDENTIFICATION NUMBER TO IDENTIFY THE MESSAGING BOUNDARY ASSOCIATED WITH THE COMMUNITY OF INTEREST FEATURE FOR A VOICE MESSAGING SYSTEM.
COIC - CONTENTION FOR INCOMING CALLS	INDICATES WHETHER OR NOT CALLED USER TERMINALS ARE ALLOWED TO CONTEND FOR A CALL TERMINATION AT THE INTEGRATED SERVICES DIGITAL NETWORK (ISDN) INTERFACE.
COTY - VIRTUAL CONNECTION TYPE	
CP8 - CALLING PLAN 800	INDICATES THAT THE CUSTOMER HAS A CALLING PLAN FOR LOCAL 800 SERVICE.
CPDN - CALLING PARTY DEFAULT DIRECTORY NUMBER	INDICATES THE CALLING PARTY DEFAULT DN FOR EACH CALL TYPE OF AN INTEGRATED SERVICES DIGITAL NETWORK (ISDN) INTERFACE (PIPE) OR THE TERMINAL SERVICE PROFILE.
CPG - CALL PICKUP GROUP	INDICATES THE CALL PICKUP GROUP NUMBER FOR A #1, #2, OR #5 ESS CENTREX CENTRAL OFFICE-LIKE STATION LINE OR A PRESTIGE LINE WHERE THE LINE IS CONTAINED IN A CALL PICKUP GROUP AND MAY ALSO INDICATE THE LINE NUMBER OF EACH LINE IN THE GROUP.
CPN - CHANNEL/PAIR NUMBER	INDICATES THE CHANNEL(S) OF A HIGH CAPACITY FACILITY THAT IS USED FOR A SWITCHED ACCESS SERVICE. THE CHANNEL PAIR ASSIGNED SHOULD AGREE WITH THE CHANNEL PAIR INDICATED FOLLOWING CFA ON THE SWITCHED ACCESS ORDER.

---

---

FID	Definition
CPND - CALLING PARTY NUMBER DELIVERY	INDICATES WHETHER OR NOT THE CALLING PARTY NUMBER DELIVERY FEATURE IS PROVIDED.
CPNS - CALLING PARTY NUMBER SCREEN	INDICATES WHETHER OR NOT CALLING PARTY NUMBER SCREENING IS TO BE PROVIDED TO A 5ESS ISDN DIRECTORY NUMBER OR ISDN PRIMARY RATE TRUNK GROUP.
CSGP - CUSTOMER GROUP IDENTIFIER	INDICATES THE IDENTIFICATION OF THE EKTS CUSTOMER GROUP.
CSL - CHANGE SPEED CALLING LIST	INDICATES THAT THE ASSOCIATED STATION HAS THE ABILITY TO MAKE CHANGES IN THE SPEED CALLING LIST.
CSN - CONCESSION	INDICATES THE RATE AND TYPE OF CONCESSION WHEN A CONCESSION (DISCOUNT) RATE APPLIES.
CSO - CIRCUIT SWITCHED CHANNEL OPTIONS	INDICATES THE QUANTITY OF B CHANNELS ALLOWED FOR USE AND WHICH B CHANNEL IS ASSIGNED TO ISDN CIRCUIT SWITCHED BEARER SERVICE.
CST - CUSTOMER SERVICE TYPE	IDENTIFIES THE CUSTOMER SERVICE TYPE WHICH IS BILLED ON THE CABS ACCOUNT.
CSZ - COMMUNITY, STATE, ZIP	IDENTIFIES COMMUNITY, STATE & ZIP CODE FOR THE ALTERNATIVE LOCATIONS ASSOCIATED WITH THE ENHANCED FEATURES FOR BELL SOUTH LONG DISTANCE TOLL FREE SERVICE.
CTO - ACCESS CUT THROUGH	INDICATES THE CUT-THROUGH CAPABILITY ORDERED AS AN OPTION, PER END OFFICE, WITH FEATURE GROUP D ACCESS SERVICE.

---

---

FID	Definition
CTT - CLIENT TELEPHONE NUMBER TYPE	DESIGNATE WHICH DIRECTORY NUMBER WILL BE SENT TO THE CUSTOMER'S VOICE MAIL SYSTEM IN THE EVENT OF MULTIPLE CALL FORWARDING LEGS WHEN SERVICED BY THE 5ESS SWITCH.
CTX - CENTREX GROUP NUMBER	IDENTIFIES THE CENTREX GROUP NUMBER ASSIGNED TO A CENTRX CUSTOMER SERVED FROM AS ESS OFFICE.
CUG - CLOSED USER GROUP	INDICATES THE CLOSED USER GROUP OPTIONS ON A PUBLIC PACKET SWITCHING NETWORK (PPSN) SERVICE, OR PACKET SERVICE ON #5 ESS- ISDN.
CUGO - CLOSED USER GROUP OWNER IDENTIFICATION	INDICATES A CROSS REFERENCE TO THE PACKET CLOSED USER GROUP OWNER'S IDENTITY.
CXR - CALL TRANSFER OPTIONS	INDICATES THE TYPE OF CALL TRANSFER CAPABILITY ON A PER STATION BASIS THAT THE SUBSCRIBER SPECIFIED.
CXRO - CALL TRANSFER ORIGINATING OPTIONS	INDICATES ORIGINATING OPTIONS FOR CUSTOM TYPE OF CALL TRANSFER WHEN THE CONTROLLER IS THE ORIGINATOR OF THE CALL.
CXRR - CALL TRANSFER RECALL OPTION	INDICATES THE STATION IS EQUIPPED WITH THE CALL TRANSFER RECALL OPTION.
CXRT - CALL TRANSFER TERMINATING OPTIONS	INDICATES TERMINATING OPTIONS FOR CUSTOM TYPE OF CALL TRANSFER WHEN THE CONTROLLER IS THE ORIGINATOR OF THE CALL.

---

## 8.4 D

---

FID	Definition
DAA - DIAGNOSTIC APPARATUS ADDRESS	IDENTIFIES THE DEVICE ADDRESS USED IN A DIAGNOSTIC CONTROL DEVICE (NETWORK CONTROLLER OR DIAGNOSTIC CONSOLE).
DAB - DIRECTORY ASSISTANCE SERVICES BRANDING	INDICATES DIRECTORY ASSISTANCE BRANDING, AN ANNOUNCEMENT IDENTIFYING THE CARRIER/CUSTOMER IS PROVIDED ON A SPECIFIC TRUNK GROUP.
DACO - DIRECTORY ASSISTANCE CALL COMPLETION OPT	INDICATES A SERVICE PROVIDER CAN OFFER DIRECTORY ASSISTANCE CALL COMPLETION TO THEIR END USER BASED ON A SELECTED OPTION.
DAIM - DIRECTORY ASSISTANCE INTRODUCTORY MSG	INDICATES DIRECTORY ASSISTANCE CUSTOMIZED INTRODUCTORY MESSAGING.
DBIP - DEDICATED BORDER ITERCONNECTION	INDICATES THE BORDER INTERCONNECTION PERCENTAGE BETWEEN THE TANDEM AND END OFFICE OR HOST WHEN DEDICATED TRANSPORT IS ORDERED BETWEEN THE POP AND THE TANDEM.
DBN - DEFAULT BILLING NUMBER	INDICATES THE TELEPHONE NUMBER IN AN ESS OFFICE WHERE MESSAGE UNITS AND/OR TOLLS ARE BILLED WHEN THERE IS AN AIOD FEATURE FAILURE IN THE ESS OFFICE.
DC - DOOR CODE	INDICATES A CODE ASSIGNED TO AN APARTMENT AND CAN BE DIALED BY A VISITOR TO REACH THE DESIRED APARTMENT.
DCA - DATA CUSTOMER ADDRESS	IDENTIFIES THE LOCAL NETWORK ADDRESS AND PORT NUMBER SELECTED BY A DATA SET CUSTOMER.
DCLS - DIGITAL SUBSCRIBER LINE CLASS OF SERVICE	INDICATES A POINT TO POINT OR MULTIPOINT DIGITAL SUBSCRIBER LINE.

---



---

FID	Definition
DCT - DIGITAL ACCESS X-CONNECT SYS CKT TERM	INDICATES THE FLEXSERV SERVICE ACCOUNT NUMBER AND THE NETWORK CONFIGURATION INDICATOR.
DDC - DIRECT DEPARTMENT CALLING	IDENTIFIES THE GROUP NUMBER ASSIGNED TO A DIMENSION PBX STATION LINE IN A DIRECT DEPARTMENT CALLING GROUP.
DDSP - DELAY DIAL START-PULSING SIGNALING	INDICATES READINESS TO ACCEPT ADDRESS SIGNALING PROVIDED ON FEATURE GROUP C ACCESS SERVICE.
DGC - DIRECT GROUP CALLING	IDENTIFIES A LINE OR STATION AS A MEMBER OF A GROUP SERVED BY THE DIRECT GROUP CALLING FEATURE ON THE HORIZON COMMUNICATIONS SYSTEM.
DI - DEPARTMENTAL IDENTIFICATION	IDENTIFIES OTHER CHARGES AND CREDIT BY DEPARTMENTAL DESIGNATION.
DID - DIRECT INWARD DIALING	IDENTIFIES A TRUNK OR LINE USED FOR DIRECT INWARD DIALED CALLS IN ESS OFFICES.
DIR1 - DIRECTIONALITY (1)	INDICATES THE DIRECTION OF THE CIRCUIT'S PAIR WHEN IT ENTERS ON A BI-DIRECTIONAL SONET RING IDENTIFIED BY THE INTERMEDIATE CONNECTING FACILITY ASSIGNMENT AND THE CUSTOMER HAS ASSIGNMENT CONTROL.
DIR2 - DIRECTIONALITY (2)	INDICATES THE DIRECTION OF THE CIRCUIT'S PAIR WHEN IT ENTERS ON A BI-DIRECTIONAL SONET RING IDENTIFIED BY THE INTERMEDIATE CONNECTING FACILITY ASSIGNMENT AND THE CUSTOMER HAS ASSIGNMENT CONTROL.
DIR3 - DIRECTIONALITY (3)	INDICATES THE DIRECTION OF THE CIRCUIT'S PATH WHEN IT ENTERS ON A BI-DIRECTIONAL SONET RING IDENTIFIED BY THE INTERMEDIATE CONNECTING FACILITY ASSIGNMENT AND THE CUSTOMER HAS ASSIGNMENT CONTROL.

---

---

FID	Definition
DIR4 - DIRECTIONALITY (4)	INDICATES THE DIRECTION OF THE CIRCUIT'S PAIR WHEN IT ENTERS ON A BI-DIRECTIONAL SONET RING IDENTIFIED BY THE INTERMEDIATE CONNECTING FACILITY ASSIGNMENT AND THE CUSTOMER HAS ASSIGNMENT CONTROL.
DIRC - DIRECTORY ASSISTANCE CALL COMMITMENT	INDICATES THE NUMBER OF DIRECTORY ASSISTANCE CALLS THE CUSTOMER HAS COMMITTED TO ANNUALLY.
DIS - DISCOUNT	INDICATES THAT A DISCOUNT OR AN INCREASED OF THE TARIFFED RATE APPLIES AND THE PERCENT OF THE AUTHORIZED RATE TO BE BILLED.
DIV - DIVERSIFICATION	INDICATES THE COMMON LANGUAGE CIRCUIT IDENTIFICATION OF THE SERVICE FROM WHICH SPECIAL DIVERSE ROUTING IS REQUIRED.
DLC - DEL DIAGNOSTIC AND ALIGN CONFIRMATION	INDICATES THE DELIVERY AND DIAGNOSTIC OPTIONS FOR X.25 ACCESS LINES IN PULSELINK. THIS FEATURE ALLOWS THE NETWORK TO RECOGNIZE WHICH TERMINALS ARE CAPABLE OF RECEIVING PERIODIC TEST CALLS. IT ALSO ALLOWS THE NETWORK TO RECOGNIZE THOSE TERMINALS REQUESTING CONFIRMATION OF EACH DATA MESSAGE SENT.
DLCI - DATA LINK CONNECTION IDENTIFICATION	INDICATES THE NEAR AND REMOTE LOGICAL ADDRESSES OF A FRAME RELAY PERMANENT VIRTUAL CIRCUIT.
DLNM - DIAL NAME	IDENTIFIES THE TITLE OR NAME OF THE PERSON ASSIGNED A MAILBOX ON A VOICE MESSAGING SERVICE.
DND - DO NOT DISTURB	IDENTIFIES A "DO NOT DISTURB" GROUP NUMBER.
DNIC - DESTINATION NETWRK IDNT CODE	IDENTIFIES THE DNIC ALLOWED TO BE ROUTED OVER A PARTICULAR X.75 INTERFACE.

---

---

FID	Definition
DNMC - DO NOT MAIL CARD	INDICATES THAT THIS CUSTOMER IS NOT TO BE ISSUED A PHYSICAL CALLING CARD.
DNP - DENY NON-PAYMENT	INDICATES THAT AN ACCOUNT IS DENIED FOR NON-PAYMENT OF CHARGES.
DNR - DIRECTORY NUMBER REFERENCE	INDICATES THE LOGICAL DIRECTORY NUMBER (DN) THAT THIS DIRECTORY NUMBER/CALL TYPE CORRESPONDS TO AND WHICH RELATES TO THE FID TCGN (TERMINAL CONFIGURATION GROUP NAME).
DNTD - DO NOT TEAR DOWN	INSTRUCTS THE MEMORYCALL/BELLSOUTH VOICE MAIL BUILDING SYSTEM TO NOT TEAR DOWN THE MAILBOX BECAUSE IT IS BEING REUSED.
DOC - DESIGN & OPERATIONAL CONFIGURATION CODE	IDENTIFIES THE DESIGN AND OPERATIONAL CONFIGURATION CODE WHEN A CUSTOMER INTERCONNECTS A TARIFF FCC NO 260 SERVICE TO A CHANNEL OF A CUSTOMER COMMUNICATIONS SYSTEM. DATA DESCRIBES TERMINATION, SERVICE APPLICATION AND INTERFACE TYPE REQUIREMENTS.
DOI - DATE OF INSTALLATION	INDICATES THE DATE THAT SERVICE WAS ORIGINALLY CONNECTED.
DP - DISTRIBUTOR POINT	IDENTIFIES THE NUMBER OF THE DISTRIBUTOR POINT ASSIGNED TO LINES REQUIRING 2 SIGNALS UPON ORIGINATION AND AT TERMINATION OF A CONNECTION IN AN ESS OFFICE.
DPA - DIFFERENT PREMISES ADDRESS	INDICATES THAT ASSOCIATED EQUIPMENT AND/OR SERVICES ARE LOCATED AT AN ADDRESS DIFFERENT FROM THE MAIN ADDRESS.
DPD - DISABLED PERSON DISCOUNT	INDICATES A CUSTOMER WITH A HEARING OR SPEECH IMPAIRMENT WHO IS ENTITLED TO TDD TOLL DISCOUNTS.

---

---

FID	Definition
DPEA - DROP PORT EQUIPMENT ASSIGNMENT - LOCATIO	DROP PORT EQUIPMENT ASSIGNMENT - LOCATION A
DPEZ - DROP PORT EQUIPMENT ASSIGNMENT - LOCATIO	DROP PORT EQUIPMENT ASSIGNMENT - LOCATION Z
DPG - DIALING PLAN GROUP	INDICATES THE DIALING PLAN GROUP USED TO PROVISION CENTREX LIKE LINES IN A #5 ESS SWITCH.
DPI - DIFFERENT PREMISES INFORMATION	IDENTIFIES SUPPLEMENTAL INFORMATION CONCERNING A DPA (DIFFERENT PREMISES ADDRESS) INSTALLATION. IT IS CURRENTLY USED ON ORDERS FOR CLIENTS OF AN ANSWERING BUREAU WITH A SERVICE SUCH AS AUTOTAS. DPI IDENTIFIES THE TELEPHONE NUMBER OF THE ANSWERING BUREAU.
DPIC - DATA PREDESIGNATED INTEREXCHANGE CARRIER	INDICATES THE PREDESIGNATED INTEREXCHANGE CARRIER FOR THE DATA SERVICE.
DPS - DIFFERENT PREMISES SUBSCRIBER	
DRG - DISTINCTIVE RINGING	TO PROVISION THE DISTINCTIVE RINGING FEATURE IN THE DMS 100 SWITCH.
DRP - DISASTER RELIEF PLAN	INDICATES THE INFORMATION NECESSARY TO ADMINISTER A DIASTER RELIEF/RESTORATION PROGRAM WHERE RECURRING CHARGES FOR SPECIFIC SERVICES ARE SUSPENDED. BILLING RESUMES AFTER A SPECIFIED EXPIRATION DATE.
DSA - DISTRIBUTION AND SUPPLEMENTAL ASSIGNMENT	INDICATES THE TYPE OF SERVICE AND WIRE CENTER WHICH IDENTIFIES A SERVICE ORDER THAT NEEDS SPECIAL DISTRIBUTION AND SUPPLEMENTAL ASSIGNMENT CRITERIA.

---

---

FID	Definition
DSGN - DEFAULT SERVICE GROUP NAME	INDICATES AN ISDN DIGITAL SUBSCRIBER LINE (DSL) IS EQUIPPED WITH DEFAULT SERVICE, WHICH INCLUDES E911 AND ASCR (AUTOMATIC CUSOTMER STATION REARRANGEMENT) CAPABILITIES.
DSI - DATA SET INSTALLATION	IDENTIFIES THE ADDRESS OF A DATA SET WHICH IS TO BE CROSS CONNECTED TO THE DATA SET SPECIFIED BY THE USOC ON THE SERVICE ORDER.
DSK - MESSAGE DESK NUMBER	INDICATES THE MESSAGE DESK THAT HAS A MESSAGE DESK INTERFACE FEATURE.
DSNA - DIGITAL SERVICES NETWORK ASSIGNMENT	IDENTIFIES THE FACILITY THAT IS USED FOR THE ASSIGNMENT OF CHANNELIZED OR INTERGRATED SERVICES.
DSO - DATA SET OPTIONS	INDICATES THE DATA SET OPTIONS THE CUSTOMER HAS REQUESTED WHICH DIFFER FROM THE STANDARD OPTIONS INDICATED BY THE USOC CODE SUFFIX.
DTE - DATA TERMINAL EQUIPMENT BACK-UP	INDICATES UP TO SEVEN PRESELECTED DATA TERMINAL NUMBERS (DTN) FOR BACKUP CALL REDIRECTION IN PULSELINK IN THE EVENT OF A SERVICE OUTAGE.
DTN - DATA TELEPHONE NUMBER	IDENTIFIES THE DATA TELEPHONE NUMBER ASSOCIATED WITH AN X.25 OR X.75 DIRECT ACCESS FACILITY TERMINAL OR ASYNCHRONOUS DIAL PORT TERMINATING ON THE PULSELINK NETWORK.
DTS - DIRECT TELEPHONE SALE	INDICATES DIRECT SALE OF BELL SYSTEM EQUIPMENT AND RELATED DIRECT SALE INFORMATION.

---

---

<b>FID</b>	<b>Definition</b>
DTSP - DEFAULT TERMINAL SERVICE PROFILE	INDICATES WHETHER OR NOT A GIVEN TERMINAL SERVICE PROFILE ENTRY IS FOR A DEFAULT TSP IN THE TLI OR DSM-100 GSF. INDICATES THE TN AND/OR DTN OF THIS USER PROFILE IS THE DEFAULT NUMBERS FOR THE INTERFACE IN THE 5ESS.
DUAL - DUAL SERVICE	INDICATES THAT A TELEPHONE NUMBER IS WORKING WITH UNINTERRUPTED SERVICE AT BOTH THE "F" (FROM) AND THE "T" (TO) ADDRESS SIMULTANEOUSLY.
DUIF - DATA UNIT INTERFACE FUNCTION	INDICATES DATA UNIT INTERFACE FUNCTION CONVENTIONS: SUCH AS EIA (ELECTRONIC INDUSTRY ASSOCIATION) INTERFACE CONVENTIONS.

## 8.5 E

---

<b>FID</b>	<b>Definition</b>
EAC - EXCHANGE AREA CLASSIFICATION	INDICATES THE CIRCUIT EXCHANGE AREA CLASSIFICATION USED TO DETERMINE DIVISION OF REVENUE.
EAN - STATION CONTROLLED CONF ARRANGEMENT	EAN INDICATES AN ESSX TYPE LIE IN AN ESSX OR DMS SWITCH IS EQUIPPED WITH THE STATION CONTROLLED CONFERENCE ARRANGEMENT FEATURE.
EC - EXCHANGE COMPANY INDICATOR	INDICATES THE JURISDICTIONAL ENTITY.
ECIL - E911 CUSTOMER INFORMATION LINE	INDICATES ADDITIONAL EMERGENCY INFORMATION DISPLAYED AT THE PSAP (PUBLIC SERVICE ANSWERING POINT), WHICH IS PERTINENT TO THE SERVED LOCATION OR CUSTOMER.

---

---

FID	Definition
ECSP - EXCHANGE CARRIER SWITCHING POINT	INDICATES THE POINT CODE OF THE END OFFICE OR TANDEM TO WHICH THE SS7 SIGNALLED TRUNK IS ORDERED.
ECT - ELECTRONIC CONCENTRATOR TERMINATION	IDENTIFIES THE ELECTRONIC CONCENTRATOR TERMINATION FOR AN AUTOTAS CLIENT LINE.
EDBT - 800 DATABASE TRUNKS	INDICATES THE NUMBER OF TRUNKS AND THE END OFFICE CLLI CODE USED TO DOCUMENT TRUNKS THAT ARE MOVED FROM AN END OFFICE TO A TANDEM TO ACCOMODATE 800 DATA BASE SERVICE.
EDN - END DESTINATION NUMBER	IDENTIFIES THE MAILBOX NUMBER OR DIRECTORY NUMBER TO WHICH AN INCOMING CALL TO A VOICE MESSAGING SERVICE IS TO BE ROUTED AT THE END OF AN INTRODUCTORY ANNOUNCEMENT MESSAGE.
EKTS - ELECTRONIC KEY TELEPHONE SERVICE	INDICATES THAT EKTS, WHICH ALLOWS A CERTAIN SET OF FEATURES TO BE AVAILABLE, IS PROVIDED TO THIS DN. ALSO INDICATES THE BILLING RECORD PARAMETERS FOR THE FEATURES ALLOWED.
ELA - EIGHT HUNDRED LISTED ADDRESS	INDICATES THE ADDRESS INFORMATION TO BE SENT TO (WNIB) OR BLOCKED FORM (BNIB) THE UNIVERSAL 800 SERVICE DIRECTORY PROVIDER.
ELN - EIGHT HUNDRED LISTED NAME	INDICATES THE SUBSCRIBER'S NAME INFORMATION TO BE SENT TO (WNIB) OR BLOCKED FROM (BNIB) THE UNIVERSAL 800 SERVICE DIRECTORY.
EN - EQUIPMENT NUMBER	INDICATES THE EQUIPMENT NUMBER ON CPE USOCS.
EPF - EQUIPMENT PROFILE	INDICATES THE PROFILE NUMBER ASSIGNED TO PREDEFINE OPTION SETS ASSOCIATED WITH OFFICIAL TERMINAL EQUIPMENT.

---

---

FID	Definition
EQTX - EQUIPMENT TAX	INDICATES THE TAXES APPLICABLE TO EQUIPMENT BILLED UNDER AN OPEN BILLING ARRANGEMENT.
ERC - INTERLATA CARRIER	IDENTIFIES THE INTERLATA CARRIER (E.G., FOR INTERIM NNX, PROPOSED BOC 800 SERVICE, AND 800 NUMBER TRANSLATION INDICATOR).
ESL - ESSENTIAL SERVICE LINE	INDICATES THAT THIS LINE QUALIFIES AS ESSENTIAL SERVICE.
ESTN - ENHANCED SERVICE TELEPHONE NUMBER	INDICATES THE SURROGATE CLINT NUMBER OF A MEMORYCALL SUBSCRIBER WHEN HE IS NOT COLOCATED IN THE ENHANCED SERVICE PROVIDER'S SERVING CENTRAL OFFICE.
ESV - ENHANCED SERVICE VENDOR	INDICATES A TARIFFED SERVICE PROVIDED TO A BELLSOUTH ENHANCED SERVICE PROVIDER FOR TRACKING PURPOSES.
ETN - FEATURE GROUP E TELEPHONE NUMBER	INDICATES THE RECORDING NUMBER REQUIRED WITH FEATURE GROUP E SERVICE WHEN TERMINATING TRAFFIC (E.G., BHMTTS) IS ORDERED.
ETV - EDUCATIONAL TV	INDICATES EDUCATIONAL TELEVISION ACCOUNT.
EUPC - END USER POINT CODE	IDENTIFIES THE ORIGINATING END USER'S POINT CODE ON A CCS/SS7 TCAP MESSAGE FOR DATABASE SERVICES.
EXK - EXCHANGE KEY	TO IDENTIFY THE LRN NPA NXX ON A CUSTOMER WHO IS PORTING HIS TELEPHONE NUMBER.
EXR - EXEMPTION REASON	INDICATES REASON A CIRCUIT IS EXEMPT FROM SPECIAL ACCESS SURCHARGE.

---



8.6 F

---

FID	Definition
FANI - FLEXIBLE AUTOMATIC NUMBER IDENTIFICATION	INDICATES THAT CERTAIN IC PROVIDED SERVICES ARE EQUIPPED TO TRANSMIT INFORMATION DIGITS ON SPECIFIC CALL TYPES TO IDENTIFY THE CALLING STATION.
FAX - X.75 FACILITY INDICATOR	INDICATES WHETHER OR NOT FACILITIES ARE TRANSPORTED ACROSS AN X.75 INTERFACE.
FBA - FACILITY BILLING ARRANGEMENT	INDICATES A SPECIAL ARRANGEMENT HAS BEEN NEGOTIATED BETWEEN THE HOST CUSTOMER OF A HIGHER LEVEL SERVICE AND THE SUBSEQUENT CUSTOMERS OF THE LOWER LEVEL SERVICE.
FC - ISDN FLEXIBLE CALLING	INDICATES THE FUNCTIONAL LOGICAL TERMINAL IS EQUIPPED WITH THE ISDN FLEXIBLE CALLING FEATURE.
FCA - FEATURE CONTROL ABILITY	INDICATES WHETHER OR NOT A GIVEN ELECTRONIC KEY TELEPHONE (EKTS) TERMINAL SERVICE PROFILE (TSP) FOR AN ISDN BASIC RATE INTERFACE CAN ACTIVATE AN ASSIGNED FEATURE.
FCC - FAVORITE COUNTRY CODE	IDENTIFIES THE FAVORITE COUNTRY(S) CHOSEN BY THE CUSTOMER FOR THE BSLD INTERNATIONAL 123 CALLING PLAN.
FCS - FCC CALL SIGN	INDICATES THE CALL SIGN FOR A SHIP WHICH IS REGISTERED WITH THE TELEPHONE COMPANY UNDER THE MARINE IDENTIFICATION NUMBER (MIN) PLAN.
FCSZ - FLOW CONTROL SIZE-PACKET SERVICE	INDICATES THE THROUGHPUT SIZE, PACKET SIZE, AND WINDOW SIZE FOR PACKED SERVICE FOR ISDN IN A DMS-100 SWITCH.
FCT - FIXED CONNECTION TIME	INDICATES THE DURATION OF A FIXED CONNECTION TIME INTERVAL.

---

---

FID	Definition
FDT - FRAME DUE TIME	INDICATES THE TIME FOR AN ORDER TO BE WORKED OR COORDINATED AT THE FRAME.
FEA - FEATURE	IDENTIFIES FEATURES OF EACH KEY SYSTEM TELEPHONE STATION.
FGD9 - FEATURE GROUP D 950 ACCESS CODE	INDICATES ROUTING OF 950 TRAFFIC IS OVER FEATURE GROUP D TRUNK GROUPS.
FIC - FACILITY INTERFACE CODE	INDICATES THE FACILITY INTERFACE CODE FOR CPE THAT TRANSLATES TO THE NETWORK CHANNEL INTERFACE.
FLS - FREE LINE SERVICE	INDICATES THE CALLS TO CERTAIN TELEPHONE COMPANY OFFICIAL NUMBERS RESULT IN NO CHARGE TO THE CALLING PARTY.
FNM - FEATURE NAME	IDENTIFIES THE SPECIFIC OPTION OF A FEATURE OR PACKAGE OF FEATURES FOR CENTREX/ESSX/PRESTIGE CUSTOMERS' OPTIONS.
FRL - FACILITY RESTRICTION NUMBER	INDICATES THAT A CENTREX-LIKE STATION LINE IN AN ELECTRONIC SWITCHING MACHINE IS EQUIPPED TO OVERRIDE THE FACILITY RESTRICTION LEVEL WHEN A SPECIFIED ACCESS CODE IS DIALED.
FRN - FACILITIES RESERVATION NUMBER	INDICATES RESERVED OUTSIDE PLANT (LOOP) AND POSSIBLE CENTRAL OFFICE FACILITIES IN A MECHANIZED ASSIGNMENT ENVIRONMENT.
FS - FAST SELECT OPTION	INDICATES THE FAST SELECT OPTIONS AVAILABLE TO X.25 AND ASYNCHRONOUS DIRECT ACCESS LINE AND PRIVATE DIAL PORTS IN PULSELINK.
FSC - FOREIGN SPEAKING CUSTOMER	INDICATES THAT THE CALLING CARD SHOULD BE PRINTED IN A FOREIGN LANGUAGE.

---

---

<b>FID</b>	<b>Definition</b>
FSN - FOREIGN SETTLEMENT NUMBER	INDICATES A CUSTOMER'S LOCAL SERVICE ACCOUNT TELEPHONE NUMBER AT THE STATION AND REVENUE ACCOUNTING OFFICE NUMBER THAT BILLS THIS LOCAL NUMBER.
FSO - FOREIGN SWITCHING OFFICE	IDENTIFIES THE SWITCHING ENTITY USED FOR A CIRCUIT TERMINATION. THE FSO MUST BE SPECIFIED FOR A CIRCUIT WHEN IT CANNOT BE DETERMINED FROM THE PRIMARY LINE IDENTIFIER FOR THAT CIRCUIT OR WHEN THE DERIVED VALUE WOULD BE INCORRECT. FOR ACCESS SERVICE, FSO INDICATES THE DIAL TONE OR SERVING OFFICE FOR DEDICATED ACCESS LINE EXTENSION.
FSPI - FACILITY SIGNALLING POINT OF INTERFACE	
FST - FAVORITE STATE PLAN	IDENTIFIES FAVORITE STATE CHOSEN BY CUSTOMER FOR BSLD FAVORITE STATE CALLING PLAN.

**8.7 G**

---

<b>FID</b>	<b>Definition</b>
G1 - GROUPING INDICATOR ONE	
G2 - GROUPING INDICATOR TWO	
G3 - GROUPING INDICATOR THREE	
G4 - GROUPING INDICATOR FOUR	
G5 - GROUPING INDICATOR FIVE	
GAP - CALL GAPPING	

---

---

FID	Definition
GF - GENERAL FACILITIES	INDICATES ADDITIONAL EQUIPMENT ASSIGNMENTS ARE REQUIRED FROM COSMOS FOR PROVISIONING OF CERTAIN SPECIAL SERVICES.
GIAC - GROUP INTERCOM ALL CALLS	THE GROUP INTERCOM ALL CALLS GROUP NUMBER.
GIC - GROUP INTERCOM	INDICATES THE GROUP INTERCOM NAME AND THE GROUP MEMBERS' INTERCOM NUMBER.
GID - GATEWAY I.D.	INDICATES THE X.75 GATEWAY IDENTIFIER FOR THE PUBLIC PACKET SWITCHED NETWORK (PULSELINK).
GOER - GROUP OPTION ENHANCED RINGING	ASSIGNS TERMINATING FEATURES TO A DEPENDENT NUMBER IN A RINGMASTER GROUP.
GST - GROUND START	IDENTIFIES LINES AND TRUNKS WHICH REQUIRE GROUND START CENTRAL OFFICE LINE EQUIPMENT.
GSZ - GROUP SIZE	IDENTIFIES THE NUMBER OF ACCESS LINES IN A SIMULATED FACILITIES GROUP ON REMOTE CALL FORWARDING AND 800 SERVICE.
GWU - GATEWAY USAGE	INDICATES THE GATEWAY TELEPHONE NUMBER TO WHICH TOLL AND/OR MESSAGE UNIT IS GUIDED.

---

8.8 H

---

FID	Definition
HBAN - HIGH CAPACITY BILLING ACCOUNT NUMBER	INDICATES THE BILLING ACCOUNT NUMBER OF THE HIGH-CAPACITY FACILITY USED TO PROVIDE SWITCHED ACCESS SERVICE.
HK - HOLD KEY INDICATOR	INDICATES THE NUMBER FOR THE HOLD KEY ON A TERMINAL FOR AN ISDN SERVICE IN A DMS DIGITAL SWITCH.
HLN - HOT LINE SERVICE NUMBER	INDICATES THE TELEPHONE NUMBER WHICH IS AUTOMATICALLY CALLED BY THE SWITCH WHEN THE ORIGINATING CUSTOMER GOES OFF HOOK.
HML - HUNTING MULTILINE GROUP NUMBER	IDENTIFIES AN ESS MULTILINE HUNT GROUP NUMBER IN #1, 2, 3, OR 5 ESS, DMS 100, STROMBERG CARLSON OR SEIMANS SWITCH.
HOST - HOST LOCATION	INDICATES A HOST LOCATION FOR A MULTIPOINT DATA NETWORK OF CIRCUITS.
HPF - HUNTING-PREFERENTIAL LIST	INDICATES THAT A SPECIFIC #1 ESS HUNTING TELEPHONE NUMBER HAS A PREFERENTIAL HUNT LIST AND TO SPECIFY THE PREFERENTIAL HUNT SEQUENCE FOR THAT TELEPHONE NUMBER.
HTC - HUNTING CIRCULAR	INDICATES THAT A MULTILINE HUNT GROUP IS EQUIPPED FOR CIRCULAR HUNT.
HTG - HUNTING	IDENTIFIES EACH HUNTING SEQUENCE WITHIN A GIVEN HUNTING GROUP.
HTU - HIGH TELEPHONE USER	IDENTIFIES AN ACCOUNT OR LINE THAT IS EXPECTED TO BE SUBJECT TO A HIGHER FREQUENCY OF PLACING OR RECEIVING CALLS OR HIGHER HOLDING TIME THAN THE AVERAGE.

---

---

FID	Definition
HTY - HUNTING TYPE	INDICATES THE TYPE OF HUNTING ARRANGEMENT (OTHER THAN CIRCULAR) ASSOCIATED WITH A SPECIFIC #1 ESS MULTILINE HUNT GROUP.

---

**8.9 I**

---

FID	Definition
IC - INSTALLMENT CREDIT	INDICATES THE DATA NECESSARY TO ADMINISTER AN INSTALLMENT CREDIT ARRANGEMENT FOR THE RECURRING CHARGES ASSOCIATED WITH A SPECIFIC SERVICE ORDER.
ICF1 - INTERMEDIATE CONN FAC ASSGM ONE (1)	
ICF2 - INTERMEDIATE CONN FAC ASSGM ONE (2)	INDICATES THE INTERMEDIATE SEGMENT OF THE PROVIDER'S CARRIER SYSTEM AND CHANNEL TO BE USED FROM A WIDEBAND ANALOG, A HIGH CAPACITY FACILITY OR AN OPTICAL NETWORK BETWEEN PROVIDER LOCATIONS WHEN THE CUSTOMER HAS ASSIGNMENT CONTROL
ICF3 - INTERMEDIATE CONN FAC ASSGM ONE (3)	INDICATES THE INTERMEDIATE SEGMENT OF THE PROVIDER'S CARRIER SYSTEM AND CHANNEL TO BE USED FROM A WIDE BANK ANALOG, A HIGH CAPACITY FACILITY OR AN OPTICAL NETWORK BETWEEN PROVIDER LOCATIONS WHEN THE CUSTOMER HAS ASSIGNMENT CONTROL.

---

---

FID	Definition
ICF4 - INTERMEDIATE CONN FAC ASSGM ONE (4)	INDICATES THE INTERMEDIATE SEGMENT OF THE PROVIDER'S CARRIER SYSTEM AND CHANNEL TO BE USED FROM A WIDEBANK ANALOG, A HIGH CAPACITY FACILITY OR AN OPTICAL NETWORK BETWEEN PROVIDER LOCATIONS WHEN THE CUSTOMER HAS ASSIGNMENT CONTROL.
ICM - INTERCOM FEATURE NUMBER	INDICATES IN DMS-100 THE NUMBER OF A PREDESIGNATED TERMINAL THAT CAN BE DIRECTLY ACCESSED WHEN A CUSTOMER HAS THE ISDN INTERCOM FEATURE, AND IN 5ESS, THE INTERCOM FEATURE NAME AND OPTIONAL ATTRIBUTES AND VALUES ASSIGNED TO AN ISDN DIRECTORY NUMBER.
ICMC - ISDN INTERCOM CALL APPEARANCE	INDICATES THE INTERCOM GROUP AND OPTIONAL ATTRIBUTES AND VALUES ASSIGNED TO A 5ESS (5E9 OR LATER) ISDN TERMINAL CALL APPEARANCE.
ICN - INTEREXCHANGE COMPANY ORDER NUMBER	INDICATES THE ORDER NUMBER PROVIDED BY AN INTEREXCHANGE COMPANY TO IDENTIFY A TRANSACTION OR AN ORDER.
ICO - INDEPENDENT TELEPHONE COMPANY	INDICATES THE INDEPENDENT TELEPHONE COMPANY IN WHOSE TERRITORY A SPECIAL SERVICE IS TERMINATED.
ICPK - ISDN CAPABILITY PACKAGES	INDICATES THE IDENTIFY OF THE ISDN CAPABILITY PACKAGE WHICH WAS ORDERED AND THE CPE IDENTIFIER AND WHETHER ADDITIONAL FEATURES WERE PROVIDED OUTSIDE THE PACKAGE.
ICSP - INTEREXCHANGE CARRIER SWITCHING POINT	INDICATES THE POINT CODE, CLLI AND SWITCH TYPE OF THE INTEREXCHANGE CARRIER SWITCHING POINT.

---

---

FID	Definition
IDG1 - INTERCOM DIALING PLAN GRP MEMBERS 11-20	IDENTIFIES THE TELEPHONE NUMBER LIST FOR MEMBERS 11 THROUGH 20 OF AN ISDN TWO-DIGIT INTERCOM GROUP SERVED BY A #5 ESS SWITCH.
IDG2 - INTERCOM DIALING PLAN GRP MEMBERS 21-30	IDENTIFIES THE TELEPHONE NUMBER LIST FOR MEMBERS 21 THROUGH 30 OF AN ISDN TWO-DIGIT INTERCOM GROUP SERVED BY A #5 ESS SWITCH.
IDG3 - INTERCOM DIALING PLAN GRP MEMBERS 31-40	IDENTIFIES THE TELEPHONE NUMBER LIST FOR MEMBERS 31 THROUGH 40 OF AN ISDN TWO-DIGIT INTERCOM GROUP SERVED BY A #5 ESS SWITCH.
IDG4 - INTERCOM DIALING PLAN GRP MEMBERS 41-50	IDENTIFIES THE TELEPHONE NUMBER LIST FOR MEMBERS 41 THROUGH 50 OF AN ISDN TWO-DIGIT INTERCOM GROUP SERVED BY A #5 ESS SWITCH.
IDG5 - INTERCOM DIALING PLAN GRP MEMBERS 51-60	IDENTIFIES THE TELEPHONE NUMBER LIST FOR MEMBERS 51 THROUGH 60 OF AN ISDN TWO-DIGIT INTERCOM GROUP SERVED BY A #5 ESS SWITCH.
IDG6 - INTERCOM DIALING PLAN GRP MEMBERS 61-70	IDENTIFIES THE TELEPHONE NUMBER LIST FOR MEMBERS 61 THROUGH 70 OF AN ISDN TWO-DIGIT INTERCOM GROUP SERVED BY A #5 ESS SWITCH.
IDG7 - INTERCOM DIALING PLAN GRP MEMBERS 71-80	IDENTIFIES THE TELEPHONE NUMBER LIST FOR MEMBERS 71 THROUGH 80 OF AN ISDN TWO-DIGIT INTERCOM GROUP SERVED BY A #5 ESS SWITCH.
IDG8 - INTERCOM DIALING PLAN GRP MEMBERS 81-90	IDENTIFIES THE TELEPHONE NUMBER LIST FOR MEMBERS 81 THROUGH 90 OF AN ISDN TWO-DIGIT INTERCOM GROUP SERVED BY A #5 ESS SWITCH.

---



---

FID	Definition
IDG9 - INTERCOM DIALING PLAN GRP MEMBERS 91-100	IDENTIFIES THE TELEPHONE NUMBER LIST FOR MEMBERS 91 THROUGH 100 OF AN ISDN TWO-DIGIT INTERCOM GROUP SERVED BY A #5 ESS SWITCH.
IDGP - INTERCOM DIALING PLAN GROUP	IDENTIFIES THE TELEPHONE NUMBER LIST OF AN ISDN INTERCOM GROUP SERVED BY A #5 ESS SWITCH.
IFC - NETWORK CHANNEL INTERFACE CODE	INDICATES THE POINT OF CONNECTION OF A NETWORK CHANNEL.
INCO - INTERNATIONAL CARRIER OPTION	INDICATES THAT FEATURE GROUP D END OFFICE OR ACCESS TANDEM IS EQUIPPED TO FORWARD INTERNATIONAL CALLS OF ONE OR MORE INTERNATIONAL CARRIERS TO THE INTERLATA CUSTOMER.
INQ - INQUIRY	INDICATES THAT INQUIRY SERVICE WAS ORDERED WITH MESSAGE BILLED, BULK BILLED BILL PROCESSING SERVICE OR PRIVATE LINE BILLING SERVICE.
INVU - PORTED INVENTORY UPDATE	INDICATES A NON-BST TELEPHONE NUMBER PORTED IN FROM ANOTHER LOCAL SERVICE PROVIDER.
IOC - INPUT-OUTPUT CHANNEL	INDICATES THE INPUT-OUTPUT CHANNEL NUMBER NEEDED FOR THE PROVISIONING OF A MESSAGE DESK.
IPL - INSTALLMENT PLAN - EQUIPMENT	TO PROVIDE INSTALLMENT BILLING FOR CPE EQUIPMENT.

---

## 8.10 J

---

<b>FID</b>	<b>Definition</b>
JC - JACK CODE	INDICATES THE CODE IDENTIFYING THE TYPE OF JACK IN WHICH AN ATTCOM LINE OR CIRCUIT TERMINATES.
JK - JACK	INDICATES THE JACK NUMBER ASSIGNED BY THE TELEPHONE ANSWERING SERVICE BUREAUS TO EACH CLIENT LINE THAT TERMINATES IN THEIR SWITCHBOARDS.
JLP - JACK LINE POSITION	INDICATES THE UNIQUE IDENTIFICATION OF A JACK AND THE JACK POSITION NUMBER ASSIGNED TO A PARTICULAR LINE OR CIRCUIT CONNECTED TO VENDOR EQUIPMENT.

## 8.11 K

---

<b>FID</b>	<b>Definition</b>
KDIR - DIRECTIONALITY	INDICATES THE DIRECTION OF THE CIRCUIT'S PATH WHEN IT ENTERS ON A BI-DIRECTIONAL SONET RING IDENTIFIED BY THE CONNECTIN FACILITY ASSIGNMENT AND THE CUSTOMER HAS ASSIGNMENT CONTROL.
KEY - KEY DESIGNATION	IDENTIFIES DIGITAL ESSX ELECTRONIC TELEPHONE SET FEATURES - PER KEY
KS - KEY SYSTEM NUMBER	IDENTIFIES THE NUMBER ASSIGNED TO EACH KEY SYSTEM WITHIN AN ACCOUNT.
KSH - KEYSSET SHORT HUNT	INDICATES THAT KEYSSET SHORT HUNT OPTION IS ASSIGNED TO DIRECTORY NUMBER APPEARANCES ON A SET ON A DMS-100 SWITCH.

---

## 8.12 L

---

FID	Definition
LAGT - LOCAL AREA NETWORK GROUP TRANSLATIONS	INDICATES PORT AND TRUNK GROUP DEFINITION AND THE DIRECTION OF CALLS FOR LOCAL AREA NETWORK.
LAT - LOCAL AREA TRANSPORT AREA	IDENTIFIES THE COMMON LANGUAGE NAME OF THE LOCAL ACCESS TRANSPORT AREA (LATA).
LATT - LOCAL AREA NETWORK TRUNK TRANSLATIONS	INDICATES SYSTEM TRUNKS MODULE TRANSLATIONS FOR LOCAL AREA NETWORK.
LCC - LINE CLASS CODE	IDENTIFIES THE ORIGINATING AND TERMINATING RESTRICTIONS OR COMBINATIONS OF RESTRICTIONS FOR A LINE IN AN ESSX CENTREX-CO, ESSX-1, ESSX, DIGITAL ESSX SYSTEM.
LCL - LOGICAL CHANNEL LAYOUT	INDICATES THE MAXIMUM NUMBER OF CHANNELS AVAILABLE PER X.25 OR X.75 ACCESS LINE IN PULSELINK. IT ALSO SPECIFIES THE LAYOUT OF THE ACTIVATED LOGICAL CHANNELS ON THE INTERFACE. EACH PHYSICAL ACCESS LINE MAY HAVE MULTIPLE VIRTUAL DATA TRANSMISSION PARTS, OR LOGICAL CHANNELS, ASSOCIATED WITH IT.
LCON - LOCAL CONTACT	IDENTIFIES THE NAME AND TELEPHONE NUMBER OF THE PERSONS AT A CUSTOMER'S CIRCUIT LOCATION, ON A SPECIAL SERVICES CIRCUIT, WHO IS RESPONSIBLE FOR MAKING THE NECESSARY ARRANGEMENTS FOR INSTALLATION, E.G., EQUIPMENT LOCATION, POWER SOURCE, ACCESS TO PREMISES, ETC., AND TO ANSWER ANY QUESTIONS REGARDING THE SERVICE. THIS IS THE PERSON WHO IS TO BE NOTIFIED BY THE SERVING TEST CENTER WHEN WORK ON THAT PORTION OF THE CIRCUIT HAS BEEN COMPLETED.

---

---

FID	Definition
LCP - LOCAL CHARGING PREVENTION	INDICATES WHETHER OR NOT THIS PACKET USER WANTS TO PREVENT THE X.25 DATA TERMINAL EQUIPMENT FROM BEING CHARGED FOR VIRTUAL CALLS, WHETHER INCOMING OR OUTGOING.
LD - LINE DESIGNATION	WHEN 800 SERVICE LINES ARE SERVED BY ELECTRO MECHANICAL (NON-ESS) CENTRAL OFFICE, IT IS POSSIBLE TO PROVIDE MULTI-LINE SERVICE USING ONLY ONE DIALABLE 800 NUMBER. WHEN THIS IS DONE, THE LINE DESIGNATION (LD) IS USED TO REPRESENT THE LINE POSITION IN THE SERVICE GROUP. THE (LD) IS USED ON INTRASTATE SERVICE WHERE THE TWO LINE MINIMUM APPLIES ALSO. IN A MULTI-LINE HUNT GROUP, IT IS IDENTIFIED BY A TERMINAL NUMBER (TER).
LDDN - LAPD D-CHANNEL DEFAULT DIRECTORY NUMBER	INDICATES THE DEFAULT DN FOR LAPD ACCESS ON THE D-CHANNEL OF AN ISDN INTERFACE FOR TLI AND OF A TERMINAL SERVICE PROFILE FOR DMS-100.
LHT - LAST HUNT TERMINAL	INDICATES THE HIGHEST TERMINAL NUMBER IN WHICH IS HUNTED TO FROM EACH HUNTING TELEPHONE NUMBER IN MULTILINE HUNT GROUP.
LIE - LEFT IN EQUIPMENT	IDENTIFIES LEFT IN EQUIPMENT WHICH IS TO BE RECONNECTED IN PLACE OR EQUIPMENT WHICH IS TO BE REUSED.
LKLC - LINK LEVEL PARAMETERS D-CHANNEL COUNTERS	INDICATES THE DATA LINK (LAYER TWO) COUNTER PARAMETER FOR AN ISDN D-CHANNEL BASIC RATE INTERFACE (PIPE).
LKLD - LINK LEVEL PARAMETERS D-CHANNEL	INDICATES THE DATA LINK (LAYER 2) PARAMETERS FOR AN INTEGRATED SERVICES DIGITAL NETWORK (ISDN) D-CHANNEL BASIC RATE INTERFACE (PIPE) IN A GENERIC STORED PROGRAM CONTROLLED SWITCH.

---

---

FID	Definition
LKLP - LINK LEVEL PARAMETERS	INDICATES THE LINK LEVEL PARAMETERS ASSOCIATED WITH THE TERMINAL INTERFACE USED WITH PULSELINK. THIS FEATURE ALLOWS USERS TO SELECT SETTINGS FOR THE ACKNOWLEDGEMENT TIMER, RETRY LIMIT, AND MAXIMUM NUMBER OF BITS IN AN INFORMATION FRAME.
LKLT - LINK LEVEL PARAMETER D-CHANNEL TIMERS	INDICATES THE DATA LINK (LAYER TWO) TIMER PARAMETERS FOR AN ISDN D-CHANNEL BASIC RATE INTERFACE (PIPE).
LKSN - LINK SET NUMBER	INDICATES THE LINK SET CONNECTING TWO SPECIFIC STP'S IN A LIDB ACCESS ARRANGEMENT.
LLNF - LOCAL LOOP NOT FURNISHED	INDICATES A BST LOCAL LOOP IS NOT FURNISHED.
LMP - LOOP MANAGEMENT PROTOCOL	IDENTIFIES VIRTUAL CONNECTION SIGNALLING PROTOCOL FOR FRAME RELAY SERVICES.
LNPP - LOCAL NUMBER PORTABILITY PORT	INDICATES THAT COORDINATION NEEDS TO OCCUR SO THAT THE END < USER'S CALLS ARE ROUTED CORRECTLY. FOR A TIME THE TELEPHONE < NUMBER WILL BE WORKING IN BOTH THE DONOR AND THE RECIPIENT < SWITCHES. <
LNR - LAST NUMBER REDIAL	INDICATES IN A DMS -100 SWITCH, THAT A SUBSCRIBER CAN REDIAL THEIR LAST CALLED NUMBER BY DEPRESSING A SINGLE KEY ON THEIR CUSTOMER PROVIDED TELEPHONE.
LOC - LOCATION	IDENTIFIES THE SPECIFIC LOCATION OF A STATION OR ITEM OF EQUIPMENT BY HIERARCHIAL LEVEL.
LOP - LOCAL AREA NETWORK OPTIONS	INDICATES SPECIFIC OPTIONS WITH WHICH LINES TERMINATING IN A LOCAL AREA NETWORK (LAN) ARE EQUIPPED.

---

---

FID	Definition
LOR - OVERFLOW TO ROUTE INDEX	INDICATES THE ROUTE INDEX TO WHICH A CALL IS TO BE DIRECTED WHEN ALL LINES IN A DMS-100 HUNT GROUP ARE BUSY.
LPCA - PRESUBSCRIPTION INTRALATA CARRIER ARNGMT	TO ALLOW THE TYPE OF SELECTION AND DATE OF NEGOTIATION OF AN INTRALATA PIC (PREDESIGNATED INTEREXCHANGE CARRIER)
LPIC - PREDESIGNATED INTRALATA CARRIER	TO ALLOW THE CUSTOMER'S SELECTION OF A INTRALATA PIC (PREDESIGNATED INTEREXCHANGE CARRIER).
LPS - LOOP START	IDENTIFIES LINES AND TRUNKS WHICH REQUIRE LOOP STARTS CENTRAL OFFICE LINE EQUIPMENT WHEN, BASED ON OTHER INDICATORS OF THE SERVICE ORDER, GROUND START LINE EQUIPMENT WOULD GENERALLY BE ASSIGNED.
LRD - LAST REVIEW DATE	INDICATES THE DATE OF THE LAST REVIEW OF A SCHEDULED REVIEW OF PAYMENT PLANS.
LRN - LOCATION ROUTING NUMBER	
LSD - LAPSE IN SERVICE DATE	INDICATES THE DATE AN ITEM WAS DISCONNECTED AT THE OLD LOCATION WHEN ITEMS RATED UNDER A SPECIAL PRICING PLAN ARE INVOLVED IN A LAPSE SERVICE MOVE.
LSEL - LINE SELECTIONS OPTIONS-ORIG & TERMIN	INDICATES THE ORIGINATING AND TERMINATING LINE SELECTION OPTIONS FOR THE ESSX STATION THAT OVERRIDES THE OFF-HOOK AUTOMATIC SELECTION OF THE PRIMARY DIRECTORY NUMBER.
LSO - LOCAL SERVICING OFFICE	IDENTIFIES A CENTRAL OFFICE UNIT ASSOCIATED WITH THE WIRE CENTER WHICH SERVES THE SUBSCRIBER PREMISES IN WHICH A CIRCUIT TERMINATES OR PREMISES EQUIPMENT IS INSTALLED.

---

---

FID	Definition
LSOT - LOCAL SERVICE OFFICE TERMINATION	IDENTIFIES THAT THE LOCAL SERVING OFFICE OF AN INTERLATA CARRIER'S CIRCUIT SHOULD BE USED AS AN END POINT FOR CIRCUIT DESIGN BY CPC.
LTCL - LOGICAL TERMINAL CLASS	
LTG - LINE TREATMENT GROUP	INDICATES THE TREATMENT GROUP NUMBER ASSIGNED TO A LINE SERVED BY A DMS SWITCH.
LTI - LOOP TERMINATION IDENTIFIER	IDENTIFIES EACH LOOP, WHEN MULTIPLE LOOPS SHARE THE SAME PRIMARY LINE IDENTIFIER.
LTID - LOGICAL TERMINAL IDENTIFIER	IDENTIFIES, UNIQUELY, ISDN TERMINALS IN A DMS DIGITAL SWITCH.
LTIF - PULSELINK TERMINAL INTERFACE	INDICATES THE TYPE OF TERMINAL PROTOCOL INTERFACE ASSOCIATED WITH PULSELINK SERVICE.
LTL - LOCAL TRANSPORT LOCATIONS	IDENTIFIES THE SERVING WIRE CENTER BY CLLI (COMMON LANGUAGE LOCATION IDENTIFICATION) CODE FOR AN INTERLATA ACCESS CUSTOMER LOCATION.
LTN - LOCAL CHARGE TELEPHONE NUMBER	INDICATES THE ACCOUNT NUMBER TO WHICH MONTHLY CHARGES ARE TO BE BILLED.
LTP - LOCAL TRANSPORT	INDICATES THE TYPE OF SWITCHED ACCESS LOCAL TRANSPORT BEING ORDERED AND THE TYPE OF FACILITY THE TRANSPORT IS RIDING.
LTYP - LINK SET TYPE	INDICATES THE CONNECTING LINK TYPE.
LU - LIVING UNITS	INDICATES THE NUMBER OF LIVING UNITS TO BE PREWIRED IN A MULTIUNIT RESIDENT STRUCTURE.
LUD - LOCAL USAGE DETAIL	INDICATES THE ITEMIZATION OF LOCAL CALL DETAIL IN PLACE OF THE NORMAL MEASURED SERVICE BILL SUMMARY.

---

## 8.13 M

---

FID	Definition
MA - MAKE ASSIGNMENT	INDICATES THAT FACILITY ASSIGNMENTS ARE REQUIRED AFTER USOCs THAT NORMALLY DO NOT REQUIRE SPECIFIC FACILITY ASSIGNMENTS.
MADN - MULTIPLE APPEARANCE DCTY NBR CALL ARRGMT	INDICATES THE CALL ARRANGEMENT AND/OR PRIMARY/SECONDARY INDICATOR ASSOCIATED WITH A MULTIPLE APPEARANCE DIRECTORY NUMBER FEATURE.
MAN - INDICATES MAJOR ACCOUNT NUMBER	
MAXB - MAXIMUM B CHANNELS	INDICATES THE MAXIMUM NUMBER OF B CHANNELS TO BE USED ON A DEMAND BASIS FOR CIRCUIT SWITCHED SERVICES ON BASIC RATE ISDN.
MBG - MULTI SWITCH BUSINESS GROUP NUMBER	TO IDENTIFY MULTI-SWITCH BUSINESS GROUP TERMINAL NUMBER.
MBNT - MAKE BUSY NIGHT TRANSFER	IDENTIFIES ARTIFICIAL OR ARTIFICIAL AND CONVERSATION BUSY.
MBTN - MAILBOX TELEPHONE NUMBER	INDICATES THE MAILBOX NUMBER USED BY A MEMORYCALL/BELLSOUTH VOICE MAIL TO SEND/RECEIVE PERSONALIZED MESSAGES.
MCFI - MULTIPLE NUMBER CALL FORWARDING INHIBIT	INDICATES THAT CALL FORWARDING IS INHIBITED ON THE MULTIPLE DIRECTORY NUMBERS ASSOCIATED WITH A PRIMARY NUMBER.
MCPA - MANAGED COMMITMENT PLAN ARRANGEMENT	CUSTOMER BILLING PLAN UNIQUE TO EACH CUSTOMER LOCATION
MDA - MULTIPLE DATA MOUNTING ADDRESS	IDENTIFIES THE ADDRESS OF A MULTIPLE DATA SET MOUNTING DEVICE. IT IS ALSO USED TO INDICATE THE PREASSIGNED PORT NUMBER FOR A DIAL-IN FLEXSERV LINE.

---



---

FID	Definition
MDP - MODEM POOLING LOGICAL DEFINITION	INDICATES THE MODEM POOLING PARAMETERS FOR A MULTILINE HUNT GROUP IN A 5ESS ISDN ENVIRONMENT.
MDPK - MAXIMUM D CHANNEL PACKET USERS	INDICATES THE MAXIMUM NUMBER OF PACKET USERS ON A D CHANNEL ON A BASIC RATE ACCESS DIGITAL SUBSCRIBER LINE.
MDR - MESSAGE DETAIL RECORDING	INDICATES THE MESSAGE DETAIL RECORDING FEATURE NAME AND OPTIONAL FEATURE ATTRIBUTES (GROUP NAME) TO BE ASSIGNED TO A LINE IN A 5ESS OFFICE.
MDRO - MAGNETIC DETAIL RECORDING DATA OPTIONS	INDICATES CALL DETAIL DATA OPTIONS.
MEM - MAILBOX MEMBERS	INDICATES THE NUMBER OF MAILBOX MEMBERS ASSOCIATED WITH A BULLETIN BOARD MAILBOX.
MGP - MULTIPLE APPEARANCE DIRECTORY NUMBER GRP	INDICATES THE MADN AND PRIMARY DIRECTORY NUMBERS OF ELECTRONIC TELEPHONES WHERE THE MADN TERMINATES.
MI - MACHINE INTERFACE	INDICATES TRUNK SIGNALING, SUPERVISING AND TRANSMISSION CAPABILITIES FOR MESSAGE TRUNKS.
ML2 - MULTILINE VARIETY PACKAGE LIST TWO	INDICATES A MULTILINE VARIETY PACKAGE LIST WHICH RELATES A TWO DIGIT DIALED NUMBER TO AN ASSIGNED TELEPHONE NUMBER FOR A TWO DIGIT INTERCOM.
MLG - MULTI-LINE NON-HUNT GROUP NUMBER	IDENTIFIES A NO. 1 ESS MULTILINE NON-HUNT GROUP NUMBER. (CABS ONLY)
MND - MECHANIZED NEW CONNECT/DISCONNECT	INDICATES A C OR R ORDER TYPE PROCESSED AS A N OR T FOR TOLL BILLING PURPOSES E.G. DORMITORY ESSX.

---

---

FID	Definition
MPB - MEET POINT BILLING	INDICATES AN ACCOUNT OR A SERVICE WITHIN AN ACCOUNT IS SUBJECT TO MEET POINT BILLING ARRANGEMENT.
MPC - MULTIPLEX CONFIGURATION	IDENTIFIES THE DATA SET MULTIPLEX CONFIGURATION (PORT NUMBER BITS PER SECOND) SELECTED BY THE MULTIPLEX CUSTOMER.
MPG - MESSAGE PROCESSING TOLL GUIDE	INDICATES A MESSAGE PROCESSING LOCAL CALLING TOLL GUIDE IS TO BE ESTABLISHED.
MPR - MAJOR ACCOUNT PRIORITY	INDICATES THAT A MAJOR ACCOUNT HAS INSTALLATION AND MAINTENANCE PRIORITIES BASED ON TELEPHONE COMPANY OBJECTIVES.
MPS - MAXIMUM PACKET SIZE	INDICATES THE MAXIMUM PACKET SIZE FOR PACKET SERVICES ON AN ISDN BASIC RATE INTERFACE (PIPE).
MRF - MULT APPEAR DIRECTORIES NUM RING FORWARD	INDICATES THE RINGING OPTIONS FOR MADNS WITH THE SINGLE CALL ARRANGEMENT FEATURE.
MSAI - METRO STATISTICAL AREA TYPE INDICATOR	IDENTIFY GEOGRAPHIC AREAS THAT HAVE RELIEF FROM REVENUE CAPS.
MSB - MAKE SET BUSY OPTION	INDICATES THE STATION IS EQUIPPED WITH THE MAKE SET BUSY OPTION IN THE DMS-100 SWITCH.
MSGN - MESSAGE SERVICE GROUP NAME	INDICATES A CROSS REFERENCE TO A MESSAGE SERVICE SYSTEM (MSS) GROUP NAME OF AN ENHANCED SERVICE PROVIDER MULTILINE HUNT GROUP WHICH PERFORMS MSS FUNCTIONS FOR AN END USER SERVED BY THE 5ESS. (CRIS)
MSP - MODEM PREDEFINED STANDARD PROFILE	INDICATES THE PREDEFINED OR STANDARD DEFAULT PROFILE OPTIONS FOR MODEMS IN A PUBLIC PACKET SWITCHING NETWORK. (CRIS)

---

---

FID	Definition
MSS - MESSAGE SERVICE SYSTEM	IDENTIFIES THE MESSAGE SERVICE SYSTEM FEATURE NAME AND OPTIONAL FEATURE ATTRIBUTES TO BE ASSIGNED TO A LINE IN A SESS OFFICE.
MST - MASTER CIRCUIT LOCATION	IDENTIFIES THE MASTER OR CONTROLLING LOCATION ON A MULTIPOINT SERVICE.
MTER - MAXIMUM NUMBER OF TERMINALS	INDICATES THE MAXIMUM NUMBER OF TERMINALS ON A DIGITAL SUBSCRIBER LINE (DSL).
MTP - MULTI-POINT INDICATOR	INDICATES THE MOST CURRENT INTRALATA CIRCUIT CONFIGURATION (I.E. TWO-POINT OR MULTI-POINT) FOR A SPECIAL SERVICES CIRCUIT.
MUG - MUG	INDICATES THE MINIMUM USAGE LEVEL TO WHICH THE CUSTOMER HAS AGREED.
MUI - MULTIPLE USER IDENTIFICATION	INDICATES THE MULTIPLE HOSTS, SESSIONS AND LINES ALLOWED ON THE ADSL SERVICE.
MUR - LOOP MAKEUP REQUIRED	
MVP - MULTILINE VARIETY PACKAGE	IDENTIFIES THE UNIQUE COMMON BLOCK OR GROUP NAME THAT SERVES PRESTIGE COMMUNICATIONS SERVICE. (SCB)
MWI - MESSAGE WAITING INDICATION	INDICATES THAT A LINE (E.G. ESSX) IS PROVISIONED WITH MESSAGE WAITING INDICATION, A FEATURE OF MESSAGE DESK INTERFACE.
MXK - MAXIMUM NUMBER OF KEYS	INDICATES THE MAXIMUM NUMBER OF KEYS IN USE ON A TERMINAL OR AN ISDN-LIKE SERVICE IN A DMS DIGITAL SWITCH.
MYAD - MY ADDRESS	INDICATES THE RELATIONSHIP OF THE PULSELINK X.75 INTERFACE TO THE X.75 INTERFACE OF THE OTHER NETWORK.

---

## 8.14 N

---

FID	Definition
NAR - NARRATIVE ENTRY OC&C	INDICATES A NON-STANDARD DESCRIPTION OF SPECIAL CHARGES OR CREDITS THAT ARE TO BE ENTERED ON THE OC&C STATEMENT.
NBC - NUMBER OF B CHANNELS	INDICATES THE NUMBER OF B CHANNELS THAT ARE ASSIGNED FOR THE BASIC RATE ISDN INTERFACE.
NC - NETWORK CHANNEL	IDENTIFIES TRANSMISSION PERFORMANCE ORDERED, CONDITIONING, NOISE, AND DATA PARAMETERS.
NCC - NETWORK CONTROLLER CONFIGURATION	IDENTIFIES EACH PORT ON A NETWORK CONTROLLER AND SPECIFIES THE CONDITION (SPEED, FACILITY TYPE AND ON/OFF LINE CONDITION) OF EACH PORT.
NCF - NUMBER OF CALLS	
NCI - NETWORK CHANNEL INTERFACE	IDENTIFIES THE ELECTRICAL AND PHYSICAL INTERFACE, NUMBER OF WIRES, SIGNALING, IMPEDENCE, TRANSMISSION LEVELS AND OPTIONS ORDERED.
NCO - NETWORK CONTROL OFFICE	IDENTIFIES THE NETWORK SEGMENT'S WORK CENTER THAT IS DESIGNATED AS THE OFFICE RESPONSIBLE FOR THE SERVICE (PROVISIONING AND MAINTENANCE) OF THE BELL SYSTEM PROVIDED PORTION OF A SPECIAL SERVICE CUSTOMER'S NETWORK.
NCR - NO CUSTOMER CHANGE CAPABILITY	INDICATES A CTX/ESSX STATION LINE IS NOT EQUIPPED WITH THE CUSTOMER CHANGE CAPABILITY.
NDT - NO DOUBLE CONNECT/DATA CALL PROTECTION	INDICATES THAT A LINE IS EQUIPPED WITH THE FEATURE DATA CALL PROTECTION WHICH PROHIBITS ANY INTERRUPTION OF "HIT" TO THAT LINE WHEN THE LINE IS IN A BUSY STATE DURING DATA TRANSMISSION.

---

---

FID	Definition
NETP - NETWORK SERVICE PROVIDER	THE NETWORK SERVICE PROVIDER SELECTED BY THE END USER TO SUPPORT A DATA APPLICATION.
NHN - NON-HUNTING NUMBER	INDICATES THE NON-HUNTING TELEPHONE NUMBERS IN A NO. 1 ESS MULTILINE HUNT GROUP.
NIJ - NETWORK INTERFACE	INDICATES THAT A JACK OR JACKS ARE USED AS NETWORK INTERFACE.
NLC - NEW LINE CONNECTION	INDICATES THE NUMBER OF CENTRAL OFFICE LINES INSTALLED AT A PREVIOUS SERVICE RATE AND THE NUMBER INSTALLED AT A NO PREVIOUS SERVICE RATE.
NMB - NO MINIMUM BILLING	INDICATES THAT NON-MINIMUM BILLING APPLIES ON AN ACCESS SERVICE ORDER.
NMC - NO MAINTENANCE CONTRACT	INDICATES THAT A CUSTOMER HAS DECLINED A MAINTENANCE CONTRACT FOR ELIGIBLE INSIDE WIRE.
NOT - NUMBER OF TESTS	INDICATES THE MINIMUM NUMBER OF TEST REQUIRED AND THE NUMBER OF TESTS ORDERED BY THE IC WHEN TESTING SERVICES ARE REQUIRED.
NPIN - NO PRINT PIN	INDICATES THE PIN IS NOT PRINTED ON CALLING CARD.
NPT - NETWORK PROVIDED TONES	INDICATES WHETHER OR NOT THE SWITCH SHOULD APPLY NORMAL CALL PROCESSING TONES AND ANNOUNCEMENTS IN BAND, OVER A CONNECTED ISDN BASIC RATE INTERFACE B-CHANNEL FOR SPEECH AND 3.1 KHZ AUDIO CALLS ORIGINATED BY A USER.
NRA - NON-RECURRING CHARGE - ACCESS SERVICES	INDICATES THE MONETARY AMOUNT OF A NON-RECURRING ACCESS CHARGE

---

---

FID	Definition
NRC - NON-RECURRING INSTALLATION CHARGE	INDICATES A MANUALLY RATED NON-RECURRING CHARGE FOR INSTALLATION.
NRLN - NON-RECURRING CENTRAL OFFICE LINE CHARGE	INDICATES WHEN IT IS NECESSARY TO MANUALLY RATE THE CENTRAL OFFICE LINE CHARGE ON A SERVICE ORDER.
NRM - NON-RECURRING MISCELLANEOUS CHARGE	INDICATES AN IDENTIFYING CODE AND THE MONETARY AMOUNT OF A MISCELLANEOUS NON-RECURRING CHARGE.
NRT - NON-RECURRING CHARGE TRANSFER	INDICATES THE ACCOUNT TO WHICH ALL NON-RECURRING CHARGES, GENERATED BY A PARTICULAR ORDER ARE TO BE TRANSFERRED, OR THE TELEPHONE NUMBER TO WHICH ALL NON-RECURRING CHARGES GENERATED BY A PRECEEDING ACTION CODED USOC ARE TO BE TRANSFERRED.
NSV - NIGHT SERVICE FIXED	INDICATES A BRIDGING TRUNK NUMBER OF A PBX.
NTF - NOTIFICATION CLASS OF SERVICE	INDICATES WHETHER THE USER SHOULD NEVER BE NOTIFIED OR CONDITIONALLY BE NOTIFIED THAT AN INCOMING X.25 CALL REQUEST PACKET IS AWAITING DELIVERY.
NVS - CRIS HOLD FILE	FOR CRIS PROCESSING IF AN FSO SHOULD BE ON THE LINE, CRIS ADDS NVS WITH FSO DATA AND THE ORDER CAN RECYCLE INTO CORDNET. INTERNALLY CRIS CHANGES NVS TO FSO.
NXS - NXX CODE SHARING	INDICATES THE LOCAL SERVING OFFICE FOR A CUSTOMER WHO HAS SERVICE PROVIDED VIA NXX CODE SHARING.

---

8.15 O

---

FID	Definition
OCL - COMMON LANGUAGE OFFICE	INDICATES THE COMMON LANGUAGE LOCATION IDENTIFY FOR A TANDEM, AN END OFFICE OR A DIAL TONE OFFICE.
OCP - OPTIONAL CALLING PLAN	INDICATES THOSE CUSTOMERS HAVING OPTIONAL ONE-WAY OR TWO-WAY TO A GIVEN POINT.
OCT - OTHER COMPANY TARIFF	IDENTIFIES THE COMPANY OR TARIFF JURISDICTION TO WHICH RATE ELEMENTS FOR ITEM(S) OF SERVICE AND EQUIPMENT ARE TO BE BILLED.
ODBR - ON DEMAND B-CHANLS & B-CHAN RESTRICTIONS	INDICATES THE NUMBER OF INTEGRATED SERVICES DIGITAL NETWORK (ISDN) ON DEMAND B-CHANNELS THAT CAN SIMULTANEOUSLY BE ENGAGED IN CALLS FOR A DN, AND THE NUMBER OF B-CHANNELS AND THEIR RESTRICTIONS PER CALL TYPE PER DN.
ODBU - ON-DEMAND B CHANNEL PACKET USER	
ODN - LINE OVERFLOW TO DIRECTORY NUMBER	INDICATES THE DIRECTORY NUMBER IN A DMS OFFICE TO WHICH LINE HUNTING OVERFLOWS. IN A #5 ESS OFFICE, IT IS REQUIRED WITH TERMINAL STATION RESTRICTION (TGS) TO REDIRECT CALLS TO ANOTHER DIRECTORY NUMBER.
OGO - OUTGOING ONLY SERVICE	IDENTIFIES LINES AND TRUNKS IN ESS CENTRAL OFFICES THAT ARE USED FOR OUTGOING ONLY SERVICE AND DO NOT HAVE ASSIGNED NUMBERS.
OND - ONE NUMBER DIALED	INDICATES THE PRE-SELECTED TELEPHONE NUMBER TO BE PROGRAMMED INTO THE AUTOMATIC DIAL BACK MODEM.

---

---

FID	Definition
OPU - OPTIONAL PLAN USAGE	INDICATES A CUSTOMER WHO HAS SUBSCRIBED TO OPTIONAL PLAN USAGE. THIS PLAN PROVIDES THE CUSTOMER WITH A FLAT RATE FOR A PREDETERMINED NUMBER OF HOURS OF USAGE. ACTUAL USAGE THAT EXCEEDS THE BASIC ALLOWANCE IS BILLED AT INCREMENTS PROVIDED IN THE TARIFF.
ORM - ORIGINATING MARK ONE	INDICATES THE DIGIT TRANSLATION PROCESS FOR ROUTING ADMINISTRATION OF A LINE SERVED BY AN EWSD SWITCH.
OSA - OTHER SERVICE ADDRESS	INDICATES THE STREET ADDRESS TO WHICH 800 SERVICE CALLS ARE BEING ROUTED WHEN THE CUSTOMER SUBSCRIBES TO SPECIALIZED ROUTING, E.G. TIME OF DAY, DAT OF WEEK, ETC.
OSB - OPERATOR ASSISTANCE SERVICES BRANDING	INDICATES OPERATOR ASSISTANCE BRANDING, I.E. AN ANNOUNCEMENT IDENTIFYING THE CARRIER/CUSTOMER IS PROVIDED ON A SPECIFIC TRUNK GROUP.
OST - ORIGINATING STATION TREATMENT	INDICATES A NON-STANDARD RESPONSE TO BE PROVIDED ON A LINE(S) ORIGINATING 0+ CALLS.
OTID - OFFICE TAPE IDENTIFICATION	INDICATES THE RECORDING OFFICE IDENTIFICATION.
OWN - OWNERSHIP CODE	IDENTIFIES OWNERSHIP OF STATION APPARATUS WHEN OWNED BY ANOTHER COMPANY AND BILLED BY SOUTHERN BELL OR SOUTH CENTRAL BELL.

---



## 8.16 P

---

FID	Definition
PAA - PROVISIONING ACCESS ARRANGEMENT	INDICATES THE PROVISIONING ACCESS ARRANGEMENT THAT INDICATES THE ACCESS SERVICE AT EACH END POINT OF A PARTICULAR CIRCUIT, AS SPECIFIED BY THE CUSTOMER.
PACI - PERSONAL ACCESS CODE IDENTIFIER	INDICATES THE UNIQUE STRING OF CHARACTERS E.G. A PASSWORD, THAT A USER MUST SUPPLY TO MEET SECURITY REQUIREMENTS TO GAIN ACCESS TO A SYSTEM.
PAR - PARITY	INDICATES THE PARITY OPTIONS FOR ASYNCHRONOUS ACCESS IN PULSELINK.
PB - PROMOTIONAL BILLING INFORMATION	INDICATES THE BILLING INFORMATION FOR PROMOTIONAL OFFERING OF USAGE SENSITIVE ITEMS.
PBG - PACKET SWITCHING-DATA BUSINESS GRP NUMB	IDENTIFIES A BUSINESS GROUPING WHICH INDICATES INTRA VERSUS INTER-GROUP ISDN PACKET CALLS ON THE AMA BILLING RECORDS.
PCA - PREDESIGNATED CARRIER ARRANGEMENT	INDICATES THE SUBSCRIBER'S APPLICATION DATE AND ORIGINATION OF THE REQUEST.
PCB - PACKET NETWORK CALLING OPTIONS	INDICATES THE CALL BLOCKING OPTIONS AVAILABLE FOR X.25, X.75 AND ASYNCHRONOUS ACCESS LINES IN PULSELINK. THIS FEATURE ALLOWS A CUSTOMER TO DEFINE THE INCOMING AND OUTGOING CALL CAPABILITY OF HIS/HER ACCESS LINE TO MEET INDIVIDUAL SPECIFICATIONS.
PCID - PREVIOUS CIRCUIT IDENTIFICATION	IDENTIFIES CIRCUIT PREVIOUS.
PCP - PACKET CUSTOM PROFILE	INDICATES A PREDEFINED PACKET SERVICE PROFILE AND OTHER DISCRETE OPTIONS.
PCRA - PEAK CELL RATE	

---

---

FID	Definition
PDAC - PLANNING DESIGN ACCESS CODE	ALLOWS TIRKS TO AUTOMATICALLY ASSIGN AND DESIGN DIVERSIFIED CIRCUITS.
PDC - PPSN AUTO/DIRECT CALL OPTIONS	INDICATES THE AUTO CALL/DIRECT CALL OPTIONS AVAILABLE FOR X.25, X.75 ACCESS LINES TO PULSELINK. THIS FEATURE CAN BE USED TO SHORTEN THE END USER'S CALL SET UP REQUIREMENTS WHEN THE MAJORITY OF HIS CALLS ARE MADE TO ONE SPECIFIC DATA TELEPHONE NUMBER.
PDCR - PARTIAL DISCONNECT REASON	
PDD - PACKET MODE DATA ON D CHANNEL	INDICATES THE SWITCH SHOULD OFFER TERMINATING PACKET MODE DATA CALLS, INCOMING TO THE INDICATED DN (DIRECTORY NUMBER) ON THE D CHANNEL.
PDES - POUND KEY DESIGNATION	IDENTIFIES THE DEFINITION OF THE POUND KEY FOR A VOICE MESSAGING SERVICE TO ALLOW MAILBOX OWNERS TO ACCESS OR PREVENT ACCESSES TO THEIR MAILBOXES.
PDP - PRE-DEFINED STANDARD PROFILES	INDICATES THE PREDEFINED STANDARD PROFILE OPTIONS FOR ASYNCHRONOUS DIRECT ACCESS LINES AND PRIVATE DIAL PORTS IN PULSELINK.
PFG - PRIVATE FACILITIES GROUP	INDICATES THE PRIVATE FACILITY GROUP NAME ASSIGNED TO A STATION LINE IN A NO. 5 ESS OFFICE.
PFN - PROVISIONED FORWARDING NUMBER	IDENTIFIES THE DIRECTORY NUMBER BY WHICH CALLS ARE ROUTED THROUGH THE NETWORK.

---

---

FID	Definition
PFT - POWER FAILURE TRANSFER	IDENTIFIES A STATION LINE NUMBER OR A USOC FOR AN EXTERNALLY MOUNTED RINGER TO WHICH RINGING IS TRANSFERRED DURING A POWER FAILURE. THE FID AND ITS DATA ARE ASSOCIATED WITH THE LINE OR TRUNK USOC FROM WHICH RINGING IS TRANSFERRED.
PFW - PROVISION FOUR-WIRE	INDICATES THE CIRCUIT IS TO BE PROVISIONED AS A 4-WIRE CIRCUIT.
PFX - PREFIX - CALL FORWARDING	INDICATES WHETHER OR NOT THE SWITCH IS TO APPEND A PREFIX DIGIT TO THE CALL FORWARDING NUMBER WHEN THE CUSTOMER IS IN A 1AESS OFFICE.
PGI - PACKET GROUP IDENTIFIER	INDICATES THE IDENTITY OF THE PACKET GROUP WHICH CONTAINS THE X25 PARAMETERS FOR THIS PACKET SERVICE.
PHI - PACKET HANDLER INTERFACE	INDICATES THE NUMBER OF THE SIGNALING TERMINAL CARD USED AS THE PACKET HANDLER INTERFACE FOR TERMINALS WITH PACKET SERVICE ON THE D CHANNEL.
PIC - PREDESIGNATED INTEREXCHANGE CARRIER	INDICATES THE CUSTOMER CHOICE OF AN INTEREXCHANGE CARRIER.
PID - PERSONAL ID FOR REMOTE ACCESS	INDICATES A RANDOMLY ASSIGNED PERSONAL IDENTIFICATION NUMBER ASSOCIATED WITH REMOTE ACCESS CALL FORWARDING OR OTHER CENTRAL OFFICE FEATURES.
PIN - PERSONALIZED IDENTIFICATION NUMBER	INDICATES THE CALLING CARD SECRET CODE THAT THE CUSTOMER WILL BE REQUIRED TO PROVIDE WHENEVER THE CARD IS USED.
PIU - PERCENT OF INTERSTATE USAGE	INDICATES THE BASIC CLASS OF SERVICE USOC 6B8X1 TO ACCOMMODATE CRIS BILLING AND APPROPRIATE JOURNALIZATION OF PULSELINK ACCESS USAGE.
PKG - PACKAGE	

---

---

FID	Definition
PLCC - PUBLIC PACKET SWITCH LINE CLASS CODE	INDICATES THE ORIGINATING AND TERMINATING RESTRICTIONS OR COMBINATIONS OF RESTRICTIONS FOR A LINE IN A PUBLIC PACKET SWITCH NETWORK (PPSN).
PLNC - PLAN CODE	TO BILL USAGE BASED ON THE MEASURED SERVICE TYPE ADN RATE INDICATOR AND MEASURED SERVICE TYPE SHOWN BEHIND THE PLNC FID.
PLU - PERCENT LOCAL USAGE	PLU INDICATES LOCAL JURISDICTION.
PMDS - PUBLIC MESSAGE DELIVERY SERVICE	INDICATES SERVICE OPTIONS FOR PUBLIC MESSAGE DELIVERY SERVICE FOR PUBLIC COMMUNICATIONS.
PMH - PUBLIC STATION MOUNTING HEIGHT	INDICATES THE MOUNTING HEIGHT OF PUBLIC AND SEMI-PUBLIC TELEPHONES.
PN - PRIMARY NUMBER	INDICATES THE PRIMARY INDICATOR OR NUMBER OF A MULTIPLE DIRECTORY NUMBER ARRANGEMENT.
PNHN - PACKET NON-HUNTING MEMBER	IDENTIFIES NON-HUNTING DATA TERMINAL NUMBER ASSIGNED TO AN ISDN PACKET BEARER SERVICE THAT IS A MEMBER OF A MULTILINE HUNT GROUP IN A STORED PROGRAM CONTROL SWITCH.
POI - POINT OF INTERFACE	INDICATES THE COMMON LANGUAGE OR NARRATIVE NAME FOR THE POINT OF INTERFACE WITHIN AN ACCESS CUSTOMER'S LOCATION.
POID - ACD POSITION IDENTIFIER	TO IDENTIFY THE POSITION IN AN AUTOMATIC CALL DISTRIBUTION (ACD) GROUP.
PORT - PORT IDENTIFICATION	INDICATES THE IDENTIFICATION OF THE TRUNK SIDE PORT ESSENTIAL TO PROVISIONING CODE CALLING OR LOUDSPEAKER PAGING SERVICE IN A 5ESS OFFICE.

---

---

FID	Definition
POS - POSITION NUMBER	INDICATES THE POSITION NUMBER ON A SWITCHBOARD OR ANSWERING TURRET.
POUT - PORTING OUT	INDICATES A BST TELEPHONE NUMBER IS PORTED OUT TO ANOTHER LOCAL SERVICE PROVIDER.
PPB - PERMANENT PACKET ON B CHANNEL	INDICATES PERMANENT PACKET IS ON THE B1 OR B2 CHANNEL OF A BASIC RATE ACCESS DIGITAL SUBSCRIBER LINE. (DSL)
PPCD - PREPAID CALLING CARD	INDICATES AMOUNT AND EXPIRATION DATE OF THE PREPAID CALLING CARD.
PPIN - PRINT PIN	INDICATES THE PIN IS PRINTED ON THE CALLING CARD.
PR - PAIR NUMBER	IDENTIFIES THE CABLE PAIR OF THE SPECIFIC FEEDER, DISTRIBUTION, TIE OR TRUNK CABLE. IT WILL ALSO IDENTIFY PREASSIGNED PAIRS ASSOCIATED WITH CHANNELIZED SERVICES.
PRC - PACKET NETWORK REVERSE CHARGING OPTIONS	IDENTIFIES THE REVERSE CHARGING ACCEPTANCE OPTIONS ON A PUBLIC PACKET SWITCH NETWORK (PPSN).
PRE - PRESURVEY	INDICATES WHEN A PRESURVEY SHOULD BE PERFORMED BY AN INSTALLATION FOREMAN IN CONNECTION WITH COMPLEX INSIDE WIRE INSTALLATION.
PRIN - PRIMARY RATE INTERFACE NAME	PRIN INDICATES THE PRI ISDN INTERFACE NAME USED AS THE IDENTIFIER ON THE SWITCH.
PRIV - PRIVACY	INDICATES THE CALLING PARTY TELEPHONE NUMBER IS RESTRICTED FROM BEING DISPLAYED TO THE CALLED PARTY ON ALL CALLS.

---

---

FID	Definition
PRMD - PROVISION OF RATED MESSAGE DETAIL	INDICATES THAT RATED MESSAGE DETAIL IS TO BE ENTERED ON A DATA FILE OR MAGNETIC TAPE TO BE PROVIDED TO AN INTEREXCHANGE CARRIER.
PRN - PROJECT NAME	INDICATES A UNIQUE NUMBER FOR USE IN TRACKING NEGOTIATED PROJECTS.
PRO - PRIORITY	IDENTIFIES THE PRIORITY ORIGINATING FEATURE ASSOCIATED WITH OUTGOING TRUNK QUEUING ON ESSX STATION LINE.
PROX - PREVENT ACCESS TO 101XXXX DIALING!	INDICATES THAT THE CUSTOMER IS DENIED ACCESS TO 10XXX DIALING.
PRP - PREPAYMENT	TO INDICATE PREPAYMENT PERIOD FOR A CSA OR SPECIAL ASSEMBLY.
PSAN - PRIORITY SERVICE AUTHORIZATION NUMBER	IDENTIFIES THE AUTHORIZATION NUMBER PROVIDED BY THE FEDERAL GOVERNMENT FOR TELECOMMUNICATION SERVICE PRIORITY (TSP) SYSTEM SERVICES. (NO CRIS LISTING)
PSDS - PUBLIC SWITCHED DIGITAL SERVICE OPTION	INDICATES THE PUBLIC SWITCHED SERVICE OPTION OF SWITCHED ACCESS SERVICE FGD IS BILLED IN MINUTES OF USE.
PSM - COMMON LANG PREFIX & SVC CODE MODIFIER	IDENTIFIES THE PREFIX, SERVICE CODE, AND MODIFIER FOR A SPECIAL SERVICES CIRCUIT.
PSO - PACKET SWITCH OPTIONS	INDICATES THE PACKET SWITCH OPTIONS AVAILABLE WITH PULSELINK X.25 AND X.75 DIRECT ACCESS LINES. THE FID DEFINES TWO SEPARATE PACKET LEVEL OPTIONS; MULTILINE HUNT GROUPING OF PHYSICAL ACCESS LINES, AND PERMENENT VIRTUAL CIRCUIT CONFIGURATIONS OF LOGICAL CHANNELS.
PTD - PLANT TEST DATE	INDICATES THE DATE ON WHICH OVERALL TESTING IS TO BE STARTED.

---

---

<b>FID</b>	<b>Definition</b>
PTLI - PACKET(DATA TERM. NO.)TELE. LINE IDENTIF	INDICATES THE PILOT NUMBER OF AN ISDN PACKET MULTILINE HUNT GROUP.
PTN - PLANT TEST NUMBER	IDENTIFIES THE PLANT TEST NUMBER ASSOCIATED WITH ANY SERVICE REQUIRING A NUMBER FOR LOCAL TESTING PURPOSES.
PTR - PERCENT TRAFFIC ROUTED	INDICATES THE PERCENT OF ORIGINATING TRAFFIC ROUTED TO EACH CUSTOMER'S POINT OF TERMINATION (POT) USED TO APPORTION THE LOCAL TRANSPORT CHANGE FOR EACH POT.
PTW - PROVISION TWO-WIRE	INDICATES THE CIRCUIT IS TO BE PROVISIONED AS A 2-WIRE CIRCUIT.
PX - PBX STATION OR LINE NUMBER	IDENTIFIES A PBX STATION LINE NUMBER.

**8.17 Q**

---

<b>FID</b>	<b>Definition</b>
QBS - QUERY BUSY STATION	INDICATES THAT THE SUPERVISOR STATION HAS THE QUERY BUSY STATION FEATURE.
QDN - QUEUE DIRECTORY NUMBER	IDENTIFIES THE QUEUE DIRECTORY NUMBER ASSOCIATED WITH DELAYED CALL FORWARDING SERVICE.
QFN - QUEUE FEATURE NUMBER	INDICATES THE QUEUE NUMBER WHERE THE QUEUE FEATURE EXISTS.
QINH - INHIBIT QUERYING	IDENTIFIES A STATION OR ACCESS LINE WHICH IS NOT ALLOWED TO ACCESS ETS QUEUES PURCHASED BY THE ETS CUSTOMER.
QM - QUAD MEMBER	INDICATES THE UNIQUE QUAD MEMBER NUMBER FOR THE LINK.

---

FID	Definition
QN - QUANTITY	INDICATES WHEN MORE THAN ONE CALLING CARD FOR THE SAME NUMBER IS REQUIRED.
QP - QUEUE PARAMETERS	INDICATES THE QUEUE FEATURE NAME ASSIGNED TO A LINE IN A SESS OFFICE.
QTY - QUANTITY	INDICATES A NUMERIC VALUE FOR SWITCHED AND PLANNED FACILITY ACCESS BUSY HOUR MINUTES THAT WILL OVERRIDE THE QUANTITY EXPRESSED IN THE CODE COLUMN. ON PLANNED FACILITY ORDERS, QTY ALSO INDICATES MULTIPLE INCREMENTS OF MILEAGE.
QZ - SPECIAL BILLING	INDICATES A SPECIAL TOLL BILLING ARRANGEMENT FOR LONG DISTANCE CALLS.

## 8.18 R

FID	Definition
RA - RELATED ACCOUNT	INDICATES THE BILLING ACCOUNT NUMBER OF A RELATED ACCOUNT.
RAF1 - RATE ADJ FACTORS FOR DIGITAL (DS1) SVCS	PROVIDES RATCHETING FACTORS FOR A HIGH CAPACITY SERVICE RIDING A DS1 SYSTEM TO ALLOW CABS TO MECHANICALLY RATCHET THE MONTHLY RATE.
RAF3 - RATCHETING FACTOR FOR DS3	PROVIDES RATCHETING FACTORS FOR A DS3 TO ALLOW CABS TO MECHANICALLY RATCHET THE MONTHLY RATE.
RAN - RECURRING ACCOUNT NUMBER	INDICATES AN ACCOUNT NUMBER WHEN RECURRING CHARGES ARE TO BE BILLED TO ANOTHER ACCOUNT.
RAO - REVENUE ACCOUNTING OFFICE	IDENTIFIES THE REVENUE ACCOUNTING OFFICE.



---

FID	Definition
RC - RATE CENTER	INDICATES (1) THE MEASURED POINT-TO-POINT RATE CENTER IN AN OPTIONAL CALLING PLAN OR (2) THE RATE CENTER NAME WHEN IT DIFFERS FROM THE COMMUNITY AND STATE NAME INDICATED BY THE CIRCUIT LOCATION (CKL).
RCC - RATE CENTER CODE	IDENTIFIES THE MEASURED POINT-TO-POINT RATE CENTER WITH THE OPTIONAL CALLING PLANS.
RCG - RECORDER GROUP	INDICATES A GROUPING NUMBER WHICH SUPPLIES AMA TAPE IDENTIFICATION TO GATHER OUTWARD WATS CALLS FOR BILLING IN ESS AND NON-ESS OFFICES.
RCID - RELATED CIRCUIT IDENTIFICATION	IDENTIFIES THE RELATED AP PHYSICAL CIRCUIT ID AGAINST WHICH VIRTUAL CONNECTION ACTIVITY IS REQUESTED.
RCU - RESTRICT CASUAL USE	INDICATES THAT A CENTRAL OFFICE LINE IS RESTRICTED FROM CASUAL USE OF THE RELATED USAGE-SENSITIVE FEATURE.
RCYC - RINGING CYCLE	INDICATES THE RINGING CYCLE OPTION SELECTED BY THE CUSTOMER FOR CALL FORWARDING IN A NO. 1 OR NO. 5 ESS OFFICE.
RD - RATE DATE	INDICATES THE DATE ON WHICH THE RATE IS BASED WHEN THE RATE TO BE APPLIED IS OTHER THAN THAT IN EFFECT ON THE START OF THE AGREEMENT DATE.
RDB - RETAIN DISCONNECT FOR BILLING	INDICATES THAT SERVICE HAS BEEN DISCONNECTED BUT SPECIFIC RATE ELEMENTS HAVE BEEN RETAINED FOR BILLING TO AVOID TERMINATION LIABILITY CHARGES AND NON-RECURRING CHARGES WHEN THE CHANNEL IS REACTIVATED.
RE - RINGER EQUIVALENCE	INDICATES THAT THE BELL OR RINGER HAS BEEN DISCONNECTED.

---

---

<b>FID</b>	<b>Definition</b>
REF - REFERENCE	INDICATES A CODE THAT UNIQUELY IDENTIFIES INFORMATION ASSOCIATED WITH A USOC.
REFN - REFERENCE NUMBER	THE REFERENCE NUMBER ASSIGNED TO IDENTIFY THE CIRCUIT ON REQUESTS FOR MULTIPLE CIRCUITS, OR CIRCUIT SEGMENTS ON REQUESTS FOR A MULTI-POINT CIRCUIT.
RHI - RATE HISTORY INFORMATION	INDICATES RATE HISTORY INFORMATION USED TO PROVIDE A RECORD OF BILLING INFORMATION SPECIFIC TO A CUSTOMER'S SERVICE.
RIE - RATE INCLUDED ELSEWHERE	IDENTIFIES USOCS THAT ARE ENTERED ON THE SERVICE ORDER TO PROVIDE SERVICE BUT ARE NOT TO BE RATED INDIVIDUALLY.
RK - RELEASE KEY	INDICATES THE NUMBER FOR THE RELEASE ON A TERMINAL ON AN ISDN-LIKE SERVICE IN A DMS DIGITAL SWITCH.
RLFS - RELIEF STATUS	IDENTIFY WHETHER USOC APPLIES TO RELIEF STATUS RATES IN AREAS THAT HAVE RELIEF FROM REVENUE CAPS.
RMK - REMARKS UNRETAINED	INDICATES GENERAL REMARKS THAT ARE NOT RETAINED FOR ANY DEPARTMENTAL RECORDS.
RMKR - REMARKS RETAINED (S&E)	INDICATES REMARKS THAT ARE TO BE RETAINED FOR COMPANY RECORDS.
RMN - RING MASTER NUMBER	IDENTIFIES THE RING MASTER NUMBER
RMP - RESTRICT MULTI-PNT DIGITAL SUBSCRIBER LN	INDICATES THE MULTIPOINT DIGITAL SUBSCRIBER LINE (DSL) IS RESTRICTED TO ONE ACTIVE USER.
RND - REDIRECTING NUMBER DELIVERY FEATURE	INDICATES WHETHER OR NOT REDIRECTING NUMBER INFORMATION SHOULD BE DELIVERED TO THE USER EQUIPMENT ON AN INCOMING CALL.

---

---

FID	Definition
RNID - CONNECTED/RELATED SNID IDENTIFIER	
RNP - RINGING PATTERN	INDICATES THE SELECTED RINGING PATTERN FOR AUTOMATIC CALL BACK AND DISTINCTIVE RINGING SERVICES IN A #5ESS OFFICE.
ROL - RING ON LINE	INDICATES THE LINE OR LINES TO WHICH THE RINGER IN A KEY TELEPHONE IS CONNECTED.
RPCN - REBATE PROGRAM CONTRACT NUMBER	INDICATES THE PARTNERING VENDOR, VENDOR CONTRACT NUMBER AND MONETARY AMOUNT PER MINUTES OF USE.
RPCR - RELATED PEAK CELL RATE	
RPOA - REGISTERED PRIVATE OPERATING AUTHORITY	INDICATES CUSTOMER PRESELECTION OF REGISTERED PRIVATE OPERATING AUTHORITY WHO PROVIDES THE TRANSIT NETWORK FOR X.25, X.75 ACCESS GATEWAYS TO OTHER INTERLATA/INTERSTATE PACKET NETWORKS OR VALUE ADDED NETWORKS. AN RPOA WILL PRIMARILY BE AN INTEREXCHANGE CARRIER.
RRMA - REPORT RECIPIENT MEDIA AND ADDRESS	IDENTIFIES THE FREQUENCY OF A REPORT ASSOCIATED WITH ADVANCED INTELLIGENT NETWORK SERVICE.
RSCR - RELATED SUSTAINED CELL	
RSCT - RELATED SERVICE CATEGORY	
RTE - MANUAL RATE	INDICATES A RECURRING CHARGE WHICH MUST BE MANUALLY RATED. THE MONTHLY AMOUNT REFLECTS THE TOTAL RATHER THAN THE UNIT CHARGE.
RTI - ROUTE INDEX	USED TO ROUTE THE DIALED NUMBER TO A PARTICULAR GROUP IN AN ESS OFFICE.

---

---

<b>FID</b>	<b>Definition</b>
RTN - RETURN PORTED NUMBER	INDICATES PORTED OUT TELEPHONE NUMBER WHICH HAS RETURNED TO BELLSOUTH.
RTNN - RETURN PORTED TN TO NON-HOME SWITCH	TO IDENTIFY A TELEPHONE NUMBER THAT HAD PORTED OUT IS RETURNING TO BST, BUT TO A DIFFERENT SERVING SWITCH.
RUF - REUSE FACILITIES	INDICATES THE EXPLICIT CROSS REFERENCE OF THE FACILITY TO BE REUSED.
RUT - REUSE TELEPHONE NUMBER	ON MULTILINE ACCOUNT TRANSFER OF SERVICE TO INDICATE WHETHER THE TELEPHONE NUMBERS ARE BEING REUSED.
RVPI - RELATED VIRTUAL PATH AND CHANNEL IDENTIF	
RZN - RATE ZONE - COLLOCATION	INDICATES THE RATE ZONE ASSIGNED TO A RATE ELEMENT WHICH IS ZONE SENSITIVE WHEN SERVED BY A BELLSOUTH CENTRAL OFFICE.

## 8.19 S

---

<b>FID</b>	<b>Definition</b>
SA - SERVICE ADDRESS	INDICATES THE ADDRESS WHERE SERVICE IS LOCATED.
SAC - SPECIAL ACCESS CODE	IDENTIFIES A SPECIAL ACCESS CODE.
SAN - SUBSCRIBER AUTHORIZATION NUMBER	

---

---

FID	Definition
SB - SPECIAL BILLING	INDICATES THAT UNDER CERTAIN CONDITIONS A SPECIAL BILLING ENTRY MUST BE MADE IF MINIMUM PERIOD BILLING IS INVOLVED. IF AN ACCOUNT IS DISCONNECTED IN LESS THAN A MONTH, COMPTROLLERS WILL MAKE THE EBD OF THE DISCONNECT ONE MONTH FOLLOWING THE CONNECT DATE OF THE ACCOUNT.
SBAN - SWITCHED BILLING ACCOUNT NUMBER	INDICATES THE BILLING ACCOUNT NUMBER AND ACCESS SERVICE GROUP OF THE SWITCHED ACCESS SERVICE UTILIZING A HIGH QUANTITY OF HIGH CAPACITY CHANNELS.
SBE - SUMMARY BILLING ENTITIES	SUMMARIZES ALL EXCHANGE TELEPHONE COMPANIES (ETC'S) OTHER THAN THE ETC ISSUING A BILL FOR A GIVEN MEET POINT BILLING ACCOUNT, OR ALL STATES INVOLVED IN A CROSS-BOUNDARY SERVICE.
SBN - SPECIAL BILLING NUMBER	INDICATES A SPECIAL TOLL BILLING NUMBER NOT SPECIFICALLY ASSOCIATED WITH A TELEPHONE NUMBER.
SCD - SERVICE CODE DENIAL	INDICATES THAT FEATURE GROUP A ACCESS SERVICE IS EQUIPPED WITH SCREENING TO DISSALLOW CERTAIN CALL COMPLETIONS.
SCF - SPEED CALL FEATURE NAME	INDICATES THE SPEED CALLING FEATURE NAME AND OPTIONAL FEATURE ATTRIBUTES TO BE ASSIGNED TO A LINE IN A STORED PROGRAM.
SCG - SPEED CALLING GROUP	IDENTIFIES THE SPEED CALLING GROUP NUMBER TO WHICH A CENTREX/ ESSX/PBX PRESTIGE LINE BELONGS.
SCI - SECURITY CODE FOR INQUIRIES	GUIDE THE EQUAL ACCESS TRANSACTIONS (EATS) TO THE APPROPRIATE CO1 ACCOUNT BY THE SECURITY CODE.
SCIC - SECONDARY CARRIER IDENTIFICATION CODE	INDICATES THE SECONDARY CIC TO BE ASSOCIATED WITH AN 800 DATABASE NUMBER IN THE SERVICE MANAGEMENT SYSTEM (SMS).

---

---

FID	Definition
SCID - SWITCHED CIRCUIT IDENTIFICATION	IDENTIFIES THE CIRCUIT IDENTIFICATION OF THE SWITCHED ACCESS SERVICE(S) THAT WILL APPEAR ON THE SPECIAL ACCESS HI-CAP ACCOUNT.
SCLF - SELECTIVE CALL FORWARDING	PROVISION CALL FORWARDING IN EWSD SWITCH
SCND - SECONDARY CALLING NAME DISPLAY - AIN	INDICATES TO DELIVER A CALLING NAME OTHER THAN THE LISTED NAME TO A DISPLAY TERMINAL.
SCP - SPECIAL COMPOSITE PIU	INDICATES THE COMPOSITE PIU (PERCENT OF INTERSTATE USAGE) OF THE SPECIAL ACCESS FACILITIES RIDING A SWITCHED ACCESS FACILITY THAT IS USED FOR REVERSE RATCHETING.
SCRA - SUSTAINED CELL RATE	
SCRN - CLASS OF CALL SCREENING	INDICATES THE OPTIONAL FEATURE OF CLASS OF CALL SCREENING THAT IS AVAILABLE ON FEATURE GROUP E ACCESS SERVICE.
SCRT - SERVICE CLASS ROUTING	INDICATES THE SERVICE CLASS ROUTING PER TRUNK GROUP ON ACCESS SERVICE.
SCS - SECONDARY CLASS OF SERVICE	INDICATES THE SECONDARY CLASS OF SERVICE WHENEVER THE CLASS OF SERVICE FOR A PARTICULAR ORDER ENTRY DIFFERS FROM THE MAIN CLASS OF SERVICE FOR THE ACCOUNT.
SDES - STAR KEY DESIGNATION	IDENTIFIES THE DEFINITION OF THE STAR KEY, FOR A VOICE MESSAGING SERVICE TO EXIT, IGNORE, OR ALLOW THE CALLER TO BACK UP TO A PREDEFINED MAILBOX.

---

---

FID	Definition
SDTN - SUPPLEMENTARY DATA TERMINAL NUMBER	INDICATES THE SECOND AND SUBSEQUENT DATE TERMINAL NUMBERS ASSOCIATED WITH MULTIPLE ADDRESSES USED ON PULSELINK X.25 ACCESS LINES. THIS FEATURE ALLOWS A CUSTOMER TO CONNECT MULTIPLE TERMINALS TO A SINGLE ACCESS LINE WITH EACH HAVING ITS OWN TERMINAL NUMBER.
SED - SERVICE ESTABLISHMENT DATE	INDICATES THE ESTABLISHED DATE FOR AN ITEM WHEN THAT ITEM'S DATE IS NOT THE SAME DATE WHICH WOULD NORMALLY BE GENERATED.
SET - SET NUMBER	IDENTIFIES THE CONTROLLER, SLOT AND CARRIER SERVING THE DIMENSION ELECTRONIC CUSTOM TELEPHONE.
SFG - SIMULATED FACILITIES GROUP	INDICATES THE SIMULATED FACILITIES GROUP NUMBER THAT IS ASSOCIATED WITH A LINE OR REGISTER.
SFN - SIMULATED FACILITY NUMBER	IDENTIFIES THE NUMBER OF AN ACCESS LINE THAT IS A MEMBER OF A SIMULATED FACILITY GROUP WHEN THE SIMULATED FACILITY GROUP HAS ONE OR MORE ACCESS LINES THAT ARE NOT ASSIGNED TELEPHONE NUMBERS. (SCB)
SGN - COMMON LANGUAGE SEGMENT NUMBER	IDENTIFIES SEGMENTS IN A MULTI-POINT SPECIAL SERVICE TELEPHONE LINE OR CIRCUIT.
SH2 - SHARE SPEED CALL LIST TWO	INDICATES THE TELEPHONE NUMBER OF A LINE WHOSE 2-DIGIT SPEED CALLING LIST IS TO BE SHARED WITH ANOTHER LINE.
SIG - SELECTIVE SIGNALING NUMBER	USED WITH CALLING CARDS ISSUED FOR MARINE SERVICE WHEN THE CUSTOMER'S SHIP CAN BE DIALED RATHER THAN VOICE CALLED.
SIS - SPECIAL IDENTIFYING TELE. NO. SUPPLEMENT	IDENTIFIES THE SUPPLEMENT TO THE SPECIAL TELEPHONE NUMBER OF A CIRCUIT WHEN THE NPA ELEMENT OF THE NUMBER IS SPECIAL SUCH AS 800 SERVICE.

---

---

FID	Definition
SIT - SPECIAL IDENT TELEPHONE NUMBER	IDENTIFIES THE SPECIAL TELEPHONE NUMBER OF A CIRCUIT WHEN THE NPA ELEMENT OF THE NUMBER IS A SPECIAL AREA SUCH AS 800 SERVICE.
SLA - SECONDARY LOCATION ADDRESS	IDENTIFIES AN ADDRESS FOR A PRIMARY TERMINATION OF CENTREX, ESSX, AND PBX-LIKE SERVICE IN ADDITION TO THE CUSTOMER'S MAIN ADDRESS.
SLB - SEPARATE LINE BILLING	INDICATES THAT WITHIN A MULTILINE HUNT GROUP IN AN ESS OFFICE, TO LINE ORIGINATING A CALL IS BILLED DIRECTLY FOR THE TOLL OR MESSAGE CALL.
SLKC - SIGNALING LINK CODE	INDICATES THE SPECIFIC LINK IN A QUAD(S) OF LINKS.
SLS - SALES CODE	INDICATES THE EMPLOYEE AND ORGANIZATION RESPONSIBLE FOR NEGOTIATING THE ARRANGEMENTS ON THE ORDER.
SMD - SIMPLIFIED MESSAGE DESK (S&E)	INDICATES THAT A HUNT GROUP LINE IS PART OF A SIMPLIFIED MESSAGE DESK CENTER.
SMDG - SMDI UCD GROUP OPTION PARAMETERS	SMDG INDICATES THE OPTION PARAMETERS FOR THE SIMPLIFIED MESSAGE DESK INTERFACE WITH UNIVERSAL CALL DISTRIBUTION.
SMPL - SAMPLE	IDENTIFIES ORDERS THAT ARE BEING SAMPLED TO CONDUCT QUALITY BILLING MEASUREMENTS.
SN - SERVICE NAME	INDICATES THE NAME OF THE CUSTOMER AT A CIRCUIT LOCATION.
SNA - SUBSEQUENT NON-RECURRING CHRGS. APPLIC.	INDICATES THAT A SUBSEQUENT NON-RECURRING CHARGE APPLIES TO THE ITEM.

---



---

FID	Definition
SNI - STANDARD NETWORK INTERFACE	IDENTIFIES THE CODE ASSIGNED BY THE SUBSCRIBER TO A NETWORK ASSOCIATED WITH THE AUTOVON SYSTEM.
SNID - SONET NETWORK IDENTIFIER	
SOR - STATION ORIGINATION RESTRICTION GRP NUMB	INDICATES THE STATION ORIGINATION RESTRICTION GROUP NUMBER.
SORC - STAT. ORIGINATION RESTRICTION CONTROLLER	INDICATES THE STATION ORIGINATION RESTRICTION CONTROLLER NUMBER.
SP - SCAN POINT	INDICATES THE SCAN POINT NUMBER IN AN ESS OR DMS-100 OFFICE THAT IS ASSOCIATED WITH SUCH SERVICES AS A RANDOM MAKE BUY KEY, A STOP HUNT KEY, CARRIER GROUP ALARM CIRCUITS, GROUP ALERTING LINE BUSY CIRCUITS AND MOBIEL RADIO CIRCUITS.
SPD - SPEED OF DATA TRANSMISSION	INDICATES THE SPEED OF DATA TRANSMISSION.
SPID - SERVICE PROFILE IDENTIFIER	IDENTIFIES THE SERVICE PROFILE IDENTIFIER OF AN INTEGRATED SERVICE DIGITAL NETWORK (ISDN) TERMINAL.
SPP - SPECIAL PRICING PLAN	IDENTIFIES AN ITEM OF EQUIPMENT UNDER A SPECIAL PRICING PLAN.
SRE - SERVICE EXCHANGE NUMBER-PACKET SERVICE	INDICATES THE SERVICE EXCHANGE NUMBER FOR PACKET SERVICE.
SRID - SIMULTANEOUS RING PERSONAL IDNT	IDENTIFIES THE SIMULTANEOUS RING PERSONAL IDENTIFICATION NUMBER.
SSM - SPECIAL SAFEGUARDING MEASURES	INDICATES THAT A SPECIAL SERVICES CIRCUIT REQUIRES SPECIAL SAFEGUARDING MEASURES.

---

---

FID	Definition
SSP - SSP REQUIRED!	INDICATES THAT A SPECIAL SERVICES CIRCUIT REQUIRES SPECIAL PROTECTION TO INSURE THAT OTHER FUNCTIONS DO NOT INTERFERE WITH THE CIRCUITS OPERATION. THE CIRCUIT IS OF SUCH A NATURE THAT NONMONETARY SHORTS, OPENS OR ACCIDENTAL CONTACT MAY CAUSE SERIOUS REACTION IN CUSTOMER RELATIONS.
SSUB - SET SUBSTITUTION	
STAR - SPECIAL TYPE ACTION REQUIRED	INDICATES ALL CUSTOMERS WHO HAVE SPECIAL BILLING ARRANGEMENTS AND ALSO THOSE DIRECT BILLED ACCOUNTS THAT MARKETING HAS DETERMINED SHOULD RECEIVE SPECIAL ACTION.
STB - STOP BIT	INDICATES THE NUMBER OF STOP BITS REQUIRED TO SIGNAL THE END OF TRANSMITTED DATA OVER PULSELINK ASYNCHRONOUS SERVICE.
STG - SPECIAL TOLL GUIDE	INDICATES THE TELEPHONE NUMBER WHERE TOLL CHARGES ARE TO BE BILLED. THIS NUMBER IS GENERALLY THE MAIN BILLING NUMBER FOR THE ACCOUNT; HOWEVER, ANY 7-DIGIT NUMBER THAT IS ESTABLISHED ON THE ACCOUNT CAN BE USED. STG ALSO IDENTIFIES THE MAIN ACCOUNT TELEPHONE NUMBER WHERE OUTDIALS IN A #5ESS OFFICE OR TN IDENTIFIED.
STI - STUDY TYPE INDICATOR	INDICATES ACCOUNTS THAT RECEIVE SPECIAL STUDY OR ANALYSIS.
STLV - SECONDARY TRANSMISSION LEVEL	INDICATES THE SIGNAL LEVEL RECEIVED BY THE BCC AT THE BCC SWITCH INTERFACE.

---

---

FID	Definition
STN - SCREENING TELEPHONE NUMBER	INDICATES THE TELEPHONE NUMBER ASSIGNED IN A 1/1A ESS OFFICE TO PROVIDE SPECIAL CALL ROUTING AND/OR BILLING ARRANGEMENTS. ALSO IDENTIFIES AN ASSOCIATED SCREENING LINE EQUIPMENT NUMBER (SLEN).
STPE - EXCHANGE CARRIER STP POINT CODE	INDICATES THE POINT CODES OF THE EXCHANGE CARRIER'S LSTP OR RSTP.
STPH - HUB PROVIDER STP CLLI AND POINT CODE	INDICATES THE HUB PROVIDER'S STP CLLI & POINT CODE FOR INTERCONNECTION TO THE BELLSOUTH LSTP OR RSTP.
STPI - INTEREXCHGE CARRIER'S STP CLLI & PNT CDE	INDICATES THE INTEREXCHANGE CARRIER'S STP CLLI & POINT CODE FOR INTERCONNECTION TO THE BELLSOUTH LSTP OR RSTP.
SUB - SUBSECTION	INDICATES A PORTION OF MULTI-WIRE CENTER OR MULTI-EXCHANGE ORDER FOR ROUTING PURPOSES.
SUBA - SUB ADDRESS	INDICATES THE SUB ADDRESS RESERVATION NUMBER, TYPE, AND OPTIONAL TERMINATING PRIORITY CALL TYPES FOR CALL APPEARANCE ON A TERMINAL SERVED BY A 5ESS.
SUBL - SUBLET	INDICATES THE TELEPHONE NUMBER OF THE SUSPEND SERVICE THAT EXISTS AT THE SAME ADDRESS WHERE MAIN SERVICE IS BEING CONNECTED ON A SUBLET BASIS.
SUS - SUSPENSION OF SERVICE - TEMPORARY	INDICATES THAT A CUSTOMER HAS REQUESTED TEMPORARY DISCONNECTION FOR ALL OR PART OF THE SERVICE, AND THAT ALL EQUIPMENT WILL BE LEFT IN PLACE FOR FUTURE RESTORAL.
SVG - SERVICE GROUP	

---

---

FID	Definition
SVP - SERVICE POINT	IDENTIFIES ADDITIONAL SERVICE POINTS, SUCH AS INTERNATIONAL BORDER CROSSINGS AND SATELLITE EARTH STATIONS, WITHIN A RATE CENTER.

---

**8.20 T**

---

FID	Definition
TA - TERM AGREEMENT	INDICATES THAT A CONTRACT OR ITEM IS SUBJECT TO A TERMINATION AGREEMENT AND TO IDENTIFY THE NUMBER OF MONTHS IN THE TERM AGREEMENT, THE START OF AGREEMENT DATE, AND/OR THE NUMBER OF MONTHS IN THE PAYMENT PERIOD EXTENSION.
TAR - TAXING AREA	INDICATES THE TAXING AREA FOR CITY AND/OR COUNTY USE TAXES.
TAX - TAX APPLICATION	INDICATES TAX CONDITIONS WHICH DIFFER FROM THE NORMAL TAX APPLICATION.
TBE - TOLL BILL EXCEPTION	INDICATES THAT A CUSTOMER HAS REQUESTED THAT CERTAIN TYPES OF CALLS NOT BE BILLED TO DESIGNATED NUMBERS.
TBO - TERMINATING BILLING OPTION	INDICATES CREATION OF AUTOMATIC MESSAGE ACCOUNTING (AMA) RECORD WHEN A CALL TERMINATES ON THE LINE.
TCF - THROUGHPUT CLASS FEATURES	
TCGN - TERMINAL CONFIGURATION GROUP NAME	INDICATES TERMINALS PROVISIONED SIMILARLY SERVED BY A 5ESS.
TCIC - TRUNK CIRCUIT IDENTIFICATION CODE	INDICATES THE TRUNK CIRCUIT IDENTIFICATION CODE SUPPLIED BY THE INTEREXCHANGE CARRIER.

---

---

FID	Definition
TCID - TRANSPORT CARRIER IDENTIFICATION CODE	INDICATES THE ACCESS NUMBER OF THE PRESUBSCRIBER CARRIER USED TO GUIDE COIN TRAFFIC TO A TRANSPORT CARRIER OTHER THAN THE PRESUBSCRIBED IC.
TCOS - TERMINAL SVC PROFILE CLASSES OF SVC	
TEI - ISDN TERMINAL END POINT IDENTIFIER	INDICATES THE CUSTOMER PROVIDED IDENTIFIER FOR A TERMINAL ON A GIVEN ISDN ACCESS LINE IN A DMS DIGITAL SWITCH
TER - TERMINAL NUMBER - MULTILINE GROUP	IDENTIFIES EACH ESS TERMINAL NUMBER IN A MULTILINE HUNTING OR NON-HUNTING GROUP.
TERM - TERMINATING/POINT TO NUMBER	IDENTIFIES THE TELEPHONE NUMBER AT THE SUBSCRIBER'S LOCATION THAT THE ANC CALL TERMINATES ON.
TFMB - TRANSFER FROM MAILBOX	INDICATES THE TELEPHONE NUMBER ON EITHER A REMOTE LOCATION OR A MULTILINE ARRANGEMENT THAT A CALL IS BEING FORWARDED FROM IN ASSOCIATION WITH A TRANSFER MAILBOX SERVICE.
TFN - THRGHPT CLS & FLW CTRL PRMTR NEGOTIATION	INDICATES THE STATUS OF THROUGHPUT CLASS NEGOTIATED & FLOW CONTROL PARAMETER NEGOTIATION AS ASSIGNED TO THE CUSTOMER.
TFOS - TOLL FREE OTHER SERVICE	A CROSS REFERENCE BETWEEN THE BUSINESS/RESIDENCE ACCOUNT AND THE TOLL FREE ACCOUNT.
TGID - TERMINAL GROUP NAME	INDICATES THE TERMINAL GROUP NAME USED TO PROVISION CENTREX LIKE LINES IN A #5 ESS OFFICE.
TGN - EQUAL ACCESS TRUNK GROUP NUMBER	IDENTIFIES A UNIQUE TRUNK GROUP NUMBER WITHIN AN EQUAL ACCESS SWITCH.
TGP - TRUNK GROUP NUMBER (S&E)	INDICATES THE TRUNK GROUP NUMBER.

---

---

FID	Definition
TGS - TERMINAL STATION RESTRICTION	INDICATES THE TERMINAL STATION RESTRICTION FEATURE NAME AND OPTIONAL FEATURE ATTRIBUTES TO BE ASSIGNED TO A LINE IN A SESS SWITCH.
TLC - TIME AND LINE CHARGE QUOTATION	INDICATES THAT A CUSTOMER'S LINES OR TRUNKS ARE EQUIPPED FOR TIME AND LINE CHARGES QUOTATION SYSTEMS.
TLI - TELEPHONE LINE IDENTIFIER	IDENTIFIES THE TELEPHONE NUMBER COMPONENT OF THE PRIMARY LINE IDENTIFIER (PLID) WHEN THAT COMPONENT SHOULD BE DERIVED FROM THE MAIN TELEPHONE NUMBER BUT WHEN THE MAIN TELEPHONE NUMBER DOES NOT MEET CERTAIN NECESSARY CONDITIONS.
TLV - TRANSMISSION-LEVEL POINT	IDENTIFIES THE TRANSMISSION LEVELS, IN TENTHS OF DECIBELS, IN EITHER TRANSMIT OR RECEIVE FOR DIRECT/INWARD/DIRECT OUTWARD (DI/DO) TYPE PRIVATE LINE CHANNELS USED BY CELLULAR COMMUNICATIONS CARRIERS BETWEEN TELEPHONE COMPANY CENTRAL OFFICES, CELLULAR SWITCHING OFFICES AND CELL SITES.
TN - TELEPHONE NUMBER	IDENTIFIES THE EXCHANGE TELEPHONE NUMBER FOR A PARTICULAR FACILITY OR ASSOCIATES A USOC WITH A PARTICULAR NUMBER.
TPV - TEST PAD VALUE	INDICATES THE VALUE OF THE TEST PADS AT THE MTSO AND THE LEC END OFFICES.
TRAK - TRACKING CODE	IDENTIFIES ACCOUNTS THAT ARE HANDLED BY AUTHORIZED SALES REPRESENTATIVES AND ALSO TRACK SPECIFIC INFORMATION SUCH AS REVENUE.
TRF - TRANSFER FEATURE	INDICATES THE ORIENTATION OF THE DIGITAL TRANSFER RELAY.

---

---

FID	Definition
TRM - SERVICE TERMINATION	IDENTIFIES INDIVIDUAL EQUIPMENT LOCATIONS AND FACILITY INTERFACE CODES ON PBX AND SPECIAL SERVICES ORDERS.
TRMD - TRANSMISSION OF MESSAGE DETAIL	INDICATES THAT PREBILLING MESSAGE DETAIL IS DATA TRANSMITTED TO OR RECEIVED FROM AN EXCHANGE TELEPHONE COMPANY LOCATION BY THE TELEPHONE COMPANY.
TRN - TRUNK NUMBER	INDICATES THE NUMBER(S) ASSIGNED TO MESSAGE TRUNK(S).
TSC - TWO-SIX CODE	INDICATES THE UNIQUE IDENTITY ASSIGNED TO MESSAGE TRUNKS WITHIN A BELL OPERATING COMPANY (BOC).
TSP - TELECOMMUNICATIONS SERVICE PRIORITY	IDENTIFIES THE PROVISIONING AND RESTORATION PRIORITY OF A CIRCUIT SUBJECT TO NATIONAL SECURITY EMERGENCY PREPAREDNESS (NSEP) PROCEDURES.
TSPD - TERMINAL SERVICE PROFILE IDENTIFIER	INDICATES THE TERMINAL SERVICE PROFILE IDENTIFIER FOR AN INTEGRATED SERVICES DIGITAL NETWORK (ISDN) TERMINAL IN A TL1 SWITCH.
TSU - TANDEM SIGNALING USER	INDICATES THE TRAFFIC TYPE THAT IS TO BE BILLED AS DEDICATED TRANSPORT INSTEAD OF TANDEM SWITCHED TRANSPORT. THIS IS TRAFFIC TO AND FROM A LEC END OFFICE THROUGH A CUSTOMER'S ACCESS TANDEM.
TSW - TYPE OF SWITCH	INDICATES THE TYPE OF SERVING CENTRAL OFFICE FROM WHICH THE CUSTOMER IS SERVED.
TTC - TRANSPORT TERMINATION CAPABILITY	INDICATES THE TRANSPORT TERMINATION, CAPABILITY ON FEATURE GROUP B, C, AND D ACCESS SERVICE.

---

---

FID	Definition
TTD - TRUNK TYPE DESCRIPTION	INDICATES THE TRAFFIC CLASS, OFFICE CLASS, TRAFFIC USE AND TRUNK TYPE MODIFIER OF A MESSAGE TRUNK.
TTDN - TRANSFER TO DIRECTORY NUMBER	INDICATES THE TELEPHONE NUMBER OF A SINGLE MEMORYCALL TRANSFER MAILBOX ARRANGEMENT.
TTG - TIE TRUNK GROUP	INDICATES ITEMS OF EQUIPMENT SUCH AS MILEAGE OR LINE TERMINATIONS WITH ITS LINES AT A SPECIFIC LOCATION.
TTMB - TRANSFER TO MAILBOX	INDICATES THE TELEPHONE NUMBER OF THE SINGLE MEMORYCALL TRANSFER MAILBOX ARRANGEMENT.
TTMR - X.75 T TIMERS	IDENTIFIES THE X.75 INTERFACE PACKET LEVEL T-TIMERS.
TTN - TOLL TELEPHONE NUMBER	IDENTIFIES AN ACCOUNT NUMBER TO WHICH ALL TOLL CHARGES ARE TO BE BILLED.
TTP - TONE TYPE	INDICATES THE SELECTED TONE TYPE FOR AUTOMATIC ROUTE SELECTION (ARS) SERVICE IN A NO. 5 ESS OFFICE.
TTR - TANDEM TRANSPORT	INDICATES THE TYPE OF TANDEM TRANSPORT, EITHER COMMON OR DEDICATED, THAT IS USED TO DETERMINE BILLING CHARGES.
TTRA - TERMINATING TRAFFIC RATE AREA	INDICATES THE TERMINATING TRAFFIC RATE AREA FOR TOLL CHARGING PURPOSES.
TTX - CRIS HOLD FILE FID	
TTYD - TERMINAL TYPE	INDICATES THE TYPE OF TERMINAL AND ITS OPTIONS FOR MULTIBUTTON SERVICE ON AN ISDN LINE OR NON-ISDN LINE SERVED BY A DMS-100.

---



---

FID	Definition
TTYT - TERMINAL TYPE	INDICATES THE TYPE OF TERMINAL AND ITS OPTIONS FOR MULTIBUTTON SERVICE ON AN ISDN TERMINAL SERVED BY A 5ESS OR THE TYPE OF TERMINAL ON A DMS-100 FUNCTIONAL LOGICAL TERMINAL.
TTYT - TERMINAL TYPE TL1 SWITCH	INDICATES THE TERMINAL OPTIONS FOR MULTIBUTTON SERVICE ON AN ISDN LINE SERVED BY A LT1 SWITCH.
TWN - THROUGHPUT CLASS & FLOW CONTROL NEG	INDICATES THE THROUGHPUT CLASS AND FLOW CONTROL (INCLUDING WINDOW SIZE AND PACKET SIZE) SUBSCRIBER DESIGNATION AVAILABLE (FOR X.25 LAPB, FOR X.25 LAPD, AND X.75 ACCESS LABEL SERVICE) ON A PUBLIC PACKET SWITCHING NETWORK (PPSM), OR PACKET ON 5ESS ISDN.
TWT - TWO WAY TRUNK MEMBER NUMBER	IDENTIFIES TYPE ONE TWO-WAY CELLULAR TRUNKS.
TXR - TAX APPLICATION FOR AT&T ACCOUNTS	INDICATES THE TAX CONDITIONS WHICH DIFFER FROM THE NORMAL TAX APPLICATION ON AT&T ACCOUNTS.
TYA - TYPE OF ACCOUNT	IDENTIFIES THE PULSELINK AFFILIATE MARKETING SERVICE IN ORDER TO DIRECT PACKET USAGE TO THE CORRECT BILLING ACCOUNT.

---

## 8.21 U

---

FID	Definition
UBT - USAGE BILLED TO	INDICATES THE DATA TERMINAL NUMBER (DTN) TO BILL USAGE TO FOR PERMANENT VIRTUAL CIRCUITS (PVC) ASSOCIATED WITH X.25, X.75 OR ASYNCHRONOUS DIRECT ACCESS LINES IN PULSELINK.
UCD - UNIFORM CALL DISTRIBUTION	IDENTIFIES THE GROUP NUMBER ASSIGNED TO A DIMENSION PBX STATION LINE IN A UNIFORM CALL DISTRIBUTION GROUP.
UCN1 - UNBUNDLED NETWORK CUSTOMER CONTACT	
UCP1 - UNBUNDLED CONNECTION POINT	
UNE - INDICATES THE FACILITY BEING PROVIDED	INDICATED THE FACILITY BEING PROVIDED IS ASSOCIATED WITH UNBUNDLED NETWORK COMPONENTS
UNE1 - UNBUNDLED NETWORK ELEMENT CIRCUIT ID	
UNN1 - UNBUNDLED NETWORK CUSTOMER NAME 1	
USDO - UP TO SEVEN DIGIT OUTPULSING	INDICATES THE FEATURE PROVIDING UP TO 7 DIGIT FORWARDING OF THE UNIFORM ACCESS CODE (950-10XX) TO THE IC TERMINAL LOCATION ON FEATURE GROUP B ACCESS SERVICE. ON FEATURE GROUP E, THIS FID INDICATES THE FEATURE PROVIDING UP TO 7 DIGITS OF THE CALLED PARTY TELEPHONE NUMBER TO THE IC TERMINAL LOCATION.
USID - USER SERVICE IDENTIFIER	INDICATES THE USER SERVICE IDENTIFIER VALUE ASSOCIATED WITH THE TERMINAL SERVICE PROFILE (TSP) USED IN LAYER 3 PROTOCOL IN A TL1 SWITCH.

---

---

FID	Definition
UTIL - INTERXCHNGE PACKET INTERFACE (X.75) UTIL	INDICATES THE X.75 INTERFACE UTILITIES NEGOTIATED BETWEEN TWO PACKET SWITCHING NETWORKS.

---

**8.22 V**

---

FID	Definition
VF8 - VERTICAL FEATURES 800 SERVICE	INDICATES THE VERTICAL FEATURES PROVIDED WITH 800 SERVICE.
VHC - VERTICAL HORIZONTAL COORDINATES	INDICATES THE VERTICAL AND HORIZONTAL COORDINATES FOR INTEREXCHANGE PRIVATE LINES AND MILEAGE SENSITIVE SERVICES.
VMAN - VOICE MESSAGE ASSISTANCE NUMBER	IDENTIFIES THE TELEPHONE NUMBER TO WHICH A CALLER OF A MEMORYCALL WILL BE CONNECTED WHEN "0" IS DIALED INSTEAD OF LEAVING A PERSONALIZED MESSAGE.
VMO - VOICE MESSAGING OPTION	IDENTIFIES VOICE MESSAGING OPTIONS ASSOCIATED WITH A SUBSCRIBER'S MAILBOX.
VPI - VIRTUAL PATH AND CHANNEL IDENTIFIER	INDICATES THE VIRTUAL PATH IDENTIFIER NUMBER AND VIRTUAL CHANNEL IDENTIFIER NUMBER OF THE ORIGINATING END OF A CELL RELAY OR CIRCUIT EMULATION PERMANENT VIRTUAL CIRCUIT.
VSL - VESSEL NAME	INDICATES THE NAME OF A VESSEL (SHIP) THAT IS REGISTERED UNDER THE MARINE IDENTIFICATION NUMBER (MIN) PLAN.
VTIA - VIRTUAL TERMINATION IDENTIFIER - LOCATIO	VIRTUAL TERMINATION IDENTIFIER - LOCATION A
VTIZ - VIRTUAL TERMINATION IDENTIFIER - LOCATIO	VIRTUAL TERMINATION IDENTIFIER - LOCATION Z

---

## 8.23 W

---

FID	Definition
WACD - WORK AUTHORIZATION CIRCUIT DETAIL!	WORK AUTHORIZATION CIRCUIT DETAIL TO SUPPORT END SERVICE CONFIGURATIONS.
WDRN - WIRELESS DISTINCTIVE RING NUMBER	IDENTIFIES THE WIRELESS DISTINCTIVE RING NUMBER
WLN - WARM LINE SERVICE NUMBER	INDICATES THE TELEPHONE NUMBER WHICH IS AUTOMATICALLY CALLED BY THE SWITCH AT THE EXPIRATION OF A PREDETERMINED TIME INTERVAL WHEN THE ORIGINATING CUSTOMER GOES OFF HOOK.
WLT - WARM LINE TIMEOUT	INDICATES THE NUMBER OF SECONDS THAT MUST ELAPSE BEFORE THE SWITCH STEPS UP THE CONNECTION FOR A WARM LINE SERVICE NUMBER.
WML - WAIVE MID-LINK CHARGES	INDICATES CERTAIN MID-LINK CHARGES ARE NOT APPLICABLE ON MEET POINT BILLED PRIVATE LINES THAT ARE LOCATED IN 3 OR MORE JURISDICTIONS.
WSC - UNRESOLVED WORKING SERVICE CONFLICT	INDICATES THAT AN UNRESOLVED WORKING SERVICE CONFLICT HAS BEEN IDENTIFIED AT A FACILITY ADDRESS.
WSPS - WINDOW SIZE & PACKET LEVEL SEQUENCING	INDICATES THE INCOMING & OUTGOING WINDOW SIZE AND PACKET LEVEL SEQUENCING FOR A PACKET SERVICE ON AN ISDN INTERFACE.
WTN - WIRELESS TELEPHONE NUMBER	IDENTIFIES THE WIRELESS TELEPHONE NUMBER.
WW - WORKING WITH	INDICATES THE ACCOUNT NUMBER ON WHICH A USOC ITEM PHYSICALLY WORKS WHEN THAT USOC ITEM ALSO WORKS ON THE ACCOUNT ON WHICH THE ORDER IS WRITTEN.

---

8.24 X

---

FID	Definition
XLU - ESS TRANSLATION INFORMATION-UNRETAINED	IDENTIFIES ESS TRANSLATION INFORMATION WHICH IS REQUIRED TO INSTALL SERVICE.
XPA - EXPRESS ADDRESS	INDICATES THE EXPRESS ADDRESS FOR THE COMMUNITY OF INTEREST FEATURE ASSOCIATED WITH A VOICE MESSAGING SERVICE.
XPOI - SPECIFIC POINT OF INTERFACE	INDICATES A SPECIFIC POINT OF INTERFACE FOR USE IN BUILDING LOCA OR LOCZ INFORMATION IN FACS/TIRKS.
XR - CKLT CROSS REFERENCE	INDICATES THE COMMON LANGUAGE LOCATION IDENTIFICATION (CLLI) OF A TELEPHONE COMPANY BRIDGING OR HUBBING WIRE CENTER OR THE NUMERIC IDENTIFIER ASSOCIATED WITH THE CKLT WHERE BRIDGING OR HUBBING EQUIPMENT IS LOCATED.
XVER - X.25 VERSION	INDICATES WHICH COITT X.25 VERSION IS SUPPORTED BY THE DATA TERMINAL EQUIPMENT AT THE CUSTOMER'S PREMISE.

---

## 8.25 Z

---

FID	Definition
Z1LN - 1 - LINE SET	USED TO DESIGNATE SMALL BUSINESS SERVICES PROMOTIONAL 1 LINE SET.
Z2LN - 2 - LINE SET	USED TO DESIGNATE SMALL BUSINESS SERVICES PROMOTIONAL 2 LINE SET.
Z3LN - 3 - LINE SET	USED TO DESIGNATE SMALL BUSINESS SERVICES PROMOTIONAL 3 LINE SET.
Z4LN - 4 - LINE SET	USED TO DESIGNATE SMALL BUSINESS SERVICES PROMOTIONAL 4 LINE SET.
ZABD - ARRIVE BY DATE	TO INDICATE THAT A CUSTOMER HAS REQUESTED AN ARRIVE BY DATE OUTSIDE OF THE NORMAL DELIVERY TIME FRAMES FOR EQUIPMENT ORDERED THROUGH THE GIFT SERVICE.
ZAC - CAM AUTHORIZATION CODE	TO ESTABLISH THE AUTHORIZATION CODE FOR CRIS BILLING AND TO ROUTE THE SERVICE ORDER TO OPERATOR SERVICES FOR THE ESTABLISHMENT OF CALL AUTHORIZATION MANAGEMENT.
ZADS - ADSI SET	USED TO DESIGNATE A SMALL BUSINESS PROMOTIONAL ADSI SET.
ZALI - CNM ALIAS PVC NAME	INDICATES THE ALIAS PVC NAME PROVIDED BY THE CUSTOMER
ZANS - ANSWER SUPERVISION	TO ASSIST PROVISIONING OF ANSWER SUPERVISION.
ZATN - WIRELESS LINE ACCESS NUMBER	TO PROPERLY PROVISION THE MEMORYCALL INTEGRATED WIRELESS SERVICE OFFERING.
ZBAC - BLOCK AUTOMATIC CUSTOMER NAME & ADDRESS	IDENTIFY LINE TO BE BLOCKED FROM CALLING AUTOMATIC CUSTOMER NAME AND ADDRESS SERVICE.

---

---

FID	Definition
ZBC - BUILDING LOCATION CODE-EQUIP CUSTODIAN	IDENTIFIES THE BUILDING LOCATION CODE ASSIGNED TO THE LOCATION WHERE OFFICIAL SERVICES EQUIPMENT IS PLACED.
ZBG - BROADBAND GATEWAY	INDICATES THE ADMINISTRATIVE NETWORK SERVICE PROVIDER FOR ADSL BROADBAND GATEWAY SERVICE.
ZBI - BASIC INELIGIBLE	INDICATES A CUSTOMER'S LINE THAT IS INELIGIBLE FOR THE WIRE MAINTENANCE PLAN.
ZBRM - BROCHURE MAILOUT	TO INDICATE THAT A BROCHURE FOR CERTAIN TYPES OF CPE EQUIPMENT IS TO BE MAILED TO THE CUSTOMER.
ZBTK - SMALL BUSINESS TRACKING INDICATOR	USED TO DESIGNATE SMALL BUSINESS SERVICES PROMOTION TRACKING INDICATOR.
ZBTN - ASSOCIATED MEMORYCALL/BELLSOUTH VOICE MA	TO IDENTIFY CUSTOMERS WITH CERTAIN NEW ADJUNCT MEMORYCALL/ BELLSOUTH VOICE MAIL FEATURES WHO ALREADY HAVE AN EXISTING MEMORYCALL/BELLSOUTH VOICE MAIL MAILBOX.
ZCCF - CALLING CARD FEATURES	IDENTIFIES FRONT AND BACK DESIGNS TO BE PRINTED ON A CUSTOMER'S CALLING CARD.
ZCCP - CREDIT CARD PURCHASE	PROVIDES CREDIT CARD INFORMATION FOR SCREEN PHONE SALES.
ZCCS - CENTREX CONTROL STANDARD	IDENTIFY AND DROP THE CENTREX CONTROL FEATURE USOCs THAT WILL NOT RETAIN ON CRIS RECORDS AFTER BELLSOUTH PROVISIONS.
ZCDE - PAGER CAP CODE	
ZCDI - CHANGE DESCRIPTIVE INFORMATION	INDICATES A CHANGE OF DESCRIPTIVE INFORMATION ASSOCIATED WITH SPECIFIC FIDS APPEARING ON THE HUNTING OR GROUPING LINE.

---

---

FID	Definition
ZCDL - CORDLESS SET	USED TO DESIGNATE SMALL BUSINESS SERVICES PROMOTIONAL CORDLESS SET.
ZCDT - CUSTOMIZED DIALING TARIFF	INDICATES A CHANGE OF DESCRIPTIVE INFORMATION ASSOCIATED WITH SPECIFIC FIDS APPEARING ON THE HUNTING OR GROUPING LINE.
ZCFF - CALL FORWARD FROM NUMBER	INDICATES THE 557 TELEPHONE NUMBER IN SOUTH CENTRAL BELL OR THE 780 TELEPHONE NUMBER IN SOUTHERN BELL FROM WHICH CALLS FROM CUSTOMERS ARE FORWARDED TO SERVICE CENTERS.
ZCGA - CLOSED USER GROUP AUTHORITY	IDENTIFIES THE CUG AUTHORITY WHEN ESTABLISHING, ADDING OR DELETING MEMBERS ON A CUG. THIS IS ESSENTIALLY A PIN NUMBER SELECTED BY THE OWNER OF THE CUG.
ZCID - CALLER ID SET	USED TO DESIGNATE SMALL BUSINESS SERVICES PROMOTIONAL CALLER ID SET.
ZCIN - CARRIER AUTHORIZATION NUMBER	
ZCKT - CIRCUIT NUMBER	
ZCLC - CENTRAL OFFICE LINE CHARGE	INDICATES APPLICABLE CENTRAL OFFICE LINE CHARGES.
ZCLR - PAGER COLOR	INDICATES THE COLOR OF THE PAGER
ZCMI - CALL MONITOR INDEX	
ZCNA - CNM OFFICIAL CUSTOMER NAME	OFFICIAL CUSTOMER NAME ASSIGNED BY DCSC
ZCNC - CHOKE NETWORK CROSS REFERENCE	IDENTIFIES CHOKE NETWORK CUSTOMER'S ACTUAL TELEPHONE NUMBER.

---



---

FID	Definition
ZCNU - CNM OFFICIAL CUSTOMER NAME	INDICATES THE OFFICIAL CUSTOMER NUMBER ASSIGNED BY DCSC
ZCNV - CONVERTED CIRCUIT	IDENTIFIES CIRCUITS CONVERTED TO NEW CLASS OF SERVICE.
ZCO - ENHANCED CALL ORGANIZER	ROUTE ORDER TO OPERATOR SERVICES
ZCOD - CODES RUN DATE	ZCOD IDENTIFIES THE INFORMATION RELATED TO CODES RECONCILIATION OF CRIS AND THE SWITCH.
ZCOL - COLLOCATION	TO IDENTIFY COLLOCATION OF CERTAIN SWITCHED ACCOUNTS SO THAT CHARGES CAN BE BILLED CORRECTLY. THESE CHARGES ARE IN SUPPORT OF ACCESS REFORM.
ZCOV - PAGER COVERAGE AREA	
ZCR - CALL RESCUE	POSITIVE REPORT TO SMS WHETHER A CUSTOMER HAS THE FLEXIBLE CALL FORWARDING FEATURE CALL RESCUE
ZCRA - CROSS REFERENCE ACCOUNTS	TO CROSS REFERENCE ACCOUNTS THAT ARE RELATED BUT USOCS CANNOT APPEAR ON THE SAME ACCOUNT.
ZCRE - CUSTOMER REQUEST NUMBER	CUSTOMER REQUEST NUMBER
ZCRN - CALL RESCUE NUMBER	REPRESENTS THE FLEXIBLE CALL FORWARDING CALL RESCUE NUMBER WHEN IT IS NOT A VOICE MAIL NUMBER
ZCRP - CALL RESCUE PAGER	INDICATES IF THE CALL RESCUE NUMBER IS A PAGER
ZCRT - CALL RESCUE TYPE	TO ADVISE SMS OF TYPE OF CALL RESCUE EITHER DIRECTORY NUMBER OR VOICE MAIL SERVICE.

---

---

<b>FID</b>	<b>Definition</b>
ZCT - CUSTOMER TYPE	REPRESENTS THE CUSTOMER'S TYPE OF SERVICE
ZCTN - BLS VOICE MAIL CALL TRANSFER NO. FEAT	BELLSOUTH VOICE MAIL CALL TRANSFER NO. FEATURE
ZCUI - CASUAL USAGE INDICATOR	INDICATES EXTENDED COMMUNICATION SERVICE CASUAL USAGE.
ZDAT - VIRTUAL NUMBER CALL DETAIL DATA	FID ZDAT IDENTIFIES WHETHER THE VIRTUAL NUMBER CALL DETAIL SUBSCRIBER ACCOUNT IS BASIC OR EXTENDED.
ZDB - DISCONTINUE BILLING	INDICATES THE BILLING INSTRUCTIONS TO STOP AN INSTALLMENT BILLING PLAN WITH A SPECIFIC USOC.
ZDCA - DISCONNECT CHARGE APPLIES	TO BILL DISCONNECT CHARGES ON VARIOUS PRODUCT/SERVICES BASED ON THE LOUISIANA TARIFF.
ZDCC - DAVIS CASE CREDIT	TO INDICATE THAT THE CUSTOMER HAS SELECTED THE OPTION C CREDIT AND IF THE CUSTOMER ELECTS TO KEEP OR TO CANCEL THEIR INSIDE WIRING PLAN AND THE COMPLETION DATE OF THE ORDER. CRIS WILL USE THIS FID TO GENERATE THE CREDIT APPLICABLE FOR OPTION C.
ZDCQ - DAVIS CASE REQUALIFICATION CREDIT	DAVIS CASE REQUALIFICATION CREDIT.
ZDCR - CREDIT RATCHETING	ZDCR PROVIDED ON SERVICE ORDERS WHEN A RATCHET FACTOR IS TO BE APPLIED TO NON RECURRING AND FRACTIONAL RECURRING OC&C'S.
ZDL - ADSL LMOS INDICATOR	TO PROVIDE AN ADSL INDICATOR FOR LMOS ON FIBER ADSL SERVICES.
ZDLC - DIGITAL LOOP CARRIER OVERLAY	TO IDENTIFY DIGITAL LOOP CARRIER OVERLAY LNP SITUATION.

---

---

FID	Definition
ZDML - SMALL BUSINESS DIRECT MAIL	USED TO DESIGNATE SMALL BUSINESS SERVICES PROMOTIONS DIRECT MAIL.
ZDRG - DISREGARD	FID TO FLOAT BEHIND USOC THAT EDIT SHOULD NOT APPLY TO.
ZDSL - DIGITAL SUBSCRIBER LOOP IDENTIFICATION	ZDSL WILL PROVIDE ADSL CIRCUIT IDENTIFICATION INFORMATION ON EXISTING CATEGORY D USOC.
ZDSN - DISCOUNTED RATE NON-RECURRING CHARGE	IDENTIFIES THE NON-RECURRING RATE OF SERVICE WHEN A RATE OTHER THAN A TARIFFED RATE IS BEING CHARGED.
ZDSR - DISCOUNTED RATE RECURRING CHARGE	IDENTIFIES THE NON-RECURRING RATE OF SERVICE WHEN A RATE OTHER THAN A TARIFFED RATE IS BEING CHARGED.
ZDTM - DATE AND TIME STAMP	INDICATES THAT A MEMORYCALL BUSINESS CUSTOMER DESIRES TO HAVE A DATE/TIME STAMP INITIATED ON A GIVEN MAILBOX. PRESENCE OF THE FID ON A MEMORYCALL USOC LOGICAL LINE WILL INDICATE THAT THE DATE/TIME STAMP SHOULD BE TURNED ON FOR A PARTICULAR MAILBOX.
ZEAN - EQUAL ACCESS NUMBER	INDICATES THE SERIAL NUMBER TO BE USED BY THE EQUAL ACCESS SYSTEM TO RELATE ORDER ACTIVITY TO A FOLLOW-UP FILE WITHIN THE SYSTEM.
ZELV - EXEMPT LOCAL VALUE CALLING	INDICATES EXEMPTION FROM LOCAL VALUE CALLING ON PUBLIC ACCOUNTS.
ZERL - EMERGENCY REPORTING LINE	IDENTIFIES A LINE THAT IS BRIDGED TO AN EMERGENCY ALERTING SYSTEM.
ZETS - EQUIPMENT TRACKING SYSTEM	
ZETV - EDUCATIONAL TV	USED BY REVENUE ACCOUNTING AS PART OF THE IDENTIFYING NUMBER OF A USOC.

---

---

FID	Definition
ZFAX - ZFAX - MEMORYCALL FAX SERVICE	FOR USE WITH INTEGRATED FAX SERVICE FOR THE PURPOSE OF POINTING A SURROGATE CLIENT NUMBER TO THE INTERGRATED VOICE FAX MAILBOX.
ZFIX - CRIS HOLD FILE FID	USED BY RAOS FLOATED AFTER A USOC IN THE S&E SECTION TO CORRECT SERVICE ORDER/DATABASE MISMATCH ERRORS.
ZFMB - FAX MAILBOX TELEPHONE NUMBER	USED TO DESIGNATE THE FAX MAILBOX TELEPHONE NUMBER OF THE CUSTOMER.
ZFRF - FRAME RELAY/ATM INTERWORKING	ZFRF WILL INDICATE IF THE FRAME RELAY DLCI OR ATM PVC IS A FRF.5 OR A FRF.8 VIRTUAL CONNECTION.
ZFTA - FIELD TURN AROUND	IDENTIFIES PUBLIC SERVICE ENCLOSURES THAT ARE TO BE USED AS MAINTENANCE OR RE-INSTALLED INSTEAD OF RETURNING THEM TO THE REFURBISHMENT CENTER.
ZGMR - GRANDFATHERED MANUALLY RATE	IDENTIFIES USOCs THAT ARE GRANDFATHERED IN ORDER FOR CRIS TO RATE AND TRACK.
ZGS - GIFT SERVICE	INDICATES THAT A FEATURE HAS BEEN GIVEN AS GIFT SERVICE ON A CUSTOMER'S ACCOUNT FOR A SPECIFIED NUMBER OF MONTHS.
ZGSC - GIFT SERVICE CONTINUOUS	TO INDICATE THAT A FEATURE HAS BEEN GIVEN AS GIFT SERVICE ON A CUSTOMER'S ACCOUNT ON A CONTINUING BASIS.
ZGSE - GIFT SERVICE EQUIPMENT ORDER	USED TO INDICATE THAT GIFT SERVICE EQUIPMENT ORDERS UTILIZING A DIFFERENT "SHIP TO" ADDRESS WILL RECEIVE A SPECIAL TERMS AND CONDITIONS STATEMENT.
ZGWE - GIFT WRAP EQUIPMENT	TO INDICATE THAT EQUIPMENT ORDERED THROUGH THE "GIFT SERVICE" PROGRAM IS TO BE GIFT WRAPPED RATHER THAN BEING SHIPPED PLAIN.

---

---

FID	Definition
ZHMR - HOLD MECHANIZED RATCHETING	PREVENTS MECHANIZED RATCHETING ON A CHANNELIZED HI-CAP.
ZHPK - SOSLUTION IN A BOX - HOME OFFICE PACK	THIS FID WILL BE USED TO IDENTIFY AND TRACK THE SALE OF ADDITIONAL LINES AND VERTICAL SERVICES THAT ARE SOLD THROUGH SOLUTION IN A BOX HOME OFFICE PACK OFFERING.
ZIBC - INTEGRATED BUSINESS CONNECTIONS	IDENTIFICATION OF IBC CONTRACT (S&E)
ZIC - INSTALLMENT CREDIT - VISUAL DIRECTOR	TO BILL VISUAL DIRECTOR AT THE TARIFFED RATE AND PROVIDE A CREDIT EQUAL TO THE TARIFF RATE FOR CALL FORWARD BUSY LINE, CALL FORWARD DON'T ANSWER AND MESSAGE WAITING.
ZIDN - SMALL BUSINESS ISDN PROMOTION	USED TO DESIGNATE SMALL BUSINESS SERVICES OPENING LINES PROMOTION.
ZILP - IDLE LINE PROBE	INDICATES THE TIMER SETTINGS SELECTED TO TRIGGER A PROBE ON AN IDLE X.25 OR X.75 PULSELINK ACCESS LINE. FAILURE OF AN END USER TERMINAL TO RESPOND TO THE PROBE WILL RESULT IN THE NETWORK TERMINATING THE CONNECTION.
ZINT - INTERCOM	INDICATES INTERCOM DIALING CODE NUMBERS ASSOCIATED WITH A PRESTIGE COMMUNICATIONS PACKAGE.
ZIRN - INTRAC NUMBER	INDICATES THE INTRAC TN ON AN INTRAC ORDER.
ZIXB - CROSS BOUNDARY ORDER	IDENTIFIES AN ORDER AS A CROSS BOUNDARY ORDER.
ZLA - LETTER OF AGENCY	TO INDICATE LETTER OF AGENCY ON FILE FOR THIRD PARTY VERIFICATION.

---

---

<b>FID</b>	<b>Definition</b>
ZLAT - LATA FOR BRANDING	INDICATES LOCATIONS WHERE CLEC BRANDING HAS BEEN LOADED.
ZLCP - LOCAL CALLING PLUS	IDENTIFIES CUSTOMERS WHO HAVE THE LOCAL CALLING PLUS PLAN TO BILL AND TRACK REVENUES.
ZLF - LIST OF FEATURES	INDICATES THE OPTIONAL FEATURES ACTIVATED FOR THE COMMON GROUP.
ZLIG - LMOS IGNORE ORDER	INDICATES THAT A SPECIFIED USOC LOGICAL LINE WILL BE IGNORED BY LMOS.
ZLL - LOCATION LIFE	INDICATES THAT AN ACCOUNT IS TO BE TRACKED DURING A GET AQUAINTED OFFER.
ZLLU - LIFELINE CUSTOMER	IDENTIFIES LIFELINE CUSTOMER.
ZLM - LAND TO MOBILE OPTION	INDICATES THE CARRIER HAS SELECTED THE LAND TO MOBILE OPTION.
ZLNE - SMALL BUSINESS LINE INDICATOR	TO USE AS AN INDICATOR FOR TRACKING PURPOSES - USED TO IDENTIFY LINE USOCs.
ZLNT - LOCAL AREA NETWORK NAME TRANSLATIONS	INDICATES SYSTEM NAME TRANSLATIONS FOR LOCAL AREA NETWORK.
ZLPK - SOLUTION IN A BOX - LEARNING LINE PACK	THIS FID WILL BE USED TO IDENTIFY AND TRACK THE SALE OF ADDITIONAL LINES AND VERTICAL SERVICES THAT ARE SOLD THROUGH SOLUTIONS IN A BOX LEARNING LINE PACK OFFERING
ZLSO - OUTWARD LSO	INDICATES THE MISSING LSO DATA ON AN OUTWARD ACTION CODED USOC LOGICAL LINE.
ZLT - LAND TO MOBILE OPTION TWO	TO ALLOW CRIS TO PROPERLY RATE AND ROUND THE USAGE FOR LAND TO MOBILE OPTION TWO.
ZLTD - LIFELINE TRANSITIONAL DISCOUNT-FLORIDA O	LIFELINE TRANSITIONAL DISCOUNT-FLORIDA ONLY

---

---

FID	Definition
ZMDL - MULTICAST PVC GROUP DATA LINE ID	IDENTIFICATION OF THE MULTICAST PVC GROUP
ZMIL - MANAGED SHARED NETWORK SERVICES (MSNS)	
ZMLA - MULTI-LINE ADDITIVE SURCHARGE	ESTABLISH A SURCHARGE TO FLORIDA MULTI-LINE BUSINESS CUSTOMERS.
ZMLG - MULTILINE NON-HUNT GROUP	INDICATES A MULTILINE NON-HUNT GROUP IN THE 1A SWITCH FOR ESSX.
ZMLM - MULTI-LINE MAILBOX	TO DESIGNATE A SECOND TELEPHONE NUMBER POINTING TO A MEMORYCALL MAILBOX.
ZMPA - MEET POINT ACCOUNT	INDICATES ACCOUNTS THAT ARE CMRS (COMMERCIAL MOBILE RADIO SERVICES) MEET POINT BILLED AND THAT THE ASSOCIATED USAGE IS BILLED IN THE CARRIER ACCES BILLING SYSTEM (CABS).
ZMPE - MEET POINT EXCEPTION	TO IDENTIFY SMARTRING ORDERS WHERE WE ARE JOINTLY PROVIDING SERVICE WITH AN INDEPENDENT COMPANY AND THE CUSTOMER WANTS A UNIQUE BILLING OPTION.
ZNB - NON-BASIC CUSTOMER	IDENTIFIES CUSTOMERS THAT FALL INTO THE NON-BASIC CATEGORY AS DEFINED IN THE DETARIFFED INSIDE WIRE PROCEDURES.
ZNEA - NO EXCHANGE ACCESS	INDICATES THAT THE ORDER SHOULD NOT BE SWITCHED TO THE LAC OR FACS LAC FOR ASSIGNMENTS AT THE CKL ADDRESS. IF ASSIGNMENTS ARE REQUIRED, THEY WILL BE HANDLED BY THE CPC RATHER THAN THE LAC.
ZNED - NON-EQUAL ACCESS 800/900 TRAFFIC/D TRUNK	INDICATES THAT THE NON-EQUAL ACCESS END OFFICE IS ROUTING 800/900 TRAFFIC OVER A D TRUNK AND SHOULD BE PREMIUM RATED.

---

---

FID	Definition
ZNHC - NOT HIGH CAPACITY BILLING	INDICATES THAT CFA INFORMATION HAS BEEN INCLUDED ON AN ORDER TO PROVIDE DATA PASSED BY THE CARRIER FOR CONNECTION TO FIBER FACILITIES THAT THE CARRIER MUST MAINTAIN CONNECTING ARRANGEMENTS FOR. THESE FACILITIES ARE NOT PART OF A HIGH CAPACITY BILLING ACCOUNT AND NO REDUCTION OF RATES WILL BE REQUIRED WHEN SWITCHED ACCESS IS CONNECTED TO THE PIPE.
ZNM - E911 NAME	INDICATES THE NAME OF THE CUSTOMER AT A LOCATION
ZOA0 - OTHER ACCOUNTING OFFICE	
ZOBC - OPEN BILLING CARRIER	INDICATES THE EFFECTIVE OPEN BILLING CARRIER DATE.
ZOCN - OPERATING COMPANY NUMBER	TO IDENTIFY THE OPERATING COMPANY NUMBER OF A CLEC
ZOCS - CLASS OF SERVICE CHANGE	ENABLES CORRECTIONS TO BE MADE TO THE EQUIPMENT MASTER FILE UNDER THE OLD CLASS OF SERVICE.
ZOFD - OUT OF FRANCHISE DISCOUNT	
ZOPN - SMALL BUSINESS OPENING LINES	USED TO DESIGNATE SMALL BUSINESS SERVICES OPENING LINES PROMOTION.
ZOPT - CUSTOMER OPTION WIRE MAINTENANCE	INDICATES BASIC RESIDENCE OR BUSINESS CUSTOMERS WHO DID NOT RESPOND TO THE WIRE MAINTENANCE RESOLICITATION MAILOUT.
ZPED - PRESUBSCRIPTION DATE	INDICATES THE PRESUBSCRIPTION EFFECTIVE DATE.

---



---

FID	Definition
ZPFN - PRIMARY FAX NUMBER	TO DESIGNATE THE PRIMARY FAX NUMBER THAT APPLIES TO FAX OVERFLOW SERVICE
ZPGR - PAGER NUMBER	INDICATES WHICH PAGER PLAN, SHIPPING CHARGE OR OTHER ITEM IS ASSOCIATED WITH A PARTICULAR PAGER.
ZPIC - MEGALINK ISDN PREDESIG INTEXCH CAR IND	CRIS WILL USE THE FID TO IDENTIFY THE PIC AND BILL THE PIC CHANGE CHARGE ON MEGALINK ISDN SERVICE.
ZPIN - PAGER PIN NUMBER	PAGER PIN NUMBER
ZPRD - SMALL BUSINESS PRODUCT/SERVICE INDICATOR	TO USE AS AN INDICATOR FOR TRACKING PRODUCT/SERVICES.
ZPS - PARTIAL SALES	INDICATES THAT SALES CREDIT IS TO BE SPLIT BETWEEN SALES PERSONNEL. DATA FOLLOWING THE FID IDENTIFIES THE CUSTOM CALLING SERVICE(S) SOLD.
ZPTN - PAGING TELEPHONE NUMBER	INDICATES THE PAGING TELEPHONE NUMBER ASSIGNED TO A PAGER.
ZPWS - PASSWORD SUPPRESSION	TO PROVISION THE MEMORYCALL INTEGRATED WIRELESS SERVICE OFFERING.
ZRAT - RATCHETING	ZRAT SURPRESSES RATCHETING.
ZRBA - RELATED BILLING ACCOUNT	INDICATES THE RELATED BILLING ACCOUNT IN CRIS WHERE OTHER CHARGES ASSOCIATED WITH THIS SERVICE MAY BE BILLED BY THE ALTERNATE BILLING SYSTEM.
ZRCI - RESELLER CONTACT INFORMATION	IDENTIFIES THE RESELLER NAME, CONTACT NAME AND CONTACT NUMBER ON ORDERS ISSUED BY BST FOR END USERS OF RESELLERS.
ZRDL - RELATED DATA LINK CONNECTION ID	ZRDL WILL IDENTIFY THE RELATED FRAME RELAY DLCI ON ATM ORDERS WITH FRF.5 SERVICE.

---

---

FID	Definition
ZRREN - TERM AGREEMENT RENEWAL	TO INDICATE RENEWAL OF A TERM AGREEMENT AND THAT THE 90 DAY GRACE PERIOD IS NOT APPLICABLE TO CUSTOMER IF HE CANCELS AGREEMENT.
ZRMV - REMOVE FID	INDICATES TO DOWNSTREAM SYSTEMS THAT THE FID(S) IDENTIFIED BY THE DATA CODE SETS ASSOCIATED WITH THIS FID SHOULD BE STRIPPED FROM THE LOGICAL LINE.
ZRPA - REGULAR PRIVATE OPERATOR AGENCY	INDICATES CUSTOMER PRESELECTION OF A REGISTERED PRIVATE OPERATION AGENCY (RPOA) WHO PROVIDES THE TRANSIT NETWORK FOR X.75 AND X.25 ACCESS GATEWAYS TO OTHER INTERLATA/ INTERSTATE PACKET NETWORKS OR VALUE ADDED NETWORKS. A REGISTERED PRIVATE OPERATING AGENCY WILL PRIMARILY BE AN INTEREXCHANGE CARRIER
ZRSN - CPE RETURN REASONS	TO IDENTIFY ACCOUNTS THAT HAVE CPE THAT IS BEING RESHIPED, REPLACED OR RETURNED.
ZRTN - RINGMASTER NUM. ASSOC. WITH BELLSOUTH VM	WILL IDENTIFY THE RINGMASTER NUMBER ASSOCIATED WITH BELLSOUTH VOICE MAIL.
ZRZN - UNBUNDLED RATE ZONE	TO IDENTIFY UNBUNDLED RATE ZONE.
ZSAG - DISALLOW SAG EDITS	INDICATES THE USE OF AN UNUSUAL OR INDEFINITE ADDRESS FOLLOWING A DPA, SLA OR CKL ENTRY. IT EXEMPTS THE ADDRESS FROM SAG VALIDATION AND ALLOWS THE LAC TO RECOGNIZE AN ORDER REQUIRING MANUAL ASSIGNMENT HANDLING IN FACS.
ZSB - SPLIT BILL	IDENTIFIES THE TYPE SPLIT BILL ACCOUNT ON CUSTOMER RECORD.

---

---

FID	Definition
ZSBT - SPECIAL BILLING TELEPHONE NUMBER	INDICATES A CUSTOMER HAS SEVERAL 800 WATS LINES IN A HUNTING GROUP BUT REQUIRES LINE BY LINE USAGE RECORDING OR MULTIPLE DIALABLE NUMBERS IN 1 AND 1A ESS OFFICES.
ZSCC - SCB INSIDE WIRE CREDIT	CRIS WILL GENERATE THE APPLICABLE CREDIT FROM THIS ZSCC FID FOR INSIDE WIRE.
ZSCN - SPECIAL ASSEMBLY CONTRACT NUMBER	INDICATES THE CONTRACT NUMBER OF A CONTRACT UNDER SPECIAL ASSEMBLY.
ZSER - SERIAL NUMBER	TO AID SERVICE ORDER GENERATION SYSTEM IN SPEEDIER RETRIEVAL OF SPECIFIC USOCS
ZSG - NOT SMARTGATE	INDICATES THAT A SWITCHED ACCESS DS1 IS PART OF SMARTGATE SERVING AGREEMENT.
ZSIP - SETTLEMENT INTERCONNECTION PERCENTAGE	TO SUPPORT THE SETTLEMENT PROCESS ASSOCIATED WITH JOINTLY PROVIDED CIRCUITS.
ZSN - SENDER NAME	
ZSP1 - SPECIAL PROMOTION ONE	USED TO DESIGNATE SMALL BUSINESS SERVICES SPECIAL PROMOTION ONE.
ZSP2 - SPECIAL PROMOTION TWO	USED TO DESIGNATE SMALL BUSINESS SERVICES SPECIAL PROMOTION TWO.
ZSPC - SERVICE ENHANCEMENT CODE	PROVIDE METHOD OF IDENTIFYING TYPE OF SERVICE, CONFIGURATION, CAPACITY AND SPECIAL FEATURES.
ZSRC - SELECTIVE ROUTING CODE	TO MAP THE CORRECT LINE CLASS CODE WHEN SELECTIVE ROUTING IS REQUESTED BY AN OLEC.
ZSRF - S&E REFUND (INTEREST)	
ZSTB - CUSTOM CALL ROUTER STARBACK	USED TO DETERMINE STARBACK CAPABILITY ON MEMORYCALL CUSTOM CALL ROUTER.

---

---

FID	Definition
ZSTY - USAGE STUDY PROCESSING	USED BY CRIS TO GENERATE REPORTS FOR USAGE STUDIES.
ZSUF - SET USE FEE	INDICATES SUBSCRIBER HAS SET USE FEE.
ZSVC - SERVICE CITY	INDICATES THE PAGING CUSTOMERS HOME SERVICE CITY.
ZSWP - TELEPHONE NUMBER SWAP	INDICATES THAT A TELEPHONE NUMBER HAS BEEN SWAPPED WITH ANOTHER NUMBER ON AN ESSX SYSTEM EQUIPPED WITH CUSTOMER STATION REARRANGEMENT.
ZTBO - TERMINATING BILLING OPTION FOR DCO	CREATES AUTOMATIC MESSAGE ACCOUNTING (AMA) RECORD WHEN A CALL TERMINATES ON THE LINE.
ZTC - TRANSFER CREDIT	TO DESIGNATE A TRANSFERRED CREDIT.
ZTCO - TELCO CENTRAL OFFICE	ZTCO WILL BE USED TO IDENTIFY TELCO CENTRAL OFFICE CIRCUIT LOCATIONS.
ZTEC - TANDEM COMPANY PROVIDER COMPANY CODE	INDICATES THE FOUR CHARACTER NUMERIC COMPANY CODE OF TANDEM SERVICE PROVIDER. PRESENCE OF THIS FID ADVISES THAT TSP IS AUTHORIZED TO SEND BELLSOUTH TAPES TO BILL TERMINATING USAGE.
ZTER - INTERLATA CARRIER	IDENTIFIES THE INTERLATA CARRIER CHOICE FOR ADVANCED INTELLIGENT NETWORK (AIN) SERVICES
ZTNA - ZTNA - TEL NUM FOR SECONDARY ADDRESSES	LIST ALL TELEPHONE NUMBERS FOR SECONDARY ADDRESSES ON ADDRESS CORRECTIONS FOR E911 SYSTEM TO UPDATE THEIR RECORDS.
ZTPK - SOLUTION IN A BOX - TEEN PACK	IDENTIFIES AND TRACKS THE SALE OF ADDITIONAL LINES AND VERTICAL SERVICES THAT ARE SOLD THROUGH SOLUTIONS IN A BOX TEEN PACK OFFERING.

---

---

FID	Definition
ZTRA - INTRALATA CARRIER	IDENTIFIES THE INTRALATA CARRIER CHOICE FOR ADVANCED INTELLIGENT NETWORK (AIN) SERVICES
ZTRL - TRIAL TRACKING	IDENTIFIES SPECIFIC ACCOUNTS FOR PROMOTIONAL TRIAL TRACKING.
ZTTP - CUSTOM CALL ROUTER TRANSFER TO TELEPHONE	FOR CUSTOM CALL ROUTER TRANSFER TO TELEPHONE DESTINATION FOR A MAILBOX MEMBER OF THE CCR TREE.
ZTV - THIRD PARTY VERIFICATION	TO INDICATE THIRD PARTY VERIFICATION.
ZTXT - WIRELESS TEXT MESSAGING	
ZUDA - USER DEFINED PROFILE/AT&T	
ZUDN - USER DEFINED PROFILE	INDICATES THE USER DEFINED PROFILE OPTIONS AVAILABLE FOR ASYNCHRONOUS ACCESS LINES IN PULSELINK TO SUPPORT THE NORTHERN TELECOM NETWORK.
ZULM - UNBUNDLED LOOP MAKE-UP	INDICATES THAT A DLEC/CLEC HAS PAID FOR LOOP MODIFICATION ON AN END USER'S LINE WHERE BELLSOUTH PROVIDES VOICE SERVICE.
ZUNE - UNE ACCOUNT-ORDER PROC AS RESELLER	TO MARK ACCOUNTS PUT IN AS RESALE WHERE UNBUNDLED PORT/LOOP COMBO IS WHAT WAS REQUESTED BY AN OLEC.
ZUTN - USAGE TELEPHONE NUMBER	INDICATES THE BILLING TELEPHONE NUMBER FOR USAGE RELATED TO EXTENDED COMMUNICATIONS SERVICE.
ZV - VINTAGE	INDICATES WHICH VINTAGE TARIFF RATES ARE APPLICABLE.
ZVI - VARIANCE IDENTIFIER (S&E)	INDICATED THE TYPE OF APPROVED CAP VARIANCE THAT APPLIES TO THE LINE ASSIGNABLE USOC.

---

---

FID	Definition
ZVMA - VOICE MAIL ACCESS NUMBER	REPRESENTS THE NUMBER THE CUSTOMER DIALS TO ACCESS VOICE MAIL SERVICE
ZVMN - VOICE MAILBOX NUMBER	REPRESENTS THE CUSTOMER'S VOICE MAILBOX NUMBER
ZVNN - VOICE NOTIFICATION NUMBER	TO DESIGNATE THE OPTIONAL VOICE NOTIFICATION NUMBER THAT MAY APPLY TO BUSINESS INTEGRATED FAX SERVICE.
ZVTN - VIRTUAL TELEPHONE NUMBER	TO IDENTIFY THE VIRTUAL TELEPHONE NUMBER OF THE BUSINESS INTERCEPT SERVICE CUSTOMER.
ZWTN - WIRELESS TELEPHONE NUMBER	TO PROPERLY PROVISION THE MEMORYCALL/BELLSOUTH VOICE MAIL INTEGRATED WIRELESS SERVICE OFFERING.
ZXTG - EXEMPT TOLL GUIDE	INDICATES TO CRIS LINE NUMBERS THAT DO NOT BELONG TO A SCOPE OF NUMBERS. THIS ELIMINATES TOLL GUIDES FROM BEING BUILT AND ENSURES PROPER TOLL AND MESSAGE PROCESSING.
ZZ - CONVERSION	USED IN CONVERSIONS BY SOCS TO CHANGE A 2-CHARACTER FID TO A BOGUS FID IN ORDER TO ELIMINATE MANUAL FLAGS.
ZZZ - CONVERSION	USED IN CONVERSIONS BY SOCS TO CHANGE A 3-CHARACTER FID TO A BOGUS FID IN ORDER TO ELIMINATE MANUAL FLAGS.
ZZZZ - CONVERSION	USED IN CONVERSIONS BY SOCS TO CHANGE A 4-CHARACTER FID TO A BOGUS FID IN ORDER TO ELIMINATE MANUAL FLAGS.

---

## 9. STAT

### 9.1 D

---

FID	Definition
DPN - DROPS INSTALLED-NEW	INDICATES THE NUMBER OF NEW DROPS INSTALLED AT EACH FAICLITY ADDRESS PER SERVICE ORDER.

---

### 9.2 H

---

FID	Definition
HRS - HOURS	INDICATES THE AMOUNT OF BILLABLE TIME SPENT COMPLETING PREMISES WORK.

---

### 9.3 L

---

FID	Definition
LIF - LEFT-IN BY FIELD FORCES	INDICATES THE TOTAL NUMBER OF ACCOUNTABLE EQUIPMENT LEFT-IN ON AN OUTWARD ORDER TYPE.

---

### 9.4 N

---

FID	Definition
NFE - NETWORK FACILITIES EXISTING	

---

### 9.5 O

---

FID	Definition	Page 207
OCB - ORDER COMPLETED BY	INDICATES THAT THE SERVICE ORDER WAS COMPLETED BY A FIELD AND/OR A PREMISE	

---

9.8 Z

---

FID	Definition
ZCLC - CENTRAL OFFICE LINE CHARGE	INDICATES APPLICABLE CENTRAL OFFICE LINE CHARGES.
ZLPA - EXTENDED LINE POWER AMPLIFIER	INDICATES TO TRACK EQUIPMENT ON LINE FOR ELDS.
ZPER - PERMIT FOR INSIDE WIRE	INDICATES A PERMIT FOR INSIDE WIRE IS NEEDED.
ZST - START TIME	INDICATES THE TIME THAT AN INSTALLER BEGAN WORK ON THE SERVICE ORDER. THIS INFORMATION IS USED TO DETERMINE IF THE APPOINTMENT TIME NEGOTIATED WITH THE CUSTOMER WAS MET FOR THE FLORIDA PSC REPORT.

---



## 10. TFC

### 10.1 S

---

FID	Definition
SIA - SPECIAL INTERCEPT ACTION	INDICATES THE 800 NUMBER AND THE CORRESPONDING "PSEUDO" TELEPHONE NUMBER FOR INTERCEPT PURPOSES.

---

### 10.2 T

---

FID	Definition
TC - TRANSFER CALLS	INDICATES THE NUMBER TO WHICH THE CALLS TO AN INTERCEPTED NUMBER ARE BEING REFERRED.
TCP - TRANSFER CALLS-SPECIFIC PERIOD	INDICATES THE DATE THAT A SPECIFIC INTERCEPT REPORT IS TO BE DISCONTINUED.
TCS - TRANSFER CALLS-SPLIT INTERCEPT	IDENTIFIES THE INTERCEPT REFERRAL NUMBERS AND NAMES WHEN INTERCEPT INSTRUCTIONS INVOLVE TWO OR MORE NAMES.

---