
BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

Carrier Notification**SN91082639**

Date: October 9, 2001

To: Competitive Local Exchange Carriers (CLECs)

Subject: CLECs – Update of the BellSouth Business Rules for Local Ordering (BBR-LO), Issue 9R

This is to advise that the BBR-LO, Issue 9R, is scheduled to be posted to the BellSouth Interconnection Services' Web site on November 9, 2001. This BBR-LO update will affect documentation as well as manual and electronic order processing that may impact CLEC operations.

Effective with this update, the BBR-LO will be separated into two 'books'. The first book will include General Local Ordering Information and the R/C/O/ Tables. The second book will include Data Element Dictionary and Appendices (Appendix A & B). The Preface and Introduction sections will be duplicated. The Revision/History section will encompass only the changes associated with that book.

See the attachment for changes scheduled to become effective on November 9, 2001, for Issue 9R.

A summary of all changes within this document will be listed in the '**Revision History**' Section. This update can be found at the BellSouth Interconnection Services' Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/index.html>

Please contact your BellSouth account team representative with any questions.

Sincerely,

ORIGINAL SIGNED BY MATEO CAYMOL FOR JIM BRINKLEY

Jim Brinkley – Senior Director
BellSouth Interconnection Services

Attachment

| BELLSOUTH® BUSINESS RULES FOR LOCAL ORDERING Issue 9R | | | | | | |
|--|--------------------------|--|-------------------------|--------------------|--------------|--|
| Posting Date 11/09/2001 / Effective Date 11/09/2001* | | | | | | |
| INTRODUCTION Section | | | | | | |
| * Unless change is 'Release indicated' -then effective with Release implementation date | | | | | | |
| CHANGE # | RELEASE affecting | CHAPTER | SECTION | SUB-SECTION | TABLE | DESCRIPTION |
| 2903 | N/A | General Local Service Ordering Information | Flow-Through Parameters | - | - | Add LNA of C to the planned manual fallout table for REQTYP A SL1 on ACT of C. |
| 2906 | N/A | General Local Service Ordering Information | Telephone Number Aging | - | - | Add new section on 'Telephone Number Aging'. |

| BELLSOUTH® BUSINESS RULES FOR LOCAL ORDERING Issue 9R | | | | | | |
|--|--------------------------|---------------|--------------------|---|---------------|--------------------|
| Posting Date 11/09/2001 / Effective Date 11/09/2001* | | | | | | |
| REQTYPs SERVICE REQUEST MATRIXs | | | | | | |
| * Unless change is 'Release indicated' -then effective with Release implementation date | | | | | | |
| CHANGE # | RELEASE affecting | REQTYP | SECTION | TABLE | COLUMN | DESCRIPTION |
| 2664 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP E / ACT N, C, D, V, and W (ATM) | Conditional | Added PROJECT. |
| 2664 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP E / ACT N, C, D, V, and W (ATM) | Optional | Removed PROJECT. |
| 2664 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP E / ACT N, C, D, V, and W (NMLI) | Conditional | Added PROJECT. |
| 2664 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP E / ACT N, | Optional | Removed PROJECT. |

**Attachment
SN91082639**

| | | | | | | |
|----------------------|------|-------------|-------------------------------|--|-------------|--|
| | | | | C, D, V, and W (NMLI) | | |
| 2690 | N/A | REQTYP F | Completing the PS Form/Screen | ACT-LNA table | If ACT is: | Added ACT of 'T' row. If ACT is 'T', Then LNA is N, And PS form/screen is: Required. |
| 2754 CCP- 0441 | 10.3 | REQTYP A | - | - | - | Changing name of 'Line Splitting' to [HFS - Unbundled (CO Based)] Line Splitting. |
| 2754 CCP- 0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT N [HFS - Unbundled (CO Based)] Line Splitting | Required | Removed AN, BAN1, REMARKS, ('FRN' with RESID). |
| 2754 CCP- 0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT N [HFS - Unbundled (CO Based)] Line Splitting | Optional | Removed IMPCON-PAGER. Added REMARKS. Added DFDT. |
| 2754 CCP- 0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | EU - REQTYP A / ACT N [HFS - Unbundled (CO Based)] Line Splitting | Required | Removed AN, EU-STATE, EU-ZIP CODE. Added ATN(m). |
| 2754 CCP- 0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | EU - REQTYP A / ACT N [HFS - Unbundled (CO Based)] Line Splitting | Conditional | Removed SASF, SASD, SATH, SANO or SADLO, SASN, SASS. |
| 2754 CCP- 0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT C | Required | Removed AN, BAN1, LSP AUTH, LSP AUTHDATE, LSP AUTHNAME, |

**Attachment
SN91082639**

| | | | | | | |
|----------------------|------|-------------|--------------------------|--|-----------|---|
| | | | | [HFS – Unbundled (CO Based)] Line Splitting | | REMARKS and ('FRN' with RESID). |
| 2754 CCP- 0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT C [HFS – Unbundled (CO Based)] Line Splitting | Optional | Removed IMPCON-PAGER. Added REMARKS, RORD(m). Added DFDT. |
| 2754 CCP- 0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | EU - REQTYP A / ACT C [HFS – Unbundled (CO Based)] Line Splitting | Required | Removed AN. Added ATN(m). |
| 2754 CCP- 0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT D [HFS – Unbundled (CO Based)] Line Splitting | Required | Removed AN, BAN1, LSP AUTH, LSP AUTHDATE, LSP AUTHNAME, REMARKS. Added ATN. Added NCI and SECNCI. |
| 2754 CCP- 0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT D [HFS – Unbundled (CO Based)] Line Splitting | Optional | Removed IMPCON-PAGER. Added REMARKS. Added DFDT. |
| 2754 CCP- 0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | EU - [HFS – Unbundled (CO Based)] Line Splitting | Required | Removed AN. Added ATN(m). |
| 2754 | 10.3 | REQTYP | REQTYP | LSR - | Required, | Added ACT V, P, and Q |

**Attachment
SN91082639**

| | | | | | | |
|---------------|------|----------|---|---|-----------------------|---|
| CCP-0441 | | A | / ACT Combo | REQTYP A / ACT V, P, and Q [HFS – Unbundled (CO Based)] | Conditional, Optional | (R/C/O) tables. |
| 2754 CCP-0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | LNA = N | Required | Removed AN. Added '(e)' SLTN=NPA-NXX-LINE. Added '(m)' LEAN=SLTN, LEATN. Added ATN(m). |
| 2754 CCP-0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | LNA = C | Required | Removed AN, ECCKT. Added '(e)' SLTN=NPA-NXX-LINE. Added '(m)' LEAN=SLTN, LEATN. Added ATN(m). |
| 2754 CCP-0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | LNA = D | Required | Removed AN, ECCKT. Added '(e)' SLTN=NPA-NXX-LINE. Added '(m)' LEAN=SLTN, LEATN. Added ATN(m). |
| 2754 CCP-0441 | 10.3 | REQTYP A | REQTYP / ACT Combo | LNA = V, P and Q | Required | Added LNA = V, P, and Q (R/C/O) tables. |
| 2754 CCP-0441 | 10.3 | REQTYP A | Completing the LSR and EU Forms / Screens | REQTYP / ACTIVITY TYPE (ACCOUNT LEVEL) | V, P and Q columns | Removed ' X ' (these activities are not applicable for HFS Unbundled (CO based) Line Splitting) |
| 2857 CCP-0474 | N/A | REQTYP P | BellSouth® Centrex® | BellSouth® Centrex® (Instructions) | – | Under BellSouth® Centrex® REQTYP P to add an additional note was added to require an (1) End User form per location for each service request. |
| 2867 | N/A | REQTYP E | Hunting Line Activities by Hunting Group Activity | HA / HLA table | – | Under HA/HLA table: REMOVE NOTE: "NOTE: If HA is C (and you are deleting or disconnecting a line(s) from Hunt sequence), and not performing conversion, then use: HLA: D = Delete (On each HT (Hunt Telephone Number) coming out). If HA is C (and you are adding a line(s) in Hunt sequence), and not performing conversion, then use: HLA: N = Install (On each HT (Hunt Telephone Number) going |

**Attachment
SN91082639**

| | | | | | | |
|---|-----|--|-----------------------------|--|----------------------|---|
| | | | | | | in)". ADD NOTE: "The HLA is required for each Telephone Number in the Hunt Sequence when HA=C." |
| 2867 | N/A | REQTYP E | LSR (Hunting) | HA = C | - | REMOVED NOTE: Note: <u>UNE Switched Combinations</u> When ACT is V, if the existing Hunt Group(s) on the account being converted, is remaining the same, the HA field should be left blank. Also ADDED NOTES: |
| ADDNOTE: If HA is C (and you are deleting or disconnecting a line(s) from the Hunt sequence), then use: HLA: D = Delete (On each HT (Hunt Telephone Number) coming out) and HLA: E = Existing (On each HT (Hunt Telephone Number) remaining in the sequence. | | | | | | |
| ADD NOTE: If HA is C (and you are adding a line(s) in the Hunt sequence), then use: HLA: N = Install (On each HT (Hunt Telephone Number) going in) and HLA: E = Existing (On each HT (Hunt Telephone Number) remaining in the sequence. | | | | | | |
| ADD NOTE: If HA is C (and you are re-arranging the Hunt Sequence for the Existing Hunt Telephone Numbers or re-arranging the Hunt Sequence when deleting or adding a Hunt Telephone Number(s)), then use: HLA: E = Existing/Changing Sequence Position on all existing Hunt Telephone Numbers | | | | | | |
| 2860 CCP- 0481 | N/A | REQTYP N | Complex DID Resale | Forms table | Proprieta ry Form | Add 'Proprietary Form' column' with "R = Required". |
| 2860 CCP- 0481 | N/A | REQTYP N | Complex DID UNE COMBO | Forms table | SI | Remove 'R' and add 'C'. |
| 2861 CCP- 0482 | N/A | REQTYP E (TIE Lines) | REQTYP / ACT Combo | - | - | Added R/C/O tables for TIE Lines. |
| 2861 CCP- 0482 | N/A | REQTYP E (TIE Lines) | REQTYP / ACT Combo | - | - | Updated TIE Lines Form and Instructions. |
| 2861 CCP- 0482 | N/A | REQTYP E (On/Off Premises Extension s) | REQTYP / ACT Combo | - | - | Added R/C/O tables for Lines or On/Off Premises Extensions. |
| 2861 CCP- 0482 | N/A | REQTYP E (On/Off Premises Extension s) | REQTYP / ACT Combo | - | - | Updated On/Off Premises Extensions Form and Instructions. |
| 2863 CCP- 0483 | N/A | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT N, C, D, T, and V (Designed) | Optional | Removed IMPCON-PAGER. |

**Attachment
SN91082639**

| | | | | | | |
|----------------------|-----|-------------|--------------------------|--|----------|-----------------------|
| 2863 CCP- 0483 | N/A | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT N, C, D, T, and V (Non- Designed) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP- 0483 | N/A | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT C, D, and T (DS1 Non- Channelize d) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP- 0483 | N/A | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT N, C, D, T, and V (UCL) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP- 0483 | N/A | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT N, C, D, T, and V (Non-UCL) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP- 0483 | N/A | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT N and C (USL-INC) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP- 0483 | N/A | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT N (UDC) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP- 0483 | N/A | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT N, C, D, T, and V (xDSL Loops) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP- 0483 | N/A | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT N, C, D, T, and V (Line Share) | Optional | Removed IMPCON-PAGER. |
| 2863 | N/A | REQTYP | REQTYP | LSR - | Optional | Removed IMPCON-PAGER. |

**Attachment
SN91082639**

| | | | | | | |
|---------------|-----|----------|--------------------|--|----------|-----------------------|
| CCP-0483 | | A | / ACT Combo | REQTYP A / ACT N, C, D, T, and V (Line Share-DLEC owned) | | |
| 2863 CCP-0483 | N/A | REQTYP A | REQTYP / ACT Combo | LSR - REQTYP A / ACT N, C, D, T, and V (Line Splitting) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP-0483 | N/A | REQTYP B | REQTYP / ACT Combo | LSR - REQTYP A / ACT V, P, and Q (INP Designed) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP-0483 | N/A | REQTYP B | REQTYP / ACT Combo | LSR - REQTYP A / ACT V, P, and Q (INP Non-Designed) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP-0483 | N/A | REQTYP B | REQTYP / ACT Combo | LSR - REQTYP A / ACT V, P, and Q (INP-UCL) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP-0483 | N/A | REQTYP B | REQTYP / ACT Combo | LSR - REQTYP A / ACT V, P, and Q (LNP-UCL) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP-0483 | N/A | REQTYP B | REQTYP / ACT Combo | LSR - REQTYP A / ACT V, P, and Q (INP-xDSL) | Optional | Removed IMPCON-PAGER. |
| 2863 CCP-0483 | N/A | REQTYP B | REQTYP / ACT Combo | LSR - REQTYP A / ACT V, P, and Q (LNP-xDSL) | Optional | Removed IMPCON-PAGER. |

**Attachment
SN91082639**

| | | | | | | |
|----------------------|-----|---|--|---|-----------------------------------|--|
| 2863 CCP- 0483 | N/A | REQTYP C | REQTYP / ACT Combo | LSR - REQTYP A / ACT N, C, D, T, V, P and Q | Optional | Removed IMPCON-PAGER. |
| 2871 CCP- 0509 | N/A | REQTYP B | REQTYP / SERVICE TYPE table | Forms/Scre ens table | NP (Number Portabilit y) | Add 'O = Optional' to indicate NP (Number Portability)forms are valid on REQTYP B orders.. |
| 2871 CCP- 0509 | N/A | REQTYP B | REQTYP / SERVICE TYPE table | Forms/Scre ens table | LS (Loop Service) | Add 'O = Optional' to indicate LS (Loop Service) forms are valid on REQTYP B orders.. |
| 2893 CCP- 0503 | N/A | REQTYP P | MultiServ ® / MultiServ Plus® | MultiServ / MultiServ Plus Ordering Document Line by line | Instructio ns Line 54 | Update table to show data characteristics up to 6 alpha/numeric characters for feature-feature codes. |
| 2876 | N/A | REQTYP A (Designed & Non- Designed) | ACT/LNA table | - | ACT 'V' row | Update the ACT/LNA chart in the BBR-LO to remove D as a valid entry on REQTYP A (Designed and Non-Designed/ACT V). Excluding Line Share and Line Splitting Products. |
| 2880 | N/A | REQTYP M | ISDN BRI UNE: Ordering Forms table | Forms table | PS (Port Service) column | Remove 'R' and add "****C" entry and added note ***under the table in regards to the PS and Complex work aid Form. NOTE: ***=PS form/screen or the Complex Work Aid Form is required only when the ACT is N, C, or T. Otherwise, the PS form/screen or the Complex Work Aid form is Not Required. |
| 2880 | N/A | REQTYP M | REQTYP / ACT Combo | LSR - REQTYP M / ACT N (2-wire ISDN-BRI Combo) | Conditio nal | Add '(m)' BI1. |
| 2880 | N/A | REQTYP M | REQTYP / ACT Combo | LSR - REQTYP M / ACT N | Optional | Add '(m)' to DSGCON-FAX NO., RORD, BA*. |

**Attachment
SN91082639**

| | | | | | | |
|------|-----|-------------|---|---|----------------------|--|
| | | | | (2-wire ISDN-BRI Combo) | | |
| 2880 | N/A | REQTYP M | REQTYP / ACT Combo | LSR - REQTYP M / ACT V (2-wire ISDN-BRI Combo) | Conditio nal | Add '(m)' to DNUM. |
| 2881 | N/A | REQTYP E | ISDN BRI Resale: Ordering Forms table | Forms table | Proprieta ry Form | Added "***C" entry and added note **under the RS (Resale) table in regards to the Complex Work Aid form. NOTE: RS form/screen or the Complex Work Aid Form is required only when the ACT is N, C, T, V, W, P or Q Otherwise, the RS form/screen or the Complex Work Aid form is Not Required. REMOVED NOTE: 'RS form/screen is required only when the ACT is N, C, D, T, V, P or Q. Otherwise the : RS form/screen is not required.' |
| 2881 | N/A | REQTYP E | REQTYP / ACT Combo | LNA = N (ISDN BRI Resale) | Required | Added '(e)' to ISPID. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT N (SynchroN et®) | Required | Added '(m)' to all fields in this column [except LNECLS SVC, BCS, REMARKS which already show '(e)']. Also added '(2 nd Character = D) (m)' to TOS. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT N (SynchroN et®) | Conditio nal | Added '(m)' to all fields in this column [except CUST and LOCACT which already show '(e)']. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT N (SynchroN et®) | Optional | Added '(m)' to all fields in this column |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | EU - REQTYP M / ACT N (SynchroN et®) | Required | Added '(m)' to all fields in this column [except LNECLS SVC, BCS, REMARKS which already show '(e)']. Also added '(2 nd Character = |

**Attachment
SN91082639**

| | | | | | | |
|------|-----|-------------|--------------------------|---|-----------------|---|
| | | | | | | D) (m)'to TOS. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | EU - REQTYP M / ACT N (SynchroN et®) | Conditio nal | Added '(m)' to all fields in this column [except LOCACT which already show '(e)']. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | EU - REQTYP M / ACT N (SynchroN et®) | Optional | Added '(m)' to all fields in this column [except LOCNUM (Header) which already show '(e)'] |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT C (SynchroN et®) | Required | Added '(2 nd Character = D) (m)'to TOS. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT C (SynchroN et®) | Optional | Added '*' (astrisk) RPON. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT D (SynchroN et®) | Required | Added '(2 nd Character = D) (m)'to TOS. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT D (SynchroN et®) | Optional | Added '*' (astrisk) RPON. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT T (SynchroN et®) | Required | Added '(2 nd Character = D) (m)'to TOS. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT T (SynchroN et®) | Optional | Added '*' (astrisk) RPON. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT V (SynchroN et®) | Required | Added '(2 nd Character = D) (m)'to TOS. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT V (SynchroN | Optional | Added '*' (astrisk) RPON. |

**Attachment
SN91082639**

| | | | | | | |
|------|-----|-------------|--------------------------|--|----------|--|
| | | | | et®) | | |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT W (Synchron et®) | Required | Added '(2 nd Character = D) (m)' to TOS. |
| 2882 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT W (Synchron et®) | Optional | Added '*' (astrisk) RPON. |
| 2883 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT N (SMARTRi ng®) | Required | Added '(2 nd Character = D) (m)' to TOS. |
| 2883 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT C (SMARTRi ng®) | Required | Added '(2 nd Character = D) (m)' to TOS. |
| 2883 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT D (SMARTRi ng®) | Required | Added '(2 nd Character = D) (m)' to TOS. |
| 2883 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT V (SMARTRi ng®) | Required | Added '(2 nd Character = D) (m)' to TOS. |
| 2883 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT W (SMARTRi ng®) | Required | Added '(2 nd Character = D) (m)' to TOS. |
| 2883 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT N (Private Lines) | Required | Added '(2 nd Character = D) (m)' to TOS. |
| 2883 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT C (Private Lines) | Required | Added '(2 nd Character = D) (m)' to TOS. |
| 2883 | N/A | REQTYP | REQTYP | LSR - | Required | Added '(2 nd Character = D) |

**Attachment
SN91082639**

| | | | | | | |
|------|-----|----------------------------------|---|--|----------|--|
| | | E | / ACT Combo | REQTYP M / ACT D (Private Lines) | | (m)'to TOS. |
| 2883 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT T (Private Lines) | Required | Added '(2 nd Character = D) (m)'to TOS. |
| 2883 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT V (Private Lines) | Required | Added '(2 nd Character = D) (m)'to TOS. |
| 2883 | N/A | REQTYP E | REQTYP / ACT Combo | LSR - REQTYP M / ACT W (Private Lines) | Required | Added '(2 nd Character = D) (m)'to TOS. |
| 2884 | N/A | REQTYP A | Line Share | - | - | Updated Account level activities (ACT) to include Line Share information. |
| 2884 | N/A | REQTYP A | [DLEC Owned] Line Share | - | - | Updated Account level activities (ACT) to include [DLEC Owned] Line Share information. |
| 2884 | N/A | REQTYP A | [DLEC Owned] Line Splitting | - | - | Updated Account level activities (ACT) to include [DLEC Owned] Line Splitting information. |
| 2885 | N/A | REQTYP A | REQTYP / ACT Combo | - | - | Add new product RS (Remote Site) HFS Unbundled Line Share DLEC Owned Splitter. |
| 2890 | N/A | REQTYP E | REQTYP / ACT Combo | - | - | Add new product BellSouth® 256 DSL Service. |
| 2890 | N/A | REQTYP E (LightGate®) | REQTYP / ACT Combo | - | - | Update LightGate® Form and Instructions. |
| 2892 | N/A | REQTYP E (Frame Relay®) | Frame Relay® (Form and Instructions) | - | - | Frame Relay BellSouth Work Aid for Ordering Complex Services will be converted from graphic images to a Web form. A link will be established in the BBR to connect to the WebForms Internet location. |

**Attachment
SN91082639**

| | | | | | | |
|----------------------|-----|------------------------|-----------------------------------|---|----------|--|
| 2892 | N/A | REQTYPE (MegaLink®) | MegaLink® (Form and Instructions) | - | - | Updated MegaLink® BellSouth Work Aid for Ordering Complex Services to match the MegaLink® Web form |
| 2892 | N/A | REQTYPE (MegaLink®) | MegaLink® (Form and Instructions) | - | - | Megalink BellSouth Work Aid for Ordering Complex Services will be converted from graphic images to a Web form. A link will be established in the BBR to connect to the WebForms Internet location. |
| 2904 CCP- 0479 | N/A | REQTYPE | REQTYPE / ACT Combo | LSR - REQTYPE / ACT B, L, and Y (Non-Complex) | Required | Removed '(m)' from INIT-FAX-NO. |
| 2904 CCP- 0479 | N/A | REQTYPE | REQTYPE / ACT Combo | LSR - REQTYPE / ACT N, C, D, T, V, W, P and Q (PBX) | Required | Removed '(m)' from INIT-FAX-NO. |
| 2904 CCP- 0479 | N/A | REQTYPE | REQTYPE / ACT Combo | LSR - REQTYPE N / ACT C (Synchronet®) | Required | Removed '(m)' from INIT-FAX-NO. |
| 2904 CCP- 0479 | N/A | REQTYPE | REQTYPE / ACT Combo | LSR - REQTYPE J / ACT N, and R (Directory) | Required | Removed '(m)' from INIT-FAX-NO. |
| 2904 CCP- 0479 | N/A | REQTYPE | REQTYPE / ACT Combo | LSR - REQTYPE N / ACT C (DID) | Required | Removed '(m)' from INIT-FAX-NO. |

| | | | | | | |
|--|--------------------------|-------------------------|----------------------|--------------|------------------------|---|
| BELLSOUTH® BUSINESS RULES FOR LOCAL ORDERING Issue 9R | | | | | | |
| Posting Date 11/09/2001 / Effective Date 11/09/2001* | | | | | | |
| DATA ELEMENT DICTIONARY Section | | | | | | |
| * Unless change is 'Release indicated' -then effective with Release implementation date | | | | | | |
| CHANGE # | RELEASE affecting | CHAPTER | SECTION | FIELD | Table / Section | DESCRIPTION |
| 2754 CCP- 0441 | N/A | Data Element Dictionary | LSR - Administrative | RESID | - | Added BUSINESS RULES. [Changed 'Rule' to "Rule 1".] |

| | | | Section Fields | | | |
|--|-----|-------------------------------|--|---------|------------------|--|
| Added Rule 2: For REQ TYP A, TOS = R; Line Share this field <i>must</i> be populated with "XXXX" (if using <u>existing</u> facilities or FRN from Loop Make Up Query if using <u>reserved</u> facilities.) | | | | | | |
| Added Rule 3: For REQ TYP A-TOS = P; Line Splitting this field <i>must</i> be populated with "XXXX" (if using <u>existing</u> facilities or FRN from Loop Make Up Query if using <u>reserved</u> facilities.) | | | | | | |
| 2754 CCP- 0441 | N/A | Data Element Dictionary | LSR - Administra tive Section Fields | REMARKS | - | Added CONDITIONAL USAGE NOTES: |
| Note 1: On REQ TYP A where TOS 2 nd character =R and the splitter resides inside the DLEC cage (Splitter LOC I), populate this field with CTI=B. | | | | | | |
| Note 2: On REQ TYP A where TOS 2 nd character =R and the splitter resides inside the DLEC cage (Splitter LOC I), populate this field with CABLE ID2. (DLEC Collocated Cable ID- indicates CA for voice only cross connect). | | | | | | |
| Note 3: On REQ TYP A where TOS 2 nd character =R and the splitter resides inside the DLEC cage (Splitter LOC I), populate with CHAN/PR2 (DLEC Collocated Cable ID-indicates CA for voice only cross connect). | | | | | | |
| Note 4: On REQ TYP A where TOS 2 nd character =R and the splitter resides inside the DLEC cage (Splitter LOC I), populate this field with RESID=FRN. | | | | | | |
| 2754 CCP- 0441 | N/A | Data Element Dictionary | LSR - Administra tive Section Fields | REMARKS | - | Added BUSINESS RULES: |
| Rule 5: On REQ TYP A where TOS 2 nd character =P and the splitter resides inside the DLEC cage (Splitter LOC I), populate this field with CTI=B. | | | | | | |
| Rule 6: On REQ TYP A where TOS 2 nd character =P and the splitter resides inside the DLEC cage (Splitter LOC I), populate this field with CABLE ID2. (DLEC Collocated Cable ID- indicates CA for voice only cross connect). | | | | | | |
| Rule 7: On REQ TYP A where TOS 2 nd character =P and the splitter resides inside the DLEC cage (Splitter LOC I), populate with CHAN/PR2 (DLEC Collocated Cable ID-indicates CA for voice only cross connect). | | | | | | |
| Rule 8: On REQ TYP A where TOS 2 nd character =P and the splitter resides inside the DLEC cage (Splitter LOC I), populate this field with RESID=FRN. | | | | | | |
| Rule 9: For REQ TYP A, TOS = R; Line Share this field <i>must</i> be populated with "XXXX" (if using <u>existing</u> facilities or FRN from Loop Make Up Query if using <u>reserved</u> facilities.) | | | | | | |
| Rule 10: For REQ TYP A-TOS = P; Line Splitting this field <i>must</i> be populated with "XXXX" (if using <u>existing</u> facilities or FRN from Loop Make Up Query if using <u>reserved</u> facilities.) | | | | | | |
| Rule 11: For REQ TYP A, TOS = R; HFS Unbundled (CO Based) Line Share DLEC Owned this field <i>must</i> be populated with CTI=B cable ID2 XXXX1 and CHAN/PAIR2-XXXX. | | | | | | |
| Rule 12: For REQ TYP A-TOS = P; Line Splitting this field <i>must</i> be populated with CTI=B cable ID2 XXXX1 and CHAN/PAIR2-XXXX. | | | | | | |
| 2857 CCP- 0474 | N/A | Data Element Dictionary | LSR - Administra tive Section Fields | REQ TYP | Valid Entries | Added (BellSouth®) to Centrex® and added ESSX® AND MultiServ® for REQ TYP P (row). |
| 2873 | N/A | Data | LSR - | TOS | - | Added BUSINESS |

**Attachment
SN91082639**

| | | | | | | |
|------|-----|-------------------------|-------------------------------------|---------|---|--|
| | | Element Dictionary | Administrative Section Fields | | | RULE: ' Rule 12: When both PBX and DID Trunks are on the same request, the second character of the TOS should be "J". |
| 2882 | N/A | Data Element Dictionary | LSR - Administrative Section Fields | TOS | - | Added (SynchroNet®) valid 2 nd character TOS for ACT N, C, D, T, V and W |
| 2885 | N/A | Data Element Dictionary | LSR - Administrative Section Fields | REMARKS | - | Added BUSINESS RULES 'Rule 4: When ordering RS HFS Unbundled Line Share DLEC Owned this field must be populated as follows: REMARKS Remote Site DLEC Owned Requested.' |
| 2889 | N/A | Data Element Dictionary | Introduction | - | - | Added verbiage regarding fields that are not supported by BellSouth. "Not Supported is defined as this field is not used by BellSouth and when populated will be ignored by BellSouth. The Not Supported fields will not be shown in the R/C/O tables, but will be reflected in the Data Elements Dictionary." |
| 2894 | N/A | Data Element Dictionary | LSR - Administrative Section Fields | - | - | Update to change Centrex to BellSouth Centrex, and to add ESSX, and MultiServ to the table for REQ TYP P |
| 2899 | N/A | Data Element Dictionary | RS - Administrative Section Fields | LNUM | - | Update 5 digit EXAMPLE. |
| 2899 | N/A | Data Element Dictionary | RS - Administrative Section Fields | RSQTY | - | Update Valid Entry to show 000-999 |