

---

**BellSouth Interconnection Services**

675 West Peachtree Street  
Atlanta, Georgia 30375

**Carrier Notification  
SN91083007**

Date: April 19, 2002

To: Competitive Local Exchange Carriers (CLECs)

Subject: CLECs – Update to the BellSouth Business Rules for Local Ordering (BBR-LO)  
Data Element Dictionary

This is to advise that the BellSouth Data Element Dictionary will be updated in the next BBR-LO update scheduled to be posted to the BellSouth Interconnection Services' Web site on May 24, 2002. This update will add clarifying notes on the use of the following fields:

- **JR-Jack Request**
- **NIDR-NID Request**

**The Data Element changes will be made to the following practices: Loop Service (LS), Loop Service with Number Portability (LSNP) and the Resale (RS)**

A copy of the revised fields is attached and is available for immediate use.

A summary of all changes within the document will be listed in the **'Revision History' Section**. This update can be found at the BellSouth Interconnection Services' Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/index.html>

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

**ORIGINAL SIGNED BY JIM BRINKLEY**

Jim Brinkley – Senior Director  
BellSouth Interconnection Services

Attachment

**Loop Service Form**

**JR - Jack Request**

Indicates a request for a new jack.

Note 1: This field is used to request jacks other than a Network Interface Device (NID).

**VALID ENTRIES:**

| ENTRY | DESCRIPTION |
|-------|-------------|
| Y     | Yes         |
| N     | No          |

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:**

Y

**CONDITIONAL USAGE NOTES:** None

**BUSINESS RULES:** None

### NIDR - NID Request

Indicates a request for a new Network Interface Device (NID).

**Note 1:** The NID serves as a demarcation or separation point, providing a connection of premises wire to the access line. A compatible standard NID is inherent in the service configuration and is not required on the Local Service Request (LSR).

**Note 2:** Populating this field indicates a request for a non-standard NID.

#### VALID ENTRIES:

| ENTRY | DESCRIPTION |
|-------|-------------|
| Y     | Yes         |
| N     | No          |

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:**

Y

**CONDITIONAL USAGE NOTES:** None

**BUSINESS RULES:**

Note 1: Populating this field authorizes the NSP Loop provider to install and bill a NID other than a standard NID.

Note 2: A standard NID is provisioned as an integral part of BellSouth UNE Loop Services and is not required on the LSR request.

**LSNP-Loop Service with Number Portability Form**

**JR - Jack Request**

Indicates a request for a new jack.

Note 1: This field is used to request jacks other than a Network Interface Device (NID).

**VALID ENTRIES:**

| <b>ENTRY</b> | <b>DESCRIPTION</b> |
|--------------|--------------------|
| <b>Y</b>     | Yes                |
| <b>N</b>     | No                 |

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:**

Y

**CONDITIONAL USAGE NOTES:** None

**BUSINESS RULES:** None

**NIDR - NID Request**

Indicates a request for a new Network Interface Device (NID).

**Note 1:** The NID serves as a demarcation or separation point, providing a connection of premises wire to the access line. A compatible standard NID is inherent in the service configuration and is not required on the LSR.

**Note 2:** Populating this field indicates a request for a non-standard NID.

**VALID ENTRIES:**

| ENTRY | DESCRIPTION |
|-------|-------------|
| Y     | Yes         |
| N     | No          |

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:**

Y

**CONDITIONAL USAGE NOTES:** None

**BUSINESS RULES:**

**Note 1:** Populating this field authorizes the NSP-Loop provider to install and bill a NID other than a standard NID.

**Note 2:** A standard NID is provisioned as an integral part of BellSouth UNE Loop Services and is not required on the LSR.

**Resale Form**

**JR - Jack Request**

Indicates a request for a new jack.

Note 1: This field is used to request jacks other than a Network Interface Device (NID).

**VALID ENTRIES:**

| <b>Entry</b> | <b>Description</b> |
|--------------|--------------------|
| <b>Y</b>     | Yes                |
| <b>N</b>     | No                 |

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:**

Y

**CONDITIONAL USAGE NOTES:** None

**BUSINESS RULES:** None

**NIDR - NID Request**

Indicates a request for a new Network Interface Device (NID).

**Note 1:** The NID serves as a demarcation or separation point, providing a connection of premises wire to the access line. A compatible standard NID is inherent in the service configuration and is not required on the LSR.

**Note 2:** Populating this field indicates a request for a non-standard NID.

**VALID ENTRIES:**

| <b>Entry</b> | <b>Description</b> |
|--------------|--------------------|
| <b>Y</b>     | Yes                |
| <b>N</b>     | No                 |

**DATA CHARACTERISTICS:** 1 alpha character

**EXAMPLE:**

Y

**CONDITIONAL USAGE NOTES:** None

**BUSINESS RULES:**

**Manual:** No additional rules.

**Electronic:**

Note 1: Populating this field authorizes the NSP to install and bill a NID other than a standard NID.