

---

**BellSouth Interconnection Services**

675 West Peachtree Street  
Atlanta, Georgia 30375

**Carrier Notification****SN91083694**

Date: May 7, 2003

To: Competitive Local Exchange Carriers (CLECs)

Subject: CLECs – Update to the BellSouth Local Ordering Handbook (LOH), Version 13.0b

This is to advise that BellSouth has identified the following documentation defects in the BellSouth LOH, Version 13.0 b.

<b>Change Request Number</b>	<b>CCP Number</b>	<b>Description Of The Change</b>
3674	1191	Correct valid entries for LOCNUM Detail on Resale Page to reflect valid entries of 001-999 instead of 000-999
3689	1190	Correct RCO tables to remove directory delivery fields from LACT tables. Correct RCO tables for DACT.
3696	1193	To add ACT of V LNA of V R/C/O tables
3697	1192	Correct business rule in LNA and ACT section of BBR regarding Inside Move criteria

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the LOH with the implementation of ENCORE Release 13.0 scheduled for June 22 and 23, 2003.

A summary of all changes within this document will be listed in the **Summary of changes Section**. This update can be found on the BellSouth Interconnection Services' Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

**ORIGINAL SIGNED BY JERRY HENDRIX**

Jerry Hendrix – Assistant Vice President  
BellSouth Interconnection Services

Attachment



The following CRB Issue attachments are enclosed.

Change Request Number	CCP Number	Description Of The Change
3674	1191	Correct valid entries for LOCNUM Detail on Resale Page to reflect valid entries of 001-999 instead of 000-999
3689	1190	Correct RCO tables to remove directory delivery fields from LACT tables. Correct RCO tables for DACT.
3696	1193	To add ACT of V LNA of V R/C/O tables
3697	1192	Correct business rule in LNA and ACT section of BBR regarding Inside Move criteria

## 3674 Attachment

### 11.3.1 LOCNUM / LOCNUM (Detail level) - Location Number

Identifies this service location number for the service requested. The Location Number is assigned by the customer and is retained throughout the processing of this request.

Valid Entries: ~~000-999~~ 001-999

Data Characteristics: 3 numeric characters

Example:

118

Conditional Usage Notes: None

Business Rules:

Rule 1: This field must be identical the LOCNUM field indicated on the EU form/screen.

Rule 2: This field is used to indicate service terminating at one or more locations for the same ATN (e.g. DPA or SLA).

Rule 3: The LOCNUM must be sequential when establishing new or additional service locations for the same ATN.

Rule 4: LOCNUM must be unique per service location.

Manual

Rule 5: Additional Resale forms must be completed for each LOCNUM associated with the same ATN.

Electronic

Rule 6: When LOCNUM is received with blank data, LEO will replace with zeros (000) and accept as a valid value.

## **3689 Attachment**

### **Changes for RCO Tables, REQ TYP J:**

#### **11.4.1 LACT = N**

<b>DL LACT = N</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON (m)	VER (m)	TT
AN or ATN	ALI	TL
SC1 (m)	WPP	TITLE1
PG_OF_ (m)	DML	TITLE2
LACT = " N "	BRO	
DLNUM	LTN	
RTY	NSTN	
LTY	PLA	
STYC	NICK	
TOA	LNFN	
DOI	LTXNUM	
LNLN	LNPL	
	DES	
	LASN	

	LAPR	
	LTEXT	
	LXTY	
	LANO	
	LASF	
	LASD	
	LATH	
	LASS	
	LALOC	
	LAST	
	DIRSUB	
	YPH	
	SIC	
	ADI	
	DIRNAME	
	ADV	
	DLNM	
	<b>DACT</b>	
	<b>NAME</b>	
	<b>DDASN</b>	
	<b>DDAPR</b>	
	<b>DDANO</b>	
	<b>DDASF</b>	
	<b>DDASD</b>	
	<b>DDATH</b>	
	<b>DDASS</b>	



	DDAST	
	DDAZC	
	DDALO	
	DDALOG	
	DDADLO	
	DIRTYP	
	DIRQTYA	
	DIRQTYNG	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

### 11.5.1 DACT = N

DL_ACT = N / DACT = N		
Required	Conditional	Optional
NAME	DDANO	DDAPR
DDASN	NAME	DDASF
DDALOG	DDASN	DDATH
DDAST	DDALOG	DDASS
DDAZC	DDAST	DDALO
	DDASD	DDADLO
	DDAZC	
	DDAPR	
	DDASF	
	DDATH	

	<a href="#">DDASS</a>	
	<a href="#">DDALO</a>	
	<a href="#">DDADLO</a>	
	<a href="#">DIRTYP</a>	
	<a href="#">DIRQTYA</a>	
	<a href="#">DIRQTYNC</a>	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

<b>DL_ACT = R / DACT = N</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<a href="#">NAME</a>	DDANO	<a href="#">DDAPR</a>
<a href="#">DDASN</a>	<a href="#">NAME</a>	<a href="#">DDASF</a>
<a href="#">DDALOC</a>	<a href="#">DDASN</a>	<a href="#">DDATH</a>
<a href="#">DDAST</a>	<a href="#">DDALOC</a>	<a href="#">DDALO</a>
<a href="#">DDAZC</a>	<a href="#">DDAST</a>	<a href="#">DDADLO</a>
<a href="#">DDASD</a>	<a href="#">DDAZC</a>	
	<a href="#">DDASD</a>	
	<a href="#">DDAPR</a>	
	<a href="#">DDASF</a>	
	<a href="#">DDATH</a>	
	<a href="#">DDALO</a>	
	<a href="#">DDADLO</a>	
	<a href="#">DDASS</a>	
	<a href="#">DIRTYP</a>	
	<a href="#">DIRQTYA</a>	
	<a href="#">DIRQTYNC</a>	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

### 11.5.2 DACT = D

<b>DLACT = R / DACT = D</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
N/A	N/A	N/A

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

### 11.5.3 DACT = I

<b>DLACT = R / DACT = I</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<a href="#">NAME</a>	<a href="#">DDANO (m)</a>	<a href="#">DDAPR</a>
<a href="#">DDASN</a>	<a href="#">NAME (m)</a>	<a href="#">DDASF</a>
<a href="#">DDALOG</a>	<a href="#">DDASN (m)</a>	<a href="#">DDATH</a>
<a href="#">DDAST</a>	<a href="#">DDALOG (m)</a>	<a href="#">DDALO</a>
<a href="#">DDAZC</a>	<a href="#">DDAST (m)</a>	<a href="#">DDADLO</a>
<a href="#">DDASD</a>	<a href="#">DDAZC (m)</a>	
	<a href="#">DDASD (m)</a>	
	<a href="#">DDAPR (m)</a>	
	<a href="#">DDASF (m)</a>	
	<a href="#">DDATH (m)</a>	
	<a href="#">DDALO (m)</a>	
	<a href="#">DDADLO (m)</a>	

	<a href="#">DDASS (m)</a>	
	<a href="#">DIRTYP (m)</a>	
	<a href="#">DIRQTYA (m)</a>	
	<a href="#">DIRQTYNC (m)</a>	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

### 11.5.4 DACT = O

<b>DLACT = R / DACT = O</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<a href="#">NAME</a>	DDANO	<a href="#">DDAPR</a>
<a href="#">DDASN</a>	<a href="#">NAME (m)</a>	<a href="#">DDASF</a>
<a href="#">DDALOC</a>	<a href="#">DDASN (m)</a>	<a href="#">DDATH</a>
<a href="#">DDAST</a>	<a href="#">DDALOC (m)</a>	<a href="#">DDALO</a>
<a href="#">DDAZC</a>	<a href="#">DDAST (m)</a>	<a href="#">DDADLO</a>
<a href="#">DDASD</a>	<a href="#">DDAZC (m)</a>	
	<a href="#">DDASD (m)</a>	
	<a href="#">DDAPR (m)</a>	
	<a href="#">DDASF (m)</a>	
	<a href="#">DDATH (m)</a>	
	<a href="#">DDALO (m)</a>	
	<a href="#">DDADLO (m)</a>	
	<a href="#">DDASS (m)</a>	
	<a href="#">DIRTYP (m)</a>	
	<a href="#">DIRQTYA (m)</a>	
	<a href="#">DIRQTYNC (m)</a>	



" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

## 3696 Attachment Part 2

### 3.16.2 Ordering Form

The following chart illustrates the required, conditional and optional forms for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

	Forms/Screens											
REQTYP / SERVICE TYPE	SI	LSR	Hunting	EU	DL	DSCR	RS	DRS	PS	NP	LS	LSNP
A HFS Line Splitting	C	R		R							R	

R = Required C = Conditional O = optional

#### Completing the LSR and EU Forms/Screens

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms will be given for every valid REQ TYP/ACT combination in the **REQ TYP / ACT Combination** Section.

The following chart shows all of the valid account level activities for this requisition type.

	ACTIVITY TYPE (ACCOUNT LEVEL)													
REQ TYP	N	C	D	T	R	V	S	B	W	L	Y	P	Q	
A - HFS Line Splitting	X	X	X						X			X	X	

Note: " X " denotes valid account level activities. A blank entry indicates a non-valid account level activity.

**Account level activities (ACT)** apply to the entire account. The ACTs are defined below:



- N \*** = New installation and/or account
- C\*** = Change an existing account (e.g., Rearrangement, Partial disconnect, or addition)
- D\*\*** = Disconnection
- T** = Outside move of end user location **or** Inside Move
- W** = Full Conversion of service **as is**
- P** = Conversion of service **as specified**: Partial Migration - Initial
- Q** = Conversion of service **as specified**: Partial Migration – Subsequent

**Line level activities (LNA)** apply to the specified line only. The valid LNAs are listed below:

- N** = New Installation (e.g., new line or additional line)
- C** = Change or Modification to an Existing Line
- D** = Disconnection
- W** = Conversion or Migration **as is**

The following chart gives the valid LNAs for each account level activity (ACT) and the associated LS form usage.

<b>If ACT is:</b>	<b>Then LNA is</b>	<b>And LS form/screen is:</b>
<b>N</b>	N	Required
<b>C</b>	N, C <b>or</b> D	Required
<b>D</b>	D	Required
<b>W</b>	W	Required
<b>P</b>	N, or D	Required
<b>Q</b>	N, or D	Required

The RCO fields for the Loop Service (LS) form are listed according to the Line Level Activity (LNA) in the **LNA Tables** Section .

### **Completing the DL and DSCR Forms/Screens**

If directory listings are required, please refer to REQ TYP J for more information on completing the DL and DSCR forms/screens.

## **3.16.3 REQ TYP / ACT Combinations REQ TYP A: HFS Unbundled (CO Based) Line Splitting**



**DLEC Owned**

**REQTYP A / ACT N**
**DLEC Owned**

<b>LSR ( HFS Line Splitting) - REQTYP A / ACT N DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA	VER	EXP
PON	SUP	RPON
ATN	CUST	RORD
PG_OF_ ( m)	PROJECT	ALT-IMPCON
SC = " LCSC "	ALT-IMPCON TEL NO.	.
D/TSENT	IMPCON-TEL NO.	DFDT
DDD		
REQTYP = " AB "		
ACT = " N "		
CC		
ACTL		
LSO		
TOS = " P " in 2nd character		
NC		
NCI		
SECNCI		

CIC		
ACNA		
INIT		
INIT-TEL NO.		
INIT-FAX NO.		
IMPCON		
RESID ( <i>e</i> )		
LSP AUTH		
LSP AUTH NAME		
LSP AUTH DATE		
REMARKS ( <i>m</i> )		
B11		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED;  
 ( *m* ) = for manual ordering only; ( *e* ) = for electronic ordering only

<b>EU (HFS Line Splitting) - REQ TYP A / ACT N DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON ( <i>m</i> )	VER ( <i>m</i> )	LCON-NAME
ATN ( <i>m</i> )	SASF	LCON-TEL NO.
PG_OF_ ( <i>m</i> )	SASD	
EU-NAME	SATH	SASN
	SASS	
	EU-CITY	
	EU-STATE	
	EU-ZIP CODE	
	EU-BLDG	
	EU-ROOM	
	EU-FLOOR	
	SANO	
	SADLO	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; ( *m* ) = for manual ordering only; ( *e* ) = for electronic ordering only

**REQTYP A / ACT C**
**DLEC Owned**

<b>LSR (HFS Line Splitting) - REQTYP A / ACT C DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA	VER	EXP
PON	SUP	RPON
ATN	CUST	RORD
PG_OF_( <i>m</i> )	PROJECT	ALT-IMPCON
SC = " LCSC "	ALT-IMPCON-TEL NO	.
D/TSENT	IMPCON-TEL NO.	DFDT
DDD		
REQTYP = " AB "		
ACT = " C "		
CC		
ACTL		
LSO		
TOS = " P " in 2nd character		
NC		
NCI		
SECNCI		

CIC		
ACNA		
INIT		
INIT-TEL NO.		
INIT-FAX NO.		
IMPCON		
RESID ( <i>e</i> )		
REMARKS ( <i>m</i> )		
LSP AUTH		
LSP AUTH NAME		
LSP AUTH DATE		
BI1		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED;  
 ( *m* ) = for manual ordering only; ( *e* ) = for electronic ordering only



<b>EU (HFS Line Splitting) - REQ TYP A / ACT C DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON ( <i>m</i> )	VER ( <i>m</i> )	
ATN ( <i>m</i> )	SASF	SASN
PG_OF_ ( <i>m</i> )	SASD	LCON NAME
EU-NAME	SATH	LCON-TEL NO.
	SASS	
	EU-CITY	
	EU-STATE	
	EU-ZIP CODE	
	SANO	
	SADLO	
	EU-BLDG	
	EU-FLOOR	
	EU-ROOM	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; ( *m* ) = for manual ordering only; ( *e* ) = for electronic ordering only

**REQTYP A / ACT D**
**DLEC Owned**

<b>LSR (HFS Line Splitting) - <i>REQTYP A / ACT D</i> DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA	VER	RPON
PON	SUP	DFDT
ATN	CUST	REMARKS
PG_OF_ ( <i>m</i> )	PROJECT	
SC = " LCSC "	IMPCON-TEL NO.	
D/TSENT		
DDD		
REQTYP = " AB "		
ACT = " D "		
CC		
ACTL		
LSO		
TOS = " P " in 2nd character		
NC		
NCI		

SECNCI		
CIC		
ACNA		
INIT		
INIT-TEL NO.		
INIT-FAX NO.		
IMPCON		
LSP AUTH		
LSP AUTH NAME		
LSP AUTH DATE		
B11		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED;  
 ( m ) = for manual ordering only; ( e ) = for electronic ordering only

<b>EU (HFS Line Splitting) - REQ TYP A / ACT D</b> <b>DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON ( m )	VER ( m )	
ATN ( m )	SASF	SASN
PG_OF_ ( m )	SASD	

EU-NAME	SATH	
	SASS	
	EU-CITY	
	EU-STATE	
	EU-ZIP CODE	
	SANO	
	SADLO	
	EU-BLDG	
	EU-ROOM	
	EU-FLOOR	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; ( *m* ) = for manual ordering only; ( *e* ) = for electronic ordering only

**(ACT of V is being completely removed)**

**REQTYP A / ACT W**

**DLEC Owned**

<b>LSR (HFS Line Splitting) - <i>REQTYP A / ACT W</i> DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA ( <i>m</i> )	VER ( <i>m</i> )	EXP ( <i>m</i> )
PON ( <i>m</i> )	SUP ( <i>m</i> )	RPON ( <i>m</i> )
ATN ( <i>m</i> )	CUST ( <i>m</i> )	RORD ( <i>m</i> )
PG_OF_ ( <i>m</i> )	PROJECT ( <i>m</i> )	ALT-IMPCON ( <i>m</i> )

SC = " LCSC " (m)	ALT-IMP CON-TEL NO. (m)	
D/TSENT (m)	IMP CON-TEL NO. (m)	DFDT (m)
DDD (m)		
REQTYP = " AB " (m)		
ACT = " W " (m)		
CC (m)		
ACTL (m)		
LSO (m)		
TOS = " P " in 2nd character (m)		
NC (m)		
NCI (m)		
SECNCI (m)		
CIC (m)		
ACNA (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		

IMPCON (m)		
LSP AUTH (m)		
LSP AUTH DATE (m)		
LSP AUTH NAME (m)		
REMARKS (m)		
BAN1 (m)		
BI1 (m)		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED;  
 ( m ) = for manual ordering only; ( e ) = for electronic ordering only

<b>LSR (HFS Line Splitting) -- REQ TYP A / ACT V DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA (m)	VER (m)	EXP (m)
PON (m)	SUP (m)	RPON (m)
ATN (m)	CUST (m)	RORD (m)
PG_OF_ (m)	PROJECT (m)	ALT-IMPCON (m)
SC = " LCSC " (m)	ALT-IMPCON-TEL NO. (m)	DFDT (m)
D/TSENT (m)	IMPCON-TEL NO. (m)	
DDD (m)		
REQ TYP = " AB " (m)		
ACT = " V " (m)		
CC (m)		
ACTL (m)		

LSO (m)		
TOS = " P " in 2nd character (m)		
NC = "SWXX" (m)		
NCI (m)		
SECNCI (m)		
CIC (m)		
ACNA (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		
IMPCON (m)		
LSP AUTH (m)		
LSP AUTH DATE (m)		
LSP AUTH NAME (m)		
REMARKS (m)		
BAN1 (m)		
BI1 (m)		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

<b>EU (HFS Line Splitting) -- REQ TYP A / ACT V DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON (m)	VER (m)	LCON-NAME (m)
ATN (m)	SASF (m)	LCON-TEL. NO. (m)
PG_OF_ (m)	SASD (m)	
EU-NAME (m)	SATH (m)	SASN (m)
	SASS (m)	

	EU-CITY (m)	
	EU-STATE (m)	
	EU-ZIP CODE (m)	
	EU-BLDG	
	EU-ROOM	
	EU-FLOOR	
	SANO	
	SALDO	

<b>EU (HFS Line Splitting) - REQ TYP A / ACT W</b> <b>DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON ( <i>m</i> )	VER ( <i>m</i> )	LCON-NAME (m)
ATN ( <i>m</i> )	SANO (m)	LCON-TEL NO. (m)
PG_ OF_ ( <i>m</i> )	SADLO (m)	SASN (m)
EU-NAME (m)	EU-BLDG (m)	
	EU-FLOOR (m)	
	EU-ROOM (m)	
	EU-ZIP CODE (m)	
	EU-CITY (m)	
	EU-STATE (m)	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; ( *m* ) = for manual ordering only; ( *e* ) = for electronic ordering only

## **REQ TYP A / ACT P**

### **DLEC Owned**



<b>LSR (HFS Line Splitting) - REQ TYP A / ACT P DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA (m)	VER (m)	EXP (m)
PON (m)	SUP (m)	RPON (m)
ATN (m)	CUST (m)	RORD (m)
PG_OF_ ( m)	PROJECT (m)	ALT-IMP CON (m)
SC = " LCSC " (m)	ALT-IMP CON-TEL NO. (m)	(m)
D/TSENT (m)	IMP CON-TEL NO. (m)	DFDT (m)
DDD (m)	EU-ROOM (m)	
REQ TYP = " AB " (m)	EU- BLDG (m)	
ACT = " P " (m)	EU-FLOOR (m)	
CC (m)		
ACTL (m)		
LSO (m)		
TOS = " P " in 2nd character (m)		
NC (m)		
NCI (m)		
SECNCI (m)		

CIC (m)		
ACNA (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		
IMPCON (m)		
LSP AUTH (m)		
LSP AUTH DATE (m)		
LSP AUTH NAME (m)		
REMARKS (m)		
BAN1 (m)		
BI1 (m)		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED;  
 ( m ) = for manual ordering only; ( e ) = for electronic ordering only

<b>EU (HFS Line Splitting) - REQ TYP A / ACT P</b> <b>DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON ( m )	VER ( m )	LCON-NAME (m)

ATN ( <i>m</i> )	SASF (m)	LCON-TEL. NO. (m)
PG_OF_ ( <i>m</i> )	SASD (m)	
EU-NAME (m)	SATH (m)	SASN (m)
	SASS (m)	
	EU-CITY (m)	
	EU-STATE (m)	
	EU-ZIP CODE (m)	
	SANO (m)	
	SADLO (m)	
	EU-FLOOR (m)	
	EU-BLDG (m)	
	EU-ROOM (m)	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; ( *m* ) = for manual ordering only; ( *e* ) = for electronic ordering only

**REQTYP A / ACT Q**
**DLEC Owned**

<b>LSR (HFS Line Splitting) - REQTYP A / ACT Q DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA (m)	VER (m)	EXP (m)
PON (m)	SUP (m)	RPON (m)
ATN (m)	CUST (m)	RORD (m)
PG_OF_ ( m)	PROJECT (m)	ALT-IMPCON (m)
SC = " LCSC " (m)	ALT-IMPCON-TEL NO. (m)	
D/TSENT (m)	IMPCON-TEL NO (m)	DFDT (m)
DDD (m)		
REQTYP = " AB " (m)		
ACT = " Q " (m)		
CC (m)		
ACTL (m)		
LSO (m)		
TOS = " P " in 2nd character (m)		
NC (m)		
NCI (m)		

SECNCI (m)		
CIC (m)		
ACNA (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		
IMPCON (m)		
LSP AUTH (m)		
LSP AUTH DATE (m)		
LSP AUTH NAME (m)		
REMARKS (m)		
BAN1 (m)		
BI1 (m)		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED;  
 ( m ) = for manual ordering only; ( e ) = for electronic ordering only

<b>EU (HFS Line Splitting) - REQ TYP A / ACT Q DLEC Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON ( <i>m</i> )	VER ( <i>m</i> )	LCON-NAME (m)
ATN ( <i>m</i> )	SASF (m)	LCON-TEL. NO. (m)
PG_OF_ ( <i>m</i> )	SASD (m)	
EU-NAME (m)	SATH (m)	SASN (m)
	SASS (m)	
	EU-CITY (m)	
	EU-STATE (m)	
	EU-ZIP CODE (m)	
	SANO (m)	
	SADLO (m)	
	EU-FLOOR (m)	
	EU-ROOM (m)	
	EU-BLDG (m)	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; ( *m* ) = for manual ordering only; ( *e* ) = for electronic ordering only

### **REQ TYP A / ACT N - BellSouth Owned**

<b>LSR ( HFS Line Splitting) - REQ TYP A / ACT N BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA (m)	VER (m)	EXP (m)
PON (m)	SUP (m)	RPON (m)

ATN (m)	CUST (m)	RORD (m)
PG_OF_ ( m)	PROJECT (m)	ALT-IMPCON (m)
SC = " LCSC " (m)	ALT-IMPCON-TEL NO. (m)	
D/TSENT (m)	IMPCON-TEL NO. (m)	DFDT (m)
DDD (m)		
REQTYP = " AB " (m)		
ACT = " N " (m)		
CC (m)		
ACTL (m)		
LSO (m)		
TOS = " P " in 2nd character (m)		
NC (m)		
NCI (m)		
SECNCI (m)		
CIC (m)		
ACNA (m)		
INIT (m)		

INIT-TEL NO. (m)		
INIT-FAX NO. (m)		
IMPCON (m)		
LSP AUTH (m)		
LSP AUTH NAME (m)		
LSP AUTH DATE (m)		
REMARKS (m)		
BI1 (m)		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED;  
 ( m ) = for manual ordering only; ( e ) = for electronic ordering only

<b>EU (HFS Line Splitting) - REQ TYP A / ACT N BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON ( m )	VER ( m )	LCON-NAME (m)
ATN ( m )	SASF (m)	LCON-TEL NO. (m)
PG_OF_ ( m )	SASD (m)	
EU-NAME (m)	SATH (m)	SASN (m)
	SASS (m)	
	EU-CITY (m)	
	EU-STATE (m)	
	EU-ZIP CODE (m)	



	SANO (m)	
	SADLO (m)	
	EU-ROOM (m)	
	EU-BLDG (m)	
	EU-FLOOR (m)	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; ( m ) = for manual ordering only; ( e ) = for electronic ordering only

### REQTYP A / ACT C - BellSouth Owned

<b>LSR (HFS Line Splitting) - <i>REQTYP A / ACT C</i> BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA (m)	VER (m)	EXP (m)
PON (m)	SUP (m)	RPON (m)
ATN (m)	CUST (m)	RORD (m)
PG_OF_ ( m )	PROJECT (m)	ALT-IMPCON (m)
SC = " LCSC " (m)	ALT-IMPCON-TEL NO. (m)	
D/TSENT (m)	IMPCON-TEL NO. (m)	DFDT (m)
DDD (m)		
REQTYP = " AB " (m)		
ACT = " C " (m)		
CC (m)		
ACTL (m)		

LSO (m)		
TOS = " P " in 2nd character (m)		
NC (m)		
NCI (m)		
SECNCI (m)		
CIC (m)		
ACNA (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		
IMPCON (m)		
REMARKS (m)		
LSP AUTH (m)		
LSP AUTH NAME (m)		
LSP AUTH DATE (m)		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED;  
(m) = for manual ordering only; ( e ) = for electronic ordering only

<b>EU (HFS Line Splitting) - REQ TYP A / ACT C BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON ( <i>m</i> )	VER ( <i>m</i> )	
ATN ( <i>m</i> )	SASF ( <i>m</i> )	SASN ( <i>m</i> )
PG_OF_ ( <i>m</i> )	SASD ( <i>m</i> )	LCON- NAME
EU-NAME ( <i>m</i> )	SATH ( <i>m</i> )	LCON-TEL NO
	SASS ( <i>m</i> )	
	EU-CITY ( <i>m</i> )	
	EU-STATE ( <i>m</i> )	
	EU-ZIP CODE ( <i>m</i> )	
	EU-BLDG ( <i>m</i> )	
	EU-FLOOR ( <i>m</i> )	
	EU-ROOM ( <i>m</i> )	
	SANO ( <i>m</i> )	
	SADLO ( <i>m</i> )	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; ( *m* ) = for manual ordering only; ( *e* ) = for electronic ordering only

### **REQ TYP A / ACT D - BellSouth Owned**

<b>LSR (HFS Line Splitting) - REQ TYP A / ACT D BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA ( <i>m</i> )	VER ( <i>m</i> )	RPON ( <i>m</i> )
PON ( <i>m</i> )	SUP ( <i>m</i> )	DFDT ( <i>m</i> )
ATN ( <i>m</i> )	CUST ( <i>m</i> )	REMARKS ( <i>m</i> )

PG_OF_ ( m )	PROJECT (m)	
SC = " LCSC " (m)	IMPCON-TEL NO. (m)	
D/TSENT (m)		
DDD (m)		
REQTYP = " AB " (m)		
ACT = " D " (m)		
CC (m)		
ACTL (m)		
LSO (m)		
TOS = " P " in 2nd character (m)		
NC (m)		
NCI (m)		
SECNCI (m)		
CIC (m)		
ACNA (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		

IMPCON (m)		
LSP AUTH (m)		
LSP AUTH NAME (m)		
LSP AUTH DATE (m)		
BI1 (m)		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED;  
 (m) = for manual ordering only; (e) = for electronic ordering only

<b>EU (HFS Line Splitting) - REQ TYP A / ACT D BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON (m)	VER (m)	
ATN (m)	SASF	SASN
PG_OF_ (m)	SASD	
EU-NAME	SATH	
	SASS	
	EU-CITY	
	EU-STATE	
	EU-ZIP CODE	
	SADLO (m)	
	SANO (m)	
	EU-BLDG (m)	

	EU-FLOOR (m)	
	EU-ROOM (m)	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; ( m ) = for manual ordering only; ( e ) = for electronic ordering only

**(act of V is completely removed)**

**REQTYP A / ACT W - BellSouth Owned**

<b>LSR (HFS Line Splitting) - <i>REQTYP A / ACT W</i> BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA (m)	VER (m)	EXP (m)
PON (m)	SUP (m)	RPON (m)
ATN (m)	CUST (m)	RORD (m)
PG_OF_ ( m )	PROJECT (m)	ALT-IMPCON (m)
SC = " LCSC " (m)	ALT-IMPCON-TEL NO. (m)	ALT-IMPCON-TEL NO. (m)
D/TSENT (m)	IMPCON-TEL NO. (m)	DFDT (m)
DDD (m)		
REQTYP = " AB " (m)		
ACT = " W " (m)		
CC (m)		
ACTL (m)		
LSO (m)		
TOS = " P " in 2nd character (m)		

NC (m)		
NCI (m)		
SECNCI (m)		
CIC (m)		
ACNA (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		
IMPCON (m)		
LSP AUTH (m)		
LSP AUTH DATE (m)		
LSP AUTH NAME (m)		
REMARKS (m)		
BAN1 (m)		
B11 (m)		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED;  
(m) = for manual ordering only; (e) = for electronic ordering only

<b>EU (HFS Line Splitting) - REQ TYP A / ACT W BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON ( <i>m</i> )	VER ( <i>m</i> )	LCON-NAME (m)
ATN ( <i>m</i> )	SANO (m)	LCON-TEL NO. (m)
PG_OF_ ( <i>m</i> )	SADLO (m)	SASN (m)
EU-NAME (m)	SASS (m)	
	SATH (m)	
	SASF (m)	
	SASD (m)	
	EU-BLDG (m)	
	EU-FLOOR (m)	
	EU-ROOM (m)	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; ( *m* ) = for manual ordering only; ( *e* ) = for electronic ordering only

### **REQ TYP A / ACT P - BellSouth Owned**

<b>LSR (HFS Line Splitting) - REQ TYP A / ACT P BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA (m)	VER (m)	EXP (m)
PON (m)	SUP (m)	RPON (m)
ATN (m)	CUST (m)	RORD (m)
PG_OF_ ( <i>m</i> )	PROJECT (m)	ALT-IMP CON (m)
SC = " LCSC " (m)	ALT-IMP CON-TEL NO. (m)	



D/TSENT (m)	IMPCON-TEL NO. (m)	DFDT (m)
DDD (m)		
REQTYP = " AB " (m)		
ACT = " P " (m)		
CC (m)		
ACTL (m)		
LSO (m)		
TOS = " P " in 2nd character (m)		
NC (m)		
NCI (m)		
SECNCI (m)		
CIC (m)		
ACNA (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		
IMPCON (m)		

LSP AUTH (m)		
LSP AUTH DATE (m)		
LSP AUTH NAME (m)		
REMARKS (m)		
BAN1 (m)		
BI1 (m)		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED;  
(m) = for manual ordering only; (e) = for electronic ordering only

<b>EU (HFS Line Splitting) - REQ TYP A / ACT P BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON ( m)	VER ( m)	LCON-NAME (m)
ATN ( m)	SASF (m)	LCON-TEL. NO. (m)
PG_OF_ ( m)	SASD (m)	
EU-NAME (m)	SATH (m)	SASN (m)
	SASS (m)	
	EU-CITY (m)	
	EU-STATE (m)	
	EU-ZIP CODE (m)	
	SADLO (m)	

	SANO (m)	
	EU-FLOOR (m)	
	EU-BLDG (m)	
	EU-ROOM (m)	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; ( m ) = for manual ordering only; ( e ) = for electronic ordering only

### REQTYP A / ACT Q - BellSouth Owned

<b>LSR (HFS Line Splitting) - <i>REQTYP A / ACT Q</i> BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA (m)	VER (m)	EXP (m)
PON (m)	SUP (m)	RPON (m)
ATN (m)	CUST (m)	RORD (m)
PG_OF_ ( m )	PROJECT (m)	ALT-IMPCON (m)
SC = " LCSC " (m)	ALT-IMPCON-TEL NO. (m)	
D/TSENT (m)	IMPCON-TEL NO. (m)	DFDT (m)
DDD (m)		
REQTYP = " AB " (m)		
ACT = " Q " (m)		
CC (m)		
ACTL (m)		
LSO (m)		

TOS = " P " in 2nd character (m)		
NC (m)		
NCI (m)		
SECNCI (m)		
CIC (m)		
ACNA (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		
IMPCON (m)		
LSP AUTH (m)		
LSP AUTH DATE (m)		
LSP AUTH NAME (m)		
REMARKS (m)		
BAN1 (m)		
BI1 (m)		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED;  
(m) = for manual ordering only; (e) = for electronic ordering only

<b>EU (HFS Line Splitting) - REQ TYP A / ACT Q BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
PON ( <i>m</i> )	VER ( <i>m</i> )	LCON-NAME (m)
ATN ( <i>m</i> )	SASF (m)	LCON-TEL. NO. (m)
PG_OF_ ( <i>m</i> )	SASD (m)	
EU-NAME (m)	SATH (m)	SASN (m)
	SASS (m)	
	EU-CITY (m)	
	EU-STATE (m)	
	EU-ZIP CODE (m)	
	SANO (m)	
	SADLO (m)	
	EU-FLOOR (m)	
	EU-ROOM (m)	
	EU-BLDG (m)	

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; ( *m* ) = for manual ordering only; ( *e* ) = for electronic ordering only

<b>LSR (HFS Line Splitting) -- REQ TYP A / ACT V BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
CCNA (m)	VER (m)	EXP (m)
PON (m)	SUP (m)	RPON (m)
ATN (m)	CUST (m)	RORD (m)
PG_OF_ ( <i>m</i> )	PROJECT (m)	ALT-IMP CON (m)
SC = " LCSC " (m)	ALT-IMP CON-TEL NO. (m)	
D/TSENT (m)	IMP CON-TEL NO. (m)	DFDT (m)
DDD (m)		



REQTYP = " AB " (m)		
ACT = " V " (m)		
CC (m)		
ACTL (m)		
LSO (m)		
TOS = " P " in 2nd character (m)		
NC = "SWXX" (m)		
NCI (m)		
SECNCI (m)		
CIC (m)		
ACNA (m)		
INIT (m)		
INIT-TEL NO. (m)		
INIT-FAX NO. (m)		
IMPCON (m)		
LSP AUTH (m)		
LSP AUTH DATE (m)		
LSP AUTH NAME (m)		
REMARKS (m)		
BAN1 (m)		
BI1 (m)		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

<b>EU (HFS Line Splitting) -- REQ TYP A / ACT V BellSouth Owned</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>

PON (m)	VER (m)	LCON-NAME (m)
ATN (m)	SASF (m)	LCON-TEL. NO. (m)
PG_OF_ (m)	SASD (m)	
EU-NAME (m)	SATH (m)	SASN (m)
	SASS (m)	
	EU-CITY (m)	
	EU-STATE (m)	
	SALDO	
	SANO	
	EU-FLOOR	
	EU-ROOM	
	EU-BLDG	
	EU-ZIP CODE (m)	

## 3697 Attachment

### Resale

#### 11.3.5 LNA - Line Activity

Identifies the activity involved at the line level.

Valid Entries:

Data Characteristics: 1 alpha character

Example:

N

Business Rules:

**Rule 1:** ACTTYP ≠ C and LNA C is necessary to request Inside Move.

NOTE: Criteria for an inside move is defined in each state specific tariff.

**Rule 2:** If inside move involves the rearrangement of wiring, all applicable USOCs must be provided on the LSR.

**Rule 3:** When LNA is L or B, the ACT field must equal "S". This allows the end user to seasonally suspend or restore some of the lines on an account.



## Port Svc

### 12.3.1.4 LNA - Line Activity

Identifies the activity involved at the line level.

Business Rules:

**Rule 1:** ACTTYP ~~F~~C and LNA C is necessary to request Inside Move.

(Note: Criteria for an inside move is defined in each state specific tariff.)

**Rule 2:** If inside move involves the rearrangement of wiring, all applicable USOCs must be provided on the LSR.

Manual

**Rule 3:** When LNA = L or B, the ACT field must equal "S". This allows the end user to seasonally suspend or restore some of the lines on an account.



**LSR****3.2.21 ACT - Activity Type**

Identifies the activity involved in this service request.

Activity	Activity Description
N	New Installation
C	Change / Modification to an existing service
D	Disconnection
L	Seasonal suspension of full account
T	Outside move of an end user location where LSP is not changing <del>or Inside</del>
<del>Move</del>	
R	Record activity - ordering administrative changes
V	Full Conversion of service to a new LSP as specified (RESALE or Facility Based)
W	Full Conversion of service to new LSP as is
S	Suspend / restore partial account
B	Restore full account / restore denied account
Y	Deny
P	Partial Migration - Initial
Q	Partial Migration - subsequent