

BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

**Carrier Notification
SN91083778**

Date: August 4, 2003

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – Update to the Local Ordering Handbook (LOH)

This is to advise that BellSouth has identified the following documentation defects in the LOH.

Change Request Number	CCP Number	Description Of The Change
3766	1290	Add the following business rule to the ATN field (DL) and (LSR) Business Rule 1: When EATN is populated, ATN cannot match EATN (JB-R)
3772	1285	Area Codes omitted from Appendix "I" in the Pre-Order LOH Appendices
3773	1291	The letter "I" was omitted from "Appendix L" in the Pre-Order Appendices and it had 3 misspelled words This correction resulted from Vendor question # 070903LL1, and also referenced BST Carrier Notification #SN91083735 and Change Request #3736
3774	1288	SME updated the Business Rules for the following fields: B11 & B12 and BAN1 and BAN2 Fields (LSR Section)
3775	1292	ERL Field (EU section): Update Business Rule # 8: changing from 'Y' and 'N' to "A" and "B".
3778	1293	<ol style="list-style-type: none"> The initial publication of the LOH 14.0 ELMS 6 did not have Wireless LNP loaded in the documentation database, thus preventing coding matrices for WLNP to be generated. R/C/O tables, General Information, and business rules were published in the LOH. This change does not impact the R/C/O tables or business rules, but it will now allow the coding matrices to be generated. The old R/C/O tables for WLNP will be removed and replaced with the database generated R/C/O tables. "INP" was changed to reflect manual ordering only. Impacts to R/C/O tables to add (m) to every field in the INP R/C/O tables and remove INP from the coding matrices. <p>Special Note: INP is not applicable to WLNP.</p>

Change Request Number	CCP Number	Description Of The Change
3780	1294	<p>R/C/O CHANGES</p> <ol style="list-style-type: none"> 1. On EU form change LD1, LD2, LD3 fields to conditional for REQ TYP C (WLNP). 2. REQ TYP C (WLNP) Remove TC OPT, DISC NBR, DNUM, TC PER, TC NAME and TER from the R/C/O table regardless of what form they appear on (LSR, EU, NP) 3. ON LSR change MI on REQ TYP C (WLNP) to required in the R/C/O tables <p>DATA DICTIONARY CHANGES</p> <p>Modify valid entry note 1 on the MI FIELD, delete business rule 1 (business rule already appears as VE note)</p> <p>Modify note 5 on the ELT field</p>
3781	1295	<p>Correct R/C/O tables to remove directory delivery fields from LACT tables. Correct R/C/O tables for DACT (to add directory delivery fields).</p>

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the LOH TCIF9 with the implementation of ENCORE Release 13.0 C scheduled to be posted September 26, 2003.

A summary of all changes within this document will be listed in the Summary of Changes Section. This update can be found on the BellSouth Interconnection Services' Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachments

The following CRB Issue attachments are enclosed.

CRB 3766 / CCP 1290 Attachment Listed Below

Attachment: Data Dictionary Changes

ATN

Account Telephone Number (DL Page)

Identifies the account telephone number assigned by the NSP. It is a dialable telephone number.

None

Manual: N = New Account Telephone Number or a valid Account Telephone Number

Electronic: a valid Account Telephone Number

None

Manual: 1 alpha or 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

Manual: N or 2015551212 201-555-1212

Electronic: 2015551212

Note 1: This field is conditional.

Manual:

Note 2: Required when the AN field on the LSR form/screen is not populated, otherwise prohibited.

Electronic: None

None

Definition

Definition Notes:

Valid Entries

Valid Entry Notes:

Data Characteristics

Examples

Conditional Usage Notes

Business Rules

Rule 1: When EATN is populated, ATN cannot match EATN (JB-RREQTY JB ACT=R).

ATN

Account Telephone Number (LSR Page)

Identifies the account telephone number assigned by the NSP. It is a dialable telephone number.

None

Manual: N = New Account Telephone Number or a valid Account Telephone Number

Electronic: a valid Account Telephone Number

NOTE 1: Hyphens are automatically inserted by the BellSouth electronic interface system.

Manual: 1 alpha or 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

Manual: N or 2015551212 201-555-1212

Electronic: 2015551212

Note 1: When the REQTYP is B, NPT = D (LNP) and LNLN field is populated, this field is required.

Note 2: When the REQ TYP is C, NPT = D (LNP) and the LNLN field is populated, this field is required.

Note 3: When REQ TYP=E and the 4th character of TOS=W, then ATN is prohibited.

Note 4: When REQ TYP=E and the 4th character of TOS=S, then ATN is prohibited.

Note 5: This field is required when the A field on the LSR is not populated.

Rule 1: When (NON-COMPLEX) REQ TYP E or M/ ACT =T this field is used to indicate the MAIN ACCOUNT NUMBER for the service at the NEW LOCATION. This field does not have to

match the existing account number shown on the current Customer Service Record (CSR).

Rule 2: When the ATN is changing (ATN differs from existing account number), a DL page is required for any additional listings that include the existing account number (including foreign listings, alternate calls, etc.).

Rule 3: When REQ TYP is E or M and ACT is C or V and LNA is V or X and the main account number is changing; the ATN field is populated with the new MAIN ACCOUNT TELEPHONE NUMBER.

Definition

Definition Notes:

Valid Entries

Valid Entry Notes:

Data Characteristics

Examples

Conditional Usage Notes

Business Rules

Rule 1: When EATN is populated, ATN cannot match EATN (JB-R).

CRB 3772 / CCP 1285 Attachment Listed Below

Appendix I - NPA / Area Information

The following list will assist you with selecting the Area/State based on NPA:

NPA / Area Information

NPA AREA

NPA / AREA INFORMATION	
NPA	AREA
205, 251, 256, 334	AL
321, 352, <u>386</u> , 407, 850, 904	FL -- North
305, <u>786</u> , <u>954</u>	FL -- South
561, <u>727</u> , <u>786</u> , <u>772</u> , 954	FL -- Southeast
404, 678, 770	GA -- Atlanta
<u>229</u> , <u>478</u> , <u>678</u> , 706, <u>770</u> , 912	GA -- Outstate
270, 502, 606, <u>859</u>	KY
225, 318, <u>337</u> , <u>490</u> , <u>492</u> , 504, <u>985</u>	LA
228, 601, 662	MS
252, 336, 704, 828, 910, 919, <u>980</u>	NC
803, 843, 864	SC
423, 615, <u>731</u> , <u>865</u> , 901, 931	TN

The following list represents the changes made to this Appendix above. The only other change is that the area codes are now in sequential/numerical order.

Appendix I - NPA / Area Information

The following list will assist you with selecting the Area/State based on NPA:

NPA / Area Information

NPA AREA

~~205, 334, 256 AL~~

~~352, 850, 904 FL -- North~~

~~305, 786 FL -- South~~

~~407, 561, 954 FL -- Southeast~~

~~404, 770, 678 GA -- Atlanta~~

~~706, 912 GA -- Outstate~~

~~502, 606, 270 KY~~

~~318, 504, 490, 492, 225 LA~~

~~601, 228 MS~~

~~704, 910, 919, 336, 252, 828 NC~~

~~803, 864, 843 SC~~

~~423, 615, 901, 931 TN~~

CRB 3773 / CCP 1291 Attachment Listed Below

13.0B Page 2-770

Appendix L - Address Validation Messages

Note: All message IDs have a prefix of BLP and a suffix of ADR. For example, I901 would be BLP I901ADR. The response will follow the MSG-TEXT field, and will contain the response(s) for the query. This information may contain other valid or similar instances found (i.e. Supplemental Address Response may return other supplemental addresses when input supplemental address is not found and either no supplement address exists for the supplemental address or the input address conforms to existing supplemental address). The response may occur multiple times.

BLPW908ADR (MSG-ID)

THIS ADDRESS ALSO HAS LIVING UNITS WITH SUPPLEMENTAL
ADDRESSES

(MSG-TEXT)

New Address Range (RESPONSE)

House Num Range: 677 To 1813

Odd Even Indicator: B

House Number Status: 1

Address: 111 WHITE HOUSE ST

ATLANTA, GA

Drive Instructions: (MAINTENANCE SHOP IN BACK OF PROPERTY)

Telephone Number: 5558150913

Address Status: N

*BellSouth Local Ordering Handbook**Section 2 - Pre-Order*

Telephone Info:

New Address Range

House Num Range: 677 To 1813

Odd Even Indicator: B

House Number Status: 1

Address: 111 WHITE HOUSE ST

ATLANTA, GA

Drive Instructions: (MAINTENANCE SHOP IN BACK OF PROPERTY)

Telephone Number: 5558732263

Address Status: N

Telephone Info:

CRB 3774 / CCP 1288 Attachment Listed Below**BI1 & BI1 and BAN1 & BAN2 fields:****BI1**

Billing Account Number Identifier 1 (LSR Page)

Definition

Identifies the service type of Billing Account Number (BAN).

*Definition Notes: None***Valid Entries**

Entry	Description
D	Directory Listings
L	Loop
N	Number Portability
P	Port
R	Resale
M	Port Switched Combination

*Valid Entry Notes: None***Data Characteristics**

1 alpha character

Examples

L

Conditional Usage Notes

Note 1: Required when REQ TYP A and second character of TOS = P.

Note 2: Required when more than one BAN field (e.g., BAN1 and BAN2) is populated, otherwise optional.

Note 3: When REQ TYP is B or C and NPT = D (LNP), valid entry can only be "L" for REQ TYP B, or "N" for REQ TYP C as shown in the chart above.

Note 4: when REQ TYP A and second character of TOS = P [Line Splitting], valid entry can only be "M" as shown in the chart above.

Business Rules

Rule 1: [BULK] For UNE to UNE Bulk Migration, Required once per each EATN.

Rule 2: [BULK] For UNE to UNE Bulk Migration, populate the BI1 field as "L".

Rule 3: This field must NOT match the BI2 field.

***** End of definition for field BI1 *****

BAN1

] (LSR Page)

Definition

Identifies the billing account to which the recurring and non-recurring charges for this request will be billed.

Definition Notes: None

Valid Entries

Manual:

Valid Billing Account Number

Electronic:

Billing Account Number format:

The first three-byte characters are numeric.

The second three-byte characters are alphanumeric (A through Z) and numeric (0 through), no blanks, and no dashes.

The third four-byte characters are numeric.

The fourth and last three-byte characters are all numeric.

Valid Entry Notes: None

Data Characteristics

13 alpha/numeric characters

Examples

201Q814587123

Conditional Usage Notes

None

Business Rules

Rule 1: Billing Account(s) must be established prior to submitting any service request.

Rule 2: For REQ TYP A and B when the NC does not begin with TY or TX and the 2nd character of the TOS is not P, this field must be the CABS account number based on product.

Rule 3: For REQ TYP B when the NC begins with TY or TX, this field is populated with either the Q account for the Loop or the master Q account for Interim Number Portability and/or Listings.

Rule 4: If REQ TYP = A (Designed Loops – CABS billed) and if ordering Network Interface Devices, populate with the CLEC Master Q Account Number in the BAN2 field.

Rule ~~5~~ **34**: The CCNA and ACNA on the LSR must always match the CCNA and ACNA on the BAN. (This Rule does not include REQ TYP A Line Splitting.)

Rule ~~6~~ **45**: The CC (Company Code) on the LSR must always match the CC on the Billing Account (BAN) on the LSR. (This Rule does not include REQ TYP A Line Splitting.)

Rule ~~7~~ **56**: [BULK] For UNE to UNE Bulk Migration, required once per each EATN.

Rule ~~6~~ **77: When REQ TYP is B and the request include listings, the BANI field should be populated with the Loop billing account number and the BAN2 field should be populated with the listing account number.**

Rule ~~7~~ **88: BAN1 and BAN2 when populated must not match.**

Rule ~~8~~ **09: BAN must match correct site and RAO for REQ TYP requested.**

***** End of definition for field BAN1 *****

BI2

Billing Account Number Identifier 2 (LSR Page)

Definition

Identifies the service type of Billing Account Number (BAN).

*Definition Notes: None***Valid Entries**

Entry	Description
D	Directory Listings
L	Loop
N	Number Portability
P	Port
R	Resale
M	Port Switched Combination

*Valid Entry Notes: None***Data Characteristics**

1 alpha character

Examples

L

Conditional Usage Notes

Note 1: Required when more than one BAN field (e.g., BAN1 and BAN2) is populated, otherwise optional.

Note 2: When REQ TYP is B or C and NPT = D (LNP), valid entry can only be "L" "N" for REQ TYP B or "N" for REQ TYP C as shown in the chart above.

Note 3: Prohibited when the REQ TYP is C.

Business Rules

Rule 1: [BULK] For UNE to UNE BULK requests, the BI2 fields shall be required once per EATN, when the ERL field = Y, otherwise the fields shall be optional.

Rule 2: [BULK] For UNE to UNE Bulk Migration, populate the BI1 field as "N".

Rule 3: This field must NOT match the BI1 field.

***** End of definition for field BI2 *****

BAN2

Billing Account Number 2 (LSR Page)

Definition

Identifies the billing account to which the recurring and non-recurring charges for this request will be billed.

Definition Notes: None

Valid Entries

Manual:

Valid Billing Account Number

Electronic:

Billing Account Number format:

The first three-byte characters are numeric.

The second three-byte characters are alphanumeric (A through Z) and numeric (0 through 9), no blanks, no dashes.

The third four-byte characters are numeric.

The fourth and last three-byte characters are all numeric.

Valid Entry Notes: None

Data Characteristics

13 alpha/numeric characters

Examples

201Q814588456

Conditional Usage Notes

Note 1: Required if BI2 field is populated.

Business Rules

Rule 1: Billing Account (s) must be established prior to submitting any service request.

Rule 2: For REQ TYP B when the NC begins with TY or TX, this field is populated with either the Q account for the Loop or the master Q account for Interim Number Portability and/or Listings.

Rule ~~3~~**23**: [BULK] For UNE to UNE BULK requests, the BAN2 fields shall be required once per EATN, when the ERL field = Y, otherwise optional.

Rule 374: When REQ TYP is B and the request includes listings, the BAN1 field should be populated with the Loop billing account number and the BAN2 field should be populated with the listing account number.

Rule 485: BAN1 and BAN2 when populated must not match.

Rule 506: BAN must match correct site and RAO for REQ TYP requested.

***** End of definition for field BAN2 *****

CRB 3775 / CCP 1292 Attachment Listed Below**ERL field:****ERL**

End User Retaining Listing (EU Page)

Definition

Identifies the listing changes desired by the end user when changing Local Service Providers.

Definition Notes: *None***Valid Entries**

Entry Description

A Retain end user listing for this account 'as is' in both the directory and/or Directory Assistance.

B Do Not Retain Listings

C Change end user Listings

Valid Entry Notes: *None***Data Characteristics**

1 alpha character

Examples

A

Conditional Usage Notes

Note 1: Required for REQTYPs B, C, E, F, M, and N when ACT=V, otherwise prohibited.

Business Rules

Rule 1: When ERL=A, all listings associated with the telephone number indicated in the EATN field on the LSR form/screen will be transferred "as is" to the new LSP. "As is" includes, but is not limited to name, address, telephone number, ALI code, etc.

When ERL=A, all listings associated with the migrating telephone numbers on the LSR will be transferred "as is" to the new LSP.

Rule 2: When ERL=B, the current directory listings will be deleted.

Rule 3: ERL of B is prohibited then REQTYP=E, F, M, or N.

Rule 3: When ERL=A or B, the LACT field on the DL form/screen is prohibited.

Rule 4: When ERL=C, the DL form/screen is required for each listing established on the new account.

Rule 5: ERL of A is prohibited when REQTYP=B with NPT=D and EUMI=Y.

Rule 6: ERL of A is prohibited when REQTYP=C with NPT=D and EUMI=Y.

Rule 7: ERL of A is prohibited when LEAN or LEATN is populated.

Electronic (Bulk Migration):

Rule 8: [BULK] For UNE to UNE BULK Ordering, the ERL field must be a **"Y" "A" or "N"**
"B".

Rule 9: [BULK] For UNE to UNE BULK Migration, required once per each EATN.

Rule 10: [BULK] For UNE to UNE BULK Ordering, if the ERL field is different on the individually submitted Supplemental 03 LSRs when compared to the original bulk ordered LSR, the Supplemental will be auto-clarified.

***** End of definition for field ERL *****

CRB 3778 / CCP 1293 Attachment Listed Below

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.

- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the field in the Data Dictionary for additional clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp C, INP**ACT= C: LSR****Required**

ACT (M)	ATN (M)	BAN1 (M)
CC (M)	CCNA (M)	CIC (M)
D/TSENT (M)	DDD (M)	INIT (M)
INIT-FAX NO. (M)	INIT-TEL NO. (M)	MI (M)
PG_OF_ (M)	PON (M)	REQTYP (M)
SC (M)	TOS (M)	

Conditional

CUST (M)	IMPCON-TEL NO. (M)	LSCP (M)
MEU (M)	NOR (M)	PROJECT (M)
RPON (M)	SUP (M)	VER (M)

Optional

BI1 (M)	IMPCON* (M)	REMARKS (M)
VTA (M)		

ACT= C: EU**Required**

ATN (M)	ELT (M)	NAME (M)
PG_OF_ (M)	PON (M)	

ACT Tables: Reqtyp C, INP**Conditional**

DNUM (M)	DQTY (M)	EAN (M)
EATN (M)	LD1 (M)	LD2 (M)
LD3 (M)	LV1 (M)	LV2 (M)
LV3 (M)	VER (M)	

Optional

DISC NBR* (M)

ACT= D: LSR**Required**

ACT (M)	ATN (M)	BAN1 (M)
CC (M)	CCNA (M)	CIC (M)
D/TSENT (M)	DDD (M)	PG_OF_ (M)
PON (M)	REQTYP (M)	SC (M)
TOS (M)		

Conditional

CUST (M)	IMPCON-TEL NO. (M)	NOR (M)
PROJECT (M)	RPON (M)	SUP (M)
VER (M)		

Optional

IMPCON* (M)	REMARKS (M)
-------------	-------------

ACT= D: EU**Required**

ATN (M)	EATN (M)	NAME (M)
PG_OF_ (M)	PON (M)	

Conditional

DNUM (M)	DQTY (M)	EAN (M)
TC NAME (M)	TC PER (M)	TC TO PRI (M)
TC TO SEC (M)	TCID (M)	VER (M)

Optional

DISC NBR* (M)	TC OPT* (M)	TER (M)
---------------	-------------	---------

ACT Tables: Reqtyp C, INP**ACT= V: LSR****Required**

ACT (M)	ATN (M)	BAN1 (M)
CC (M)	CCNA (M)	CIC (M)
D/TSENT (M)	DDD (M)	INIT (M)
INIT-FAX NO. (M)	INIT-TEL NO. (M)	MI (M)
PG_OF_ (M)	PON (M)	REQTYP (M)
SC (M)	TOS (M)	

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
NOR (M)	RPON (M)	SUP (M)
VER (M)		

Optional

ALT-IMPCON* (M)	BI1 (M)	IMPCON* (M)
REMARKS (M)	VTA (M)	

ACT= V: EU**Required**

ATN (M)	CITY (M)	EATN (M)
ELT (M)	NAME (M)	PG_OF_ (M)
PON (M)	SASN (M)	STATE (M)
ZIP (M)		

Conditional

AAI (M)	AAI (M)	EAN (M)
FB-BILLCON (M)	FB-BILLNM (M)	FB-CITY (M)
FB-STATE (M)	FB-STREET (M)	FB-ZIP CODE (M)
LD1 (M)	LD2 (M)	LD3 (M)
LV1 (M)	LV2 (M)	LV3 (M)
SANO (M)	SASD (M)	SASF (M)
SASS (M)	SATH (M)	TEL NO-FBCON (M)
VER (M)		

Optional

FB-FLOOR (M)	FBI* (M)	FB-ROOM (M)
FB-SBILLNM (M)	PROJECT (M)	

LNA Tables: Reqtyp C, INP**LNA= C: NP****Required**

ATN (M)	LNA (M)	LNUM (M)
NPQTY (M)	NPT (M)	PG_OF_ (M)
PON (M)	PORTED NBR (M)	

Conditional

BLOCK (M)	CFTN (M)	TNP (M)
VER (M)		

Optional

BA* (M)	NPI (M)	
---------	---------	--

LNA= D: NP**Required**

ATN (M)	LNA (M)	LNUM (M)
NPQTY (M)	NPT (M)	PG_OF_ (M)
PON (M)	PORTED NBR (M)	

Conditional

TC NAME (M)	TC PER (M)	TC TO PRI (M)
TC TO SEC (M)	TCID (M)	VER (M)

Optional

NPI (M)	TC OPT* (M)	
---------	-------------	--

LNA= V: NP**Required**

ATN (M)	LNA (M)	LNUM (M)
NPQTY (M)	NPT (M)	PG_OF_ (M)
PON (M)	PORTED NBR (M)	

Conditional

BLOCK (M)	CFTN (M)	LEATN (M)
NPTG (M)	RTI (M)	TC NAME (M)
TC PER (M)	TC TO PRI (M)	TC TO SEC (M)
TCID (M)	TNP (M)	VER (M)

Optional

BA* (M)	NPI (M)	TC OPT* (M)
---------	---------	-------------

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the field in the Data Dictionary for additional clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp C, Wireless LNP (WLNP)

ACT= V: LSR

Required

ACT	BAN1	CC
D/TSENT	DDD	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)
PON	REQTYP	SC
TOS		

Conditional

AN	ATN	CUST
LOCQTY	MI	NNSP
NPDI	PROJECT	SUP
VER		

Optional

CCNA	CIC	EXP
REMARKS	RPON	

ACT= V: EU

Required

CITY	ELT	NAME
PG_OF_ (M)	PON (M)	SASN
STATE	ZIP	

ACT Tables: Reqtyp C, Wireless LNP (WLNP)**Conditional**

AAI	AN (M)	ATN (M)
DNUM	DQTY (M)	EATN
LV1	LV2	LV3
SANO	SASD	SASF
SASS	SATH	TC NAME
TC PER	VER (M)	

Optional

ACC (M)	DISC NBR*	LCON
LCON-TEL NO.	LD1	LD2
LD3	TC OPT*	TER

LNA Tables: Reqtyp C, Wireless LNP (WLNP)**LNA= V: NP****Required**

LNA	LNUM	NPQTY
NPT	PG_OF_ (M)	PON (M)
PORTED NBR		

Conditional

AN (M)	ATN (M)	LEATN
VER (M)		

Optional

NPI

CRB 3780 / CCP 1294 Attachment Listed Below**MI - Migration Indicator (LSR)**

Definition	Identifies the type of account level activity when lines/numbers are converting from one LSP to another										
	LSP.										
Def Notes	None										
Valid Entries	<table><thead><tr><th>Entry</th><th>Description</th></tr></thead><tbody><tr><td>A</td><td>Partial migration converting lines/numbers to a new account</td></tr><tr><td>B</td><td>Partial migration converting lines/numbers to an existing account</td></tr><tr><td>C</td><td>Full migration converting lines/numbers to a new account</td></tr><tr><td>D</td><td>Full migration converting lines/numbers to an existing account</td></tr></tbody></table>	Entry	Description	A	Partial migration converting lines/numbers to a new account	B	Partial migration converting lines/numbers to an existing account	C	Full migration converting lines/numbers to a new account	D	Full migration converting lines/numbers to an existing account
Entry	Description										
A	Partial migration converting lines/numbers to a new account										
B	Partial migration converting lines/numbers to an existing account										
C	Full migration converting lines/numbers to a new account										
D	Full migration converting lines/numbers to an existing account										
VE Notes	<p>NOTE 1: Valid entries of "A" and "B" are prohibited when the ELT field on the EU form/screen is populated with A or B. (UR MI-0001 ENC 21292,21307)</p> <p>NOTE 2: When the valid entry is A or B there must be at least one line remaining (not migrating) on the existing CSR.</p> <p>NOTE 3: When the valid entry is "C" or "D" all lines must either migrate, or be disconnected, there must not be any lines remaining on the existing CSR.</p> <p>NOTE 4: For the following products the only valid entries for this field are C or D</p> <ul style="list-style-type: none">- Digital Data Designed (DS1)- NON-Designed UCL-ND- EELs- Line Share- DID <p>NOTE 5: For a Wireless Type 1 Port, the MI field valid values must be A or B.</p>										
Data Character	1 alpha character										
Examples	A										
CU Notes	<p>Note 1: Required when the ACT is V.</p> <p>Note 2: Prohibited when the ACT is W.</p> <p>Manual:</p> <p>Note 3: Prohibited when the REQTYP is M and the TOS is 1DM-, 1EM- or 1HM.</p> <p>Note 4: Prohibited when the REQTYP is N and the valid values of B or C is indicated in the P field.</p>										
Bus Rules	Rule1: For a Wireless Type 1 Port, the MI field valid values must be A or B (duplicate of valid entry note 5)										

Printed ELT – End user Listing Treatment (end user form)

Definition	Identifies the listing changes desired by the end user when changing Local Service Providers (LSP's).								
Def Notes	None								
Valid Entries	<table><thead><tr><th>Entry</th><th>Description</th></tr></thead><tbody><tr><td>A</td><td>Retain end user listings as is in both directory and/or directory assistance</td></tr><tr><td>B</td><td>Do not retain end user listings</td></tr><tr><td>C</td><td>Change end user listings</td></tr></tbody></table>	Entry	Description	A	Retain end user listings as is in both directory and/or directory assistance	B	Do not retain end user listings	C	Change end user listings
Entry	Description								
A	Retain end user listings as is in both directory and/or directory assistance								
B	Do not retain end user listings								
C	Change end user listings								
VE Notes	<p>NOTE 1: ELT of A, prohibited when LEAN or LEATN is populated.</p> <p>NOTE 2: ELT must be C, when REQTYP is E, F, M or N, ACT is V and MI is A.</p> <p>NOTE 3: ELT must be A or C when REQTYP is E, F, M or N, ACT is V and MI is D.</p> <p>NOTE 4: ELT of A, prohibited when MI is C or D and EUMI is Y.</p> <p>NOTE 5: The valid entry of A is prohibited when the REQTYP is B or C and the MI field is populated with A, C or D and the EUMI field is populated with Y. (UR ELT-0006 AND 0009 enc 21307)</p> <p>NOTE 6: When valid entries of A or B is populated in this field the LACT field on the DL form must not be populated.</p> <p>NOTE 7: A valid entry of C will require a DL form.</p> <p>NOTE 8: When B is populated the current directory delivery information will be deleted.</p>								
Data Character	1 alpha character								
Examples	A								

CU Notes Note 1: Required when the ACT is V.
Note 2: Prohibited when the REQTYP is A.
Manual:
Note 3: Prohibited when the REQTYP is C (INP) and the ACT is C.

Bus Rules Rule 1: When a valid entry of "A" is populated in this field BellSouth will transfer all listings associated with the telephone number indicated in the EATN field "As Is" to the new LSP.

LNA - Line Activity (NP FORM)

Definition Identifies the activity involved at the line level.

Def Notes None

Valid Entries

Entry	Description
C	Change or modification to an existing service
D	Disconnection
R	Record
V	Conversion of service to new LSP (As specified)

VE Notes NOTE 1: When the ACT is V and the NPT is D (LNP) the only valid value for this field is V.
~~NOTE 2: LNA of C is valid only for INP.~~
Manual:
~~NOTE 2: LNA of C is valid only for INP.~~
NOTE 3: When this request is for an INP to LNP conversion the only valid value for this field is C.
NOTE 4: When the ACT is C and NPT is D (LNP) the only valid value for this field is C.
NOTE 5: When the request is for INP (NPT=B) the only valid values for this practice are C, D or V.

Data Character 1 alpha character

Examples v

CU Notes None

Bus Rules None

SASS - Service Address Street Suffix (end user)

Definition Identifies the suffix to the street name of the service address.

Def Notes None

Valid Entries ~~None~~

[N-North](#)

[S-South](#)

[E-East](#)

[W-West](#)

[NE-NORTHEAST](#)

[NW-NORTHWEST](#)

[SE-SOUTHEAST](#)

[SW-SOUTHWEST](#)

VE Notes None

Data Character Manual:
Up to ~~4-2~~ alpha/numeric characters



Attachment
SN91083778

Electronic:
Up to 2 alpha/numeric characters

Examples NW

CU Notes Note 1: Optional when the SASN field is populated, otherwise prohibited.

Bus Rules Rule 1: Address must be RSAG valid.

CRB 3781 / CCP 1295 Attachment Listed Below
Changes for RCO Tables, REQ TYP J:
LACT = N

<i>DL LACT = N</i>		
Required	Conditional	Optional
PON (m)	VER (m)	TT
AN or ATN	ALI	TL
SC1 (m)	WPP	TITLE1
PG_OF_ (m)	DML	TITLE2
LACT = " N "	BRO	
DLNUM	LTN	
RTY	NSTN	
LTY	PLA	
STYC	NICK	
TOA	LNFN	
DOI	LTXNUM	
LNLN	LNPL	
	DES	
	LASN	
	LAPR	
	LTEXT	
	LTXTY	
	LANO	
	LASF	

	DIRTYP	
	DIRQTYA	
	DIRQTYNC	

" " = mandatory entry; * = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

DACT = N

DL ACT = N / DACT = N		
Required	Conditional	Optional
NAME	DDANO	DDAPR
DDASN	<u>NAME</u>	DDASF
DDALOC	<u>DDASN</u>	DDATH
DDAST	<u>DDALOC</u>	DDASS
DDAZC	<u>DDAST</u>	DDALO
	DDASD	DDADLO
	<u>DDAZC</u>	
	<u>DDAPR</u>	
	<u>DDASF</u>	
	<u>DDATH</u>	
	<u>DDASS</u>	
	<u>DDALO</u>	
	<u>DDADLO</u>	
	<u>DIRTYP</u>	
	<u>DIRQTYA</u>	
	<u>DIRQTYNC</u>	

" " = mandatory entry; * = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

DL ACT = R / DACT = N		
Required	Conditional	Optional
NAME	DDANO	DDAPR
DDASN	NAME	DDASF
DDALOC	<u>DDASN</u>	DDATH
DDAST	<u>DDALOC</u>	DDALO
DDAZC	<u>DDAST</u>	DDADLO
DDASD	<u>DDAZC</u>	
	<u>DDASD</u>	
	<u>DDAPR</u>	
	<u>DDASF</u>	
	<u>DDATH</u>	
	<u>DDALO</u>	
	<u>DDADLO</u>	
	<u>DDASS</u>	
	<u>DIRTYP</u>	
	<u>DIRQTYA</u>	
	<u>DIRQTYNC</u>	

" " = mandatory entry; * = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

DACT = D

DL ACT = R / DACT = D		
Required	Conditional	Optional
N/A	N/A	N/A

" " = mandatory entry; * = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

DACT = I

DLACT = R / DACT = I		
Required	Conditional	Optional
NAME	DDANO <u>(m)</u>	DDAPR
DDASN	<u>NAME (m)</u>	DDASF
DDALOC	<u>DDASN (m)</u>	DDATH
DDAST	<u>DDALOC (m)</u>	DDALO
DDAZC	<u>DDAST (m)</u>	DDADLO
DDASD	<u>DDAZC (m)</u>	
	<u>DDASD (m)</u>	
	<u>DDAPR (m)</u>	
	<u>DDASF (m)</u>	
	<u>DDATH (m)</u>	
	<u>DDALO (m)</u>	
	<u>DDADLO (m)</u>	
	<u>DDASS (m)</u>	
	<u>DIRTYP (m)</u>	
	<u>DIRQTYA (m)</u>	
	<u>DIRQTYNC (m)</u>	

" " = mandatory entry; * = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only

DACT = O

DLACT = R / DACT = O		
Required	Conditional	Optional
NAME	DDANO	DDAPR
DDASN	<u>NAME (m)</u>	DDASF

DDALOC	<u>DDASN (m)</u>	DDATH
DDAST	<u>DDALOC (m)</u>	DDALO
DDAZC	<u>DDAST (m)</u>	DDADLO
DDASD	<u>DDAZC (m)</u>	
	<u>DDASD (m)</u>	
	<u>DDAPR (m)</u>	
	<u>DDASF (m)</u>	
	<u>DDATH (m)</u>	
	<u>DDALO (m)</u>	
	<u>DDADLO (m)</u>	
	<u>DDASS (m)</u>	
	<u>DIRTYP (m)</u>	
	<u>DIRQTYA (m)</u>	
	<u>DIRQTYNC (m)</u>	

" " = mandatory entry; * = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = for electronic ordering only