

---

**BellSouth Interconnection Services**

675 West Peachtree Street  
Atlanta, Georgia 30375

**Carrier Notification  
SN91083821**

Date: September 25, 2003

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs - **REVISED** – Update to Local Ordering Handbook (LOH) – EDI Local Mechanization Specifications 6 (ELMS 6) Release 14.0/LOH Version 14.0. (Originally posted on September 15, 2003)

This is to advise that BellSouth has identified the following documentation defects in the LOH Version 14.0 for ELMS 6 Release 14.0.

<b>CCP</b>	<b>Description of Change</b>
1357	<b>Modifications to TC fields</b>
1353	<b>Modifications to DL form (Multiple Fields)</b>
1358	<b>R/C/O Tables ACT=W REQ TYP=E (Non-Complex)</b>
1337	<b>Pre-Order Single Address Match Response</b>
1338	<b>Parsed CSR Record Response</b>
1354	<b>Correct Field Length on NAME Field on DL form</b>
1340	<b>Modifications to Pre-Order tables-Remove unnecessary rows</b>
1339	<b>Modifications to Pre-Order ICO-IND field</b>
1322	<b>Modifications to Pre-Order House Num Suffix</b>
1355	<b>Modifications to R/C/O tables REQ TYP C (LNP)</b>
1356	<b>Modifications to LSCP field business rules for ACT=T</b>

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 6 Release 14.0/LOH Version 14.0a, which posted on September 19, 2003.

A summary of all changes within this document will be listed in the **Summary of Changes Section**. This update can be found on the BellSouth Interconnection Services' Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

**ORIGINAL SIGNED BY JERRY HENDRIX**

Jerry Hendrix – Assistant Vice President  
BellSouth Interconnection Services

Attachment

## CR 1357

### END USER FORM

#### TC TO SEC - Transfer of Calls To Secondary Number

**Definition** Identifies the telephone number to which calls are to be referred.

**Def Notes** None

**Valid Entries** None

**VE Notes** None

**Data Charact** Manual: 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

**Examples** Manual:  
2016991235  
201-699-1235  
Electronic: 2016991235

**CU Notes** Note 1: Required when ST is populated in the TC OPT field, otherwise prohibited.

Note 2: Prohibited when the TC to PRI field is not populated.

Note 3: Prohibited when the ACT is N, T, V, S, W, L or Y.

Note 3: Prohibited when the REQ TYP is "A" on this form/screen. REQ TYP "A" must use Loop Service (LS) for this field.

Note 4: Prohibited when the REQ TYP is "E" (Non-Complex) or "M" (Non-Complex) and the ACT is N, T, V, S, L or Y.

Note 5: Prohibited when the REQ TYP is "N", 2<sup>ND</sup> character of TOS is "J" (PBX Trunk) and the ACT is N, C, T, V, S, or Y.

Note 6: Prohibited when the REQ TYP is "N" and the 2<sup>nd</sup> character of the TOS is "Q".

Note 7: Prohibited when the REQ TYP is "E" or M, 2<sup>nd</sup> character of the TOS is "H" and the ACT is N, C, T, V, S, L or Y.

Note 8: Prohibited when the REQ TYP is "F" and the ACT is N, C, T, V, S, L or Y.

Note 9: Prohibited when the REQ TYP is "J".

Note 10: Prohibited when the ACT is W.

**Bus Rules** Rule 1: This field must not contain the same numbers as the number in the DISC NBR field.

## TC TO PRI - Transfer of Calls To Primary Number

**Definition** Identifies the telephone number to which calls are to be referred.

**Def Notes** None

**Valid Entries** None

**VE Notes** None

**Data Charact** Manual: 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

**Examples** Manual:  
2016991234  
201-699-1234  
Electronic: 2016991234

**CU Notes** Note 1: Required when ST or TC is populated in the TC OPT field, otherwise prohibited.

**Electronic:**

~~Note 2: Prohibited when the ACT is N, T, V, S, W, L or Y.~~

Note 2: Prohibited when the REQ TYP is "A" on this form/screen. REQ TYP "A" must use Loop Service (LS) for this field.

Note 3: Prohibited when the REQ TYP is "E" (Non-Complex) or "M" (Non-Complex) and the ACT is N, T, V, S or Y.

Note 5: Prohibited when the REQ TYP is "N", 2<sup>ND</sup> character of TOS is "J" (PBX Trunk) and the ACT is N, C, T, V, S, or Y.

Note 6: Prohibited when the REQ TYP is "N" and the 2<sup>nd</sup> character of the TOS is "Q".

Note 7: Prohibited when the REQ TYP is "E" or M, 2<sup>nd</sup> character of the TOS is "H" and the ACT is N, C, T, V, S, L or Y.

Note 8: Prohibited when the REQ TYP is "F" and the ACT is N, C, T, V, S or Y.

Note 9: Prohibited when the REQ TYP is "J".

Note 10: Prohibited when the ACT is W.

---

**Bus Rules** Rule 1: This field must not contain the same numbers as the number in the DISC NBR field.

## TC OPT - Transfer of Call Options

**Definition** Identifies the type of transfer of call option the end user has requested

**Def Notes** NOTE 1: The following standard intercept recordings will automatically apply when this field is not populated.

Order or Line Activity Standard Intercept Report

"D" - Disconnect "The number you have reached has been disconnected."

"C" or "T" - Number change to a Non-Pub number "The number you have reached XXX-XXXX has been changed to a non-published number."

"C" or "T" - Number change to a listed number "The number you have reached XXX-XXXX has been changed. The new number is XXX-XXXX."

"C" - Seasonal suspension "At the customer's request XXX-XXXX has been temporarily disconnected."

"C" - Disconnect RingMaster number refer calls to Main Number "The number you have reached XXX-XXXX has been changed. The new number is XXX-XXXX."

NOTE 2: For Multi Line disconnects when a TC OPT is not selected a Transfer of Calls Intercept message may be received such as:

Example:

"We're sorry, you have reached a number that has been disconnected or is no longer in service. If you feel you have reached this recording in error please check the number and try your call again."

or

The Transfer of Calls Intercept message will reflect the status of the main number:

Example:

"The number you have reached XXX-XXXX (disconnected number) has been changed to XXX-XXXX (main tn)."

or

When the main TN is non-published, the recording will reflect:

"The number you have reached XXX-XXXX (disconnected number) has been changed to a Non-published

### Valid Entries

TC: Transfer of Calls. "The number you have reached XXX-XXXX has been changed. The new number is XXX-XXXX."

NO: None "The number you have reached has been disconnected."

ST: Split "The called number is routed to an operator/recording who verifies the number being called and then quotes the new number(s)."

CA: Used to cancel a transfer of call option when a number is disconnected. "The number you have reached has been disconnected."

**VE Notes** None

Note 1: ST is prohibited in this field when the ACT=L)

**Data Charact** 2 alpha characters

**Examples** TC

**CU Notes** Electronic:

Note 1: Prohibited when DISC NBR and DNUM are not populated and the ACT is "D".

Note 2: Prohibited when the REQTYTYP is B or C and the EAN or LEAN field is populated and ACT is V

Note 3: Prohibited when the ATN is not populated on ACT is L

Note 4: Prohibited when the REQTYTYP = N, and the 2nd character of the TOS field is J, and the ACT is N, C, T, V, S or Y.

Note 5: Prohibited when the REQTYTYP = N and the 2nd character of the TOS field is Q.

Note 6: Prohibited when the REQTYTYP is J and the ACT is N, C, T, V, S or Y.

Note 7: Prohibited when the ACT is N or T

Note 8: Prohibited when the REQTYTYP is B or C and the MI field is populated with A or B.

Note 9: Prohibited when the REQTYTYP is B or C, the ACT is V and the DNUM and DISC NBR is not populated.

Note 10: Prohibited when the REQTYTYP is "A" on this form/screen. REQTYTYP "A" must use Loop Service (LS) for this field.

**Bus Rules** Rule 1: If intercept report type is not provided, a standard intercept report will be assigned based on order activity.

Manual:

Rule 2: A reference from a business telephone number to a residence telephone number is prohibited.

Rule 3: BellSouth® will only provide a transfer of calls for a disconnected telephone number if that number

belongs to BellSouth®.

**Electronic:**

~~Rule 4: TC OPT of ST prohibited when ACT is L.~~

LS

## **TC TO SEC - Transfer of Calls To Secondary Number**

**Definition** Identifies the telephone number to which calls are to be referred.

**Def Notes** None

**Valid Entries** None

**VE Notes** None

**Data Charact** Manual: 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

**Examples** Manual: 2016991235 201-699-1235  
Electronic: 2016991235

### **CU Notes**

Note 1: Required when TC or ST is populated in the TC OPT field, otherwise prohibited.

Note 2: Prohibited when the REQ TYP is A and the LNA N or C.

Note 3: Prohibited when the REQ TYP is A and the LNA is D ~~or G~~ and the request is for one of the following products:

- ADSL Designed (2 W)
- HDSL Designed (2 W/4 W)
- UCL-D (2 W/4 W)
- UCL-ND
- EELS

### **Bus Rules**

Rule 1: This field must not contain the same numbers as the number in the DISC NBR, TC FR, OTN or TNS fields on the LS Form/Screen.

### TC TO PRI - Transfer of Calls To Primary Number

**Definition** Identifies the telephone number to which calls are to be referred.

**Def Notes** None

**Valid Entries** None

**VE Notes** None

**Data Charact** Manual: 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

**Examples** Manual: 2016991234 201-699-1234  
Electronic: 2016991234

#### CU Notes

Note 1: Required when TC or ST is populated in the TC OPT field, otherwise prohibited.

Note 2: Prohibited when the REQ TYP is A and the LNA is N, or C.

Note 3: Prohibited when the REQ TYP is A and the LNA is D ~~or G~~ and the request is for one of the following products:

- ADSL Designed (2 W)
- HDSL Designed (2 W/4 W)
- UCL-D (2 W/4 W)
- UCL-ND
- EELs.

**Bus Rules** ~~None~~

Rule 1: This field must not contain the same numbers as the number in the DISC NBR, TC FR, OTN or TNS fields on the LS Form/Screen.

## TC OPT - Transfer of Call Options

**Definition** Identifies the type of transfer of call option requested by the end user.

**Def Notes** The following standard intercept recordings will automatically apply when this field is not populated.

Order or Line Activity Standard Intercept Report

"D" - Disconnect "The number you have reached has been disconnected."

"C" or "T" - Number change to a Non-Pub number "The number you have reached XXX-XXXX

has been changed to a non-published number."

"C" or "T" - Number change to a listed number "The number you have reached XXX-XXXX has

been changed. The new number is XXX-XXXX."

"C" - Seasonal suspension "At the customer's request XXX-XXXX has been temporarily

disconnected."

"C" - Disconnect RingMaster number refer calls to Main Number "The number you have reached

XXX-XXXX has been changed. The new number is XXX-XXXX."

NOTE 1: For Multi Line disconnects when a TC OPT is not selected a Transfer of Calls Intercept message may be received such as:

Example:

"We're sorry, you have reached a number that has been disconnected or is no longer in service. If you feel you have reached this recording in error please check the number and try your call again."

or

The Transfer of Calls Intercept message will reflect the status of the main number:

Example:

"The number you have reached XXX-XXXX (disconnected number) has been changed to XXX-XXXX (main tn)."

or

When the main TN is non-published, the recording will reflect:

"The number you have reached XXX-XXXX (disconnected number) has been changed to a Non-published



number."

**Valid Entries** TC: Transfer of Calls. "The number you have reached  
XXX-XXXX has been changed. The new

number is XXX-XXXX."

NO: None "The number you have reached has  
been disconnected."

ST: Split "The called number is routed to an  
operator/recording who verifies the  
number being called and then quotes  
the new number(s)."

CA: Used to cancel a transfer of call option when a number is  
disconnected. "The number you  
have reached has been disconnected."

**VE Notes** NOTE 1: For Multi Line disconnects when a TC OPT is not selected  
a random Transfer of Calls

Intercept message may be received such as: "The number you  
have reached is being checked for  
trouble. Please try your call again later." or "We're sorry. Your call  
cannot be completed as  
dialed."

or "The number you have been reached XXX-XXXX, has been  
changed to a Non-published  
number."

NOTE 2: TC OPT of CA is prohibited for REQ TYP A.

**Data Charact** 2 alpha characters

**Examples** TC

**CU Notes** Note 1: Prohibited when the LNA is N or C.

Note 2: Prohibited ~~when the LNA is D or V on Line Share and Line  
Splitting. When the 2<sup>nd</sup> character of the TOS is "P" or "R".~~

Note 3: Prohibited when the DISC NBR on the LS Form/Screen is  
not populated.

**Bus Rules** Manual:

Rule 1: If intercept report type field is not provided, a standard  
intercept report will be assigned  
based on order activity.

Rule 2: A reference from a business telephone number to a  
residence telephone number is  
prohibited.

## RS (Form/Screen)

### TC TO PRI - Transfer of Calls To Primary Number

**Definition** Identifies the primary telephone number to which calls are to be referred.

**Def Notes** None

**Valid Entries** None

**VE Notes** None

**Data Charact** Manual: 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

**Examples** Manual: 2016991234 201-699-1234  
Electronic: 2016991234

#### CU Notes

Note 1: Required when TC or ST is populated in the TC OPT field on the Resale Form/Screen, otherwise prohibited.

#### Bus Rules

Rule 1: The number populated in this field must be different than the number populated in the DISC NBR, TC FR, OTN or TNS field on the Resale Form/Screen .

**TC TO SEC - Transfer of Calls To Secondary Number**

**Definition** Identifies the secondary telephone number to which calls are to be referred.

**Def Notes** None

**Valid Entries** None

**VE Notes** None

**Data Charact** Manual: 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

**Examples** Manual: 2016991235 201-699-1235  
Electronic: 2016991235

**CU Notes** Note 1: Required when ST is populated in the TC OPT field on the Resale Form/Screen, otherwise prohibited.

**Bus Rules** Rule 1: The number populated in this field must be different than the number populated in the DISC NBR, TC FR, OTN or TNS field on the Resale Form/Screen.

## Port Service (PS) Form/Screen

### TC TO PRI - Transfer of Calls To Primary Number

**Definition** Identifies the telephone number to which calls are to be referred.

**Def Notes** None

**Valid Entries** None

**VE Notes** None

**Data Charact** Manual: 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

**Examples** Manual: 2016991234 201-699-1234

Electronic: 2016991234

#### CU Notes

Note 1: Required when TC or ST is populated in the TC OPT field, otherwise prohibited.

#### Bus Rules

Rule 1: The number populated in this field must be different than the number populated in the DISC NBR, TCFR, OTN or TNS field on the PS Form/Screen.

**Release 14.0 Data Dictionary Checksheet - Port Service Page**

**TC TO SEC - Transfer of Calls To Secondary Number**

**Definition** Identifies the telephone number to which calls are to be referred.

**Def Notes** None

**Valid Entries** None

**VE Notes** None

**Data Charact** Manual: 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

**Examples** Manual: 2016991235 201-699-1235

Electronic: 2016991235

**CU Notes** Note 1: Required when ST is populated in the TC OPT field, otherwise prohibited.

Note 2: Prohibited when the REQ TYP is M and the LNA is P.

**Bus Rules**

Rule 1: When populated this field must not be the same number populated in the DISC NBR, TC FR, OTN or TNS field: on the PS form.

## CR 1353

### Release 14.0 Data Dictionary Checksheet - Directory Listing Page

#### AAI - Additional Address Information

<b>Definition</b>	Identifies the additional location information about the directory delivery address.
<b>Def Notes</b>	NOTE 1: This field is used to further identify a physical location when no address is available and the directory will be hand delivered.
<b>Valid Entries</b>	None
<b>VE Notes</b>	None
<b>Data Charact</b>	Up to 50 alpha,numeric characters
<b>Examples</b>	Trailer behind the gas station
<b>CU Notes</b>	Note 1: Optional when the DDASN field is populated, otherwise prohibited. Note 2: Prohibited when the CC or the NNSP field is populated with a wireless OCN.
<b>Bus Rules</b>	None

## ADV - Advance to Directory Indicator

**Definition** Indicates a request that the listing be advanced to the directory publisher.

**Def Notes** NOTE 1: This field is used if the end user service will be effective after Business Office Close (BOC) relating to the publishers closing of directory books), but they have an urgent need to appear in the directory. There is a limited window after BOC when listings can be advanced to the directory. BAPCO-BellSouth® Advertising and Publishing Company supplies customers with closing and BOC

dates.

**Valid Entries** Y = Yes, or blank

**VE Notes** None

**Data Charact** 1 alpha character

**Examples** Y

**CU Notes** Note 1: Prohibited when the WPP field is populated.  
Note 2: Prohibited ~~with-~~ when the LXTY field is populated with DL, DLB or DLS (designer listings).  
Note 3: Prohibited when the LACT field is Z.

**Bus Rules** None





## Release 14.0 Data Dictionary Checksheet - Directory Listing Page

### ALI - Alpha Listing Identifier Codes

<b>Definition</b>	Identifier assigned to each listing to uniquely identify a listing for an ATN from a customer.
<b>Def Notes</b>	NOTE 1: ALI allows for multiple listings for the same ATN from a single customer. <del>NOTE 2: ALI codes can NOT be: DNA, BOX, FOL, PRE, PLA, LNB, LNR, DST, DEI, DNL, DNO, N, HFX, NFL, OAD, OV, PFX or SFX</del>
<b>Valid Entries</b>	Valid ALI code
<b>VE Notes</b>	NOTE 1: ALI is required to denote any listing other than the Main Directory Listing. The ALI code may consist of one to three alphabetical characters. <del>NOTE 2: ALI codes can NOT be: DNA, BOX, FOL, PRE, PLA, LNB, LNR, DST, DEI, DNL, DNO, N, HFX, NFL, OAD, OV, PFX or SFX</del>
<b>Data Charact</b>	Up to 3 alpha characters
<b>Examples</b>	ABC
<b>CU Notes</b>	Note 1: Required when the 2nd and 3rd characters in the RTY field are AC, AL, AM, AS, CM, CR or SP. Note 2: Prohibited when the RTY 2nd and 3rd characters are ML.
<b>Bus Rules</b>	Rule 1: When ALI is populated and the LACT is I, then a matching ALI code must be populated with an LACT of O. Rule 2: When ALI is populated and the LACT is O, then a matching ALI code must be populated with an LACT of I. Rule 3: ALI must be unique unless the ALI code is associated with LACT of I and O. If the ALI code is paired (LACT "I" and "O"), there can only be one pair with the same ALI code.

### BRO - Business/Residence Placement Override

<b>Definition</b>	Identifies an override of the normal placement of business listings.
<b>Def Notes</b>	None
<b>Valid Entries</b>	Entry Description B Place listing only in the business section in directory and DA R Place listing only in the residence section in directory and DA
<b>VE Notes</b>	None
<b>Data Charact</b>	1 alpha character
<b>Examples</b>	B
<b>CU Notes</b>	Note 1: Prohibited when the LACT field is Z. <del>Note 2: Prohibited when the TOA is not BP.</del>
<b>Bus Rules</b>	Rule 1: This field is restricted to a business account (TOA = BP) with a personal name listing.

### CITY - City

<b>Definition</b>	Identifies the locality or community where the directory is to be delivered.
<b>Def Notes</b>	None
<b>Valid Entries</b>	None
<b>VE Notes</b>	None
<b>Data Charact</b>	Up to 32 alpha/numeric characters

**Examples**

Atlanta

**CU Notes**

Note 1: City is required when the DACT field is N, otherwise prohibited.

Note 2: Prohibited when the CC or the NNSP field is populated with a wireless OCN.

**Bus Rules**

Rule 1: The community name must be spelled in full.

## DACT - Delivery Activity

**Definition** Identifies the delivery activity for this request.

**Def Notes** None

**Valid Entries** N = New Directory Delivery

**VE Notes** None

**Data Charact** 1 alpha character

**Examples** N

**CU Notes** Note 1: Prohibited when the CC or the NNSP field is populated with a wireless OCN.

Note 2: Required when any other field in the Delivery Address/Information section is populated.

**Bus Rules** Rule 1: DACT allowed once per LSR.  
Rule 2: When the DACT field is not populated on ACT N then the directory name and address will default from the fields on the EU form, for end user name and service address.  
Rule 3: On ACT is V with MI is A, the name will default from the EU form and the address will default from the existing end user service address.

## **DDANO - Delivery Address House Number**

<b>Definition</b>	Identifies the house number of the directory delivery address.
<b>Def Notes</b>	None
<b>Valid Entries</b>	None
<b>VE Notes</b>	None
<b>Data Charact</b>	Up to 10 <b>alpha/numeric characters</b>
<b>Examples</b>	450
<b>CU Notes</b>	Note 1: Optional when the DDASN field is populated, otherwise prohibited. Note 2: Prohibited when the CC or the NNSP field is populated with a wireless OCN.
<b>Bus Rules</b>	None

## DES - Designation

<b>Definition</b>	Indicates the professional designation phrase of a business listing.
<b>Def Notes</b>	NOTE 1: Typically prints in the white pages and is used to identify the type of business when it is not inherently obvious from the name (e.g., Bob Smith and Daughters plmbr).
<b>Valid Entries</b>	Designation abbreviations
<b>VE Notes</b> Advertising and	NOTE 1: Allowable values provided in yellow page header book (YPH). BAPCO-BellSouth® Publishing Company.
<b>Data Charact</b>	Up to 400-25 alpha/numeric characters
<b>Examples</b>	atty
<b>CU Notes</b> STYC field	Note 1: Prohibited when the LACT field is Z. Note 2: Prohibited when the 1st character of the TOS field is 2, except in KY or LA or unless the is SI or CI.
<b>Bus Rules</b> in an	Rule 1: Designation will print in the white pages of the directory. Rule 2: Designation will print in lower case letters. Rule 3: Designation will not print, or affect placement in the yellow page section of the directory. Rule 4: Not allowed on Residence accounts except when the residence telephone number is indented arrangement with a business listing.

## DIRNAME - Directory Name (Listings Section)

<b>Definition</b>	Identifies the name of a directory in which to place the foreign or secondary listing.
<b>Def Notes</b>	None
<b>Valid Entries</b>	None

<b>VE Notes</b>	None
<b>Data Charact</b>	Up to 35 alpha/numeric characters
<b>Examples</b>	Birmingham, AL
<b>CU Notes</b>	Note 1: Prohibited when the LACT field is Z. <hr/> <b>Note 2: Required when the RTY 1<sup>st</sup> character is "F" or "S" and the LACT is "N" or "I".</b>
<b>Bus Rules</b>	<b>Rule 1: Required with Foreign Listings.</b> Rule <del>2</del> <u>1</u> : BAPCO-BellSouth® Advertising and Publishing Company will supply customers with the foreign directory name table. Rule <del>3</del> <u>2</u> : Must match BAPCO Foreign Directory Name Table.

## **DIRQTYNC - Number of Directories Delivered on New Connect**

<b>Definition</b>	Identifies the number of directories to be delivered at the time of a new connect (interim delivery).
<b>Def Notes</b> conversion	NOTE 1: If this field is not populated, no additional directories will be delivered at the time of the conversion and the end user will be placed on the normal annual delivery schedule.
<b>Valid Entries</b>	None
<b>VE Notes</b>	None
<b>Data Charact</b>	Up to 4 numeric characters
<b>Examples</b>	1
<b>CU Notes</b>	Note 1: Prohibited when DIRTYP is not populated, <del>otherwise optional</del> . Note 2: DIRQTYNC or DIRQTYA required when DIRTYP is populated, otherwise prohibited. Note 3: Prohibited when the CC or the NNSP field is populated with a wireless OCN.
<b>Bus Rules</b>	None

## DIRTYP - Directory ID Type

<b>Definition</b>	Identifies the type of directory (e.g., White, Yellow, Combined) to be delivered.										
<b>Def Notes</b>	None										
<b>Valid Entries</b>	<table><thead><tr><th>Entry</th><th>Description</th></tr></thead><tbody><tr><td>W</td><td>White Pages</td></tr><tr><td>Y</td><td>Yellow Pages</td></tr><tr><td>B</td><td>Combined Book</td></tr><tr><td>O</td><td>All Primary Books</td></tr></tbody></table>	Entry	Description	W	White Pages	Y	Yellow Pages	B	Combined Book	O	All Primary Books
Entry	Description										
W	White Pages										
Y	Yellow Pages										
B	Combined Book										
O	All Primary Books										
<b>VE Notes</b>	NOTE 1: Up to three occurrences allowed for this field. NOTE 2: Combined books are telephone directories with both white and yellow pages combined into one book. NOTE 3: Primary directories consist of all local area, entitlement telephone directories. <b>Entitlement is</b>										
<b>Data Charact</b>	1 alpha character										
<b>Examples</b>	W										
<b>CU Notes</b>	Note 1: Required when the DIRQTYA or DIRQTYNC field is populated, otherwise prohibited. Note 2: Prohibited when the CC or the NNSP field is populated with a wireless OCN.										
<b>Bus Rules</b>	Rule 1: Directory Type values can-not be duplicated per LSR.										

## DLNM - Dual Name Listing

<b>Definition</b>	Indicates that this listing contains multiple first names, (e.g., Smith Betty & John) and that both should appear in the directory and directory assistance.
<b>Def Notes</b>	None
<b>Valid Entries</b>	Y = Yes, or blank
<b>VE Notes</b>	None
<b>Data Charact</b>	1 alpha character
<b>Examples</b>	Y
<b>CU Notes</b>	Note 1 Prohibited when the LACT field is Z. Note 2: Prohibited when the TOA field is BP or RP. Note 3: Prohibited when the TOS first character is 1, 3 or 4. <b>Note 4: Prohibited when the LNFN (Listed Name First) field does not contain exactly one</b>
<b><u>AMPERSAND.</u></b>	
<b>Bus Rules</b>	Rule 1: This field is restricted to residence service. <b>Rule 2: Ampersand required in LNFN (Listed Name First) field when DLNM is Y.</b>





## DOI - Degree of Indent

<b>Definition</b>	Identifies the degree of indentation for this listing.
<b>Def Notes</b>	None
<b>Valid Entries</b>	0-6
<b>VE Notes</b>	None
<b>Data Charact</b>	1 numeric character
<b>Examples</b>	1
<b>CU Notes</b>	Note 1: Prohibited when the LACT field is Z.
<b>Bus Rules</b>	Rule 1: DOI must be greater than 0 (zero) when LTXTY is ITX or AC. Rule 2: DOI must be 0 (zero) when the STYC is SL or SH. Rule 3: When <del>SI</del> -CI is indicated in the STYC field on the DL form/screen, DOI must equal a numeric value that equals = 1, 2, 3, 4, 5 or 6. Rule 4: When the STYC is SI, the DOI must be equal to 1. Rule 5: When the DOI is 2 or greater, the STYC must be CI.



## FAINFO - File After Information

<b>Definition</b>	Identifies the information that the indent or caption sub-header will follow within the same level.
<b>Def Notes</b>	NOTE 1: This field may be used to indicate: - Recapped text when irregular placement for an indented listing or a new caption sub-header is desired. - Recapped address when irregular placement for an indented listing, a new caption sub-header or existing caption sub-header is desired.
<b>Valid Entries</b>	None
<b>VE Notes</b>	NOTE 1: Commas are prohibited in this field.
<b>Data Charact</b>	<u>Up to</u> 100 alpha/numeric characters
<b>Examples</b>	Billing Department- - (Billing Department- -)
<b>CU Notes</b>	<u>Rule-Note</u> 1: Required when the SO field is A, otherwise prohibited. <u>Rule-Note</u> 2: Prohibited when the LACT field is Z. <u>Rule-Note</u> 3: Prohibited when the STYC field is CI and the LVL field is 0 (zero).
<b>Bus Rules</b>	None

## LALOC - Listed Address Locality

<b>Definition</b>	Identifies the locality or community to be listed.
<b>Def Notes</b>	NOTE 1: A published address may contain only a community name. Use this field to indicate the community name to be listed.
<b>Valid Entries</b>	None
<b>VE Notes</b>	<del>None</del> <u>Note 1: LALOC must not contain all capital letters unless populated with a single letter.</u>
<b>Data Charact</b>	Up to 35 alpha/numeric characters
<b>Examples</b>	Decatur
<b>CU Notes</b>	Note 1: Prohibited when the LACT field is Z. Note 2: Required when the RTY field is populated with FAC, FAL or FSP, and the primary state on the EU form is Georgia (GA). Note 3: Required when the RTY field is FAC, FAL or FSP, and the ADI field is not populated and the primary state on the EU form is not Georgia (GA). Note 4: Prohibited when the ADI field is populated. Note 5: Prohibited when the 2nd and 3rd character of the RTY field is CR.
<b>Bus Rules</b>	<del>Rule 1: LALOC must not be populated with all capital letters unless populated with a single letter.</del>

## LASN - Listed Address Street Name

<b>Definition</b>	Identifies the street name of a listed address.
<b>Def Notes</b>	NOTE 1: This field may be used for a descriptive address, such as the name of a shopping center, or the name of a building. NOTE 2: This field may be used when the listed address contains only a street name.
<b>Valid Entries</b>	<del>None</del> <u>Note 1: LASN must not contain all capital letters, unless it is a single letter.</u>
<b>VE Notes</b>	None
<b>Data Charact</b>	Up to 60 alpha/numeric characters
<b>Examples</b>	Peachtree
<b>CU Notes</b>	Note 1: Prohibited when the LACT field is Z. Note 2: Prohibited when the ADI field is populated. Note 3: Prohibited when the 2nd & 3rd character of the RTY field is CR. Note 4: Required when the RTY field is LML, and the LACT field is N, and the LALOC or ADI field is not populated. Note 5: Required when the 2nd and 3rd characters of the RTY field is AC, AL, AM or CM, and the STYC is CI and the LACT = N or I, and the ADI or LALOC fields are not populated.
<b>Bus Rules</b>	<del>Rule 1: LASN must not contain all capital letters, unless it is a single letter.</del> <u>None</u>

## LD2 - Location Designator 2

**Definition** Identifies additional specific information related to the directory delivery address (e.g. floor).

**Def Notes** None

**Valid Entries** FLR = Floor

**VE Notes** ~~None~~

---

Note 1: When populated the only valid entry is FLR

**Data Charact** ~~3~~- Up to 4 alpha characters

**Examples** FLR

**CU Notes** Note 1: Optional when the DDASN field is populated, otherwise prohibited.  
Note 2: Required when the LV2 field is populated.  
Note 3: Prohibited when the LV2 field is not populated.  
Note 4: Prohibited when the CC or the NNSP field is populated with a wireless OCN.

**Bus Rules** None

## LNFN - Listed Name First

**Definition** Identifies the continuation of the name for Business and Government listings.

**Def Notes** NOTE 1: For residence listings, it identifies the first name(s), middle name(s), and initials.

**Valid Entries** None

**VE Notes** ~~None~~

~~Note 1: Listed first name is the remainder of a business name or the given name and initial, if desired, of an individual. The optional middle initial should always be separated from the given name or initial by a space.~~

~~Note 2: When the TOA field is R or BP, the LNFN must not be populated with all capital letters, unless they are all single letters separated by single spaces (e.g., Smith, M A (where the LNFN is initials)).~~

**Data Charact** Up to 100 alpha/numeric characters

**Examples** Red Cross

**CU Notes** Note 1: Required when listing is a personal name TOA is R or BP.  
Note 2: Prohibited when LACT field is Z.

~~**Bus Rules** None Rule 1: Listed first name is the remainder of a business name or the given name and initial, if desired, of an individual. The optional middle initial should always be separated from the given name or initial by a space.~~

~~Rule 2: When the TOA field is R or BP, the LNFN must not be populated with all capital letters, unless they are all single letters separated by single spaces (e.g., Smith, M A (where the LNFN is initials)).~~

## LNLN - Listed Name Last

**Definition** Indicates the first word for business listings or the complete last name for residence listings.

**Def Notes** None

**Valid Entries** None

**VE Notes** None

**Data Charact** Up to 50 alpha/numeric characters

**Examples** American

**CU Notes** Note 1: Prohibited when the LACT field is Z.

~~Note 2: Required when the LACT is N, D, I or O.~~

**Bus Rules** Rule 1: when TOA is R or BP, this field must not be populated with all capital letters.



## LNPL - Listed Name Placement

<b>Definition</b>	Identifies the alphabetic placement of the listing based on the LNLN field.
<b>Def Notes</b>	None
<b>Valid Entries</b>	L = Letter Placement
<b>VE Notes</b>	None
<b>Data Charact</b>	1 alpha character
<b>Examples</b>	L
<b>CU Notes</b>	Note 1: Prohibited when PLA is populated. Note 2: Prohibited when the LACT field is Z.
<b>Bus Rules</b>	<b>Manual:</b> Rule 1: Listing placement will default to word placement unless L (Letter placement) is specified. Electronic: Rule 2: Listing placement will default to word placement unless L (Letter placement) is specified. Rule 3: Letter placement: Directory placement is determined by the first letter indicated in the LNLN field on the DL form/screen. Rule 4: Word placement (default): Directory placement is determined by the complete word in the LNLN



## Release 14.0 Data Dictionary Checksheet - Directory Listing Page

### LTEXT - Line of Text

<b>Definition</b>	Identifies the descriptive or informative text that will appear in the directory or directory assistance.
<b>Def Notes</b>	NOTE 1: Descriptive or Informative Listing Text associated with entry indicated in the LTXTY field.
<b>Valid Entries</b>	None
<b>VE Notes</b>	<del>None</del>

Note 1: Must not exceed 90 characters for Special Text when the 2nd and 3rd characters of the RTY field are SP.

Note 2: When LTXTY field is populated with CR, the first word populated in this field must be "See".

**Data Charact** Up to 250 alpha/numeric characters

**Examples** Fax Line  
Children's Telephone

**CU Notes** Note 1: Prohibited when the LACT field is Z.  
Note 2: Required when the LTXTY field is populated with AC, CR, SP, DL, DLB or DLS.  
Note 3: Required when the LTXTY field is ITX and the STYC field is not populated with CI.  
~~Note 4: When LTXTY field is populated with CR, the first word populated in this field must be "See".~~  
Note ~~54~~: Prohibited when the LPHRASE field is populated.

**Bus Rules** ~~Rule 1: Must not exceed 90 characters for Special Text when the 2nd and 3rd characters of the RTY field are SP.~~

### LTN - Listing Telephone Number

**Definition** Indicates the telephone number to be placed in the directory and quoted in Directory Assistance (DA) as appropriate based on LTY, RTY, and STYC field entries.

**Def Notes** None

**Valid Entries** None

**VE Notes** None

**Data Charact** Manual: - 10 numeric characters (excluding 2 optional hyphens)  
Electronic: 10 numeric characters

**Examples** Manual:  
2019813500  
201-981-3500  
Electronic:  
2019813500

**CU Notes** Note 1: Prohibited when the 2nd and 3rd characters of RTY data is CR or SP.  
Note 2: Required with RTY 2nd and 3rd characters are not CR or SP.

**Bus Rules** Rule 1: When the NSTN field on the DL form/screen is a stylist number (a number that spells a word), the numeric equivalent is required in this field.

Rule 2: When the REQTYP is B or C, the LTN field must match a number that is being ported out in the Ported Number field.

## LTXNUM - Line of Text Reference Number

**Definition** Identifies each line of information for a listing with a unique number.

**Def Notes** None

**Valid Entries** ~~None~~

01

02

03

**VE Notes** ~~NOTE 1: Valid values are 01, 02 or 03.~~

**Data Charact** 2 numeric characters

**Examples** 01

**CU Notes** Note 1: Prohibited when the LACT field is Z.  
Note 2: Required when LTXTY is populated, otherwise prohibited.

**Bus Rules** Rule 1: The LTXNUM is customer assigned.  
Rule 2: Once the LTXNUM is generated, it cannot be changed and is retained through the completion of the request.  
Rule 3: The values are to be assigned consecutively and must be unique throughout the request at the DLNUM level.  
Rule 4: This field is used when AC, CR, DL, DLB, DLS, ITX, TT, SP or OP is indicated in the LTXTY field.



## LTY - Listing Type

<b>Definition</b>	This field identifies the type of listings being submitted with respect to publication and directory assistance (DA) rules.								
<b>Def Notes</b>	None								
<b>Valid Entries</b>	<table><thead><tr><th>Entry</th><th>Description</th></tr></thead><tbody><tr><td>1</td><td>Listed: Appears in the directory assistance records and in the directory.</td></tr><tr><td>2</td><td>Non-Listed: Appears only in the directory assistance records.</td></tr><tr><td>3</td><td>Non-Pub: Listed Request. Does not appear in directory and telephone number does not appear in directory assistance records.</td></tr></tbody></table>	Entry	Description	1	Listed: Appears in the directory assistance records and in the directory.	2	Non-Listed: Appears only in the directory assistance records.	3	Non-Pub: Listed Request. Does not appear in directory and telephone number does not appear in directory assistance records.
Entry	Description								
1	Listed: Appears in the directory assistance records and in the directory.								
2	Non-Listed: Appears only in the directory assistance records.								
3	Non-Pub: Listed Request. Does not appear in directory and telephone number does not appear in directory assistance records.								
<b>VE Notes</b>	<p><del>NOTE 1: Valid Value of '2' is optional</del> NOTE <del>2</del> 1: This field must be populated with '1' when STYC is CI, SH or SI. <del>Note 2: Valid entries of 2 or 3 are prohibited when the WPP field is populated.</del> <del>Note 3: Valid entries of 2 or 3 are prohibited when LTXTY field is DL, DLB or DLS.</del> <del>Note 4: Valid entry of 2 is only applicable when the RTY field is ML, AM, AL or AS</del> <del>Note 5: Valid entry of 3 is only applicable when the RTY field is ML.</del></p>								
<b>Data Charact</b>	1 numeric character								
<b>Examples</b>	1								
<b>CU Notes</b>	<p><del>Note 1: An entry of '2' is optional when the 2nd and 3rd characters indicated in the RTY fields are ML, AS, AM or AL, otherwise prohibited.</del> <del>Note 2: Valid entries of 2 or 3 are prohibited when DL, DLB or DLS is indicated.</del> Note <del>3</del> 1: Prohibited when the LACT field is Z. <del>Note 4: An entry of 2 or 3 is prohibited when the WPP field is populated.</del></p>								
<b>Bus Rules</b>	None								



## LVL - Level of Indent

<b>Definition</b>	Indicates the degree of indent of the prior level being recapped or the degree of indent of the caption header/caption sub-header or the degree of indent of the sequence information.
<b>Def Notes</b>	None
<b>Valid Entries</b>	0-6
<b>VE Notes</b>	NOTE 1: When populated, <del>the</del> <u>the</u> first LVL value must be '0' (zero) and additional LVL entries must be consecutive and cannot be duplicated within the DLNUM group.
<b>Data Charact</b>	1 numeric character
<b>Examples</b>	2
<b>CU Notes</b>	Note 1: Required when the STYC field is populated with CI or SI. Note 2: Prohibited when the LACT field is Z. Note 3: Required when the DOI field is '1' or greater. Note 4: Prohibited when the STYC field is SL or SH. Note 5: Required when the PLS field is populated.
<b>Bus Rules</b>	Rule 1: The LVL value cannot be greater than the DOI field value. Rule 2: One entry must be made for each level less than the value in the DOI field (this represents the prior levels for the indent on the DL form/screen).



## **NICK - Nickname**

**Definition** Indicates the listed person's nickname.

**Def Notes** None

**Valid Entries** None

**VE Notes** ~~None~~

Note 1: When populated the data in this field cannot be more than one word or two (2) alpha letters (initials) separated by a space.

**Data Charact** Up to 12 alpha/numeric characters

**Examples** DUTCH

**CU Notes** Note 1: Prohibited when the LACT field is Z.

**Bus Rules** Rule 1: This field is in addition to the listed name fields (LNLN, LNFN).

Rule 2: Nickname is available for Residence and Business service.

Rule 3: Nickname listing may be furnished to a business when it is a personal name listing and the person is also known by a nickname.

~~Rule 4: Nickname listings may be provided as a main or additional listing.~~

~~Rule 5: Nicknames appear in the directory enclosed by parenthesis.~~

~~Rule 6: Data cannot be more than one word or two letters (initials) separated by a space.~~

## NSTN - Non Standard Telephone Number

**Definition** Identifies a telephone number which is not in the standard North American Numbering Plan format (e.g., stylist numbers, N11 service (e.g., 911, 611)).

**Def Notes** None

**Valid Entries** None

**VE Notes** ~~None~~

Note 1: When populated all alphas except Q and Z, numerics 0-9, spaces, pound (#), Asterick (\*) and Hyphens (-) are allowed.

Note 2: When populated with 11 or 12 alpha/numeric stylist number (e.x. 414 227-HELP) the NSTN value must equate to a number in the corresponding LTN field. (e.x., LTN=414 227-4357 NSTN=414 227-HELP)

Note 3: When populated must be 3 numeric characters when EU state is NC or AL.

Note 4: When populated the 1<sup>st</sup> 3 characters of the NSTN field must be numeric.

Note 4: When populated with only 3 numeric characters the 2<sup>nd</sup> and 3<sup>rd</sup> numeric must be 1 (e.g. 911)

Note 5: The NSTN may be 11 digits (e.g., 800 FLOWERS (10 alpha/numerics plus a space)).

**Data Charact** 3 numerics, 11 alpha/numerics or 12 alpha/numerics

**Examples** 911  
414-227-HELP

**CU Notes** Note 1: Prohibited when the LACT field is Z.  
Note 2: Prohibited when the 2nd and 3rd characters in the RTY field are AS, CR or SP.

**Bus Rules** Rule 1: Stylist Listings are permitted for both Residence and Business accounts.  
Rule 2: Stylist Listings are not available in NC and AL.  
Rule 3: Stylist Listings may be published in the directory with a combination of both alpha and numeric versions. Alpha characters will print in upper case.  
Rule 4: Only the numeric version of a Stylist Listing is available from Directory Assistance.  
Rule 5: Stylist Listings may not contain the letters Q or Z.  
Rule 6: Stylist Listings may not contain the # or \* symbols.  
Rule 7: The numeric 0 (zero) may not be substituted for alpha " O " in Stylist Listings.  
Rule 8: The numeric 1 may not be substituted for alpha " l " in Stylist Listings.  
Rule 9: For the Stylist listings, when both the alpha and numeric versions of the the telephone number are printed, one version may include the indented phrase "Also Dialed As".  
Rule 10: For Stylist listing, the 1st three characters of the NSTN must be numeric NPA (e.g., 800 FLOWERS).

Rule 11: The NSTN may be 3 digits (e.g., 911).

Rule 12: When NSTN is populated with only 3 numerics, the 2nd and 3rd numerics must be "11" (e.g., 911).

Rule 13: The NSTN may be 11 digits (e.g., 800 FLOWERS (10 alpha/numerics plus a space)).

## PLA - Place Listing As

<b>Definition</b>	Identifies the special filing words that should be used instead of the listed name if the customer wishes to override the normal alphabetizing.
<b>Def Notes</b>	None
<b>Valid Entries</b>	None
<b>VE Notes</b>	<del>None</del>
<hr/> <b>Note 1: Numeric values 0-9 are prohibited in this field.</b>	
<b>Data Charact</b>	Up to 150 alpha/numeric characters
<b>Examples</b>	Ten Forty Tax Service
<b>CU Notes</b>	Note 1: Prohibited when LNPL field is populated. Note 2: Prohibited when the LACT field is Z. Note 3: Required when LNLN contains numerics. Note 4: Required when LNFN contains numerics.
<b>Bus Rules</b>	Rule 1: This field is used when the listing contains numerics, (1040 Tax could be alphabetized as One Zero Four Zero Tax, or as Ten Forty Tax) or when the customer wants the listing alphabetized differently from how it would normally be alphabetized (e.g., Mr Tax could be alphabetized as Mr or as Mister). <del>Rule 2: Numeric values in this field are prohibited.</del>

## PLINFO - Prior Level Information

<b>Definition</b>	Identifies the information at this level of a caption sub header , caption indent or SLU indent.
<b>Def Notes</b>	NOTE 1 Use this field to indicate new caption subheader, caption indent or SLU. This may be text or where no text is present, the indent address. NOTE 2: Use this field to indicate recapped caption sub-header text or address information.
<b>Valid Entries</b>	None
<b>VE Notes</b>	None
<b>Data Charact</b>	Up to 100 alpha/numeric characters
<b>Examples</b>	125 Main St
<b>CU Notes</b>	Note 1: Required when the LVL field is greater than '0' (zero) and the LVL field is different from the field, except when STYC is SI. Note 2: Prohibited when LVL is 0 (zero). Note 3: Prohibited when LACT is Z. Note 4: Prohibited when STYC is SI, <del>SH or SL.</del>
<b>Bus Rules</b>	None

## PLS - Prior Level Status

<b>Definition</b>	Identifies whether the level is new or a recap of an existing indent, caption header or caption sub-header supplied to define placement within the caption set.
<b>Def Notes</b>	None
<b>Valid Entries</b>	Entry Description E Existing caption indent, SLU header, SLU Indent, caption sub-header or caption header N New caption sub header or caption header
<b>VE Notes</b>	NOTE 1: A valid entry of "N" is prohibited when the corresponding PLTN is populated. NOTE 2: E is prohibited in this field when the SO field is populated with F. NOTE 3: When the STYC is SI, PLS Associated with LVL '0' (zero) cannot be N.
<b>Data Charact</b>	1 alpha character
<b>Examples</b>	N
<b>CU Notes</b>	Note 1: Required when the LVL field is different than the value in the DOI field, otherwise prohibited. Note 2: Required when the PLINFO field is populated. Note 3: Prohibited when STYC field is populated with SL or SH. Note 4: Prohibited when the LACT field is Z. <del>Note 5: Prohibited when STYC =SI and LVL is 1.</del>  <del>Rule 2: Prohibited when STYC =SI and LVL is 1.</del>
<b>Bus Rules</b>	None

## PLTN - Prior Level Telephone Number

<b>Definition</b>	Identifies a telephone number associated with this level.
<b>Def Notes</b>	None
<b>Valid Entries</b>	Standard Format Non-Standard Format
<b>VE Notes</b>	<del>None</del> <u>Note 1: When PLTN is 3 numerics, the 2nd and 3rd numerics must be 1, 1.</u>
<b>Data Charact</b>	Manual: 10 numerics (excluding optional hyphens) or up to 12 alpha/numeric characters Electronic: 3 numerics or 10 numerics
<b>Examples</b>	Manual: 911 2107771111 210-777-1111 <del>414-227-HELP</del> Electronic: 911 2107771111
<b>CU Notes</b>	Note 1 Prohibited when the LACT field is Z. Note 2: Prohibited when STYC is CI and LVL is 0 (zero). Note 3: Required when the STYC is SI and LVL is 0 (zero). Note 4: Prohibited when the STYC is SI and the LVL is 1. Note 5: Prohibited when PLINFO is not populated <u>except when STYC is SI-</u> Note 6: Prohibited when STYC is not SI or CI.
<b>Bus Rules</b>	<del>Rule 1: When PLTN is 3 numerics, the 2nd and 3rd numerics must be 1, 1.</del> <u>None</u>



## SIC - Standard Industry Classification

<b>Definition</b>	This code identifies the primary function of a customer's business.
<b>Def Notes</b>	NOTE 1: The codes are established by the U.S. Government. NOTE 2: The Standard Industry Classification codes are assigned to businesses as it relates to their type of primary business involvement. NOTE 3: The SIC code is associated with specific yellow page heading codes and are provided by BAPCO-BellSouth® Advertising and Publishing Company. NOTE 4: SIC must be 4 numerics when the 1st character of TOS is 1 or 3. NOTE 5: SIC must be 5 numerics when the 1st character of TOS is 4 (coin).
<b>Valid Entries</b>	None
<b>VE Notes</b>	None
<b>Data Charact</b>	4 or 5 numeric characters
<b>Examples</b>	8437
<b>CU Notes</b>	Note 1: When the TOS is 1, 3 or 4 and the ACT is N, T or ACT is V with MI equals A or C this field is required. Note 2: Prohibited when the 1st character of of the TOS is 2 except in Kentucky (KY) or Louisiana (LA). <u>Note 3: Prohibited when the LACT is Z.</u>
<b>Bus Rules</b>	Rule 1: Only one SIC allowed per account and is not repeatable.



## STYC - Style Code

<b>Definition</b>	Identifies whether the listing is straight line, SLU header, SLU indent or caption indent .										
<b>Def Notes</b>	None										
<b>Valid Entries</b>	<table><thead><tr><th>Entry</th><th>Description</th></tr></thead><tbody><tr><td>CI</td><td>Caption Indent</td></tr><tr><td>SH</td><td>SLU Header</td></tr><tr><td>SI</td><td>SLU Indent</td></tr><tr><td>SL</td><td>Straight Line</td></tr></tbody></table>	Entry	Description	CI	Caption Indent	SH	SLU Header	SI	SLU Indent	SL	Straight Line
Entry	Description										
CI	Caption Indent										
SH	SLU Header										
SI	SLU Indent										
SL	Straight Line										
<b>VE Notes</b>	<p>NOTE 1: CI = Caption Indent - Use this field when ordering Caption Header or an Indented Listing within a arrangement. under the arrangement. straight</p> <p>NOTE 2: SH = SLU Header - Straight line listing header of a SLU (Straight Line Under) listing The header is the first listing in the SLU arrangement and requires one or more indented listings header. NOTE 3: SI = SLU Indent - Straight line listing indented under SLU header, within a SLU NOTE 4: SL = Straight Line Listing - Given name, telephone number and optional address, or multiple line (ie: Designer Extra Line).</p> <p><u>Note 5: STYC of SI or CI is prohibited when the WPP field is populated.</u></p>										
<b>Data Charact</b>	2 alpha characters										
<b>Examples</b>	SL										
<b>CU Notes</b>	<p>Note 1 Prohibited when the LACT field is Z. Note 2: When STYC is CI and LVL is 0 (zero), PLINFO, PLTN, SO, FAINFO and FATN are prohibited. Note 3: Required when LACT is N, I or O.</p>										
<b>Bus Rules</b>	None										





## WPP - White Page Products

<b>Definition</b>	Identifies information about the type of Designer Listings requested.										
<b>Def Notes</b>	None										
<b>Valid Entries</b>	<table><thead><tr><th>Entry</th><th>Description</th></tr></thead><tbody><tr><td>DB</td><td>Designer Bold</td></tr><tr><td>DBP</td><td>Designer Bold Plus</td></tr><tr><td>DS</td><td>Designer Script</td></tr><tr><td>DSP</td><td>Designer Script Plus</td></tr></tbody></table>	Entry	Description	DB	Designer Bold	DBP	Designer Bold Plus	DS	Designer Script	DSP	Designer Script Plus
Entry	Description										
DB	Designer Bold										
DBP	Designer Bold Plus										
DS	Designer Script										
DSP	Designer Script Plus										
<b>VE Notes</b> field on	NOTE 1: Valid entries of DBP and DSP are prohibited when the 2nd and 3rd characters in the RTY the DL form/screen are AC. NOTE 2: When RTY 2nd and 3rd characters are AC, an entry of DBP and DSP are prohibited.										
<b>Data Charact</b>	Up to 3 alpha characters										
<b>Examples</b>	DB DSP										
<b>CU Notes</b>	Note 1: Prohibited when the STATE field on the EU form is populated with "NC" (North Carolina). Note 2: Prohibited with LTY of 2 or 3. Note 3: Prohibited when the first character of the TOS field is 1, 3 or 4. <b>Note 4: Prohibited when the LACT is Z</b>										
<b>Bus Rules</b> service).	Rule 1: Designer Listings are only allowed when the 1st character of the TOS is 2 (Residential Rule 2: Check state specific tariffs for this product availability. Rule 3: A customer listing may have only one of the three print style options (Bold, Bold Plus, Script).										
Extra	line option may be ordered in addition to any of the printing options.										

### 9.1.3 ACT, LACT (Listing Activities), and DACT (Delivery Activities) Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (\*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (\*\*) please refer to the field in the Data Dictionary for additional clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp J, Directory Listing

#### ACT= C: LSR

##### Required

ACT BAN1 CC  
CCNA D/TSENT DDD  
INIT INIT FAX NO. INIT TEL NO.  
PG\_OF\_ (M) PON REQ TYP  
SC TOS

##### Conditional

AN ATN B11  
CIC CUST SUP  
VER RPON NOR

##### Optional

REMARKS RPON

#### ACT= C: EU

##### Required

CITY NAME PG\_OF\_ (M)  
PON (M) SASN STATE  
ZIP

##### Conditional

AA1 AN (M) ATN (M)  
EAN EATN SANG  
VER (M)

##### Optional

LD1 LD2 LD3  
SASD SASF SASS  
SATH

#### ACT= D: LSR

##### Required

ACT BAN1 CC  
CCNA D/TSENT DDD  
INIT INIT FAX NO. INIT TEL NO.  
PG\_OF\_ (M) PON REQ TYP  
SC TOS

##### Conditional

AN ATN B11  
CIC CUST SUP  
RPON NOR  
VER

##### Optional

REMARKS RPON

#### ACT= D: EU

##### Required

NAME PG\_OF\_ (M) PON (M)

##### Conditional

AN (M) ATN (M) FB-BILLCON  
FB-BILLNM FB-CITY FB-STATE

FB-STREET FB-ZIP CODE TEL NO-FBCON  
VER (M)

**Optional**

FB-FLOOR FBI\* FB-ROOM  
FB-SBILLNM

**ACT= N: LSR**

**Required**

ACT BAN1 CC  
CCNA D/TSENT DDD  
INIT INIT-FAX NO. INIT-TEL NO.  
PG\_OF\_ (M) PON REQTYT  
SC TOS

**Conditional**

AN ATN BI1  
CIC CUST SUP  
RPON NOR  
VER

**Optional**

REMARKS ~~RPON~~

**ACT= N: EU**

**Required**

CITY NAME PG\_OF\_ (M)  
PON (M) SASN STATE  
ZIP

**Conditional**

AAI AN (M) ATN (M)  
SANO VER (M)

**Optional**

LD1 LD2 LD3  
SASD SASF SASS  
SATH

**ACT= R: LSR**

**Required**

ACT BAN1 CC  
CCNA D/TSENT DDD  
INIT INIT-FAX NO. INIT-TEL NO.  
PG\_OF\_ (M) PON REQTYT  
SC TOS

**Conditional**

AN ATN BI1  
CIC CUST SUP  
RPON NOR  
VER

**Optional**

REMARKS ~~RPON~~

**ACT= R: EU**

**Required**

CITY NAME PG\_OF\_ (M)  
PON (M) SASN STATE  
ZIP

**Conditional**

AAI AN (M) ATN (M)  
EAN EATN SANO  
VER (M)

**Optional**

LD1 LD2 LD3  
SASD SASF SASS  
SATH

**LACT= D: DL**

**Required**

DLNUM LACT PG\_OF\_ (M)  
LNLN  
PON (M) RTY SC1 (M)

**Conditional**

ADV ALI AN

ATN INS1 LNFN  
LTN VER (M) WPP

**Optional**

NSTN

**LACT= I: DL**

**Required**

DLNUM DOI LACT  
LNLN LTY PG\_OF\_ (M)  
PLS (M) PON (M) RTY  
SC1 (M) STYC TOA

**Conditional**

ADI ADV ALI  
AN ATN DES  
DIRNAME DLNM FAINFO  
FATN LALOC LANO  
LAPR LASD LASF  
LASN LASS LAST  
LATH LNFN LNPL

LPHRASE

LTEXT LTN LTXNUM  
LTXTY NICK NSTN  
PLA PLINFO PLTN  
SIC VER (M) WPP  
YPH LVL

**Optional**

BRO DIRSUB DML  
SO TITLE1 TITLE2  
TL TT

**LACT= N: DL**

**Required**

DLNUM DOI LACT  
LNLN LTY PG\_OF\_ (M)  
PLS (M) PON (M) RTY  
SC1 (M) STYC TOA

**Conditional**

ADI ADV ALI  
AN ATN BRO  
DES DIRNAME DIRSUB  
DLNM DML FAINFO  
FATN LALOC LANO  
LAPR LASD LASF  
LASN LASS LAST  
LATH LNFN LNPL

LPHRASE

LTEXT LTN LTXNUM  
LTXTY NICK NSTN  
PLA PLINFO PLS (E)  
PLTN SIC VER (M)  
WPP YPH LVL

**Optional**

SO TITLE1 TITLE2  
TL TT

**LACT= O: DL**

**Required**

DLNUM LACT PG\_OF\_ (M)  
PLS (M) PON (M) RTY  
SC1 (M)

LNLN

**Conditional**

ADI ADV ALI  
AN ATN LASN  
LNFN PLS (E) VER (M)

**DACT= N: DL**

**Conditional**

AAI CITY DACT  
DDANO DDAPR DDASD  
DDASF DDASN DDASS  
DDATH DIRQTYA DIRQTYNC  
DIRTYP LD1 LD2  
LD3 LV1 LV2  
LV3 NAME STATE  
ZIP

**DACT= N: DL**

**Conditional**

AAI CITY DACT  
DDANO DDAPR DDASD  
DDASF DDASN DDASS  
DDATH DIRQTYA DIRQTYNC  
DIRTYP LD1 LD2  
LD3 LV1 LV2  
LV3 NAME STATE  
ZIP



# CR 1358

## 14.0

### ACT Tables: Reqtyp E, Resale, non-complex

#### **ACT= W: LSR**

##### **Required**

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	RORD
RPON	NOR	

##### **Conditional**

AN (M)	ATN	CUST (E)
PROJECT	SUP	VER

MEU

##### **Optional**

REMARKS

#### **ACT= W: EU**

##### **Required**

DQTY (M)	NAME	PG_OF_ (M)
PON (M)		

##### **Conditional**

AN (M)	AAI	ATN (M)	CITY
STATE	ZIP		FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM		FB-CITY
FBI*	FB-STATE		FB-STREET
FB-ZIP CODE			
SANO	SASD		SASF
SASS	SATH		VER (M)
LD1	LD2		LD3
LV1	LV2		LV3

##### **Optional**

FB-FLOOR	FB-ROOM	FB-SBILLNM
LOCNUM (M)	LOCNUM HEADER (E)	SASN

14.0 TAG/LENS BUSINESS RULES  
PAGE 2-188  
(CR 1337)

***Single Address Match Response (AVR)***

This message is in response to an Address Validation Query (AVQ). The response result will be a *near match condition* or a *fully matched condition*. Returned when the address is found by the Address Validation Transaction and validated as input (Address or TN).

Single Address Match Response (AVR)										
Field Names				Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules				Valid Values
<b>AVR MESSAGE</b>										
INQ-NUM	INQNUM	TXNUM	Up to 16	A/N	R	Identifies the customer provided tracking number to link the inquiry with the response.				- - -
STATE	SAST	STATE	2	A		Identifies the abbreviation for the state or province.				AL = Alabama FL = Florida GA = Georgia KY = Kentucky LA = Louisiana MS = Mississippi NC = North Carolina SC = South Carolina TN = Tennessee



ZIP-CODE	SAZC	ZIP	5	A N	R	Zip Postal Code  Identifies the zip code, ZIP code + extension or postal code.				- - -	

14.0 TAG/LENS DATA DICTIONARY  
PAGE 2-555

**ZIP-CODE**

<b>Term</b>	<b>Definition</b>
Description name:	Zip/PostalCode
Definition:	Identifies the zip codeZIP code + extension or postal code..
Characteristics:	5 <del>A</del> /N
Corresponding Firm Order Field Name:	EU-ZIP CODE - End User Zip Code

14.0 TAG/LENS PRE-ORDER DOCS

Parsed Customer Record Response Sections

Parsed Customer Record Response (PCSRR)									
Field Names		Usage							
BST	ELMS6	Field Length	Char Type	R / C / O	Business Rules	Iss 9	TAG	Valid Values	Occurrences
<b>PCSRR Message</b>									
TXNUM (Replaces INQ- NUM)	TXNUM	16	A/N	R	Transaction Number Identifies the customer provided tracking number to link the inquiry with the response	X	X		0, 1
TXTYP	TXTYP	1	A	O	Transaction Type Identifies the type of transaction.	X	X	E or T	0, 1
ATN	ATN	10 or 13	N	C	Account telephone Number  Identifies the account telephone number of the end user.  Should be populated when AN is not populated.	X	X		0, 1
AN	AN	10 or 13	A/N	C	Account Number - Identifies the customer account number. Should be populated when ATN is not populated.	X	X		0, 1
<b>Customer Record Info</b>									
DT-SENT	<del>D/T-SENT</del>	<del>±68</del>	N	R	Date/ <del>Time</del> -Sent transaction is sent.	X	X	CCYYMMDD <del>HHMMSS-</del>	0, 1
<del>TM-SENT</del>	<del>TM-SENT</del>	<del>6</del>	<del>N</del>		<del>Time transaction is sent</del>	X	X	<del>HHMMSS</del>	0, 1
CCNA	CCNA	3	A	R	Carrier Name Abbreviation Identifies the Common Language IAC Code for the customer submitting the inquiry and receiving the response.		X	X	0, 1
<b>Identification Section</b>									

## CR 1354

### Release 14.0 Data Dictionary Checksheet - Directory Listing Page

#### NAME - End User Name

<b>Definition</b>	Identifies the name of the end user to whom the directory is to be delivered.
<b>Def Notes</b>	None
<b>Valid Entries</b>	None
<b>VE Notes</b>	None
<b>Data Charact</b>	Up to 25 alpha/ <u>numeric</u> characters
<b>Examples</b>	JOE SMITH
<b>CU Notes</b>	Note 1: Required when the DDASN is populated. Note 2: Prohibited when the CC or the NNSP field is populated with a wireless OCN.
<b>Bus Rules</b>	Rule 1: Name in this field is not intended to be used for directory listings or directory assistance.

14.0 TAG/LENS BUSINESS RULES  
PRE-ORDER DOCS  
PAGE 2-277

***Telephone Number Availability Response (TNAR-TN)***

This message is in response to the TNAQ request. For a TNAQ request, the TNAR returns to the customer the telephone number or telephone numbers requested and reserved.

Telephone Number Availability Response-TN (TNAR-TN)									
Field Names			Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules			Valid Values
CONFIRM- NUM	N/A	N/A	7	A/N	O	Confirmation Number			
						Identifies the confirmation number of the telephone number(s) returned on a successful telephone number selection/reservation response.			
<u>DELETE THIS ENTIRE ROW PLEASE</u>									<u>Y = Yes</u> <u>N = No</u>
LST	LST	LST	11	A/N	R	Local Service Termination			
						Identifies the CLLI code of the end office switch from which service is being provided.			

REQNUM	REQNUM	REQNUM	10	A/N	O	Requested Number(s).  Identifies the telephone number(s) returned.  <b>Occurs 0 - 25 times</b>				
--------	--------	--------	----	-----	---	--	--	--	--	--

**14.0 TAG/LENS BUSINESS RULES**  
**PAGE 2-297**  
**PRE-ORDER DOCS**

***Telephone Number Cancellation Query (TN-CAN)***

This query cancels a reservation for a telephone number or numbers. This shall be accomplished by entering the specific telephone number(s) to be cancelled or by sending a confirmation number.

Telephone Number Cancellation Query-Telephone Numbers (TNCAN-TN)										
Field Names			Usage							
BST	LSOG 4	LSOG 6	Field Length	Char Type	R/C/O	Business Rules				Valid Values
<u>PLEASE DELETE THIS ENTIRE ROW</u>		<del>Occurs 0-25 times.</del> (0,25)								
REQNUM	REQNUM	REQNUM	10	A/N	C	Requested Number(s).  Identifies the telephone number(s) to be returned.  Required if Confirmation Number is blank.				

14.0 Tag/LENS Business Rules  
 Pre-Order DOCS  
 page 2-191

*Single Address Match Response (AVR)*

This message is in response to an Address Validation Query (AVQ). The response result will be a *near match condition* or a *fully matched condition*. Returned when the address is found by the Address Validation Transaction and validated as input (Address or TN).

Single Address Match Response (AVR)										
Field Names			Usage							
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules				Valid Values
ICO-IND	N/A	ICO-IND	1	A/N	O	Independent Company Indicator Indicates the specified address is not within BellSouth territory.				<u>Y = YES</u> <u>N = NO</u>
DESC-LOC	SADLO	AAI	Up to 50	A/N		Identifies additional location information about the address.				---

CR 1322

Single Address Match Response (AVR)									
Field Names			Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules			Valid Values
<b>AVR MESSAGE</b>									
INQ-NUM	INQNUM	TXNUM	Up to 16	A/N	R	Identifies the customer provided tracking number to link the inquiry with the response.			---
MSG-ID	N/A	N/A	Up to 14	A/N	R	Message ID  This field contains the Address Validation Transaction message code for the condition encountered as a result of inquiry processing.			See Appendix K & L
MSG-TEXT	N/A	MSG-TEXT	264	A/N		Message Text  This field contains the Telephone Number Reservation System message text, corresponding to the MSG-ID, pertaining to the inquiry output.			See Appendix K & L
<b>Service Restriction Information</b>									
<b>May occur up to 20 times (0, 20)</b>									
EST-SERVICE-DATE	N/A	EST-SERVICE-DATE	8	N		Expected date on which the service will be available or the restriction will no longer apply.			Format is: CCYYMMDD
TEXT-CODE	N/A	TEXT-CODE	5	A/N		Service Restriction Text Code  The identification code for a restriction.			---

Single Address Match Response (AVR)									
Field Names			Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules			Valid Values
TEXT	N/A	TEXT	Up to 395	A/N		Service Restriction Text  This field contains the text associated with the restriction code, which identifies some limitation of service at a given address.			---
<b>Service Instruction Information</b> May occur up to 50 times (0, 50)									
SERVICE-INSTRUC-TEXT	N/A	SERVICE-INSTRUC-TEXT	Up to 79	A/N		Service Instructions Text  This field contains a textual description of special instruction necessary to provide service for the specified address (e.g. special installation, ordering instructions, or E911 Information message, etc.).			---
<b>Wire Center Information</b>									



Single Address Match Response (AVR)									
Field Names			Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules			Valid Values
LST	LST	LST	8	A/N		Local Service Termination  Identifies the CLLI code of the end office switch from which service is being provided.			---
LSO-NPA-TTA	N/A	LSO	6	N	R	Local Serving Office- Identifies the NPA/NXX of the local or alternate serving central office of the customer location or primary location of the end user.			---
AREA-TRANS-CUT-DT	N/A	AREA-TRANS-CUT-DT	8	N		Area Transfer Cut Date  The actual area transfer cut date when new customers in the old wire center are assigned a telephone number from the new wire center.			Format is: CCYYMMDD

**Single Address Match Response (AVR)**

Field Names			Usage							
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules				Valid Values
AREA-TRANS- NUM-CHG-DT	N/A	AREA-TRANS- NUM-CHG- DT	8	N		Area Transfer Number Change Date  A date often of the actual area transfer cut date when new customers in the old wire center are assigned a telephone number from the new wire center even though they are still physically within the old wire center area.				Format is: CCYYMMDD
AREA-TRANS- NPANXX	N/A	AREA-TRANS- NPANXX	6	N	O	Area Transfer NPANXX  This field contains the NPANXX of the wire center to which the specified address will be transferred.				---
TARIFF- EXCHANGE- CODE	N/A	TARIFF- EXCHANGE- CODE	4	A/N		Tariff exchange code  A telephone company defined standard abbreviation for a tariff exchange.				---

**Service Address Information**

Single Address Match Response (AVR)									
Field Names			Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules			Valid Values
HOUSE-NUM	SANO	SANO	Up to 8 )	A/N	O	Service Address Number Identifies the house number of the service address.			
HOUSE-NUM-SUFFIX	SASF	SASF	<del>5</del> Up to 4	A/N	O	Service Address Number suffix Identifies the suffix for the address number of the service address.			
STREET-NAME1	SASN	SASN	Up to 44	A/N	O	Service Address Street Name  Identifies the street name of the service address.			
STREET-DIR	SASD	SASD	Up to 2	A	O	Service Address Street Directional Prefix  Identifies the street directional prefix of the service address.			N= North E= East W= West S= South NE= Northeast NW= Northwest SE= Southeast SW= Southwest " " = (Blank)
THOROUGHFARE	SATH	SATH	Up to 6	A/N		Service Address Street Type  Identifies the thoroughfare portion of the street name of the service address.			See Appendix B

Single Address Match Response (AVR)									
Field Names			Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules			Valid Values
STREET-SUFFIX	SASS	SASS	Up to 2	A		Service Address Street Directional Suffix  Identifies the street directional suffix of the street service address.			N= North E= East W= West S= South NE= Northeast NW= Northwest SE= Southeast SW= Southwest " " = (Blank)
STRUC-BLDG	BLDG	LD1	Up to 4	A		Location Designator 1 Identifies additional specific information related to the address (e.g., building)..			Entry Description BLDG = Building WNG = Wing PIER = Pier
STRUC-BLDG		LV1	Up to 10	A/N		Location Value 1 Identifies the value associated with the first location designator (LD1) of the address.			
ELEV-FLOOR	FLOOR	LD2	Up to 4	A		Location Designator 2 Identifies additional specific information related to the address (e.g., floor).			Entry Description FLR = FLOOR

Single Address Match Response (AVR)									
Field Names			Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules			Valid Values
ELEV-FLOOR		LV2	Up to 10	A/N		Location Value 2 Identifies the value associated with the second location designator (LD2) of the address.			
UNIT-ROOM	ROOM	LD3	Up to 4	A		Location Designator 3 Identifies additional specific information related to the address (e.g., room.			Entry Description APT = Apartment RM = Room LOT = Lot SLIP = Slip SUIT = Suit UNIT = Unit
UNIT-ROOM		LV3	Up to 10	A/N		Location Value 3 Identifies the value associated with the third location designator (LD3) of the address.			
ROUTE	N/A	ROUTE	2	A/N		Postal Route  Identifies the postal route of the end user's location.			---
BOX	N/A	BOX	8	A/N		Rural Box  Identifies the rural box of the end user's location.			---
CITY	SALOC	CITY	Up to 32 )	A/N	R	Identifies the city/village or township .			

Single Address Match Response (AVR)									
Field Names			Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules			Valid Values
STATE	SAST	STATE	2	A		Identifies the abbreviation for the state or province.			AL = Alabama FL = Florida GA = Georgia KY = Kentucky LA = Louisiana MS = Mississippi NC = North Carolina SC = South Carolina TN = Tennessee
ZIP-CODE	SAZC	ZIP	5	A	R	Zip Postal Code  Identifies the zip code, ZIP code + extension or postal code.			- - -
XBOUND-STATE	N/A	N/A	2	A	O	City Cross Boundary State  Any situation in which a defined telephone serving area, such as a wire center or community, crosses a defined boundary such as a state line.  Would be provided on a response if a cross boundary situation exists.			AL = Alabama NF = North Florida SE = Southeast Florida SF = South Florida AT = Atlanta, Georgia OS = Outstate Georgia KY = Kentucky LA = Louisiana MS = Mississippi NC = North Carolina SC = South Carolina TN = Tennessee  See Appendix E for list of Cities

Single Address Match Response (AVR)									
Field Names			Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules			Valid Values
RATE-ZONE	N/A	N/A	5	A/N	O	Rate zone  Identifies the mileage zone code applicable to the specified address.			See Appendix F.
DRIVE-INSTRUCTIONS	N/A	DRIVE-INSTRUCTIONS	Up to 158	A/N	O	Driving Instructions  Contains the directions used to identify and/or locate a particular unnumbered address.			---
ICO-IND	N/A	ICO-IND	1	A/N	O	Independent Company Indicator Indicates the specified address is not within BellSouth territory.			
DESC-LOC )	SADLO	AAI	Up to 50	A/N		Identifies additional location information about the address.			---
<b>Service Address TN Information</b> May occur one or more times per service address (1, N)								---	
TN	WTN	WTN	10	N	O	Identifies the working telephone number at the end user's location.			---

Single Address Match Response (AVR)									
Field Names			Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type		Business Rules			Valid Values
QUICK-SERV-IND	N/A	QUICK-SERV-IND	1	A/N	O	Telephone Number Quick Serve Indicator Service Address Telephone Number Quick Serve Indicator.			Y= Yes N= No
ADDR-STATUS	N/A	ADDR-STATUS	Up to 2	A/N	O	Telephone Number Status Code  The status of a given telephone number at the specified address.			W = Working N = Non working P = Pending SS = Suspend SB = Sublet U = Unknown
FACAVAIL	N/A	FACAVAIL	1	A/N	O	Service Address Available Facilities Indicator  Indicates availability of facilities at a specified address.			Y= No premise visit required,  N= Premise visit required.

[Data Dictionary](#)



## SASF

Term	Definition
Description name:	House Number Suffix
Definition:	Identifies the suffix for the house number of the service address.
Characteristics:	: <del>5 A/N</del> <u>Up to 4 A/N</u>
Corresponding Firm Order Field Name:	SASF - Service Address House Number Suffix

## CR 1355

Version 14.0, LSO6 / ELMS6 Page 3-362

### 5.2.3 ACT and LNA Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (\*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (\*\*) please refer to the field in the Data Dictionary

for additional clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp C, LNP

#### ACT= V: LSR

##### Required

ACT BAN1 CC  
CCNA CIC D/TSENT  
DDD INIT INIT-FAX NO.  
INIT-TEL NO. MI PG\_OF\_ (M)  
PON REQ TYP SC  
TOS

##### Conditional

AN ATN CUST  
~~LOCNUM~~ LOCQTY NOR  
PROJECT RPON SUP  
VER

##### Optional

EXP NNSP REMARKS  
VTA

#### ACT= V: EU

##### Required

CITY ELT NAME  
PG\_OF\_ (M) PON (M) SASN  
STATE ZIP

**Conditional**

AAI AN (M) ATN (M)  
DNUM DQTY (M) EAN  
EATN FB-BILLCON FB-BILLNM

**LOCNUM**

FB-CITY FBI FB-STATE  
FB-STREET FB-ZIP CODE LD1  
LD2 LD3 LV1  
LV2 LV3 SANO  
SASD SASF SASS  
SATH TC NAME TC PER  
TC TO PRI TC TO SEC TCID  
TEL NO-FBCON VER (M)

**Optional**

ACC (M) DISC NBR\* EUMI  
FB-FLOOR FB-ROOM FB-SBILLNM  
LCON LCON-TEL NO. TC OPT\*  
TER

*LNA Tables: Reqtyp C, LNP*

**LNA= V: NP**

**Required**

LNA LNUM NPQTY  
NPT PG\_OF\_ (M) PON (M)  
PORTED NBR

**Conditional**

AN (M) ATN (M) LEAN  
LEATN VER (M)

**Optional**

NPI

## CR 1356

### LSCP - Local Service Provider Change Prohibited

<b>Definition</b>	Identifies that the end user has requested the option of prohibiting the change of their current service provider or removing the option.
<b>Def Notes</b>	NOTE 1: Invoking this option may require additional authorization or written permission. NOTE 2: This field is used to freeze or remove the freeze from the entire account.
<b>Valid Entries</b>	Entry Description A Prohibit a change of current local service provider B Remove the prohibition
<b>VE Notes</b>	NOTE 1: The valid entry of "B" is prohibited when the ACT is N. NOTE 2: When the ACT is C and LSF is on the existing CSR the only valid entry in this field is "B". NOTE 3: When the ACT is V and LSF is not on the existing CSR the only valid entry in this field is "A". NOTE 4: When the ACT is C and LSF is not on the existing CSR the only valid entry in this field is "A".
<b>Data Charact</b>	1 alpha character
<b>Examples</b>	A
<b>CU Notes</b> (Local LSR ACT is D, S,	Note 1: Prohibited when the ACT is V and the migration is from a BellSouth Retail account and LSF Service Freeze) is present on the existing CSR. Note 2: Prohibited when the ACT is V and LSF is present on the existing CSR and the CC field on the does not match the RESH or AECN on the existing CSR. Note 3: Prohibited when the REQTYP is J. Note 4: Prohibited when the REQTYP is F and the ACT is V, B, D S, L or Y. Note 5: Prohibited when the REQTYP is A. Note 6: Prohibited when the ACT is W. Note 7: Prohibited when the REQTYP is E, and the 2nd character of TOS is H and the ACT is D. Note 7: Prohibited when the REQTYP is E (Non-Complex) or REQTYP M (Non-Complex) and the B, L or Y. Note 8: Prohibited when the REQTYP is N and the 2nd character of the TOS is J, and the ACT is D.

#### Bus Rules

Rule 1: Local Service Freeze (LSF) is valid in all states except Georgia, North Carolina and Tennessee.

Rule 2: ~~When the ACT=T and the existing account has LSF on the Customer Service Record (CSR) and the LSCP field is not populated the LSF will be removed from the CSR at the new location.~~  
When the ACT=T and the existing account has LSF on the Customer Service Record (CSR) and the LSCP field is not populated on the LSR, the LSF will be transferred to the CSR at the new location.