
BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

**Carrier Notification
SN91083829**

Date: September 24, 2003

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – Update to the BellSouth Local Ordering Handbook (LOH) – Telecommunications Industry Forum 9 (TCIF 9) Release 13.0/LOH Version 13.0.

This is to advise that BellSouth has identified the following documentation defects in the LOH Version 13.0 for TCIF 9 Release 13.0.

CCP Number	Description Of The Change
1345	Add cable ID2 and Chan/Pair2 to LOH for DLEC Owned Splitter for Line Share
1384	Modify REQTYP B forms section to remove LS/NP from form options.
1399	Modify business rules DACT field on the DL form
1400	Modify business rules for CNAM field
1401	Modify business rules for ATN field

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the TCIF 9 Release 13.0/LOH Version 13.0c scheduled for September 26, 2003.

A summary of all changes within this document will be listed in the **Summary of Changes Section**. This update can be found on the BellSouth Interconnection Services' Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachments

CCP 1345 Attachment Listed Below

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the field in the Data Dictionary for additional clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqttyp A, Unbundled (CO Based) Line Share DLEC-Owned Splitter

ACT= C: LSR

Required

ACNA (M)	ACT (M)	ACTL (M)
AN (M)	BAN1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	IMPCON-TEL NO. (M)	INIT (M)
INIT-FAX NO. (M)	INIT-TEL NO. (M)	LSO (M)
NC (M)	NCI (M)	PG_OF_ (M)
PON (M)	REMARKS (M)	REQTYP (M)
SC (M)	SECNCI (M)	TOS (M)

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	NOR (M)
PROJECT (M)	RPON (M)	SUP (M)
VER (M)		

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)		

ACT= C: EU

Required

AN (M)	NAME (M)	PG_OF_ (M)
PON (M)		

ACT Tables: Reqtyp A, Unbundled (CO Based) Line Share DLEC-Owned Splitter**Conditional**

VER (M)

Optional

LCON (M)

LCON-TEL NO. (M)

ACT= D: LSR**Required**

ACNA (M)

ACT (M)

ACTL (M)

AN (M)

BAN1 (M)

CC (M)

CCNA (M)

D/TSENT (M)

DDD (M)

IMPCON (M)

IMPCON-TEL NO. (M)

INIT (M)

INIT-FAX NO. (M)

INIT-TEL NO. (M)

LSO (M)

NC (M)

PG_OF_ (M)

PON (M)

REQTYP (M)

SC (M)

TOS (M)

Conditional

CUST (M)

NOR (M)

PROJECT (M)

RPON (M)

SUP (M)

VER (M)

Optional

CIC (M)

ACT= D: EU**Required**

AN (M)

NAME (M)

PG_OF_ (M)

PON (M)

Conditional

VER (M)

ACT Tables: Reqttyp A, Unbundled (CO Based) Line Share DLEC-Owned Splitter**ACT= N: LSR****Required**

ACNA (M)	ACT (M)	ACTL (M)
AN (M)	BAN1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	IMPCON-TEL NO. (M)	INIT (M)
INIT-FAX NO. (M)	INIT-TEL NO. (M)	LSO (M)
NC (M)	NCI (M)	PG_OF_ (M)
PON (M)	REMARKS (M)	REQTYP (M)
SC (M)	SECNCI (M)	TOS (M)

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	NOR (M)
PROJECT (M)	RPON (M)	SUP (M)
VER (M)		

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)		

ACT= N: EU**Required**

AN (M)	CITY (M)	NAME (M)
PG_OF_ (M)	PON (M)	SASN (M)
STATE (M)	ZIP (M)	

Conditional

AAI (M)	LD1 (M)	LD2 (M)
LD3 (M)	LV1 (M)	LV2 (M)
LV3 (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

LCON (M)	LCON-TEL NO. (M)	
----------	------------------	--

ACT Tables: Reqtyp A, Unbundled (CO Based) Line Share DLEC-Owned Splitter**ACT= V: LSR****Required**

ACNA (M)	ACT (M)	ACTL (M)
AN (M)	BAN1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	IMPCON-TEL NO. (M)	INIT (M)
INIT-FAX NO. (M)	INIT-TEL NO. (M)	LSO (M)
MI (M)	NC (M)	NCI (M)
PG_OF_ (M)	PON (M)	REMARKS (M)
REQTYP (M)	SC (M)	SECNCI (M)
TOS (M)		

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	NOR (M)
PROJECT (M)	RPON (M)	SUP (M)
VER (M)		

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)		

ACT= V: EU**Required**

AN (M)	NAME (M)	PG_OF_ (M)
PON (M)		

Conditional

VER (M)

Optional

LCON (M)	LCON-TEL NO. (M)
----------	------------------

LNA Tables: Reqtyp A, Unbundled (CO Based) Line Share DLEC-Owned Splitter
LNA= C: LS
Required

AN (M)	CABLE ID (M)	CHAN/PAIR (M)
ECCKT (M)	LEAN (M)	LEATN (M)
LNA (M)	LNUM (M)	LQTY (M)
PG_OF_ (M)	PON (M)	
<u>CTI (M)</u>	<u>SLTN (M)</u>	<u>RESID (M)</u>

Conditional

VER (M) _____

LNA= D: LS
Required

AN (M)	ECCKT (M)	LEAN (M)
LEATN (M)	LNA (M)	LNUM (M)
LQTY (M)	PG_OF_ (M)	PON (M)
	<u>SLTN (M)</u>	

Conditional

VER (M) _____

LNA= N: LS
Required

AN (M)	CABLE ID (M)	CHAN/PAIR (M)
LEAN (M)	LEATN (M)	LNA (M)
LNUM (M)	LQTY (M)	PG_OF_ (M)
PON (M)		
<u>CTI (M)</u>	<u>SLTN (M)</u>	<u>RESID (M)</u>

Conditional

VER (M) _____

LNA= V: LS
Required

AN (M)	CABLE ID (M)	CHAN/PAIR (M)
LEAN (M)	LEATN (M)	LNA (M)
LNUM (M)	LQTY (M)	PG_OF_ (M)
PON (M)	RESID (M)	
<u>SLTN (M)</u>		

Conditional

VER (M) _____

CABLE ID2 - Cable Identification 2

Definition	Identifies the provider's central office cable to be connected to the customer's collocated equipment.
Def Notes Unbundled	NOTE 1: Contains 'voice only' cable meet-point information provided by the C/DLEC on HFS (CO Based) Line Splitting request. CAUTION: For Line Splitting (manual ordering) - use the REMARKS field to input Cable Identification 2-CABLE ID2 field data.
Valid Entries	None
VE Notes	NOTE 1: The first character of the CABLE ID must be ' P ', ' V' or ' X' .
Data Charact	5 alpha/numeric characters
Examples	XXX01
CU Notes	None
Bus Rules 02DU9.LS5(RS)	Rule 1: On REQTYP A where TOS 2nd character = R and NCI= 02QE9.005, SECNCI= Line Share), this field is to be populated with the DLEC Collocated Cable ID and the 1st character must X

Rule 2: This field must be populated with a CO Based DLEC Owned Splitter when the second character of the TOS is P.

REMARKS — **Remarks (LSR page)**

Definition	Identifies a free flowing field which can be used to expand upon and clarify other data on this form/screen.
Def Notes	None
Valid Entries	None
VE Notes	None
Data Charact	Manual: Up to 160 alpha/numeric characters Electronic: Up to 240 alpha/numeric characters
Examples	SUP DELETED ESX ESF TN 111-456-7890
CU Notes	None

Note 1: Required when the 2nd character of the TOS is "R" and the ACT= C, N, P, Q or V.

Bus Rules

Rule 1: Virgules (/) and asterisks (*) are not allowed in this field.

Rule 2: The CLEC may enter Remarks which is a free flowing field which may be used to expand or clarify text data on the LSR.

Rule 3: BellSouth® does not edit this field for alpha/numeric content.

Manual:

Rule 4: On REQ TYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC cage (Splitter LOC I), populate this field with CTI=B.

Rule 5: On REQ TYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC cage (Splitter LOC I), populate this field with CABLE ID2. (DLEC Collocated Cable ID- indicates CA for voice only cross connect).

Rule 6: On REQ TYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC cage (Splitter LOC I), populate with CHAN/PR2 (DLEC Collocated Cable ID-indicates CA for voice only cross connect).

Rule 7: On REQ TYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC cage (Splitter LOC I), populate this field with RESID = FRN.

Electronic:

Rule 8: When ordering SynchroNet®, populate this field with CKL2 information;
i.e.- End User Name, End User Address, Contact Person, Contact Telephone Number.

<\\01gaf5142042011\bsc\Local Ordering Handbook\13-0B\RCO Tables\A17t.doc>

Unbundled CO-based Line Share (DLEC-Owned Splitter)

Product Listing

Unbundled (CO Based) Line Share DLEC-Owned Splitter

UNE CO Based Line Share is a UNE offering intended to allow DLEC/CLECs access to the upper spectrum or the high frequency portion of a 2-wire copper loop for xDSL

services, a.k.a. data. BellSouth will continue to be the provider of the lower spectrum or low frequency portion of the loop for analog services, a.k.a. voice.

Line Share is a UNE offering that enables the DLEC/CLEC to provide xDSL-based services for the end user customer over the same copper loop that BellSouth provides the end user's voice service.

Ordering Forms/Screens

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Unbundled (CO Based) Line Share DLEC-Owned Splitter											
SI	LSR	Hunting	EU	DL	DSCR	RS	DRS	PS	NP	LS	LSNP
C	R		R							R	
R = Required C = Conditional O = optional											

Completing the DL and DSCR Forms/Screens

If directory listings are required, please refer to **REQTYP J** for more information on completing the DL and DSCR forms/screens.

Completing the LSR and EU Forms/Screens

Account level activities (ACT) apply to the entire account. A complete list of ACTs and their definition can be found in the Data Dictionary entry for ACT.

The following chart shows all of the valid account level activities for this service.

Valid Account Level Activities Unbundled (CO Based) Line Share DLEC-Owned Splitter												
N	C	D	T	R	V	S	B	W	L	Y	P	Q
X	X	X	-	-	X	-	-	-	-	-	X	X
"X" denotes valid account level activities. A dash (-) indicates a non-valid account level activity.												

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid ACT code in the **ACT Tables** section.

Completing the LS Form/Screen

The Loop Service (LS) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid Line Level Activities (LNAs). These LNAs determine how, or if, the LS form/screen should be populated. A complete list of LNAs and their definition can be found in the Data Dictionary entry for LNA.

The following chart gives the valid LNAs for each account level activity (ACT) and the associated LS form/screen usage for this service.

If ACT is:	Then LNA is:	And LS form/screen is:
N	N	Required
C	N, C or D	Required
D	D	Required
W	W	Required
V	V	Required
P	N or V	Required
Q	N or V	Required

The Required, Conditional and Optional (R/C/O) fields for the Loop Service (LS) form/screen are listed according to the Line Level Activity (LNA) in the **LNA Tables** Section.

ACT and LNA Tables

LOH Version 13.0C RCO Tables

Notes:

- (M) = Fields used only for manual orders
- (E) = Fields used only for electronic orders
- Optional fields marked with an asterisk (*) force at least one conditional fields to become required.
- Fields marked with a DOUBLE asterisk (**) have additional clarification in the Data Dictionary.
- All unmentioned fields are either invalid, not applicable, prohibited or not supported.

ACT Tables: Reqtyp A, RS (Remote Site) HFS Line Share DLEC-Owned Splitter (13.0C)

ACT= C: LSR

Required

ACNA (M)	ACT (M)	AN (M)
BAN1 (M)	CC (M)	CCNA (M)
D/TSENT (M)	DDD (M)	IMPCON (M)
IMPCON-TEL NO. (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	PROJECT (M)
SUP (M)	VER (M)	

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)	RPON (M)	SCA (M)

ACT= C: EU

Required

AN (M)	EU-CITY (M)	EU-NAME (M)
EU-STATE (M)	EU-ZIP CODE (M)	PG_OF_ (M)
PON (M)	SASN (M)	

Conditional

SADLO (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

*ACT Tables: Reqttyp A, RS (Remote Site) HFS Line Share DLEC-Owned Splitter (13.0C)***Optional**

EU-BLDG (M)	EU-FLOOR (M)	EU-ROOM (M)
LCON-NAME (M)	LCON-TEL NO. (M)	

ACT= D: LSR**Required**

ACNA (M)	ACT (M)	AN (M)
BAN1 (M)	CC (M)	CCNA (M)
D/TSENT (M)	DDD (M)	IMPCON (M)
IMPCON-TEL NO. (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	NC (M)
PG_OF_ (M)	PON (M)	REQTYP (M)
SC (M)	TOS (M)	

Conditional

CUST (M)	PROJECT (M)	SUP (M)
VER (M)		

Optional

CIC (M)	RPON (M)	
---------	----------	--

ACT= D: EU**Required**

AN (M)	EU-NAME (M)	PG_OF_ (M)
PON (M)		

Conditional

VER (M)		
---------	--	--

ACT Tables: Reqtyp A, RS (Remote Site) HFS Line Share DLEC-Owned Splitter (13.0C)
ACT= N: LSR
Required

ACNA (M)	ACT (M)	AN (M)
BAN1 (M)	CC (M)	CCNA (M)
D/TSENT (M)	DDD (M)	IMPCON (M)
IMPCON-TEL NO. (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	PROJECT (M)
SUP (M)	VER (M)	

Optional

ALT-IMPCON (M)	ALT-IMPCON-TEL NO. (M)	CIC (M)
EXP (M)	RORD (M)	RPON (M)
SCA (M)		

ACT= N: EU
Required

AN (M)	EU-CITY (M)	EU-NAME (M)
EU-STATE (M)	EU-ZIP CODE (M)	PG_OF_ (M)
PON (M)	SASN (M)	

Conditional

SADLO (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

EU-BLDG (M)	EU-FLOOR (M)	EU-ROOM (M)
LCON-NAME (M)	LCON-TEL NO. (M)	

ACT Tables: Reqtyp A, RS (Remote Site) HFS Line Share DLEC-Owned Splitter (13.0C)

ACT= P: LSR**Required**

ACNA (M)	ACT (M)	AN (M)
BAN1 (M)	CC (M)	CCNA (M)
D/TSENT (M)	DDD (M)	IMPCON (M)
IMPCON-TEL NO. (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	PROJECT (M)
SUP (M)	VER (M)	

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)	RPON (M)	

ACT= P: EU**Required**

AN (M)	EU-CITY (M)	EU-NAME (M)
EU-STATE (M)	EU-ZIP CODE (M)	PG_OF_ (M)
PON (M)	SASN (M)	

Conditional

SADLO (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

LCON-NAME (M)	LCON-TEL NO. (M)	
---------------	------------------	--

ACT Tables: Reqtyp A, RS (Remote Site) HFS Line Share DLEC-Owned Splitter (13.0C)
ACT= Q: LSR
Required

ACNA (M)	ACT (M)	AN (M)
BAN1 (M)	CC (M)	CCNA (M)
D/TSENT (M)	DDD (M)	IMPCON (M)
IMPCON-TEL NO. (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	PROJECT (M)
SUP (M)	VER (M)	

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)	RPON (M)	

ACT= Q: EU
Required

AN (M)	EU-CITY (M)	EU-NAME (M)
EU-STATE (M)	EU-ZIP CODE (M)	PG_OF_ (M)
PON (M)	SASN (M)	

Conditional

SADLO (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

LCON-NAME (M)	LCON-TEL NO. (M)	
---------------	------------------	--

*ACT Tables: Reqttyp A, RS (Remote Site) HFS Line Share DLEC-Owned Splitter (13.0C)***ACT= V: LSR****Required**

ACNA (M)	ACT (M)	AN (M)
BAN1 (M)	CC (M)	CCNA (M)
D/TSENT (M)	DDD (M)	IMPCON (M)
IMPCON-TEL NO. (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	PROJECT (M)
SUP (M)	VER (M)	

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)	RPON (M)	

ACT= V: EU**Required**

AN (M)	EU-CITY (M)	EU-NAME (M)
EU-STATE (M)	EU-ZIP CODE (M)	PG_OF_ (M)
PON (M)	SASN (M)	

Conditional

SADLO (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

EU-BLDG (M)	EU-FLOOR (M)	EU-ROOM (M)
LCON-NAME (M)	LCON-TEL NO. (M)	

LNA Tables: Reqtyp A, RS (Remote Site) HFS Line Share DLEC-Owned Splitter (13.0C)

LNA= C: LS**Required**

AN (M)	CABLE ID (M)	CHAN/PAIR (M)
ECCKT (M)	LEAN (M)	LEATN (M)
LNA (M)	LNUM (M)	LQTY (M)
PG_OF_ (M)	PON (M)	

Conditional

VER (M)

LNA= D: LS**Required**

AN (M)	CABLE ID (M)	CHAN/PAIR (M)
ECCKT (M)	LEAN (M)	LEATN (M)
LNA (M)	LNUM (M)	LQTY (M)
PG_OF_ (M)	PON (M)	

Conditional

VER (M)

LNA= N: LS**Required**

AN (M)	CABLE ID (M)	CHAN/PAIR (M)
LEAN (M)	LEATN (M)	LNA (M)
LNUM (M)	LQTY (M)	PG_OF_ (M)
PON (M)		

Conditional

VER (M)

LNA= V: LS**Required**

AN (M)	CABLE ID (M)	CHAN/PAIR (M)
LEAN (M)	LEATN (M)	LNA (M)
LNUM (M)	LQTY (M)	PG_OF_ (M)
PON (M)		

Conditional

VER (M)

CTI - Connection Type Indicator

Identifies the configuration of the facility connection assignment.

NOTE 1: This information is provided when the customer has assignment control.

NOTE 2: Up to four iterations may be requested.

VALID ENTRIES:

A = Data and voice

B = Voice

C = Data

None

VE Notes:

USAGE: This field is conditional.

NOTE 1: Manual:
Required when the 2nd character of the TOS is “R” and the product is CO Based DLEC Owned Splitter.

Business Rules:
Manual:
When the CTI field is populated, for each occurrence of CTI, there must be a matching occurrence of CABLE ID and CHAN/PAIR.

DATA CHARACTERISTICS: 1 alpha character

EXAMPLE:

A

CCP 1384 Attachment Listed Below
TCIF9

1.7 LNP, Designed Analog Loop

Forms/Screens										
Loop Service with Number Portability – Designed (LNP)										
LSR	Hunting	EU	DL	DSCR	RS	DRS	PS	NP	LS	LSNP
R		R	O	C*				⊖	⊖	R
R = Required C = Conditional O = optional										

TCIF9

1.12 LNP, Digital Designed Basic Rate ISDN

Forms/Screens										
Loop Service with Number Portability – Digital Designed Basic Rate ISDN (LNP)										
LSR	Hunting	EU	DL	DSCR	RS	DRS	PS	NP	LS	LSNP
R		R	O	C*				⊖	⊖	R
R = Required C = Conditional O = Optional										

1.10 LNP, Unbundled Copper Loop Non-Designed (UCL-ND)

TCIF9

Forms/Screens											
Loop Service with Number Portability – Unbundled Copper Loop (UCL-ND) [LNP]											
LSR	Hunting	EU	DL	DSCR	RS	DRS	PS	NP	LS	LSNP	Proprietary
R		R	O	C*				⊖	⊖	R	
R = Required C = Conditional O = Optional											

TCIF9

1.8 LNP, Non-designed Analog Loop

Loop Service with Number Portability – Non-Designed (LNP)

Forms/Screens											
Loop Service with Number Portability – <u>Non-Designed</u> (LNP)											
LSR	Hunting	EU	DL	DSCR	RS	DRS	PS	NP	LS	LSNP	
R		R	O	C*				⊖	⊖	R	
R = Required C = Conditional O = Optional											

CCP 1399 Attachment Listed Below

*BellSouth Local Ordering Handbook
Section 4 - Data Dictionary*

DACT

Delivery Activity (DL Page)

Definition

Identifies the delivery activity for this request.

Definition Notes:

None

Valid Entries

Entry Description

N New Directory Delivery

Additional Valid Entries for Manual Ordering:

Entry Description

D Delete Delivery Section

I Change New Delivery Section (new data to be inserted)

O Change Old Delivery Section (old data)

Valid Entry Notes:

None

Data Characteristics

1 alpha character

Examples

N

Conditional Usage Notes

None

Manual

Note 1: Prohibited when 4th character TOS=R

Business Rules

Rule 1: This field is used when establishing, deleting, or changing directory delivery data.

Manual:

Rule 2: When changing a delivery section, two transactions are required, the first transactions would have a DACT of O to specify the data to be deleted. The second transaction would have a DACT of I to specify the new data.

Electronic: None

***** End of definition for field DACT *****

Page 4-11 13.0B

CCP 1400 Attachment Listed Below

*BellSouth Local Ordering Handbook
Section 4 - Data Dictionary*

CNAM

Calling Name (RS Page)

Definition

Specifies the exact (custom) calling name that will appear on the caller ID box when the end user customer places a call to a terminating telephone number that is provisioned with the calling name feature.

Definition Notes:

None

Valid Entries

None Must be a deviation of the listed name

Valid Entry Notes:

None

Data Characteristics

15 alpha/numeric characteristics

Examples

Dr Joe Smith

Conditional Usage Notes

None

Business Rules

- None 1. Must be a derivative of the listed name
2. For secondary call name, a display preference other than the listed name must be provided.

***** End of definition for field CNAM *****

CCP 1401 Attachment Listed Below

*BellSouth Local Ordering Handbook
Section 4 - Data Dictionary*

ATN

Account Telephone Number (LSR Page)

Definition

Identifies the account telephone number assigned by the NSP. It is a dialable telephone number.

Definition Notes:

None

Valid Entries

Manual: N = New Account Telephone Number or a valid Account Telephone Number

Electronic: a valid Account Telephone Number

Valid Entry Notes:

NOTE 1: Hyphens are automatically inserted by the BellSouth electronic interface system.

Data Characteristics

Manual: 1 alpha or 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

Examples

Manual: N or 2015551212 201-555-1212

Electronic: 2015551212

Conditional Usage Notes

Note 1: When the REQ TYP is B, NPT = D (LNP) and LNLN field is populated, this field is required.

Note 2: When the REQ TYP is C, NPT = D (LNP) and the LNLN field is populated, this field is required.

Note 3: When REQ TYP=E and the 4th character of TOS=W, then ATN is prohibited.

Note 4: When REQ TYP=E and the 4th character of TOS=S, then ATN is prohibited.

Note 5: This field is required when the AN field on the LSR is not populated.

Business Rules

Rule 1: When (NON-COMPLEX) REQ TYP E or M/ ACT =T this field is used to indicate the **MAIN ACCOUNT NUMBER** for the service at the **NEW LOCATION**. This field **does not** have to match the existing account number shown on the current Customer Service Record (CSR).

Rule 2: When the ATN is changing (ATN differs from existing account number), a DL page is required for any additional listings that include the existing account number (including foreign listings, alternate calls, etc.).

Rule 3: When REQ TYP is E or M and ACT is C or V and LNA is V or X and the main account number is changing, the ATN field is populated with the new **MAIN ACCOUNT TELEPHONE NUMBER**.

Section 4 - Data Dictionary

ATN

Account Telephone Number (LSR Page)

Definition

Identifies the account telephone number assigned by the NSP. It is a dialable telephone number.

Definition Notes:

None

Valid Entries

Manual: N = New Account Telephone Number or a valid Account Telephone Number

Electronic: a valid Account Telephone Number

Valid Entry Notes:

NOTE 1: Hyphens are automatically inserted by the BellSouth electronic interface system.

Data Characteristics

Manual: 1 alpha or 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

Examples

Manual: N or 2015551212 201-555-1212

Electronic: 2015551212

Conditional Usage Notes

Note 1: When the REQ TYP is B, NPT = D (LNP) and LNLN field is populated, this field is required.

Note 2: When the REQ TYP is C, NPT = D (LNP) and the LNLN field is populated, this field is required.

Note 3: When REQ TYP=E and the 4th character of TOS=W, then ATN is prohibited.

Note 4: When REQ TYP=E and the 4th character of TOS=S, then ATN is prohibited.

Note 5: This field is required when the AN field on the LSR is not populated.

Business Rules

Rule 1: When (NON-COMPLEX) REQ TYP E or M/ ACT =T this field is used to indicate the MAIN ACCOUNT NUMBER for the service at the NEW LOCATION. This field does not have to match the existing account number shown on the current Customer Service Record (CSR).

Rule 2: When the ATN is changing (ATN differs from existing account number), a DL page is required for any additional listings that include the existing account number (including foreign listings, alternate calls, etc.).

Rule 3: ~~When REQ TYP is E or M and ACT is C or V and LNA is V or X and the main account number is changing, the ATN field is populated with the new MAIN ACCOUNT TELEPHONE NUMBER.~~



Attachment
SN91083829

Rule 3: When REQ TYP is E or M, ACT=C, LNA=X or REQ TYP is E or M, ACT=V, LNA=G, V or X and the main account number is changing, the ATN field is populated with the new MAIN ACCOUNT TELEPHONE NUMBER