
BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

**Carrier Notification
SN91083875**

Date: October 31, 2003

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH), Version **14.0a**, for New Local Service Ordering Guide 6 (LSOG6) and EDI Local Mechanization Specifications 6 (ELMS6) for Release 14.0

This is to advise that BellSouth has identified the following documentation defects in the LOH **14.0a** for ELMS 6, Release 14.0.

CCP Number	Description Of The Change
1369	Correct field lengths and add missing information to the Parsed CSR Response section of the 14.0 Pre-Order LOH.
1369	Add Valid Values for the "FPI" field in the Tag/Lens and the EDI Data Dictionaries. (Item # 30)
1458	Correct field name from SEREQUIPDATA TO "SRVC EQUIP DATA" to align with the XML Schema's in the 14.0 Pre-Order LOH.
1459	The business rules for REMARKS for CO BASED DLEC owned Splitter have changed.

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 6 Release 14.0/LOH Version **14.0b**, scheduled to be posted November 24, 2003.

A summary of all changes within this document will be listed in the **Summary of Changes Section**. This update can be found at the BellSouth Interconnection Services' Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachments

CCP 1369 (Parsed CSR) Attachment Listed Below

14.0 PRE-ORDER LOH
TAG/LENS BUSINESS RULES
PARSED CSR RESPONSE SECTION
PAGES 2-339 TO 2-358

Parsed Customer Record Response (PCSRR)

Parsed Customer Record Response (PCSRR)								
Field Name s		Usage						
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences
PCSRR Message								
TXNUM (Replaces INQ- NUM)	TXNUM	16	A/N	Transaction Number - Identifies the customer provided tracking number to link the inquiry with the response	X	X		0, 1
TXTYP	TXTYP	1	A	Transaction Type - Identifies the type of transaction.	X	X	E or T	0, 1
ATN	ATN	10	N	Account telephone Number - Identifies the account telephone number of the end user. Should be populated when AN is not populated.	X	X		0, 1
AN	AN	10 or 13	A/N	Account Number - Identifies the customer account number. Should be populated when ATN is not populated.	X	X		0, 1
Customer Record Info								
DT-SENT	DT-SENT	8	N	Date Sent transaction is sent.	X	X	CCYYMMDD	0, 1
TM-SENT	TM-SENT	6	N	Time transaction is sent	X	X	HHMMSS	0, 1

Parsed Customer Record Response (PCSRR)								
Field Name s		Usage						
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences
PCSRR Message								
CCNA	CCNA	3	A	Carrier Name Abbreviation - Identifies the Common Language IAC Code for the customer submitting the inquiry and receiving the response.		X	X	0, 1
Identification Section								
ATN	ATN	10	N	Account Telephone Number - Should be populated when AN is not populated.	X	X		0, 1
AN	AN	10 or 13	A/N	Account Number - Should be populated when ATN is not populated.	X	X		0, 1
TOS	TOS	± 4	N A/N	Type of Service - Identifies the type of service for the line offered. Can be identified as residence, business, government or coin from the data following TYPE in the IDENT section of the CSR. The second and third characters will not be derived and returned. They will be blank.	X	X	1,2,3,4	1
CS	CS	Up to 5	A/N	Class of Service - Identifies the basic class of service for the line ordered. Can be identified from the unfielded IDENT section in the first line of the CSR after EXCH. When found, return the data in the CS field of the BCS field.	X	X	3-5 character class of service	1,N
IdentData	N/A	Variable	A/N	Unparsed data that is returned in a block of information for CLEC use.	X	X		Identification Section Data Block (unparsed data)

Parsed Customer Record Response (PCSRR)									
Field Name s		Usage							
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences	
PCSRR Message									
Listing Section:									
End User Location									
SANO	SANO	Up to 8	A/N	Service Address House Number	X	X		0, 1	
SASF	SASF	Up to 5 <u>4</u>	A/N	Service Address House Number Suffix	X	X		0, 1	
SASD	SASD	Up to 2	A	Service Address Street Directional	X	X		0, 1	
SASN	SASN	Up to 50 <u>44</u>	A/N	Service Address Street Name	X	X		0, 1	
SATH	SATH	Up to 10 <u>6</u>	A/N	Service Address Street Thoroughfare	X	X		0, 1	
SASS	SASS	Up to 4 <u>2</u>	A/N	Service Address Street Suffix	X	X		0, 1	
SADLO	AA1	Up to 100 <u>60</u>	A/N	Additional Address Information	X	X		0, 1	
EU-NAME	NAME	Up to 150 <u>25</u>	A/N	End User Name - Identifies the name of the end user. Can be identified from the left-handed data following the FID LN, NL, or NP in the LIST section of the CSR. Can be the data preceding the comma (,) or semicolon (;) in the name listing.	X	X	N/A	0, N	
STRUCT_BLDG	LD1	Up to 4	A	LOCATION DESIGNATOR 1 Identifies additional specific information related to the address (e.g., building).					
STRUCT_BLDG	LV1	Up to 10	A/N	LOCATION DESIGNATOR 1 Identifies the value associated with the first location designator (LD1) of the address.					
FLOOR-EU ELEV_FLOOR	LD2	Up to 4	A	LOCATION DESIGNATOR 2 Identifies additional specific information related to the address (e.g., floor).	X	X		0, 1	

Parsed Customer Record Response (PCSRR)									
Field Name s				Usage					
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences	
PCSRR Message									
ELEV FLOOR	LV2	Up to 10	A/N	LOCATION VALUE 2 <u>Identifies the value associated with the second location designator (LD2) of the address.</u>					
ROOM-EU-UNIT ROOM	LD3	Up to 4	A	LOCATION DESIGNATOR 3 <u>Identifies additional specific information related to the address (e.g., room).</u>	X	X		0, 1	
	LV3	Up to 10	A/N	LOCATION VALUE 3 <u>Identifies the value associated with the third location designator (LD3) of the address.</u>					
BLDG-EU-	LD1	Up to 4	A	LOCATION DESIGNATOR 1	X	X	-	0, 1	
	LV3	Up to 10	A/N	LOCATION VALUE 1					
CITY-EU	CITY	Up to 25 <u>32</u>	A/N	City name <u>Identifies the city, village or township, etc.</u>	X	X		0, 1	
STATE-EU	STATE	2	A	State name <u>Identifies the abbreviation for the state of province.</u>	X	X		0, 1	
ZIP CODE-EU	ZIP	5 or 9	N	Zip code- Postal Code <u>Identifies the zip code, zip code or postal code.</u>	X	X		0, 1	
Listing Section:									
Listed Name									
RTY	RTY	3	A	Record Type - Identifies the type of listing that exists with respect to pricing and tariffs.	X	X		0, N	

Parsed Customer Record Response (PCSRR)									
Field Name s		Usage							
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences	
PCSRR Message									
ALI	N/A ALI	Up to 3	A	Alpha/Numeric Listing - Identifier Code Identifier assigned to each listing to uniquely identify a listing for a MTN from a customer.	X	X		0, N	
DML	DML	1	A	Direct Mail List - Identifies whether this listing is to be omitted from any direct mail lists.	X	X		0, N	
LTY	LTY	1	N	Listing Type - Identifies the type of listing that exists with respect to publication and Directory Assistance (DA) appearance rules.	X	X		0, N	
LNPL	LNPL	1	A	Listed Name Placement - Identifies by placement of semi-colon (;) and the finding word is a single letter.	X	X	L	0, N	
LNLN	LNLN	Up to 50	A/N	Listed Name Last - Identifies the first word for business listings or the complete last name for residence listings.	X	X		0, N	
STYC	STYC	2	N A	Style Code - Identifies whether the listing is a straight line, caption, etc.	X	X		0, N	
TOA	TOA	Up to 2	A	Type of Account - Identifies the type of account for this listing.	X	X	B, R, BP, RP	0, 1	

Parsed Customer Record Response (PCSRR)									
Field Name s		Usage							
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences	
PCSRR Message									
BRO	<u>BRO</u>	1	A	Business/Residence Placement Override - Identifies an override of the normal placement of business listings.	X	X	B, R	0, 1	
LNFN	LNFN	Up to 100	A/N	Listed Name First - Identifies all except the first word for business listings or all of the first name or names and middle name/initials for residence listings.	X	X		0, N	
DLNM	N/A DLNM	1	A	Dual Name Listing - Indicates that this listing contains multiple first names, e.g., Smith, Betty & John and that both should appear in directory assistance.	X	X		0, N	
NICK	NICK	Up to 12	A/N	Listing Nickname - Indicates the listed person's nickname.	X	X		0, N	
TL	TL	Up to 12	A/N	Title of Lineage - Indicates a phrase used to designate lineage of a listed person, (e.g., Jr., Sr., III, etc.).	X	X		0, N	
TITLE1	TITLE 1	Up to 12	A/N	Title of Address 1 - Identifies the title of address 1 of a directory listing user, (e.g., Mr., Fr., DDS, etc.).	X	X		0, N	
TITLE2	TITLE2	Up to 12	A/N	Title of Address 2 - Identifies the additional title of address of a directory listing user, (e.g., Mr., Fr., DDS, etc.).	X	X		0, N	

Parsed Customer Record Response (PCSRR)									
Field Name s		Usage							
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences	
PCSRR Message									
PLA CSR_PLA	PLA CSR_PLA	Up to 150	A/N	Place Listing As - Identifies the special filing words that should be used instead of the listed name if the customer wishes to override the normal sequencing.	X	X		0, N	
DES	DES	Up to 25	A/N	Designation - Identifies the professional designation phrase of the business listing	X	X		0, N	
WPP	WPP	Up to 3	A	White Page Products - Identifies information about the White Page Products, Signature Listings, Personality Logo and Lines of Distinction.	X	X		0, N	
DIRNAME	DIRNAME	Up to 35	A/N	Directory Name - Identifies the name of a directory in which the listing exists.	X	X		0, N	
DIRSUB	DIRSUB	Up to 35	A/N	Directory Subsection - Identifies the subsection of a directory in which to place the listing.	X	X		0, N	
Listing Section									
Listed Name:									
Listed Text									
LTXTY	LTXTY	Up to 3	A	Listed Text Type - Identifies the type of the associated text that will appear in the directory to assist the end user.	X	X		0, N	
LTEXT	LTEXT	UP to 250	A/N	Listing Text - Identifies the descriptive or informative text that will appear in the directory to assist the end user.	X	X		0, N	

Parsed Customer Record Response (PCSRR)								
Field Name s		Usage						
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences
PCSRR Message								
LPHRASE	LPHRASE	Up to 3	A/N	Listing PHRASE Identifies the pre-defined phrase associated with a listing.	X	X		0, 1
Listing Section: Listed Address								
LAPR	LAPR	Up to 5 <u>6</u>	A/N	Listed Address House Prefix - Identifies the prefix for the house number of the listed address.	X	X		0, N
LANO	LANO	Up to 8 <u>10</u>	A/N	Listed Address House Number - Identifies the house number of the listed address.	X	X		0, N
LASF	LASF	Up to 5 <u>4</u>	A/N	Listed Address House Number Suffix - Identifies the suffix for the house number of the listed address.	X	X		0, N
LASD	LASD	Up to 2	A/N	Listed Address Street Directional - Identifies the street directional of the listed address.	X	X		0, N
LASN	LASN	Up to 50 <u>60</u>	A/N	Listed Address Street Name - Identifies the street name of the listed address.	X	X		0, N
LATH	LATH	Up to 10	A/N	Listed Address Thoroughfare - Identifies the thoroughfare portion of the street name of the listed address.	X	X		0, N
LASS	LASS	Up to 2	A/N	Listed Address Street Suffix - Identifies the street suffix to the street name of the listed address.	X	X		0, N

Parsed Customer Record Response (PCSRR)								
Field Name s		Usage						
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences
PCSRR Message								
LALOC	LALOC	Up to 35	A/N	Listed Address Locality - Identifies the locality or community to be listed.	X	X		0, N
LAST	LAST	2	A	Listed Address State	X	X		0, N
Listing Section: Additional Listing Data								
YPH	YPH	6	N	Yellow Page Heading Code - Identifies the heading under which a business listing will appear in the yellow pages.	X	X		0, N
SIC	SIC	4 or 5	N	Standard Industrial Classification - Identifies the primary function of a customer's business.	X	X		0, 1
LTN	LTN	12 including 2 pre-printed characters	N	Listing Telephone Number - Indicates the telephone number to be placed in the directory and quoted in Directory Assistance (DA).	X	X	10 numeric characters	0, N
NSTN	NASTN	20 3	A N	Non Standard Telephone Number - Identifies a telephone number which is not in the standard North American Numbering Plan format, (e.g., vanity numbers, Enterprise, 911).	X	X		0, N
ADI	ADI	1	A	Address Indicator - Identifies that listing address elements should be omitted from directory assistance and published directories.	X	X		0, N
Listing Data Block								

Parsed Customer Record Response (PCSRR)									
Field Name s		Usage							
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences	
PCSRR Message									
LISTINGDATA	N/A LISTINGDATA	Variable	A/N	Unparsed data that is returned in a block of information for CLEC use.	X	X		Listing Section Data Block (unparsed data)	
Directory Section Information									
Directory Section:									
Delivery Address									
NAME-DEL NAME DEL	N/A NAME DEL	Up to 30	A/N	End User Name - Identifies the name of the end user to whom the directory is delivered.	X	X		0, 1	
DDAPR	DDAPR	Up to 5 6	A/N	Delivery Address House Prefix - Identifies the prefix for the house number of the delivery address.	X	X		0, 1	
DDANO	DDANO	Up to 8 10	A/N	Delivery Address House Number - Identifies the house number of the delivery address.	X	X		0, 1	
DDASF	DDASF	Up to 5	A/N	Delivery Address House Number Suffix - Identifies the suffix for the house number of the delivery address.	X	X		0, 1	
DDASD	DDASD	2 UP TO 2	A	Delivery Address Street Directional - Identifies the street directional of the delivery address.	X	X		0, 1	
DDASN	DDASN	Up to 50 60	A/N	Delivery Address Street Name - Identifies the street name of the delivery address.	X	X		0, 1	
DDATH	DDATH	Up to 10 7	A/N	Delivery Address Thoroughfare - Identifies the thoroughfare portion of the street name of the delivery address.	X	X		0, 1	

Parsed Customer Record Response (PCSRR)									
Field Name s		Usage							
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences	
PCSRR Message									
DDASS	DDASS	Up to 4 <u>2</u>	A/N	Delivery Address Street Suffix - Identifies the street suffix to the street name of the delivery address.	X	X		0, 1	
DDALO BLDG-EU STRUCT-BLDG	LD1	Up to 4	A	LOCATION DESIGNATOR 1 <u>Identifies additional specific information related to the address (e.g., bldg).</u>	X	X		0, 1	
STRUCT-BLDG	LV1	Up to 10	A/N	LOCATION VALUE 1 <u>Identifies the value associated with the first location designator (LD1) of the address.</u>	X	X			
FLOOR-EU ELEV-FLOOR	LD2	Up to 4	A	LOCATION DESIGNATOR 2 <u>Identifies additional specific information related to the address (e.g., floor)</u>	X	X		0, 1	
ELEV-FLOOR	LV2	Up to 10	A/N	LOCATION VALUE 2 <u>Identifies the value associated with the second location designator (LD2) of the address.</u>	X	X			
ROOM-EU UNIT_ROOM	LD3	Up to 4	A	LOCATION DESIGNATOR 3 <u>Identifies additional specific information related to the address (e.g., room)</u>	X	X		0, 1	
UNIT_ROOM	LV3	Up to 10	A/N	LOCATION VALUE 3 <u>Identifies the value associated with the third location designator (LD3) of the address.</u>	X	X			
CITY	CITY	Up to 32	A/N	CITY <u>Identifies the city, village or township etc.</u>	X	X		0, 1	

Parsed Customer Record Response (PCSRR)									
Field Name s				Usage					
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences	
PCSRR Message									
DDAST	STATE	2	A	STATE <u>Identifies te abbreviation for the state or province. or State or Province</u>	X	X		0, 1	
<u>ZIP-CODE</u>	ZIP	5	N	ZIP CODE <u>Identifies the zip code or postal code.</u>	X	X		0, 1	
Directory Section:									
Directory Type									
DIRTYP	DIRTYP	1	A	Directory ID Type - Identifies the type of the directory (e.g., W, Y, B, O) to be delivered.	X	X		0, N	
DIRQTYA	DIRQTYA	Up to 4	N	Number of Directories for Annual Delivery - Identifies the number of directories to be delivered on an annual basis.	X	X		0, N	
Directory Section:									
Directory Data Block									
DIRECTORYDATA	N/A	Variable	A/N	Unparsed data that is returned in a block of information for CLEC use.	X	X		Directory Section Data Block (unparsed data)	
Traffic Section									
TRAFFICDATA	N/A	Variable	A/N	Unparsed data that is returned in a block of information for CLEC use.	X	X		Traffic Section Data Block (unparsed data)	
Billing Section									
BILLINGDATA	N/A	Variable	A/N	Unparsed data that is returned in a block of information for CLEC use.	X	X		Billing Section Data Block (unparsed data)	
Service & Equipment Section Information									
HID	HID	Up to 4	A/N	Hunt Group Identification - Identifies the existing hunt group.	X	X		0, N	
	TKQ	Up to 4	N	Trunk Quantity - Indicates the quantity of DID trunks.	X	X		0, N	

Parsed Customer Record Response (PCSRR)								
Field Name s		Usage						
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences
PCSRR Message								
	DO	Up to 2	N	DID Digits Out - Identifies the number of digits outpulsed from the central office to the customer's premise.	X	X		0, N
S&E Section: Working TN								
WTN	N/A WTN	10	N	Working Telephone Number(s) - Identifies the working telephone number at the end user's location. May be populated when AN or ATN is populated. WTN field will be populated with Zeros (0) when a USOC on the Customer Service Record (CSR) does not have an associated TN.	X	X		0, N
FPI	FPI	1	A	Freeze PIC Indicator - Indicates that the end user requested a freeze option for the PIC, LPIC or IPIC.	X	X		0, N
PIC	PIC	2 or 4	A or AN	InterLATA Presubscription Indicator Code - Identifies the presubscription indicator code (PIC) for the carrier the customer has selected for interLATA traffic.	X	X		0, N
LPIC	LPIC	2 or 4	A or AN	IntraLATA Presubscription Indicator Code - Identifies the presubscription indicator code (PIC) for the carrier the customer has selected for intraLATA traffic.	X	X		0, N

Parsed Customer Record Response (PCSRR)								
Field Name s		Usage						
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences
PCSRR Message								
ECCKT	ECCKT	Up to 36	A/N	Exchange Company Circuit ID - Identifies a provider's circuit identification.	X	X		0, N
HNTYP	HNTYP	1	A/N	HUNT TYPE - Identifies the type of Hunting involved. Condition: Provided when HID is populated. Value will be blank if hunting on CSR does not match hunt types 1-6. Note: HNTYP may not be parsed consistently. The format of the Hunt Type on the CSR varies based on the central office and age of the account.	X	X		0, N
HTSEQ	HTSEQ	4	N	HUNT SEQUENCE - Identifies the desired hunting sequence. Condition: Provided when HID is populated.	X	X		0, N
NOTYP	NOTYP	1	A	NUMBER TYPE - Identifies the type of number (TER or TN) entered in the HT field. Condition: Provided when HID is populated.	X	X		0, N
HTN	HTN	Up to 15	A/N	HUNT TELEPHONE NUMBER - Identifies the hunting telephone number for the hunt group sequence. Condition: Provided when HID is populated.	X	X		0, N

Parsed Customer Record Response (PCSRR)								
Field Name s		Usage						
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences
PCSRR Message								
TERS	TERS	Up to 10	A/N	Terminal Numbers - Identifies the number for a non-lead line in a multi-line hunt group or consecutive range of terminal numbers associated with the TNS for this request. Condition: Provided when NOTYP is populated with an L.	X	X		0, N
TLI	TLI	10	N	Telephone Line Identifier - The pilot number for a multi-line hunt group. Condition: Provided when TER is populated.	X	X		0, N
PULSE	PULSE	2 or 4	A	Pulsing Type - Identifies the pulsing of the end user or DID working telephone number.	X	X		0, N
S&E Section: Working TN Blocking								
BLOCK	N/A	Up to 2	A	Blocking Exceptions - Identifies the blocking exceptions for the telephone number.	X	X		0, N
S&E Section: End Blocking								
SSIG	SSIG	2	A	Start Signaling - Identifies the type of start signaling requested.	X	X		0, N
	TGN	UP to 4	A/N	Trunk Group Number - Identifies the DID trunk group number.	X	X		0, N
	RIN	Up to 10	A/N	Route Index Number - Identifies the route index number assigned to the DID trunk group.	X	X		0, N

Parsed Customer Record Response (PCSRR)								
Field Name s		Usage						
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences
PCSRR Message								
	LTLI	10	N	Lead Telephone Line Identifier - Identifies the lead telephone line identifier of the DID trunk group.	X	X		0, N
	TKID	Up to 10	A/N	Trunk Identifier - Identifies the trunk ID of the existing DID service.	X	X		0, N
S&E Section: Working TN: Feature								
FEATURE	FEATURE	3, 5 or 6	A/N	Feature Codes - Identifies the type of feature associated with the line.	X	X		0, N
S&E Section: Working TN: Feature Feature Detail								
FEATURE DETAIL	FEATURE DETAIL	Up to 24	A/N	Feature Detail - Identifies additional information for the type of feature associated with the line.	X	X		0, N
S&E Section: Srcv Equip Data								
SER-EQUIP-DATA SRVC EQUIP DATA	N/A	Variable	A/N	Unparsed data that is returned in a block of information for CLEC use.	X	X		S&E Section Data Block (unparsed data)
Ported Lines Information								
PORTED-OUT-LINE-DATA	N/A	Variable	A/N	Unparsed data that is returned in a block of information for CLEC use.	X	X		Ported Lines Data Block (unparsed data)
Related Account Information								
REL-ACCT-DATA	N/A	Variable	A/N	Unparsed data that is returned in a block of information for CLEC use.	X	X		Related Account Data Block (unparsed data)
Billing Transfer Section								
Billing Transfer Data	N/A	Variable	A/N	Unparsed data that is returned in a block of information for CLEC use.	X	X		Billing Transfer Data Block (unparsed data)
Remarks Section								

Parsed Customer Record Response (PCSRR)								
Field Name s		Usage						
BST	ELMS6 LSOG6	Field Length	Char Type	Business Rules	Iss 9	TAG	Valid Values	Occurrences
PCSRR Message								
Remarks Data	N/A	Variable	A/N	Unparsed data that is returned in a block of information for CLEC use.	X	X		Remarks Section Data Block (unparsed data)
Completed Activity Section								
Comp/Act Data	N/A	Variable	A/N	Unparsed data that is returned in a block of information for CLEC use.	X	X		Comp Act Data Block (unparsed data)

CCP 1369 (FPI Field) Attachment Listed Below

**14.0 PRE-ORDER LOH
 TAG/LENS DATA DICTIONARY
 PAGE 2-366**

**Add the Valid Values section to the Data Dict. Following the FPI field info.
 &**

**For the
 EDI DATA DICTIONARY
 PAGE 2-548 & 2-549**

Add the Valid Values section to the EDI Data Dict. Following the FPI field info.

FPI

Term	Definition
Description name:	Freeze PIC indicator
Definition:	Indicates the LSP's or LSP end user customer's freeze option for the PIC or LPIC.
Characteristics:	1 A

VALID VALUES	DESCRIPTION
E	Freeze LSP's InterLata PIC (PIC)
A	Freeze LSPs IntraLATA PIC (LPIC)
B	Freeze LSP's Inter & IntraLATA PICs (Both PIC and LPIC)
J	Freeze LSP end user customer's InterLATA PIC (PIC)
K	Freeze LSP end user customer's IntraLATA PIC (LPIC)
L	Freeze LSP end user customer's Inter & IntraLATA PICS (Both PIC & LPIC)
R	Remove InterLATA Freeze (PIC)
S	Remove IntraLATA Freeze (LPIC)
T	Remove both InterLATA and IntraLATA Freeze (PIC and LPIC)

(CR #1369 – ITEM #30)

CCP 1458 Attachment Listed Below

[14.0 PRE-ORDER LOH](#)
[PAGE 2-528](#)
[EDI BUSINESS RULES](#)

Parse Customer Record Response (PCSRR)

Parsed Customer Record Response (PCSRR)		
BST FIELD	Data Characteristics	Field Description
FEATURE DETAIL	Up to 24 A/N	Feature Detail - Identifies additional information for the type of feature associated with the line.
SEREQUIPDATA SRVC EQUIP DATA	Variable A/N	Unparsed data that is returned in a block of information for CLEC use.
PORTED-OUT-LINE-DATA	Variable A/N	Unparsed data that is returned in a block of information for CLEC use.

CCP 1459 Attachment Listed Below

LOH Version 14.0A Data Dictionary: Loop Service Page

CTI

Connection Type Indicator (LS Page)

Definition	Identifies the configuration of the facility connection assignment.								
Def Notes	NOTE 1: This information is provided when the customer has assignment control. NOTE 2: Up to four iterations may be requested.								
Valid Entries	<table> <thead> <tr> <th>Entry</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Data and Voice</td> </tr> <tr> <td>B</td> <td>Voice</td> </tr> <tr> <td>C</td> <td>Data</td> </tr> </tbody> </table>	Entry	Description	A	Data and Voice	B	Voice	C	Data
Entry	Description								
A	Data and Voice								
B	Voice								
C	Data								
VE Notes	None								
Data Charact	1 alpha character								
Examples	A								
CU Notes	Manual Note 1: Required when the 2nd character of the TOS is "R" and the product is CO Based DLEC Owned Splitter. <u>Note 1: Required when the 2nd character of the TOS is "P" and the product is CO Based DLEC Owned Splitter</u>								
Bus Rules	Manual Rule 1: When the CTI field is populated, for each occurrence of CTI, there must be a matching occurrence of CABLE ID and CHAN/PAIR.								