
BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

Carrier Notification**SN91083883**

Date: November 7, 2003

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH), Version **15.0**, Local Service Ordering Guide 6 (LSOG6) and EDI Local Mechanization Specifications 6 (ELMS6) for Release 15.0

This is to advise that BellSouth has identified the following documentation defects in the LOH **15.0** for ELMS 6 Release 15.0:

CCP Number	Description Of The Change
1465	The business rules for REMARKS for CO based DLEC-owned Splitter have changed.
1470	Modify the data dictionary for the FBI field to add new business rules and new valid entry note.
1467	Corrected RCO tables to remove ACT C for REQ TYP JB.
1469	Updated the Data Dictionary for DFDT to prohibit DFDT for REQ TYP M and E Non Complex conditional usage note 3. Removed DFDT from the optional column of the R/C/O tables for the resale service and port service forms for Non-Complex.
1468	Modify the data dictionary in the resale form for PULSE to state not supported in this practice.
1464	LNA RCO tables for Line Splitting Bellsouth owned splitter were removed from the LOH.

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 6 Release 15.0/LOH Version **15.0a**, scheduled to be posted February 9, 2004.

A summary of all changes within this document will be listed in the **Summary of Changes Section**. This update can be found on the BellSouth Interconnection Services' Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachments

CCP 1465 Attachment Listed Below

15.0

REMARKS - Remarks

Definition	Identifies a free flowing field which can be used to expand upon and clarify other data on this form/screen.
Def Notes	None
Valid Entries	None
VE Notes	None
Data Charact	Manual: Up to 160 alpha/numeric characters Electronic: Up to 240 alpha/numeric characters
Examples	SUP DELETED ESX ESF TN 111-456-7890
CU Notes	Note 1: Required when the 2nd character of the TOS is "R" and the ACT= C, N, P, Q or V.
Bus Rules	Rule 1: Virgules (/) and asterisks (*) are not allowed in this field. Rule 2: The CLEC may enter Remarks which is a free flowing field which may be used to expand or clarify text data on the LSR.

~~Rule 3: BellSouth® does not edit this field for alpha/numeric content.~~

~~Manual:~~

~~Rule 4: On REQTYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC cage~~

~~(Splitter LOC I), populate this field with CTI=B.~~

~~Rule 5: On REQTYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC cage~~

~~(Splitter LOC I), populate this field with CABLE ID2. (DLEC Collocated Cable ID indicates CA for voice only cross connect).~~

~~Rule 6: On REQTYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC cage~~

~~(Splitter LOC I), populate with CHAN/PR2 (DLEC Collocated Cable ID indicates CA for voice only cross connect).~~

~~Rule 7: On REQTYP A where TOS 2nd character = P or R and the splitter resides inside the DLEC cage~~

~~(Splitter LOC I), populate this field with RESID = FRN.~~

Electronic:

Rule 8: When ordering SynchroNet®, populate this field with CKL2 information; i.e.- End User Name, End User Address, Contact Person, Contact Telephone Number.

CCP 1470 Attachment Listed Below

14.0

FBI

Final Bill Information Indicator (EU Page)

Definition	Indicates whether a final bill should be sent to either the existing billing address or a different address.
Def Notes	None
Valid Entries	Manual: Entry Description D Different Address E Existing Address Electronic: Entry Description Y Yes (Different Address) N No (Existing Address)

VE Notes

Manual:

NOTE 1: If the valid entry is "D", the BILLNM, STREET, STATE and ZIP CODE fields must be populated.

Electronic

Note 2: Entries of 'Y' or 'N' translate to 'D' and 'E', respectively.

Electronic:

NOTE 2: The system will convert valid entries of Y to D and N to E prior to processing the service

Data Charact 1 alpha character

Examples Manual: D
Electronic: Y

CU Notes

Note 1: Prohibited when the first position of the REQTYP field on the LSR is "J " and the ACT field is N or R.

Note 2: Prohibited when the MI field is A or B.

Note 3: Required when the MI field is C or D.

Bus Rules ~~None~~

Rule 1: Not valid for CLEC-to-CLEC, DLEC-to-DLEC, or DLEC-to-CLEC migration request(s).

15.0**FBI**

Final Bill Information Indicator (EU Page)

Definition	Indicates whether a final bill should be sent to either the existing billing address or a different address.
Def Notes	None
Valid Entries	Manual: Entry Description D Different Address E Existing Address Electronic: Entry Description Y Yes (Different Address) N No (Existing Address)

VE Notes

Manual:

NOTE 1: If the valid entry is "D", the BILLNM, STREET, STATE and ZIP CODE fields must be populated.

ElectronicNote 2: Entries of 'Y' or 'N' translate to 'D' and 'E', respectively.

Electronic:

NOTE 2: The system will convert valid entries of Y to D and N to E prior to processing the service

Data Charact 1 alpha character**Examples** Manual: D
Electronic: Y**CU Notes**

Note 1: Prohibited when the first position of the REQTYP field on the LSR is "J " and the ACT field is N or R.

Note 2: Prohibited when the MI field is A or B.

Note 3: Required when the MI field is C or D.

Bus Rules **None**Rule 1: Not valid for CLEC-to-CLEC, DLEC-to-DLEC, or DLEC-to-CLEC migration request(s).

CCP 1467 Attachment Listed Below

Reqtyp J

Directory Listing

Product Listing

Directory Listings

Standard Directory Listings include the name, address and telephone number of an customer. This listing appears alphabetically in the Directory Assistance (DA) records and the White Pages Directory for the area in which the telephone service is located. Directory listings are intended to be an aid in the use of the telephone service, so they are limited to information for the identification of the listed party.

Ordering Forms/Screens for REQ TYP J

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Directory Listing		
LSR	EU	DL
R	R	C [1]
R = Required C = Conditional O = Optional		

[1] = The DL form/screen is required for ACT N, optional for ACT R, and prohibited for ACT D.

Completing the LSR and EU Forms/Screens

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid REQ TYP / ACT combination in the **REQ TYP / ACT Combination for Directory Listing** Section.

The following chart shows all of the valid account level activities for REQ TYP J. Refer to the **REQ TYP Overview** Section for descriptions of the account level activities.

Valid Account Level Activities

REQTYP J - Directory Listing			
N	€	D	R
X	✕	X	X
" X " denotes valid account level activities. A dash (-) indicates a <i>non-valid</i> account level activity.			

Other REQTYPs

The DL form is applicable to REQTYPs B, C, E, F, J, K, M, N, P.

The following chart illustrates when the DL form is required, conditional, optional or prohibited, for the different ACTTYPs.

ACT	DL Form R/C/O
N	R
C	O
D	P
L	P
T	R
R	O
V	C
W	P
S	P
B	P
Y	P

R=Required, C=Conditional, O=Optional, P=Prohibited

Valid LACT and DACT for ACT Type

The Directory Listing (DL) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid listing activities (LACTs) and valid delivery activities (DACTs). These LACTs and DACTs determine how, or if, the DL form/screen should be populated. The following charts give the valid LACTs and DACTs for each account level activity (ACT) and the associated DL formsscreen usage.

If ACT is:	Then LACT is:	And DL form/screen is:	And DSCR form/screen is:
N	N	Required	Optional

D	Prohibited	Prohibited	Prohibited
R	N, D, I or O	Optional	Optional
T	N	Required	Optional
C	N, D, I or O	Optional	Optional
V	N, D or Z (REQTYP E, M)	Conditional	Optional
V	N, Z (REQTYP B, C)	Conditional	Optional

If ACT is:	Then DACT is:	And DL form/screen is:
N	N	Required
D	Prohibited	Not Required
R	N, D, I or O	Required
T	N	Required
C	N, D, I or O	Optional
V	N	Optional

The LACT and DACT Entries

Activities for directory listings and directory delivery are listed below.

Listing Activities (LACT) for Directory Listings:

N = New Listing

D = Delete Listing

I = Change Listing (new data to be inserted)

O = Change Listing (old data)

Z = No Change to listing

Delivery Activities (DACT) for Directory Delivery:

N = New Directory Delivery

D = Delete Directory Delivery*

I = Change Directory Delivery (new data to be inserted)*

O = Change Directory Delivery (old data)*

Note: DACT of D, I and O are applicable to MANUAL orders only.

ACT, LACT (Listing Activities), and DACT (Delivery Activities) Tables<\\01gaf5142042011\bsc\Local Ordering Handbook\14\RCO Tables\j01t.doc>**8.1.3 ACT, LACT (Listing Activities), and DACT (Delivery Activities) Tables**

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp J, Directory Listing

ACT= C: LSR**Required**

ACT BAN1 CC
CCNA D/TSENT DDD
INIT INIT-FAX NO. INIT-TEL NO.
PG_OF_ (M) PON REQ TYP
SC TOS

Conditional

AN ATN B11
CIC CUST SUP
VER

Optional

REMARKS RPON

ACT= C: EU**Required**

CITY NAME PG_OF_ (M)
PON (M) SASN STATE
ZIP

Conditional

AAI AN (M) ATN (M)
EAN EATN SANG
VER (M)

BellSouth Local Ordering Handbook

Section 3 - Ordering

Version 14.0A, LSOG6 / ELMS6 Page 3 - 477

ACT Tables: Reqtyp J, Directory Listing

Optional

LD1 LD2 LD3
SASD SASF SASS
SATH

ACT= D: LSR**Required**

ACT BAN1 CC
CCNA D/TSENT DDD
INIT INIT-FAX NO. INIT-TEL NO.
PG_OF_ (M) PON REQ TYP
SC TOS

Conditional

AN ATN B11



CIC CUST SUP
VER

Optional

REMARKS RPON

ACT= D: EU

Required

NAME PG_OF_ (M) PON (M)

Conditional

AN (M) ATN (M) FB-BILLCON
FB-BILLNM FB-CITY FB-STATE
FB-STREET FB-ZIP CODE TEL NO-FBCON
VER (M)

Optional

FB-FLOOR FBI* FB-ROOM
FB-SBILLNM

BellSouth Local Ordering Handbook

Section 3 - Ordering

Version 14.0A, LSOG6 / ELMS6 Page 3 - 478

ACT Tables: Reqtyp J, Directory Listing

ACT= N: LSR

Required

ACT BAN1 CC
CCNA D/TSENT DDD
INIT INIT-FAX NO. INIT-TEL NO.
PG_OF_ (M) PON REQTYT
SC TOS

Conditional

AN ATN B1
CIC CUST SUP
VER

Optional

REMARKS RPON

ACT= N: EU

Required

CITY NAME PG_OF_ (M)
PON (M) SASN STATE
ZIP

Conditional

AAI AN (M) ATN (M)
SANO VER (M)

Optional

LD1 LD2 LD3
SASD SASF SASS
SATH

ACT= R: LSR

Required

ACT BAN1 CC
CCNA D/TSENT DDD
INIT INIT-FAX NO. INIT-TEL NO.
PG_OF_ (M) PON REQTYT
SC TOS

BellSouth Local Ordering Handbook

Section 3 - Ordering

Version 14.0A, LSOG6 / ELMS6 Page 3 - 479

ACT Tables: Reqtyp J, Directory Listing

Conditional

AN ATN B1
CIC CUST SUP
VER

Optional

REMARKS RPON

ACT= R: EU

Required



CITY NAME PG_OF_ (M)
PON (M) SASN STATE
ZIP

Conditional
AAI AN (M) ATN (M)
EAN EATN SANO
VER (M)

Optional
LD1 LD2 LD3
SASD SASF SASS
SATH

*BellSouth Local Ordering Handbook
Section 3 - Ordering
Version 14.0A, LSOG6 / ELMS6 Page 3 - 480
LACT Tables: Reqtyp J, Directory Listing*

LACT= D: DL

Required
DLNUM LACT PG_OF_ (M)
PON (M) RTY SC1 (M)

Conditional
ADV ALI AN (M)
ATN (M) INS1 LNFN
LTN VER (M) WPP

Optional
NSTN

LACT= I: DL

Required
DLNUM DOI LACT
LNLN LTY PG_OF_ (M)
~~PLS (M)~~-PON (M) RTY
SC1 (M) STYC TOA

Conditional
ADI ADV ALI
AN (M) ATN (M) DES
DIRNAME DLNM FAINFO
FATN LALOC LANO
LAPR LASD LASF
LASN LASS LAST
LATH LNFN LNPL
LTEXT LTN LTXNUM
LTXTY NICK NSTN
PLA PLINFO PLTN PLS
SIC VER (M) WPP
YPH

Optional
BRO DIRSUB DML
SO TITLE1 TITLE2
TL

*BellSouth Local Ordering Handbook
Section 3 - Ordering
Version 14.0A, LSOG6 / ELMS6 Page 3 - 481
LACT Tables: Reqtyp J, Directory Listing*

LACT= N: DL

Required
DLNUM DOI LACT
LNLN LTY PG_OF_ (M)
~~PLS (M)~~-PON (M) RTY
SC1 (M) STYC TOA

Conditional
ADI ADV ALI
AN (M) ATN (M) BRO
DES DIRNAME DIRSUB
DLNM DML FAINFO
FATN LALOC LANO



LAPR LASD LASF
LASN LASS LAST
LATH LNFN LNPL
LTEXT LTN LTXNUM
LTXTY NICK NSTN
PLA PLINFO PLS (E)
PLTN SIC VER (M)
WPP YPH

Optional
SO TITLE1 TITLE2
TL

LACT= O: DL

Required
DLNUM LACT PG_OF_ (M)
~~PLS (M)~~ PON (M) RTY
SC1 (M)

Conditional
ADI ADV ALI
AN (M) ATN (M) LASN
LNFN PLS (E) VER (M)

BellSouth Local Ordering Handbook

Section 3 - Ordering

Version 14.0A, LSOG6 / ELMS6 Page 3 - 482

DACT Tables: Reqtyp J, Directory Listing (ACT of N)

CCP 1469 Attachment Listed Below

LOH Version 15.0A RCO Tables

Notes:

- (M) = Fields used only for manual orders
- (E) = Fields used only for electronic orders
- (*) = Optional fields that force at least one conditional field to become required.
- (***) = See additional clarification in the Data Dictionary.
- All unmentioned fields are either invalid, not applicable, prohibited or not supported.

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

ACT= B: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
LOCQTY	NOR	RPON
SUP	VER	

Optional

REMARKS	RORD	
---------	------	--

ACT= B: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Updated 9/27/2003

Page 1 of 23

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

Conditional

AAI	AN (M)	ATN (M)
CITY	SANO	SASD
SASF	SASS	SATH
STATE	VER (M)	ZIP

Optional

LOCNUM (M)	LOCNUM HEADER* (E)	SASN
------------	--------------------	------

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
NOR	PROJECT	RPON
SUP	VER	

Updated 9/27/2003

Page 2 of 23

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	LSCP	REMARKS
RORD	VTA	

ACT= C: EU

Required

LOCNUM DETAIL (E)	NAME	PG_OF_ (M)
PON (M)		

Conditional

AAI	AN (M)	ATN (M)
CITY	DISC NBR	DNUM

DQTY (M)	IWCON	IWCON-TEL NO.
LD1	LD2	LD3
LOCACT (E)	LV1	LV2
LV3	SANO	SASD
SASF	SASN	SASS
SATH	STATE	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)	ZIP	
Optional		
ACC	IWO*	LCON
LCON-TEL NO.	LOCNUM (M)	LOCNUM HEADER* (E)
TC OPT*	WSOP	

Updated 9/27/2003

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

ACT= D: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
LOCQTY	NOR	RPON
SUP	VER	

Optional

~~DFDT~~

ACT= D: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Updated 9/27/2003

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

Conditional

AAI	AN (M)	ATN (M)
CITY	DISC NBR	DNUM
DQTY (M)	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASN	SATH
STATE	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)	ZIP	

Optional

LOCNUM (M)	LOCNUM HEADER (E)	SASN
TC OPT*		

ACT= L: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Updated 9/27/2003

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

Conditional

AN (M)	ATN	CUST (E)
NOR	RPON	SUP
VER		

Optional

REMARKS	RORD	
---------	------	--

ACT= L: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	AN (M)	ATN (M)
CITY	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
STATE	TC PER	TC TO PRI
TC TO SEC	TCID	VER (M)
ZIP		

Optional

LCON	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER* (E)	SASN	TC OPT*

Updated 9/27/2003

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

ACT= N: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
LSO	NOR	PROJECT
RPON	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	EXP
LSCP	REMARKS	RORD
VTA		

ACT= N: EU

Required

CITY	LOCNUM DETAIL (E)	NAME
PG_OF_ (M)	PON (M)	SASN

Updated 9/27/2003

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

Conditional

AAI	AN (M)	ATN (M)
EUA	IWCON	IWCON-TEL NO.
LD1	LD2	LD3
LV1	LV2	LV3
NCON (E)	SANO	SASD
SASF	SASS	SATH
STATE	VER (M)	ZIP

Optional

ACC	IWO*	LCON
LCON-TEL NO.	LOCNUM (M)	LOCNUM HEADER* (E)
WSOP		

ACT= S: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
LOCQTY	NOR	RPON
SUP	VER	

Updated 9/27/2003

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

Optional

REMARKS	RORD	
---------	------	--

ACT= S: EU

Required

LOCNUM DETAIL (E)	NAME	PG_OF_ (M)
PON (M)		

Conditional

AAI	AN (M)	ATN (M)
CITY	LD1	LD2
LD3	LOCACT (E)	LV1
LV2	LV3	SANO
SASD	SASF	SASS
SATH	STATE	VER (M)
ZIP		

Optional

LOCNUM (M)	LOCNUM HEADER* (E)	SASN (E)
------------	--------------------	----------

Updated 9/27/2003

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

ACT= T: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
DDDO**	IMPCON	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)
PON	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
LSO	NOR	PROJECT
RPON	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	DEFD
EXP	LSCP	REMARKS
RORD	VTA	

ACT= T: EU

Required

CITY	EATN	LOCNUM DETAIL (E)
NAME	PG_OF_ (M)	PON (M)
SASN		

Updated 9/27/2003

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

Conditional

AAI	AN (M)	ATN (M)
EAN (M)	IWCON	IWCON-TEL NO.
LD1	LD2	LD3
LOCACT (E)	LV1	LV2
LV3	NCON (E)	SANO
SASD	SASF	SASS
SATH	STATE	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	ZIP

Optional

ACC	IWO*	LCON
LCON-TEL NO.	LOCNUM (M)	LOCNUM HEADER* (E)
TC OPT*	WSOP	

ACT= V: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	MI	PG_OF_ (M)
PON	REQTYP	SC
TOS		

Updated 9/27/2003

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

Conditional

— ALT-IMP CON-TEL NO.	AN (M)	ATN
— CUST (E)	IMP CON-TEL NO.	LOCQTY
NOR	PROJECT	RPON
SUP	VER	

Optional

— ALT-IMP CON*	APPTIME-DDD	DFDT
— EXP	LSCP	REMARKS
RORD	VTA	

ACT= V: EU

Required

— ELT	LOCNUM DETAIL (E)	NAME
— PG_OF_ (M)	PON (M)	

Updated 9/27/2003

Page 12 of 23

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

Conditional

— AAI	AN (M)	ATN (M)
CITY	DISC NBR	DNUM
DQTY	EAN (M)	EATN
EUA	FB-BILLCON	FB-BILLNM
FB-CITY	FBI	FB-STATE
FB-STREET	FB-ZIP CODE	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LV1	LV2
LV3	NCON (E)	SANO
SASD	SASF	SASS
SATH	STATE	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	TEL NO-FBCON	VER (M)
ZIP		

Optional

— ACC	EUMI*	FB-FLOOR
— FB-ROOM	FB-SBILLNM	IWO*
LCON	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER* (E)	SASN	TC OPT*
WSOP		

Updated 9/27/2003

Page 13 of 23

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

ACT= W: LSR

Required

— ACT	BAN1	CC
— CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
NOR	PG_OF_ (M)	PON
REQTYP	RORD	RPON
SC	TOS	

Conditional

— AN (M)	ATN	CUST (E)
— PROJECT	SUP	VER

Optional

— REMARKS		
-----------	--	--

ACT= W: EU

Required

— DQTY (M)	NAME	PG_OF_ (M)
— PON (M)		

Updated 9/27/2003

Page 14 of 23

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

Conditional

— AAI	AN (M)	ATN (M)
CITY	FB-BILLCON	FB-BILLCON TEL NO.
FB-BILLNM	FB-CITY	FBI
FB-STATE	FB-STREET	FB-ZIP CODE

LD1	LD2	LD3
LV1	LV2	LV3
SANO	SASD	SASF
SASS	SATH	STATE
VER (M)	ZIP	
Optional		
FB-FLOOR	FB-ROOM	FB-SBILLNM
LOCNUM (M)	LOCNUM HEADER (E)	SASN
ACT= Y: LSR		
Required		
ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	
Conditional		
AN (M)	ATN	CUST (E)
SUP	VER	

Updated 9/27/2003

Page 15 of 23

ACT Tables: Reqtyp E, Resale, non-complex (14.0A)

Optional		
REMARKS		
ACT= Y: EU		
Required		
LOCNUM DETAIL (E)	NAME	PG_OF_ (M)
PON (M)		
Conditional		
AAI	AN (M)	ATN (M)
CITY	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
STATE	VER (M)	ZIP
Optional		
LOCNUM (M)	LOCNUM HEADER* (E)	SASN

Updated 9/27/2003

Page 16 of 23

LNA Tables: Reqtyp E, Resale, non-complex (14.0A)

LOH Version 15.0A Data Dictionary: Local Service Request Page

DFDT

Desired Frame Due Time (LSR Page)

Definition Identifies the desired frame cutover time.

Def Notes NOTE 1: The time indicated in this field will reflect the local time of the end user's location(s).

Valid Entries HHMM, HHMM-HHMM
Military format: where HH must be numerics from 01-24 and MM must be numerics ranging from 01-59

VE Notes NOTE 1: When the CHC field is populated with a Y, the DFDT must be a single time entry.

Data Charact Manual: Up to 6 alpha/numeric characters
Electronic: Up to 9 alpha/numeric characters

Examples Manual: 1300
Electronic: 1300 1300-1700

CU Notes Note 1: This field is prohibited when the ACT is N.
Note 2: Prohibited when the REQTYP is A and the ACT = C and LNA is N.
Note 3: Prohibited when the REQTYP is E (Non-Complex) or M (Non-Complex) ~~and the ACT is B, L,~~
~~S,~~
~~W or Y.~~
Note 4: Prohibited when the REQTYP is E with 2nd character TOS of H and the ACT is C, D, T, V or W.
Note 5: Prohibited when the REQTYP is N and the ACT is W.
Note 6: Prohibited when the CC or NNSP field is populated with a wireless OCN.
Electronic:
Note 7: [BULK] Prohibited when the BOPI field is populated.

Bus Rules Rule 1: For projects, frame due times are negotiated with the CLEC.
Rule 2: For non-projects, frame due time indicates the specific time the request is to be worked.
Rule 3: When the CHC is populated and the DFDT is populated, the DFDT field must be a single

entry;

of an hour and minute and not a span of time.

Rule 4: When DFDT is populated with a time requested for time specific hot-cut, the time requested may be changed by BST to the next available time slot. This time slot assignment may be the same day or next business day. If assigned a different time and/or due date, the changed appointment will be reflected in the FOC.

Rule 5: When the REQTYP is A or B, and the information populated in the NC field begins with TY or TX, the CHC field is also required.

Updated 9/27/2003 Page 41 of 110

LOH Version 15.0A RCO Tables

Notes:

- (M) = Fields used only for manual orders
- (E) = Fields used only for electronic orders
- (*) = Optional fields that force at least one conditional field to become required.
- (***) = See additional clarification in the Data Dictionary.
- All unmentioned fields are either invalid, not applicable, prohibited or not supported.

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

ACT= B: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	PORTTYP
REQTYP	SC	TOS

Conditional

AN	ATN	CUST (E)
LOCQTY	NOR	RPON
SUP	VER	

Optional

CIC (E)	REMARKS	RORD
---------	---------	------

ACT= B: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Updated 9/27/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

Conditional

AAI	AN (M)	ATN (M)
CITY	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
STATE	VER (M)	ZIP

Optional

LCON	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER (E)	SASN	

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
PORTTYP	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
NOR	PROJECT	RPON
SUP	VER	

Updated 9/27/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

Optional

ALT-IMPCON*	APPTIME-DDD	CIC (E)
DFDT	EXP	LSCP
REMARKS	RORD	
ACT= C: EU		
<u>Required</u>		
NAME	PG_OF_ (M)	PON (M)
<u>Conditional</u>		
AAI	AN (M)	ATN (M)
CITY	DISC NBR	DNUM
DQTY	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LOCNUM DETAIL (E)	LV1
LV2	LV3	SANO
SASD	SASF	SASN
SASS	SATH	STATE
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	ZIP
<u>Optional</u>		
ACC	IWO*	LCON
LCON-TEL NO.	LOCNUM (M)	LOCNUM HEADER (E)
TC OPT*	WSOP	

Updated 9/27/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

ACT= D: LSR

<u>Required</u>		
ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	PORTTYP
REQTYP	SC	TOS
<u>Conditional</u>		
AN	ATN	CUST (E)
LOCQTY	NOR	RPON
SUP	VER	
<u>Optional</u>		
CIC (E)	DFDT	REMARKS
RORD		

ACT= D: EU

<u>Required</u>		
NAME	PG_OF_ (M)	PON (M)

Updated 9/27/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

Conditional

AAI	AN (M)	ATN (M)
CITY	DISC NBR	DNUM
DQTY	LD1	LD2
LD3	LV1	LV2
LV3	SASD	SASF
SASS	SATH	STATE
TC NAME	TC PER	TC TO PRI
TC TO SEC	TCID	VER (M)
ZIP		

Optional

LOCNUM HEADER (E)	SASN	TC OPT*
------------------------------	------	---------

ACT= L: LSR

<u>Required</u>		
ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	PORTTYP
REQTYP	SC	TOS
<u>Conditional</u>		

AN	ATN	CUST (E)
NOR	RPON	SUP

VER
Updated 9/27/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

<u>Optional</u>		
___CIC (E)	REMARKS	RORD
ACT= L: EU		
<u>Required</u>		
___NAME	PG_OF_ (M)	PON (M)
<u>Conditional</u>		
___AAI	AN (M)	ATN (M)
___CITY	LD1	LD2
___LD3	LV1	LV2
___LV3	SANO	SASD
___SASF	SASS	SATH
___STATE	TC PER	TC TO PRI
___TC TO SEC	TCID	VER (M)
___ZIP		
<u>Optional</u>		
___LCON	LCON-TEL NO.	LOCNUM HEADER (E)
___SASN	TC OPT*	

Updated 9/27/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

ACT= N: LSR		
<u>Required</u>		
___ACT	BAN1	CC
___CCNA (E)	D/TSENT	DDD
___IMPCON	INIT	INIT-FAX NO.
___INIT-TEL NO.	PG_OF_ (M)	PON
___PORTTYP	REQTYP	SC
___TOS		
<u>Conditional</u>		
___ALT-IMPCON-TEL NO.	AN	ATN
___CUST (E)	IMPCON-TEL NO.	LOCQTY
___NOR	PROJECT	RPON
___SUP	VER	
<u>Optional</u>		
___ALT-IMPCON*	APPTIME-DDD	CIC (E)
DEFD	EXP	LSCP
___REMARKS	RORD	

ACT= N: EU

<u>Required</u>		
___CITY	NAME	PG_OF_ (M)
___PON (M)	SASN	

Updated 9/27/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

<u>Conditional</u>		
___AAI	AN (M)	ATN (M)
___EUA	IWCON	IWCON-TEL NO.
___LD1	LD2	LD3
___LOCNUM DETAIL (E)	LV1	LV2
___LV3	NCON	SANO
___SASD	SASF	SASS
___SATH	STATE	VER (M)
___ZIP		
<u>Optional</u>		
___ACC	IWO*	LCON
___LCON-TEL NO.	LOCNUM (M)	LOCNUM HEADER (E)
___WSOP		
ACT= S: LSR		
<u>Required</u>		
___ACT	BAN1	CC
___CCNA	D/TSENT	DDD
___INIT	INIT-FAX NO.	INIT-TEL NO.

PG_OF_ (M)
REQTYP
Updated 9/27/2003

PON
SC

PORTTYP
TOS

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

Conditional

___AN	ATN	CUST (E)
___LOCQTY	NOR	RPON
___SUP	VER	

Optional

___CIC (E)	REMARKS	RORD
------------	---------	------

ACT= S: EU

Required

___NAME	PG_OF_ (M)	PON (M)
---------	------------	---------

Conditional

___AAI	AN (M)	ATN (M)
___CITY	EUA	LD1
___LD2	LD3	LOCNUM DETAIL (E)
___LV1	LV2	LV3
___SANO	SASD	SASF
___SASN	SASS	SATH
___STATE	VER (M)	ZIP

Optional

___LCON	LCON-TEL NO.	LOCNUM (M)
___LOCNUM HEADER (E)		

Updated 9/27/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

ACT= T: LSR

Required

___ACT	BAN1	CC
___CCNA (E)	D/TSENT	DDD
___DDDO**	IMPCON	INIT
___INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)
___PON	PORTTYP	REQTYP
___SC	TOS	

Conditional

___ALT-IMPCON-TEL NO.	AN (M)	ATN
___CUST (E)	IMPCON-TEL NO.	LOCQTY
___NOR	PROJECT	RPON
___SUP	VER	

Optional

___ALT-IMPCON*	APPTIME-DDD	CIC (E)
DDDT	EXP	LSCP
___REMARKS	RORD	

ACT= T: EU

Required

___CITY	EATN	NAME
___PG_OF_ (M)	PON (M)	SASN

Updated 9/27/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

Conditional

___AAI	AN (M)	ATN (M)
___EAN (M)	EUA	IWCON
___IWCON-TEL NO.	LD1	LD2
___LD3	LOCNUM DETAIL (E)	LV1
___LV2	LV3	NCON
___SANO	SASD	SASF
___SASS	SATH	STATE
___TC NAME	TC PER	TC TO PRI
___TC TO SEC	TCID	VER (M)
___ZIP		

Optional

___ACC	EUMI (M)	IWO*
___LCON	LCON-TEL NO.	LOCNUM (M)

LOCNUM HEADER (E)	TC OPT*	WSOP
ACT= V: LSR		
<u>Required</u>		
ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	MI	PG_OF_ (M)
PON	PORTTYP	REQTYP
SC	TOS	

Updated 9/27/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

Page 11 of 23

<u>Conditional</u>		
ALT-IMPCON-TEL NO.	AN	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
NOR	PROJECT	RPON
SUP	VER	
<u>Optional</u>		
ALT-IMPCON*	APPTIME-DDD	CIC (E)
DEFI	EXP	LSCP
REMARKS	RORD	VTA (M)

ACT= V: EU

<u>Required</u>		
ELT	NAME	PG_OF_ (M)
PON (M)		

Updated 9/27/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

Page 12 of 23

<u>Conditional</u>		
AAI	AN (M)	ATN (M)
CITY	DISC NBR	DNUM
DQTY	EAN (M)	EATN
EUA	FB-BILLCON	FB-BILLNM
FB-CITY	FBI	FB-STATE
FB-STREET	FB-ZIP CODE	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LOCNUM DETAIL (E)	LV1
LV2	LV3	NCON
SANO	SASD	SASF
SASS	SATH	STATE
TC FR (E)	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
TEL NO-FBCON	VER (M)	ZIP

<u>Optional</u>		
ACC	EUMI	FB-FLOOR
FB-ROOM	FB-SBILLNM	IWO*
LCON	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER (E)	SASN	TC OPT*
WSOP		

Updated 9/27/2003

ACT Tables: Reqtyp M, Switched Combo Bus/Res (14.0A)

Page 13 of 23

ACT= W: LSR		
<u>Required</u>		
ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	PORTTYP
REQTYP	SC	TOS

<u>Conditional</u>		
AN	ATN	CUST (E)
NOR	PROJECT	RPON
SUP	VER	

<u>Optional</u>		
CIC (E)	REMARKS	RORD

ACT= W: EU

Required

___ DQTY (M)	NAME	PG_OF_ (M)
___ PON (M)		

Updated 9/27/2003

Page 14 of 23

ACT Tables: Reqty M, Switched Combo Bus/Res (14.0A)

Conditional

___ AAI	AN (M)	ATN (M)
___ CITY	EUA	FB-BILLCON
FB-BILLNM	FB-CITY	FBI
FB-STATE	FB-STREET	FB-ZIP CODE
LD1	LD2	LD3
LV1	LV2	LV3
SANO	SASD	SASF
SASS	SATH	STATE
TEL NO-FBCON	VER (M)	ZIP

Optional

___ FB-FLOOR	FB-ROOM	FB-SBILLNM
___ LOCNUM (M)	LOCNUM HEADER* (E)	SASN

ACT= Y: LSR

Required

___ ACT	BAN1	CC
___ CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	PORTTYP
REQTYP	SC	TOS

Conditional

___ AN	ATN	CUST (E)
___ SUP	VER	

Updated 9/27/2003

Page 15 of 23

ACT Tables: Reqty M, Switched Combo Bus/Res (14.0A)

Optional

___ CIC (E)	REMARKS
-------------	---------

ACT= Y: EU

Required

___ NAME	PG_OF_ (M)	PON (M)
----------	------------	---------

Conditional

___ AAI	AN (M)	ATN (M)
___ CITY	LD1	LD2
LD3	LOCNUM DETAIL (E)	LV1
LV2	LV3	SANO
SASD	SASF	SASS
SATH	STATE	VER (M)
ZIP		

Optional

___ LOCNUM (M)	LOCNUM HEADER (E)	SASN
----------------	-------------------	------

Updated 9/27/2003

Page 16 of 23

CCP 1468 Attachment Listed Below**13.0 data dictionary (RESALE)****PULSE - Type of Pulsing**

Definition Identifies the type of pulsing desired for the DID trunk.

Def Notes None

~~Valid Entries~~ ~~None~~

~~VE Notes~~ ~~None~~

~~Data Charact~~ ~~2 or 4 alpha characters~~

~~Examples~~ ~~DP or DTMF~~

~~CU Notes~~ ~~None~~

~~Bus Rules~~ ~~None~~

This field is not supported by BellSouth in this practice.

14.0 LOH**PULSE****Type of Pulsing (RS Page)**

Definition Identifies the type of pulsing requested for the service.

~~Def Notes~~ ~~None~~

~~Valid Entries~~ ~~Valid Entries:~~
~~Entry~~ ~~Description~~
~~DP~~ ~~Dial Pulse~~
~~MF~~ ~~Multi-Frequency~~
~~DTMF~~ ~~Dual Tone Multi-Frequency~~

~~VE Notes~~ ~~None~~

~~Data Charact~~ ~~2 or 4 alpha characters~~

~~Examples~~ ~~DP~~
~~DTMF~~

~~CU Notes~~ ~~Note 1: Prohibited when the REQ TYP is E and the LNA is L or B.~~

~~Bus Rules~~ ~~None~~

This field is not supported by BellSouth in this practice.

15.0 LOH

PULSE

Type of Pulsing (RS Page)

Definition Identifies the type of pulsing requested for the service.~~Def Notes~~ **None**~~Valid Entries~~ **Valid Entries:**~~Entry~~ **Description**~~DP~~ **Dial Pulse**~~MF~~ **Multi-Frequency**~~DTMF~~ **Dual Tone Multi-Frequency**~~VE Notes~~ **None**~~Data Charact~~ **2 or 4 alpha characters**~~Examples~~ **DP**~~DTMF~~~~CU Notes~~ **Note 1: Prohibited when the REQ TYP is E and the LNA is L or B.**~~Bus Rules~~ **None****This field is not supported by BellSouth in this practice.**

CCP 1464 Attachment Listed Below**LOH Version 14.0A RCO Tables***Notes:*

- (M) = Fields used only for manual orders
- (E) = Fields used only for electronic orders
- (*) = Optional fields that force at least one conditional field to become required.
- (***) = See additional clarification in the Data Dictionary.
- All unmentioned fields are either invalid, not applicable, prohibited or not supported.

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

ACT= C: LSR**Required**

ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BI1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	LSP AUTH (M)
LSP AUTH DATE (M)	LSP AUTH NAME (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
NOR (M)	PROJECT (M)	RPON (M)
SUP (M)	VER (M)	

*ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter***Optional**

ALT-IMP CON (M)	CIC (M)	EXP (M)
RORD (M)	SCA (M)	

ACT= C: EU**Required**

ATN (M)	NAME (M)	PG_OF_ (M)
PON (M)		

Conditional

AAI (M)	CITY (M)	LD1 (M)
LD2 (M)	LD3 (M)	LV1 (M)
LV2 (M)	LV3 (M)	SANO (M)
SASD (M)	SASF (M)	SASS (M)
SATH (M)	STATE (M)	VER (M)
ZIP (M)		

Optional

LCON (M)	LCON-TEL NO. (M)	SASN (M)
----------	------------------	----------

*ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter***ACT= D: LSR****Required**

ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BI1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	LSP AUTH (M)
LSP AUTH DATE (M)	LSP AUTH NAME (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REQTYP (M)	SC (M)	SECNCI (M)
TOS (M)		

Conditional

CUST (M)	IMPCON-TEL NO. (M)	NOR (M)
PROJECT (M)	RPON (M)	SUP (M)
VER (M)		

Optional

CIC (M)	DFDT (M)	REMARKS (M)
---------	----------	-------------

ACT= D: EU**Required**

ATN (M)	NAME (M)	PG_OF_ (M)
PON (M)		

*ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter***Conditional**

AAI (M)	CITY (M)	LD1 (M)
LD2 (M)	LD3 (M)	LV1 (M)
LV2 (M)	LV3 (M)	SANO (M)
SASD (M)	SASF (M)	SASS (M)
SATH (M)	STATE (M)	VER (M)
ZIP (M)		

Optional

SASN (M)

ACT= N: LSR**Required**

ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BI1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	INIT (M)	INIT-FAX NO. (M)
INIT-TEL NO. (M)	LSO (M)	LSP AUTH (M)
LSP AUTH DATE (M)	LSP AUTH NAME (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	

*ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter***Conditional**

ALT-IMP CON-TEL NO. (M)	CUST (M)	IMP CON-TEL NO. (M)
PROJECT (M)	RPON (M)	SUP (M)
VER (M)		

Optional

ALT-IMP CON (M)	CIC (M)	EXP (M)
RORD (M)	SCA (M)	

ACT= N: EU**Required**

ATN (M)	NAME (M)	PG_OF_ (M)
PON (M)		

Conditional

AAI (M)	CITY (M)	LD1 (M)
LD2 (M)	LD3 (M)	LV1 (M)
LV2 (M)	LV3 (M)	SANO (M)
SASD (M)	SASF (M)	SASS (M)
SATH (M)	STATE (M)	VER (M)
ZIP (M)		

Optional

LCON (M)	LCON-TEL NO. (M)	SASN (M)
----------	------------------	----------

*ACT Tables: Reqttyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter***ACT= V: LSR****Required**

ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BAN1 (M)	BI1 (M)
CC (M)	CCNA (M)	CIC (M)
D/TSENT (M)	DDD (M)	IMPCON (M)
INIT (M)	INIT-FAX NO. (M)	INIT-TEL NO. (M)
LSO (M)	LSP AUTH (M)	LSP AUTH DATE (M)
LSP AUTH NAME (M)	MI (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REMARKS (M)	REQTYP (M)	SC (M)
SECNCI (M)	TOS (M)	

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
NOR (M)	PROJECT (M)	RPON (M)
SUP (M)	VER (M)	

Optional

ALT-IMPCON (M)	DFDT (M)	EXP (M)
RORD (M)		

*ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter***ACT= V: EU****Required**

ATN (M)	NAME (M)	PG_OF_ (M)
PON (M)		

Conditional

AAI (M)	CITY (M)	LD1 (M)
LD2 (M)	LD3 (M)	LV1 (M)
LV2 (M)	LV3 (M)	SANO (M)
SASD (M)	SASF (M)	SASS (M)
SATH (M)	STATE (M)	VER (M)
ZIP (M)		

Optional

LCON (M)	LCON-TEL NO. (M)	SASN (M)
----------	------------------	----------

*ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter***ACT= W: LSR****Required**

ACNA (M)	ACT (M)	ACTL (M)
ATN (M)	BAN1 (M)	BI1 (M)
CC (M)	CCNA (M)	D/TSENT (M)
DDD (M)	IMPCON (M)	INIT (M)
INIT-FAX NO. (M)	INIT-TEL NO. (M)	LSO (M)
LSP AUTH (M)	LSP AUTH DATE (M)	LSP AUTH NAME (M)
NC (M)	NCI (M)	PG_OF_ (M)
PON (M)	REMARKS (M)	REQTYP (M)
SC (M)	SECNCI (M)	TOS (M)

Conditional

ALT-IMPCON-TEL NO. (M)	CUST (M)	IMPCON-TEL NO. (M)
NOR (M)	PROJECT (M)	RPON (M)
SUP (M)	VER (M)	

Optional

ALT-IMPCON (M)	CIC (M)	EXP (M)
RORD (M)	SCA (M)	

ACT= W: EU**Required**

ATN (M)	NAME (M)	PG_OF_ (M)
PON (M)		



Attachment
SN91083883

ACT Tables: Reqtyp A, HFS Unbundled (CO Based) Line Splitting BST-Owned Splitter

Conditional

AAI (M)	LD1 (M)	LD2 (M)
LD3 (M)	LV1 (M)	LV2 (M)
LV3 (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

LCON (M)	LCON-TEL NO. (M)	SASN (M)
----------	------------------	----------

Updated 9/27/2003

|

*LNA Tables: Reqtyp A, Unbundled (CO Based) Line Share BST-Owned Splitter (14.0A)***LNA= C: LS****Required**

<u>ATN (M)</u>	<u>CABLE ID (M)</u>	<u>CHAN/PAIR (M)</u>
	<u>LEAN (M)</u>	<u>LEATN (M)</u>
<u>LNA (M)</u>	<u>LNUM (M)</u>	<u>LQTY (M)</u>
<u>PG OF (M)</u>	<u>PON (M)</u>	<u>RELAY RACK (M)</u>
<u>SHELF (M)</u>	<u>SLOT (M)</u>	

ConditionalVER (M)**Optional**REMARKS (M)**LNA= D: LS****Required**

<u>ATN (M)</u>	<u>ECCKT (M)</u>	<u>LEAN (M)</u>
<u>LEATN (M)</u>	<u>LNA (M)</u>	<u>LNUM (M)</u>
<u>LQTY (M)</u>	<u>PG OF (M)</u>	<u>PON (M)</u>

ConditionalVER (M)**Optional**REMARKS (M)

LNA Tables: Reqtyp A, Unbundled (CO Based) Line Share BST-Owned Splitter (14.0A)**LNA= N: LS****Required**

<u>ATN (M)</u>	<u>CABLE ID (M)</u>	<u>CHAN/PAIR (M)</u>
<u>LEAN (M)</u>	<u>LEATN (M)</u>	<u>LNA (M)</u>
<u>LNUM (M)</u>	<u>LQTY (M)</u>	<u>PG_OF (M)</u>
<u>PON (M)</u>	<u>RELAY RACK (M)</u>	<u>SHELF (M)</u>
<u>SLOT (M)</u>		

ConditionalVER (M)**Optional**REMARKS (M)**LNA= V: LS****Required**

<u>ATN (M)</u>	<u>CABLE ID (M)</u>	<u>CHAN/PAIR (M)</u>
<u>ECCKT (M)</u>	<u>LEAN (M)</u>	<u>LEATN (M)</u>
<u>LNA (M)</u>	<u>LNUM (M)</u>	<u>LQTY (M)</u>
<u>PG_OF (M)</u>	<u>PON (M)</u>	<u>RELAY RACK (M)</u>
<u>SHELF (M)</u>	<u>SLOT (M)</u>	

ConditionalVER (M)**Optional**REMARKS (M)**LNA= W: LS****Required**

<u>ATN (M)</u>	<u>CABLE ID</u>	<u>CHAN/PAIR (M)</u>
	<u>LEAN (M)</u>	<u>LEATN (M)</u>
<u>LNA (M)</u>	<u>LNUM (M)</u>	<u>LQTY (M)</u>
<u>PG_OF (M)</u>	<u>PON (M)</u>	<u>RELAY RACK (M)</u>
<u>SHELF (M)</u>	<u>SLOT (M)</u>	

ConditionalVER (M)**Optional**REMARKS (M)