
BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

**Carrier Notification
SN91083911**

Date: March 9, 2004

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) – **REVISED** - Update to the BellSouth Local Ordering Handbook (LOH) Version 13.0d for Telecommunications Industry Forum 9 (TCIF 9) Release 13.0 (Originally posted December 17, 2003)

This is to advise that BellSouth has identified the following documentation defects in the LOH Version 13.0d for TCIF 9 Release 13.0.

CCP Number	Description Of The Change
1585	Updated the 13.0 Pre-Order LOH, Tag/Lens Business Rules concerning PSO. Added Pending Service Order (PSO) to the CSR Response in Tag/Lens Business rules for 13.0.
1586	Corrected the SATH Field in the 13.0 Pre-Order Tag/Lens Business rules. Change the R/C/O coding from Required to Optional.
1587	Corrected TCIF9 LOH, Ordering, JB, to delete ACT C from the table showing valid ACT data for REQ TYP JB.
1588	Corrected 13.0 Data Dictionary, for the DACT field, Business Rule 1. Correcting rule to say: Required when establishing or changing the directory delivery data.
1589	Doc Defect. For TCIF9 LOH Data Dictionary, move the following valid entry note from ERL to LACT: Note 1: When ERL=A, and the YPH is not on the existing CSR, BellSouth will contact BAPCO in an attempt to determine the correct YPH. If BellSouth is unable to determine the correct YPH, then the request will be returned to the originator, so that the originator can provide the correct YPH.

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the TCIF9 Release 13.0/LOH Version 13.0e scheduled to be posted March 15, 2004.

A summary of all changes within this document will be listed in the **Summary of Changes Section**.

This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth Local Support Manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachments

CCP 1585 Attachment Listed Below

Customer Record Response (CSRR)

This message is used to return customer record information. Since customer Records can be very large, this message may be limited to a specific amount of data.

Customer Record Response (CSRR)									
Field Names			Usage						
BST	LSOG 3	LSOG 4	Field Length	Char Type	Business Rules	I s s 7	I s s 9	L E N S	Valid Values
CSRR Message									
INQ-NUM	INQNUM	INQNUM	16	A/N	Inquiry Number Inquiry Number uniquely identifies each Pre-Order transaction. This field may be represented differently depending on BellSouth application.	X	X	X	
MSG-ID	N/A	N/A	14	A/N	Message ID This field contains the customer record message ID code for the condition encounter as a result of inquiry processing.	X	X	X	See Appendix R.
MSG-TEXT	N/A	N/A	264	A/N	Message Text This field contains the customer record message text, corresponding to the MSG-ID, pertaining to the inquiry output.	X	X	X	See Appendix R.
Customer Record Info					Occurs 0, 15				

Customer Record Response (CSRR)									
Field Names			Usage						
BST	LSOG 3	LSOG 4	Field Length	Char Type	Business Rules	I s s 7	I s s 9	L E N S	Valid Values
PSO	N/A	PSO	Up to 10	A/N	Pending Service Order Identifies pending service orders for this account. Note 1: This field is returned on a response when a pending service order condition exists on the CSR account being requested. The PSO Indicator will indicate if there is either a pending service order, multiple service orders or no service order as follows: A pending service order = The PSO Indicator will provide the SHAK number. Multiple service orders = :”Multi” will be returned. No pending service orders = “NONE” will be returned.			X	X
CSR-TEXT1	N/A	N/A	49	A/N	Customer Record Data is returned for a successful query. Populated with the information on the customer record requested.	X	X	X	

Customer Record Response (CSRR)									
Field Names			Usage						
BST	LSOG 3	LSOG 4	Field Length	Char Type	Business Rules	I s s 7	I s s 9	L E N S	Valid Values
CSR-TEXT2	N/A	N/A	49	A/N	Customer Record Data is returned for a successful query. Populated with the information on the customer record requested.	X	X	X	

CCP 1586 Attachment Listed Below

Calculate Due Date For REQ TYP M-Port / Loop Combo

This query is used to request a calculated due date for REQ TYP M-Port/Loop Combo via the submission of an LSR with a valid address.

Calculate Due Date For REQ TYP M-Port / Loop Combo										
Field Names			Usage							
BST	LSOG 3	LSOG 4	Field Length	Char Type	R/C/O	Business Rules	I s s 7	I s s 9	L E N S	Valid Values
CDD REQ TYP M-Port/Loop Combo Message										
REQ TYP		REQ TYP	2	A/N	R	Type of request.		X		Valid value in position 1 is M.
ACT		ACT	1	A/N	R	Type of activity.		X		Valid values are N, C, D, T, R, V, S, B, L, Y, P and Q.
LNA		X	1	A	C	Type of Line Activity.		X		Valid values are D, G, N, P, V, W, X, L, B, C.
SANO	SANO	SANO	8	A/N	R	Service Address House Number Identifies the house number of the service address		X		Special Characters include: " - " = Dash
SASF	SASF	SASF	5	A/N	O	Service Address House Number Suffix Identifies the suffix for the house number of the service address.		X		Special Characters include: " - " = Dash " / " = Virgule
SASD	SASD	SASD	2	A	O	Service Address Street Directional Identifies the street directional prefix of the service address.		X		N = North E = East W = West S = South NE = Northeast NW = Northwest SE = Southeast SW = Southwest " " = (Blank)
SASN		SASN	50	A/N	R	Service Address Street Name Identifies the street name of the service address.		X		Special Characters include: " * " = Asterisk

Calculate Due Date For REQ TYP M-Port / Loop Combo										
Field Names			Usage							
BST	LSOG	LSOG 4	Field Length	Char Type	R/C/O	Business Rules	I s s 7	I s 9	L E N S	Valid Values
SATH		SATH	10	A/N	R O	Service Address Thoroughfare Identifies the thoroughfare portion of the street name of the service address.		X		See Appendix B

CCP 1587 Attachment Listed Below

Reqtyp J

Directory Listing

Product Listing

Directory Listings

Standard Directory Listings include the name, address and telephone number of an customer. This listing appears alphabetically in the Directory Assistance (DA) records and the White Pages Directory for the area in which the telephone service is located. Directory listings are intended to be an aid in the use of the telephone service, so they are limited to information for the identification of the listed party.

Ordering Forms/Screens for REQTYP J

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Directory Listing			
LSR	EU	DL	DSCR
R	R	C [1]	C [2]

[1] = The DL form/screen is required for ACT N, optional for ACT R, and prohibited for ACT D.

[2] = The DSCR form/screen is required to indicate: Captions; Degree of Indent; level detail.

Irregular placement required (indented listing in a caption or a straight line with indented listing under does not follow normal sequencing rules.)

Name, address, telephone number, and associated degree of Indent level information.

Completing the LSR and EU Forms/Screens

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid REQTYP / ACT combination in the **REQTYP / ACT Combination for Directory Listing** Section.

The following chart shows all of the valid account level activities for REQTYYP J. Please refer to the **REQTYYP Overview** Section for descriptions of the account level activities.

Valid Account Level Activities REQTYYP J - Directory Listing			
N	€	D	R
X	✕	X	X
" X " denotes valid account level activities. A dash (-) indicates a non-valid account level activity.			

Other REQTYYPs

The DL form is applicable to REQTYYPs B, C, E, F, J, M, N, P.

The following chart illustrates when the DL form is required, conditional, and optional, for the different ACTTYYPs.

ACT	DL Form R/C/O
N	R
C	O
D	P
L	P
T	R
R	O
V	C
W	P
S	P
B	P
Y	P
P	C
Q	O

CCP 1588 Attachment Listed Below

Changes for Data Dictionary 13.0 DACT

DACT - Delivery Activity

Definition Identifies the delivery activity for this request.

Def Notes None

Valid Entries

Entry	Description
N	New Directory Delivery

Additional Valid Entries for Manual Ordering:

Entry	Description
D	Delete Delivery Section
I	Change New Delivery Section (new data to be inserted)
O	Change Old Delivery Section (old data)

VE Notes None

Data Charact 1 alpha character

Examples N

CU Notes Manual
Note 1: Prohibited when 4th character TOS=R

Bus Rules Rule 1: ~~Required when establishing or changing the directory delivery data. This field is used when establishing, deleting, or changing directory delivery data.~~

Manual:
Rule 2: When changing a delivery section, two transactions are required, the first transactions would have a DACT of O to specify the data to be deleted. The second transaction would have a DACT of I to specify the new data.

Electronic: None

CCP 1589 Attachment Listed Below**Changes for TCIF9 Data Dictionary, ERL and LACT****ERL****End User Retaining Listing (EU Page)**

Identifies the listing changes desired by the end user when changing Local Service Providers.

None

Entry Description

A Retain end user listing for this account 'as is' in both the directory and/or Directory Assistance.

B Do Not Retain Listings.

C Change end user listings.

Note 1: When ERL=A, and the YPH is not on the existing CSR, BellSouth will contact BAPCO in an attempt to determine the correct YPH. If BellSouth is unable to determine the correct YPH, then the request will be returned to the originator, so that the originator can provide the correct YPH.

1 alpha character

A

Note 1: Required for REQTYPs B, C, E, F, M, and N when ACT=V, otherwise prohibited.

Manual

Note 2: Prohibited when the ACT=V and the request is to migrate an embedded base ON/OFF Premise Extension/DPA.

Rule 1: When ERL=A, all listings associated with the telephone number indicated in the EATN field on the LSR form/screen will be transferred "as is" to the new LSP. "As is" includes, but is not

limited to name, address, telephone number, ALI code, etc.

When ERL=A, all listings associated with the migrating telephone numbers on the LSR will be transferred "as is" to the new LSP.

Rule 2: When ERL=B, the current directory listings will be deleted.

Rule 3: ERL of B is prohibited then REQTYP=E, F, M, or N.

Rule 4: When ERL=A or B, the LACT field on the DL form/screen is prohibited.

Rule 5: When ERL=C, the DL form/screen is required for each listing established on the new account.

Definition

Definition Notes:

Val

Rule 6: ERL of A is prohibited when REQTYP=B with NPT=D and EUMI=Y.

Rule 7: ERL of A is prohibited when REQTYP=C with NPT=D and EUMI=Y.

Rule 8: ERL of A is prohibited when LEAN or LEATN is populated.

Electronic (Bulk Migration):

Rule 9: [BULK] For UNE to UNE BULK Ordering, the ERL field must be a "A" or an "B".

Rule 10: [BULK] For UNE to UNE BULK Migration, required once per each EATN.

Rule 11: [BULK] For UNE to UNE BULK Ordering, if the ERL field is different on the

individually submitted Supplemental 03 LSRs when compared to the original bulk ordered LSR, the Supplemental will be auto-clarified.

YPH - Yellow Page Heading Code (DL form/screen)

Definition

Identifies the code for the heading under which a listing will appear in the Yellow Pages.

Definition Notes

None

Valid Entries

Allowable values are provided in the yellow page heading book (YPH). BAPCO-BellSouth® Advertising and Publishing Company supplies customers with YPH.

Valid Entry Notes

None

Note 1: When ERL=A, and the YPH is not on the existing CSR, BellSouth will contact BAPCO in an attempt to determine the correct YPH. If BellSouth is unable to determine the correct YPH, then the request will be returned to the originator, so that the originator can provide the correct YPH.

Data Characteristics

6 numeric characters

Examples

123456

Conditional Usage

Note 1: Required when the 2nd and 3rd characters of the RTY field are ML, CM or AM and the TOS field is 1 or 3, otherwise prohibited.

Business Rules

Rule 1: This field is used to establish a new YPH or change an existing YPH.

Rule 2: AML listings associated with Ringmaster service requires a YPH code of 999001.