

---

**BellSouth Interconnection Services**

675 West Peachtree Street  
Atlanta, Georgia 30375

**Carrier Notification****SN91084093**

Date: May 17, 2004

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version **16.0** for Telecommunications Industry Forum 9 (TCIF 9) Release 13.0

This is to advise that BellSouth has identified the following documentation defects in the LOH Version **16.0** for TCIF 9 Release 13.0.

CCP Number	Description Of The Change
1785	Modify user FEATURE DETAIL conditional usage note as follows – To: Required when FA=C, otherwise optional
1842	Modified conditional usage note to state: Required when the FA=C, otherwise optional
1844	Updated Appendix K in the Pre-Order Appendices for both Maps (ELMS 6 and TCIF 9)
1845	Updated Appendix L in the Pre-Order Appendices for both Maps (ELMS 6 and TCIF 9) added new fields and deleted fields that are not returned with Address validation queries
1846	Added expedite process to the general local service ordering section to the LOH
1847	Removed DFDT from R/C/O tables for REQ TYP E/M (Non-Complex and COIN), Removed WSOP from REQ TYP E/M (Coin) R/C/O tables

Please refer to the attachment for specific details of the changes listed above.

These changes will be reflected in the next update of the TCIF 9 Release 13.0/LOH Version **16.0a** scheduled to be posted May 21, 2004.

A summary of all changes within this document will be listed in the **Summary of Changes** Section.

This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth local support manager with any questions.

Sincerely,

**ORIGINAL SIGNED BY JERRY HENDRIX**

Jerry Hendrix – Assistant Vice President  
BellSouth Interconnection Services

Attachment

Local Ordering Handbook Version 16.0 Source Document  
Resale Service Data Dictionary

---

**CCP 1785 Attachment Listed Below**

*Release 16.0 A Data Dictionary Source Document*

**FEATURE DETAIL - Feature Detail (PS form/screen)**

**Definition**

Identifies additional information for the type of feature associated with the line.

*Definition Notes*

None

**Valid Entries**

None

*Valid Entry Notes*

None

**Data Characteristics**

Up to 24 alpha/numeric characters

**Examples**

ZSRC ABC12

**Conditional Usage Notes**

Note 1: Required when the FA field is "C", otherwise optional.

Note #: When the first character of the TOS is 2, the ACT is V with LNA of G and the telephone number being converted or migrated is not the only working line at the service address and the service address has at least one other residential line working, ADL must be populated in this field.

**Business Rules**

Rule 1: This field should be populated with the valid BST FID DESCRIPTION as described in the CLEC USOC Manual-Alphabetical Listing and/or BellSouth® FID Glossary for CLECs.

Local Ordering Handbook Version 16.0 Source Document  
Resale Service Data Dictionary

---

***Release 16.0 A Data Dictionary Source Document***

**FEATURE DETAIL - Feature Detail (RS form/screen)**

**Definition**

Identifies additional information for the type of feature associated with the line.

*Definition Notes*

None

**Valid Entries**

None

*Valid Entry Notes*

None

**Data Characteristics**

Up to 24 alpha/numeric characters

**Examples**

RCYC 3

**Conditional Usage Notes**

Note 1: Required when the FA field is "C", otherwise optional

Note###: When the first character of the TOS is 2, the ACT is V with LNA of G and the telephone number being converted or migrated is not the only working line at the service address and the service address has at least one other residential line working, ADL must be populated in this field.

**Business Rules**

Rule 1: This field should be populated with the valid BST FID DESCRIPTION as described in the CLEC USOC Manual-Alphabetical Listing and/or BellSouth® FID Glossary for CLECs.

---

## CCP 1842 Attachment Listed Below

### FEATURE DETAIL — Feature Detail

#### PS Form/Screen

16.0(TCIF9 / LSOG4 map)

*CRB Issues included: 4248*

### Definition:

Identifies additional information for the type of feature associated with the line.

#### Definition Notes:

None

### Valid Entries:

None

#### Valid Entry Notes:

None

### Data Characteristics:

Up to 24 alpha/numeric characters

### Examples:

ZSRC ABC12

### Conditional Usage Notes:

Note 1: Required when the FA field is "C", otherwise optional.

Note 2: When the first character of the TOS is 2, the ACT is V with LNA of G and the telephone number being converted or migrated is not the only working line at the service

Local Ordering Handbook Version 16.0 Source Document  
Resale Service Data Dictionary

address and the service address has at least one other residential line working, ADL must be populated in this field.

## Business Rules

Rule 1: This field should be populated with the valid BST FID DESCRIPTION as described in the CLEC USOC Manual-Alphabetical Listing and/or BellSouth® FID Glossary for CLECs.

\*\*\*\* End of definition for FEATURE DETAIL / PS form screen \*\*\*\*

## FEATURE DETAIL — Feature Detail

### RS Form/Screen

16.0(TCIF9 / LSOG4 map)

*CRB Issues included: 4248*

## Definition:

Identifies additional information for the type of feature associated with the line.

### Definition Notes:

None

## Valid Entries:

None

### Valid Entry Notes:

None

## Data Characteristics:

Up to 24 alpha/numeric characters

Local Ordering Handbook Version 16.0 Source Document  
Resale Service Data Dictionary

---

## Examples:

RCYC 3

## Conditional Usage Notes:

Note 1: Required when the FA field is "C".

Note 2: When the first character of the TOS is 2, the ACT is V with LNA of G and the telephone number being converted or migrated is not the only working line at the service address and the service address has at least one other residential line working, ADL must be populated in this field.

Note #: Required when the FA=N or D and the product that is being ordered requires a FID or FID(S) to provision the service.

## Business Rules

Rule 1: This field should be populated with the valid BST FID DESCRIPTION as described in the CLEC USOC Manual-Alphabetical Listing and/or BellSouth® FID Glossary for CLECs.

\*\*\*\*\* End of definition for FEATURE DETAIL / RS form screen \*\*\*\*\*

**CCP 1844 Attachment Listed Below**
**Pre-Order LOH**
**Appendix K**
**16.0 ELMS6 & TCIF 9 Docs**
**Appendix K - Address Structure Used in Address Validation Responses**

<b>Address Structure Used in Address Validation Responses</b>		
<b>MESSAGES</b>	<b>DESCRIPTION</b>	<b>TYPE</b>
0000	Hit without message	Fielded address
I901, I902, I903, I904, W901, W902, W903, W904, W905, W907, W909, W910, W911, W912, W915, W918, W921, W922, W923, W924, W925, W926, W927, W929, W930, W931, W932, W933, W934, W935, W936, W937, W938, W943	Hit without message	Fielded address
E904, E909, E912, E914, E915, E916, E923, E924, E928, E932, E943, I913, W913, W939	No hits	N/A
E901, E931	Menu of Community names	Fielded address
E902, E951	Menu of Street Names	Address with range
E903	Menu of Descriptive Names	Fielded address
E905, E940, E952, E955	Range of house numbers	Address with range
E910, E941	Location Standards	Fielded address
E911, E942	Menu of supplemental addresses	Fielded address



<b>Address Structure Used in Address Validation Responses</b>		
<b>MESSAGES</b>	<b>DESCRIPTION</b>	<b>TYPE</b>
E919	Menu of Basic Addresses for Descriptive Address input	Fielded address
E920, E922, E929, E930, E949	List of Basic Addresses	Fielded address
W906	GSG Summary information (AHN List)	Address with range
E921, E967	Menu of Address Telephones (customer accounts/living units)	Fielded address
W908, E908, E958, E961, E962	Menu of Basic Addresses for a Street or Basics & Supplemental for a specific address (Living Units on Street)	Both Address with range and Fielded address

**CCP 1845 Attachment Listed Below****PRE-ORDER LOH  
APPENDIX L  
ELMS 6 & TCIF 9 --UPDATE  
16.0 (BOTH MAPS)****Appendix L - Address Validation Messages**

Note: All message IDs have a prefix of BLP and a suffix of ADR. For example, I901 would be BLPI901ADR.

BLPW908ADR (MSG-ID)  
THIS ADDRESS ALSO HAS LIVING UNITS WITH SUPPLEMENTAL  
ADDRESSES  
(MSG-TEXT)

New Address Range (RESPONSE)

-----  
House Num Range: 677 To 1813

Odd Even Indicator: B

House Number Status: 1

Address: 111 WHITE HOUSE ST  
ATLANTA, GA

Drive Instructions: (MAINTENANCE SHOP IN BACK O F PROPERTY)

Telephone Number: 5558150913

Address Status: N

Telephone Info:

New Address Range

-----  
House Num Range: 677 To 1813

Odd Even Indicator: B

House Number Status: 1

Address: 111 WHITE HOUSE ST  
ATLANTA, GA

Drive Instructions: (MAINTENANCE SHOP IN BACK O F PROPERTY)

Telephone Number: 5558732263

Address Status: N

Telephone Info:

Address Validation Messages		
MSG ID	MESSAGE TEXT	DESCRIPTION
0000	COMPLETED SUCCESSFULLY	Address validated
1001	EITHER STATE/COMMUNITY, STATE/ZIP CODE OR TELEPHONE NUMBER MUST BE PRESENT; CANNOT PROCESS TRANSACTION	Required fields are missing from the request.
1011	INQUIRY DOES NOT EXIST; PLEASE RESUBMIT WITH PROPER RESEND INDICATOR	On an Address Validation resend the inquiry number provided is not a valid inquiry number from a previous Address Validation response.
I901	THIS ADDRESS IS VALID BUT HAS PRE-CT FACILITIES ONLY.	This message informs the user that no telephone service has been established at this address, but pre-CT facilities are in place.
I902	PRIMARY STREET NAME RETURNED.	This message informs the user that the input street is an alternate street name and that Address Validation has returned the primary street name.
I903	PRIMARY BASIC ADDRESS RETURNED.	This message informs the user that the input address is an alternate basic address and Address Validation has returned the primary basic address.
I904	CORRECT ZIP CODE FOR COMMUNITY RETURNED	This message informs the user that the input ZIP code is not correct for the input community and state, and RSAG has returned the correct ZIP code.
I913	THIS ADDRESS DOES NOT HAVE LIVING UNITS WITH SUPPLEMENTAL ADDRESSES	This message informs the user that the input address does not have supplemental addresses with an associated telephone number. The I913 message is displayed when there are no supplemental living units found at the input address.
W901	SIMILAR DESCRIPTIVE FOUND.	This message informs the user that Address Validation did not find the input descriptive address but did find a single similar descriptive address.
W902	SIMILAR STREET FOUND.	This message informs the user that Address Validation did not find the input street but did find a single similar street.

<b>Address Validation Messages</b>		
<b>MSG ID</b>	<b>MESSAGE TEXT</b>	<b>DESCRIPTION</b>
W903	THIS ADDRESS HAS A LIVING UNIT AT THE BASIC ADDRESS ONLY.	This message informs the user that Address Validation did not find the input supplemental address but is returning the basic address information because a Living Unit exists at the basic address only.
W904	THIS ADDRESS IS VALID, BUT NO LIVING UNIT EXISTS.	This message informs the user that Address Validation found the input address, but no telephone service is established at this address.
W905	INPUT INFORMATION DOES NOT MATCH TELEPHONE NUMBER.	This message informs the user that Address Validation found the input telephone number but other input identifying information does not match the information for the address found with this telephone number.
W906	ADDRESS INFORMATION ONLY/ASSIGN AHN.	This message, which is returned when more than 60 Address Validation telephone records exist on the specified street, advises the user (1) that this unnumbered address requires AHN assignment for service provisioning purposes and (2) that only summary address information is available.
W907	THIS ADDRESS ALSO HAS LIVING UNITS WITH SUPPLEMENTAL ADDRESSES.	This message informs the user that there is telephone service established at the input basic address, but there are also supplemental addresses at this basic address, which also have telephone service established.
W908	THIS ADDRESS ALSO HAS LIVING SUNITS WITH SUPPLEMENTAL ADDRESSES.	This message informs the user that Address Validation did find the input street and basic address, but the input supplemental does not match any existing supplementals in Address Validation. Address Validation returns up to 60 basic and/or supplemental addresses from which the user may select. The user may input additional or different information and send a new query or may request summary-level address information for the input address in order to create a new telephone record.
W909	SIMILAR COMMUNITY NAME FOUND.	This message informs the user that Address Validation did not find the input community name but did find a single similar community name.

<b>Address Validation Messages</b>		
<b>MSG ID</b>	<b>MESSAGE TEXT</b>	<b>DESCRIPTION</b>
W910	INPUT INFORMATION DOES NOT MATCH ROUTE & BOX.	This message informs the user that Address Validation found the input route & box, but other input identifying information does not match the information for this address.
W911	NO MATCH ON TELEPHONE NUMBER. MATCH ACHIEVED ON ADDRESS.	This message informs the user that the address was found based upon input address information not on the input TN.
W912	NO MATCH ON DESCRIPTIVE. MATCH ACHIEVED ON ADDRESS.	This message informs the user that Address Validation did not find the input descriptive but did find an address based on other input address information or telephone number.
W913	THERE ARE ONLY LIVING UNITS WITH SUPPLELMENTAL ADDRESSES.	This message informs the user that Address Validation found the input address, but telephone records exist only at supplemental addresses and not at the basic address.
W915	SIMILAR SUPPLEMENTAL ADDRESS FOUND.	This message informs the user that Address Validation did not find the input supplemental address but did find a single similar supplemental address.
W918	SIMILAR SUFFIXED ADDRESS FOUND	This message informs the user that RSAG did not find the input supplemental address, but did find a single suffixed address, at the same basic address, that matches the input supplemental address 'unit' data.
W921	MATCH ACHIVED ON TELEPHONE/CIRCUIT NUMBER	This message informs the user that RSAG found an address based upon the input telephone/circuit number, on a telephone/circuit number inquiry.
W922	PRIMARY STREET RETURNED. FOUND IN DIFFERENT COMMUNITY.	This message informs the user that the input street is an alternate street. Address Validation is returning the primary street, and the address was found in a different community than the input community.
W923	SIMILAR STREET FOUND IN DIFFERENT COMMUNITY.	This message informs the user that Address Validation did not find the input street but did find a single similar street, which is in a different community than the input community.
W924	SIMILAR ALTERNATE STREET FOUND - PRIMARY STREET RETURNED.	This message informs the user that Address Validation did not find the input alternate street but did find a single similar alternate street and is returning the primary street.

<b>Address Validation Messages</b>		
<b>MSG ID</b>	<b>MESSAGE TEXT</b>	<b>DESCRIPTION</b>
W925	SIMILAR ALTERNATE FOUND IN DIFFERENT COMMUNITY - PRIMARY STREET RETURNED.	This message informs the user that Address Validation did not find the input alternate street but did find a single similar alternate street in a community different than the input community. Address Validation returns the primary street and the correct community name.
W926	SIMILAR DESCRIPTIVE FOUND IN DIFFERENT COMMUNITY/ZIP.	This message informs the user that Address Validation did not find the input descriptive address but did find a single similar descriptive address in a different community/ZIP than the input community/ZIP. Address Validation returns the similar descriptive with the correct community/ZIP.
W927	STREET NAME FOUND IN DIFFERENT COMMUNITY.	This message informs the user that Address Validation found the input street but in a different community than the input community.
W929	STREET NAME FOUND IN DIFFERENT ZIP.	This message informs the user that Address Validation found the input street but in a different ZIP than the input ZIP.
W930	STREET NAME FOUND IN DIFFERENT COMMUNITY AND ZIP.	This message informs the user that Address Validation found the input street but in a different community and ZIP than the input community and ZIP.
W931	PRIMARY STREET RETURNED. FOUND IN DIFFERENT ZIP.	This message informs the user that the input street is an alternate street, and the address was found in a different ZIP than the input ZIP. Address Validation returns the primary street.
W932	PRIMARY STREET RETURNED. FOUND IN DIFFERENT COMMUNITY AND ZIP.	This message informs the user that the input street is an alternate street, and the address was found in a different community and ZIP than the input community and ZIP. Address Validation returns the primary street.
W933	SIMILAR STREET FOUND IN DIFFERENT ZIP.	This message informs the user that Address Validation did not find the input street but did find a single similar street that is in a different ZIP than the input ZIP.

<b>Address Validation Messages</b>		
<b>MSG ID</b>	<b>MESSAGE TEXT</b>	<b>DESCRIPTION</b>
W934	SIMILAR STREET FOUND IN DIFFERENT COMMUNITY AND ZIP.	This message informs the user that Address Validation did not find the input street but did find a single similar street that is in a different community and ZIP than the input community and ZIP.
W935	SIMILAR ALTERNATE FOUND IN DIFFERENT ZIP - PRIMARY STREET RETURNED.	This message informs the user that Address Validation did not find the input alternate street but did find a single similar alternate street in a different ZIP than the input ZIP. Address Validation returns the primary street with the correct ZIP.
W936	SIMILAR ALTERNATE FOUND IN DIFFERENT COMM./ZIP-PRIMARY STREET RETURNED.	This message informs the user that Address Validation did not find the input alternate street but did find a single similar alternate street in a different community and ZIP than the input community and ZIP. Address Validation returns the primary street with the correct community and ZIP.
W937	THIS ADDRESS ALSO HAS LIVING UNITS AT SIMILAR HOUSE NUMBERS.	This message informs the user that the address found is valid and has a living unit, and a living unit(s) also exists at another basic address(es) with the same street number.
W938	THIS ADDRESS ALSO HAS LIVING UNITS AT SUPPLELMENTAL & SIMILAR HOUSE NUMBERS.	This message informs the user that the address found is valid and has a living unit, and a living unit(s) also exists at another basic address with the same street number and at supplemental addresses at this basic address.
W939	BASIC ADDRESS IS VALID	This message is returned to inform users that there are no supplemental addresses.
W943	WARNING - THIS IS A NON BELLSOUTH TERRITORY ADDRESS	This message informs the user that the address input for validation is located in non BellSouth territory.
E901	STREET NAME FOUND IN MORE THAN ONE COMMUNITY.	This message informs the user that the input community cannot be identified, but Address Validation did find the input street in more than one community in the 3-digit zip search area. Address Validation returns a list of communities from which a selection may be made.

<b>Address Validation Messages</b>		
<b>MSG ID</b>	<b>MESSAGE TEXT</b>	<b>DESCRIPTION</b>
E902	NO EXACT MATCH ON STREET NAME.	This message informs the user that Address Validation did not find a match on the input street name but did find multiple similar street names in more than one community in the 3-digit zip search area. Address Validation returns a list of streets and communities from which a selection may be made.
E903	NO MATCH ON DESCRIPTIVE.	This message informs the user that Address Validation did not find the input descriptive address, but did find multiple similar descriptive addresses. Address Validation returns a list of descriptive addresses from which a selection may be made.
E904	NO MATCH ON DESCRIPTIVE ADDRESS - PLEASE ENTER ADDITIONAL INFORMATION.	This message informs the user that Address Validation did not find address information based on the input descriptive address. The user must enter additional or different information in order to locate the desired address.
E905	NO MATCH ON HOUSE NUMBER OR AHN.	This message, which is returned when more than 60 Address Validation telephone records exist on the specified street, informs the user that Address Validation did find the input street, which has numbered/unnumbered street number ranges, but the input street number does not fall within a valid range. The user must provide additional or different information in order to locate the desired address.
E908	NO MATCH ON HOUSE NUMBER OR AHN.	This message informs the user that Address Validation did find the input street, but the input street number does not fall within a valid range and less than 61 telephone records exist in Address Validation for this street. This message may also return from Address Validation when the inquiry is an unnumbered inquiry and less than 61 telephone records exist in Address Validation for this street. The user may select from a list of up to 60 telephone records, provide additional or different information and resend the query, or request summary-level address information in order to create a new telephone record.



Address Validation Messages		
MSG ID	MESSAGE TEXT	DESCRIPTION
E909	NO MATCH ON TELEPHONE NUMBER.	This message informs the user that Address Validation did not find address information based on the input telephone number, and no other search criteria was provided which could otherwise be used for a search. The user must provide additional or different information in order to locate the desired address.
E910	REVIEW LOCATION STANDARDS +	This message advises that one of the following conditions exists: <ul style="list-style-type: none"> <li>. . The input supplemental address does not conform to the format standards established at this basic address.</li> <li>. . The input supplemental address does conform to the format standards at the specified basic address, but no match is found.</li> </ul>
E911	NO EXACT MATCH ON SUPPLEMENTAL ADDRESS.	This message is returned by Address Validation, along with a list of up to 60 telephone records for this address, in the following situations: <ul style="list-style-type: none"> <li>. Address Validation did not find the input supplemental address but did find other supplemental addresses at the input basic address. If location standards exist for this address, the input supplemental address must conform to those standards. Otherwise, E910 will be returned.</li> <li>. Only the basic address was input, but Address Validation contains telephone records only at supplemental addresses.</li> </ul>
E912	NO MATCH ON ZIP CODE.	This message informs the user that Address Validation did not find the input 4-digit or 5-digit ZIP code, and there was no additional search area information input to assist in the search. The user must provide additional or different information in order to locate the desired address.
E914	FIELD ERROR - INVALID SEARCH AREA.	This message informs the user that valid or complete search area information has not been input and a search cannot be performed. The user must input additional or different information in order to locate the desired address.

<b>Address Validation Messages</b>		
<b>MSG ID</b>	<b>MESSAGE TEXT</b>	<b>DESCRIPTION</b>
E915	FIELD ERROR - ENTER ADDITIONAL ADDRESS INFORMATION OR TELEPHONE NUMBER.	This message informs the user that complete address information, or a telephone number, has not been input; therefore a search cannot be performed. The user must input additional or different information in order to located the desired address.
E916	FIELD ERROR - INCORRECT TELEPHONE NUMBER FORMAT.	This message informs the user that the input telephone number is not in valid format. The user must input additional or different information in order to locate the desired address.
E919	MORE THAN ONE MATCH ON DESCRIPTIVE - SELECT BASIC ADDRESS.	This message informs the user that multiple basic addresses are associated with either the input descriptive or a single occurrence of a similar descriptive. Address Validation returns a list of basic addresses from which a selection may be made.
E920	MORE THAN ONE MATCH ON OCCUPANT NAME.	This message informs the user that Address Validation has found multiple occurrences of the input occupant name on the input street (no AHN was entered in this situation). Address Validation returns a list of basic addresses from which a selection may be made.
E921	MORE THAN ONE MATCH ON TELEPHONE NUMBER.	This message informs the user that Address Validation found more than one occurrence of the input telephone number. Other identifying information either was not provided or did not narrow the search to a specific address. Address Validation returns a list of basic addresses from which a selection may be made.
E922	NO MATCH ON OCCUPANT NAME.	This message informs the user that Address Validation did not find the input occupant name on the input street. Other identifying information either was not provided or did not narrow the search to a specific address, but Address Validation did find more than one similar occupant name on the input street. Address Validation returns a list of basic addresses from which a selection may be made.

Address Validation Messages		
MSG ID	MESSAGE TEXT	DESCRIPTION
E923	NO MATCH ON STREET NAME. PLEASE ENTER ADDITIONAL INFORMATION.	This message informs the user that Address Validation did not find the input street name or any similar street names in the 3-digit ZIP search area. The user must provide additional or different information in order to locate the desired address.
E924	NO SIMILAR COMMUNITY/ZIP FOUND.	This message informs the user that Address Validation did not find the input community/ZIP code, or any similar community. The user must provide additional or different information in order to locate the desired address.
<del>E925</del>	<del>AHN ASSIGNMENT NOT ALLOWED. OBTAIN VALID HOUSE NUMBER.</del>	<del>This message informs the user that Address Validation cannot allow AHN assignment at the input address because it is no longer an unnumbered address. The user must provide additional or different information in order to assign an AHN or locate the desired address.</del>
<del>E926</del>	<del>AHN RANGE IS FULL. SELECT ANOTHER GSG OR CALL CLEC SPOC TO EXTEND RANGE.</del>	<del>This message informs the user that there are no more AHN numbers to be assigned at the input address because that AHN range is full. The user must select another GSG for AHN assignment, call the CLEC SPOC to extend the range, or provide additional or different information in order to assign an AHN or locate the desired address.</del>
E928	NO SIMILAR LIVING UNIT - ENTER ADDITIONAL OR CORRECT INFORMATION.	This message informs the user that Address Validation did not find the input address, or an address with similar criteria, in the input search area.
E929	MORE THAN ONE MATCH ON STATUS.	This message informs the user that Address Validation found more than one occurrence of the input status on the input street, and other identifying information either was not provided or did not narrow the search to a specific address. Address Validation returns a list of basic addresses from which a selection may be made.

Address Validation Messages		
MSG ID	MESSAGE TEXT	DESCRIPTION
E930	MORE THAN ONE MATCH ON ROUTE & BOX.	This message informs the user that Address Validation found more than one occurrence of the input route & box on the input street, and other identifying information either was not provided or did not narrow the search to a specific address. Address Validation returns a list of basic addresses from which a selection may be made.
E931	NO MATCH ON EXACT STREET NAME AND COMMUNITY/STATE.	This message informs the user that Address Validation did not find the input street name in the input community or in a similar community, but Address Validation did find more than one similar community that may or may not contain the input street. Address Validation returns a list of street names and community names from which a selection may be made.
E932	SYSTEM ERROR - CONTACT SYSTEM ADMINISTRATOR	This message informs the user that a system error has occurred which has stopped processing. The user should notify their system administrator of the error situation.
<del>E935</del>	<del>NO DATA TO RETURN - ASSIGN-AHN?</del>	<del>This message is returned when Address Validation has been invoked but Address Validation found no living units existing on the specified street.</del>
<del>E936</del>	<del>INVALID-GSG/COMMUNITY STREET UNIQUE KEY.</del>	<del>This message is returned to the user's application when Address Validation has been invoked and the GEOSEG code or the community street unique key fields contain invalid data.</del>
<del>E937</del>	<del>INVALID-GSG, RANGE AND/OR COMMUNITY STREET UNIQUE KEY.</del>	<del>This message is returned to the user's application when Address Validation-AHN has been invoked and a blank or an invalid code is present in any of the following fields: GEOSEG code, GEOSEG range low value, GEOSEG range high value, GEOSEG range type, GEOSEG range odd/even indicator, or community street unique key.</del>

<b>Address Validation Messages</b>		
<b>MSG ID</b>	<b>MESSAGE TEXT</b>	<b>DESCRIPTION</b>
E940	SIMILAR STREET NAME FOUND - NO MATCH ON HOUSE NUMBER OR AHN	This message informs the user that RSAG did not find the input street, but did find a single similar street, which may have either numbered and unnumbered house number ranges, and the input house number does not fall within a valid range. The user must return and provide additional or different information in order to locate the desired address.
E941	SIMILAR ADDRESS FOUND - REVIEW LOC STANDARDS	This message is returned to the user when RSAG has supplemental address information at the input basic address, but the input supplemental address does not conform to the standards established for supplemental locations at the basic address.
E942	SIMILAR ADDRESS FOUND - TYPE J DATA RETURNED.	This message is returned by Address Validation, along with a list of up to 60 telephone records for this address, in the same situations where E911 is returned, except that the inquiry was by descriptive name or a similar street name is found.
E943	NO MATCH ON 3-DIGIT ZIP SEARCH AREA	This message informs the user that RSAG did not find the input 1-digit, 2-digit or 3-digit ZIP code, and there was no community or FACS WC code input to assist in the search. The user must provide additional or different information in order to locate the desired address.
E949	ADDRESS VALID, NO LIVING UNITS EXIST. SIMILAR HOUSE #'S DISPLAYED.	This message informs the user that the input address is valid, but no living units exist, and Address Validation has returned a list of similar addresses.
E951	MORE THAN ONE EXACT MATCH ON STREET NAME FOUND.	This message informs the user that Address Validation did not find one match for the input street that was in a valid street number range, but Address Validation did find multiple matches (in or outside of a valid range) in the 3-digit zip search area. Address Validation returns a list of basic addresses from which a selection may be made.

<b>Address Validation Messages</b>		
<b>MSG ID</b>	<b>MESSAGE TEXT</b>	<b>DESCRIPTION</b>
E952	STREET FOUND IN DIFFERENT COMM &/OR ZIP - NO MATCH ON HS # OR AHN.	This message informs the user that RSAG found the input street in a different community and/or ZIP than the input community and/or ZIP, and the street found has either numbered and unnumbered house ranges, but the input house number does not fall within a valid range. The user must return and provide additional or different information in order to locate the desired address.
E955	SIMILAR STREET FOUND IN DIFF COMM &/OR ZIP - NO MATCH ON HS # /AHN.	This message informs the user that RSAG did not find the input street, but did find a single similar street in a different community and/or ZIP than the input community and/or ZIP, and the street found has either numbered and unnumbered house number ranges, but the input house number does not fall within a valid range. The user must return and provide additional or different information in order to locate the desired address.
E958	STREET IN DIFF. COMM./ZIP- NO MATCH ON HS #/AHN.SELECT OR CREATE NEW.	This message is returned when less than 61 Address Validation telephone records exist on the specified street, and Address Validation found the street as a primary street name but in a different community/ZIP than the input community/ZIP, and the street has numbered/unnumbered street number ranges, but the input street number does not fall within a valid range. A list of up to 60 telephone records are provided for view and from which the user may make a selection. The user may provide additional or different information in order to locate the desired address.
E961	SIMILAR STREET NAME FOUND - NO MATCH ON HOUSE # OR AHN.	This message, which is returned when less than 61 Address Validation telephone records exist on the specified street, informs the user that Address Validation did not find the input street but did find a single similar primary street name, which has either numbered and unnumbered street number ranges, but the input street number does not fall within a valid range. A list of up to 60 telephone records are provided for view and from which the user may make a selection. The user may provide additional or different information in order to locate the desired address.

<b>Address Validation Messages</b>		
<b>MSG ID</b>	<b>MESSAGE TEXT</b>	<b>DESCRIPTION</b>
E962	SIMILAR STREET FOUND IN DIFF. COMMUNITY &/ZIP - NO MATCH ON HS #/AHN.	This message, which is returned when less than 61 Address Validation telephone records exist on the specified street, informs the user that Address Validation did not find the input street, but did find a single similar primary street name, which is in a different community/ZIP than the input community/ZIP, and the street has either numbered and unnumbered street number ranges, but the input street number does not fall within a valid range. A list of up to 60 telephone records are provided for view and from which the user may make a selection. The user may provide additional or different information in order to locate the desired address.
E967	NO MATCH ON CKL. MORE THAN ONE MATCH ON CIRCUIT NUMBER.	This message is returned when the input circuit number is found more than once in RSAG, but a match on the input CKL ID is not found.

**CCP 1846 Attachment Listed Below****TCIF and ELMS Attachment****Title:**  
**Expedite Process**

## Description

This section describes the process for submitting expedited LSR request(s). BellSouth® defines an expedited LSR request(s) as an appeal to BellSouth® to consider a service order due date earlier than the normal product service ordering interval.

## Service Restrictions:

The following restrictions are applicable to the UNE expedite process:

The requested due date must be approved by the provisioning center (The LCSC will contact the provisioning center to request approval)

### LSR Restrictions

Limited to REQ TYP AB, BB, CB, MB (Non-Complex) and EB (Non-Complex)  
When LSR is part of RPON package, all request(s) in the RPON package must be expedited.

Utilize REQ TYP AB and BB R/C/O tables when submitting Loop or Loop with Number Portability expedite request(s)

Utilize REQ TYP CB R/C/O tables when submitting LNP expedite request(s)

Utilize REQ TYP EB (Non-Complex) and REQ TYP MB (Non-Complex) R/C/O tables when submitting expedite request.

EXP field must be populated with Y

Not applicable for Bulk Ordering

Initial FOC will include the standard due date interval, if the expedited due date is approved, a subsequent FOC will be sent with the new due date.

Not applicable to non-dispatch orders

### **TARIFF Reference**

N/A



## USOC References

BellSouth populates the applicable USOC when appropriate

## FIDS

N/A

### Situation Exhibit(s):

This section includes one or more ordering situations specific or unique to this product/process. **The exhibit is not intended to depict an LSR package in its entirety.** The situations below do not depict actual field formatting the customer should review the field data dictionary for business rule and field application.

Situation 1:

Request for an expedited due date

REQTYP=AB, BB, CB, MB, or EB

EXP=Y

DDD=Less than normal interval

**Note:** This situation indicates only the information unique to the expedite process; the CLEC should refer to the specific product REQTYP/ACT R/C/O table information for complete ordering information.

### RELATED TOPICS/INFORMATION:

None

**CCP 1847 Attachment Listed Below**

Area of Impact summary				
Release	LOH Section	REQTYP	Field	COMMENTS
16-ELMS	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Non-Complex REQTYP E-Coin See attachments
16-ELMS	ORD-RCO	M	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP M-Non-Complex REQTYP M-Coin See attachments
16-ELMS	ORD-RCO	E	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP E-Coin See attachments
16-ELMS	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP E-Coin See attachments
15-ELMS	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Non-Complex REQTYP E-Coin See attachments
15-ELMS	ORD-RCO	M	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP M-Non-Complex REQTYP M-Coin See attachments
15-ELMS	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following product REQTYP M-Coin See attachments
15-ELMS	ORD-RCO	E	WSOP	Remove WSOP in R/C/O tables for the following product REQTYP E-Coin See attachments
16-TCIF	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Coin See attachments

Area of Impact summary				
Release	LOH Section	REQTYP	Field	COMMENTS
16-TCIF	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP M-Coin See attachments
13-TCIF	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Coin See attachments
13-TCIF	ORD-RCO	M	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP M-Coin See attachments
13-TCIF	ORD-RCO	E	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP E-Coin See attachments
13-TCIF	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP M-Coin See attachments

## Coin

### RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (\*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (\*\*) please refer to the field in the Data Dictionary for additional clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp E, Coin
**ACT= C: LSR**
Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	PROJECT
SUP	VER	

Optional

APPTIME-DDD	<del>DFDT</del>	EXP
REMARKS	RPON	SPEC
VTA		

**ACT= C: EU**
Required

EU-NAME	PG_OF_ (M)	PON (M)
---------	------------	---------

Conditional

AN (M)	ATN (M)	DNUM
DQTY (M)	EU-CITY	EU-STATE
EU-ZIP CODE	IWCON	IWCON-TEL NO.
LOCACT (E)	LOCNUM DETAIL (E)	SADLO
SANO	SASD	SASF
SASN	SASS	SATH
VER (M)		

ACT Tables: Reqtyp E, Coin
Optional

ACC	DISC NBR*	IWO*
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER* (E)	<del>WSOP</del>	

**ACT= D: LSR**
Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
LOCQTY	SUP	VER

Optional

DFDT	REMARKS	RPON
------	---------	------

**ACT= D: EU**
Required

EU-NAME	PG_OF_ (M)	PON (M)
---------	------------	---------

**Conditional**

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY (M)	EU-CITY
EU-STATE	EU-ZIP CODE	SADLO
SANO	SASD	SASF
SASS	SATH	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

**Optional**

SASN	TC OPT*	
------	---------	--

**ACT= N: LSR****Required**

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

**Conditional**

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	PROJECT
SUP	VER	

*ACT Tables: Reqtyp E, Coin*

**Optional**

APPTIME-DDD	EXP	REMARKS
RPON	SPEC	VTA

**ACT= N: EU****Required**

EU-CITY	EU-NAME	EU-STATE
EU-ZIP CODE	LOCNUM DETAIL (E)	PG_OF_ (M)
PON (M)	SASN	

**Conditional**

AN (M)	ATN (M)	IWCON
IWCON-TEL NO.	LOCACT (E)	NCON (E)
SADLO	SANO	SASD
SASF	SASS	SATH
VER (M)		

**Optional**

ACC	EU-BLDG	EU-FLOOR
EU-ROOM	IWO* (M)	LCON-NAME
LCON-TEL NO.	LOCNUM (M)	LOCNUM HEADER (E)

**WSOP**

**ACT= P: LSR****Required**

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

**Conditional**

AN (M)	ATN	CUST (E)
--------	-----	----------

IMPCON-TEL NO.  
 SUP

 LOCQTY  
 VER

PROJECT

Optional

 APPTIME-DDD  
 REMARKS  
 VTA

~~DFDT~~  
 RPON

 EXP  
 SPEC

**ACT= P: EU**
Required

 EU-NAME  
 PON (M)

LOCNUM DETAIL (E)

PG\_OF\_ (M)

*ACT Tables: Reqtyp E, Coin*
Conditional

 AN (M)  
 DNUM (M)  
 EATN  
 EU-STATE  
 IWCON-TEL NO.  
 SANO  
 SASN  
 TC NAME (M)  
 TC TO SEC (M)

 ATN (M)  
 DQTY (M)  
 EU-CITY  
 EU-ZIP CODE  
 LOCACT (E)  
 SASD  
 SASS  
 TC PER (M)  
 TCID (M)

 DISC NBR (M)  
 EAN (M)  
 EUMI  
 IWCON  
 SADLO  
 SASF  
 SATH  
 TC TO PRI (M)  
 VER (M)

Optional

 ACC  
 EU-ROOM  
 LCON-TEL NO.  
 TC OPT\* (M)

 EU-BLDG  
 IWO\*  
 LOCNUM (M)  
~~WSOP~~

 EU-FLOOR  
 LCON-NAME  
 LOCNUM HEADER (E)

**ACT= Q: LSR**
Required

 ACT  
 CCNA (E)  
 IMPCON  
 INIT-TEL NO.  
 REQTYP

 BAN1  
 D/TSENT  
 INIT  
 PG\_OF\_ (M)  
 SC

 CC  
 DDD  
 INIT-FAX NO.  
 PON  
 TOS

Conditional

 AN (M)  
 IMPCON-TEL NO.  
 SUP

 ATN  
 LOCQTY  
 VER

 CUST (E)  
 PROJECT

Optional

 APPTIME-DDD  
 REMARKS  
 VTA

~~DFDT~~  
 RPON

 EXP  
 SPEC

**ACT= Q: EU**
Required

 EU-NAME  
 PON (M)

LOCNUM DETAIL (E)

PG\_OF\_ (M)

*ACT Tables: Reqtyp E, Coin*
Conditional

AN (M)

ATN (M)

DISC NBR (M)



DNUM (M)  
EATN  
EU-STATE  
IWCON-TEL NO.  
SANO  
SASN  
TC NAME (M)  
TC TO SEC (M)

DQTY (M)  
EU-CITY  
EU-ZIP CODE  
LOCACT (E)  
SASD  
SASS  
TC PER (M)  
TCID (M)

EAN (M)  
EUMI  
IWCON  
SADLO  
SASF  
SATH  
TC TO PRI (M)  
VER (M)

**Optional**

ACC  
EU-ROOM  
LCON-TEL NO.  
TC OPT\* (M)

EU-BLDG  
IWO\*  
LOCNUM (M)  
~~WSOP~~

EU-FLOOR  
LCON-NAME  
LOCNUM HEADER (E)

**ACT= T: LSR**

**Required**

ACT  
CCNA (E)  
DDDO  
INIT-FAX NO.  
PON  
TOS

BAN1  
D/TSENT  
IMPCON  
INIT-TEL NO.  
REQTYP

CC  
DDD  
INIT  
PG\_OF\_ (M)  
SC

**Conditional**

ALT-IMPCON-TEL NO.  
CUST (E)  
PROJECT

AN (M)  
IMPCON-TEL NO.  
SUP

ATN  
LOCQTY  
VER

**Optional**

ALT-IMPCON\*  
EXP  
SPEC

APPTIME-DDD  
REMARKS  
VTA

~~DFDT~~  
RPON

**ACT= T: EU**

**Required**

EU-CITY  
EU-ZIP CODE  
PON (M)

EU-NAME  
LOCNUM DETAIL (E)  
SASN

EU-STATE  
PG\_OF\_ (M)

**Conditional**

AN (M)  
IWCON-TEL NO.  
SADLO  
SASF  
TC NAME  
TC TO SEC

ATN (M)  
LOCACT (E)  
SANO  
SASS  
TC PER  
VER (M)

IWCON  
NCON (E)  
SASD  
SATH  
TC TO PRI

*ACT Tables: Reqtyp E, Coin*

**Optional**

ACC  
EU-ROOM  
LCON-TEL NO.  
TC OPT\*

EU-BLDG  
IWO\*  
LOCNUM (M)  
~~WSOP~~

EU-FLOOR  
LCON-NAME  
LOCNUM HEADER (E)

**ACT= V: LSR**

**Required**

ACT  
CCNA (E)

BAN1  
D/TSENT

CC  
DDD



IMPCON  
INIT-TEL NO.  
REQTYP

INIT  
PG\_OF\_ (M)  
SC

INIT-FAX NO.  
PON  
TOS

**Conditional**

AN (M)  
DDDO (M)  
PROJECT

ATN  
IMPCON-TEL NO.  
SUP

CUST (E)  
LOCQTY  
VER

**Optional**

APPTIME-DDD  
REMARKS  
VTA

~~DFDT~~  
RPON

EXP  
SPEC

**ACT= V: EU**

**Required**

ERL  
PG\_OF\_ (M)

EU-NAME  
PON (M)

LOCNUM DETAIL (E)

**Conditional**

AN (M)  
DQTY (M)  
EU-CITY  
EU-ZIP CODE  
FB-BILLNM  
FB-STATE  
IWCON  
NCON (E)  
SASD  
SASS  
TC PER  
TCID

ATN (M)  
EAN (M)  
EUMI  
FB-BILLCON (E)  
FB-CITY  
FB-STREET  
IWCON-TEL NO.  
SADLO  
SASF  
SATH  
TC TO PRI  
VER (M)

DNUM  
EATN  
EU-STATE  
FB-BILLCON TEL NO.  
FBI  
FB-ZIP CODE  
LOCACT (E)  
SANO  
SASN  
TC NAME  
TC TO SEC

**Optional**

ACC  
EU-FLOOR  
FB-ROOM  
LCON-NAME  
LOCNUM HEADER (E)

DISC NBR\*  
EU-ROOM  
FB-SBILLNM  
LCON-TEL NO.  
TC OPT\*

EU-BLDG  
FB-FLOOR  
IWO\*  
LOCNUM (M)  
~~WSOP~~

## UNE P Coin

### RCO Tables

*The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.*

*Please note the following codes:*

- *Optional fields marked with an asterisk (\*) force at least one of the conditional fields to become required when populated.*
- *Fields used only for manual orders are followed by (M).*
- *Fields used only for electronic orders are followed by (E).*



- For fields marked with a DOUBLE asterisk (\*\*) please refer to the field in the Data Dictionary for additional clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp M, Coin

**ACT= C: LSR**

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
PORTTYP	REQTYP	SC
TOS		

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	PROJECT
SUP	VER	

Optional

APPTIME-DDD	<del>DFDT</del>	EXP
REMARKS	RPON	SPEC
VTA		

**ACT= C: EU**

Required

EU-NAME	PG_OF_ (M)	PON (M)
---------	------------	---------

Conditional

AN (M)	ATN	DNUM
DQTY (M)	EU-CITY	EU-STATE
EU-ZIP CODE	IWCON	IWCON-TEL NO.
LOCACT (E)	LOCNUM DETAIL (E)	SADLO
SANO	SASD	SASF
SASN	SASS	SATH
VER (M)		

ACT Tables: Reqtyp M, Coin

Optional

ACC	DISC NBR*	EU-BLDG
EU-FLOOR	EU-ROOM	IWO*
LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER* (E)	<del>WSOP</del>	

**ACT= D: LSR**

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	PORTTYP
REQTYP	SC	TOS

Conditional

AN (M)	ATN	CUST (E)
--------	-----	----------



LOCQTY SUP VER

Optional

**DFDT** REMARKS RPON

**ACT= D: EU**

Required

EU-NAME PG\_OF\_ (M) PON (M)

Conditional

AN (M) ATN DISC NBR  
DNUM DQTY (M) EU-CITY  
EU-STATE EU-ZIP CODE SADLO  
SANO SASD SASF  
SASS SATH TC NAME  
TC PER TC TO PRI TC TO SEC  
TCID VER (M)

Optional

EU-BLDG EU-FLOOR EU-ROOM  
SASN TC OPT\*

**ACT= N: LSR**

Required

ACT BAN1 CC  
CCNA (E) D/TSENT DDD  
IMPCON INIT INIT-FAX NO.  
INIT-TEL NO. PG\_OF\_ (M) PON  
PORTTYP REQ TYP SC  
TOS

*ACT Tables: Reqtyp M, Coin*

Conditional

AN (M) ATN CUST (E)  
IMPCON-TEL NO. LOCQTY PROJECT  
SUP VER

Optional

APPTIME-DDD EXP REMARKS  
RPON SPEC VTA

**ACT= N: EU**

Required

EU-CITY EU-NAME EU-STATE  
EU-ZIP CODE PG\_OF\_ (M) PON (M)  
SASN

Conditional

AN (M) ATN IWCON  
IWCON-TEL NO. LOCACT (E) LOCNUM DETAIL (E)  
NCON (E) SADLO SANO  
SASD SASF SASS  
SATH VER (M)

Optional

ACC (M) EU-BLDG EU-FLOOR  
EU-ROOM IWO\* (M) LCON-NAME  
LCON-TEL NO. LOCNUM (M) LOCNUM HEADER (E)

**WSOP**

**ACT= P: LSR**Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
PORTTYP	REQTYP	SC
TOS		

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	PROJECT
SUP	VER	

Optional

APPTIME-DDD	<del>DFDT</del>	EXP
REMARKS	RPON	SPEC
VTA		

*ACT Tables: Reqty M, Coin*

**ACT= P: EU**Required

EU-NAME	PG_OF_ (M)	PON (M)
---------	------------	---------

Conditional

AN (M)	ATN	DISC NBR (M)
DNUM (M)	DQTY (M)	EAN (M)
EATN	EU-CITY	EUMI
EU-STATE	EU-ZIP CODE	IWCON
IWCON-TEL NO.	LOCACT (E)	LOCNUM DETAIL (E)
SADLO	SANO	SASD
SASF	SASN	SASS
SATH	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

Optional

ACC	EU-BLDG	EU-FLOOR
EU-ROOM	IWO*	LCON-NAME
LCON-TEL NO.	LOCNUM (M)	LOCNUM HEADER (E)
TC OPT*	<del>WSOP</del>	

**ACT= Q: LSR**Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
PORTTYP	REQTYP	SC
TOS		

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	PROJECT
SUP	VER	

Optional

APPTIME-DDD	<del>DFDT</del>	EXP
REMARKS	RPON	SPEC

VTA

**ACT= Q: EU****Required**

EU-NAME PG\_OF\_ (M) PON (M)

*ACT Tables: Reqtyp M, Coin***Conditional**

AN (M)	ATN	DISC NBR (M)
DNUM (M)	DQTY (M)	EAN (M)
EATN	EU-CITY	EUMI
EU-STATE	EU-ZIP CODE	IWCON
IWCON-TEL NO.	LOCACT (E)	LOCNUM DETAIL (E)
SADLO	SANO	SASD
SASF	SASN	SASS
SATH	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

**Optional**

ACC	EU-BLDG	EU-FLOOR
EU-ROOM	IWO*	LCON-NAME
LCON-TEL NO.	LOCNUM (M)	LOCNUM HEADER (E)
TC OPT*	<del>WSOP</del>	

**ACT= T: LSR****Required**

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
DDDO	IMPCON	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)
PON	PORTTYP	REQTYP
SC	TOS	

**Conditional**

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
PROJECT	SUP	VER

**Optional**

ALT-IMPCON*	APPTIME-DDD	<del>DFDT</del>
EXP	REMARKS	RPON
SPEC	VTA	

**ACT= T: EU****Required**

EU-CITY	EU-NAME	EU-STATE
EU-ZIP CODE	PG_OF_ (M)	PON (M)
SASN		

*ACT Tables: Reqtyp M, Coin***Conditional**

AN (M)	ATN	IWCON
IWCON-TEL NO.	LOCACT (E)	LOCNUM DETAIL (E)
NCON (E)	SADLO	SANO
SASD	SASF	SASS
SATH	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID

VER (M)

OptionalACC  
EU-ROOM  
LCON-TEL NO.  
TC OPT\*EU-BLDG  
IWO\*  
LOCNUM (M)  
~~WSOP~~EU-FLOOR  
LCON-NAME  
LOCNUM HEADER (E)**ACT= V: LSR**RequiredACT  
CCNA (E)  
IMPCON  
INIT-TEL NO.  
PORTTYP  
TOSBAN1  
D/TSENT  
INIT  
PG\_OF\_ (M)  
REQTYPCC  
DDD  
INIT-FAX NO.  
PON  
SCConditionalAN (M)  
IMPCON-TEL NO.  
SUPATN  
LOCQTY  
VERCUST (E)  
PROJECTOptionalAPPTIME-DDD  
REMARKS  
VTA~~DFDT~~  
RPONEXP  
SPEC**ACT= V: EU**RequiredERL  
PON (M)

EU-NAME

PG\_OF\_ (M)

*ACT Tables: Reqtyp M, Coin*ConditionalAN (M)  
DQTY (M)  
EU-CITY  
EU-ZIP CODE  
FB-BILLNM  
FB-STATE  
IWCON  
LOCNUM DETAIL (E)  
SANO  
SASN  
TC NAME  
TC TO SECATN  
EAN (M)  
EUMI  
FB-BILLCON  
FB-CITY  
FB-STREET  
IWCON-TEL NO.  
NCON (E)  
SASD  
SASS  
TC PER  
TCIDDNUM  
EATN  
EU-STATE  
FB-BILLCON TEL NO.  
FBI  
FB-ZIP CODE  
LOCACT (E)  
SADLO  
SASF  
SATH  
TC TO PRI  
VER (M)OptionalACC  
EU-FLOOR  
FB-ROOM  
LCON-NAME  
LOCNUM HEADER (E)DISC NBR\*  
EU-ROOM  
FB-SBILLNM  
LCON-TEL NO.  
TC OPT\*EU-BLDG  
FB-FLOOR  
IWO\*  
LOCNUM (M)  
~~WSOP~~