
BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

**Carrier Notification
SN91084109**

Date: June 1, 2004

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version **15.0a**, New Local Service Ordering Guide 6 (LSOG 6) and EDI Local Mechanization Specifications 6 (ELMS 6) for Release 15.0

This is to advise that BellSouth has identified the following documentation defects in the LOH Version **15.0a** for ELMS 6 Release 15.0.

CCP Number	Description Of The Change
1847	Removed DFDT from R/C/O tables for REQ TYP E/M (Non-Complex and COIN), Remove WSOP from REQ TYP E/M (Coin) R/C/O tables
1854	Multiple EU-Form Defects were fixed – see attachment for details
1855	Corrected Multiple LS-Form Defects
1856	Corrected R/C/O tables for REQ TYP B on the following fields: <ul style="list-style-type: none"> ▪ CKR, LEAN, JK CODE, JK NUM, and JK POS Corrected R/C/O tables for REQ TYP A for LEAN/LEATN fields
1857	Corrected R/C/O table for REQ TYP A/ACT=T (XDSL) to add (m) to the following fields: <ul style="list-style-type: none"> ▪ IWCON, IWCON-TEL NO, IWBAN, and IWO
1859	Aligned the INIT FAX and INIT fields
1860	Modified the Forms Table in the ORD-general section of REQ TYP J. Impacts: Address Correction, and REQ TYP J
1877	Modified the manual data characters for the LCON TEL NO field
1879	Added New Fax Server information
1880	Modified conditional usage notes and VE notes for AD field in the DED section
1881	Note 2 will be changed to state the following: "Must Be" instead of "May Be"
1882	Added verbiage to the PIC code field for ISDN BRI and the DPIC Code
1883	Corrected the EDI Parsed CSR Response section's spelling of the word "Occurs"
1891	Updated INIT and INIT-TEL NO. content in RCO tables

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 6 Release 15.0/LOH Version **15.0b**, which was posted on May 21, 2004.

A summary of all changes within this document will be listed in the **Summary of Changes** Section. This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth local support manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachments

CCP 1847 Attachment Listed Below

Area of Impact Summary				
Release	LOH Section	REQTYP	Field	COMMENTS
16-ELMS	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Non-Complex REQTYP E-Coin See attachments
16-ELMS	ORD-RCO	M	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP M-Non-Complex REQTYP M-Coin See attachments
16-ELMS	ORD-RCO	E	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP E-Coin See attachments
16-ELMS	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP E-Coin See attachments
15-ELMS	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Non-Complex REQTYP E-Coin See attachments
15-ELMS	ORD-RCO	M	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP M-Non-Complex REQTYP M-Coin See attachments
15-ELMS	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following product REQTYP M-Coin See attachments
15-ELMS	ORD-RCO	E	WSOP	Remove WSOP in R/C/O tables for the following product REQTYP E-Coin See attachments
16-TCIF	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Coin See attachments

Area of Impact Summary				
Release	LOH Section	REQTYP	Field	COMMENTS
16-TCIF	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP M-Coin See attachments
13-TCIF	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Coin See attachments
13-TCIF	ORD-RCO	M	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP M-Coin See attachments
13-TCIF	ORD-RCO	E	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP E-Coin See attachments
13-TCIF	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP M-Coin See attachments

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp E, Resale, non-complex

ACT= B: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER

Optional

IMPCON*	REMARKS	RORD
---------	---------	------

ACT= B: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	AN (M)	ATN (M)
CITY	SANO	SASD
SASF	SASS	SATH
STATE	VER (M)	ZIP

Optional

LOCNUM (M)	LOCNUM HEADER* (E)	SASN
------------	--------------------	------

ACT Tables: Reqtyp E, Resale, non-complex

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.



INIT-TEL NO. PG_OF_ (M) PON
REQTYP SC TOS

Conditional

ALT-IMPCON-TEL NO. AN (M) ATN
CUST (E) IMPCON-TEL NO. LOCQTY
NOR PROJECT RPON
SUP VER

Optional

ALT-IMPCON* APPTIME-DDD ~~DFDT~~
EXP HTQTY LSCP
REMARKS RORD VTA

ACT= C: EU

Required

LOCNUM DETAIL (E) NAME PG_OF_ (M)
PON (M)

Conditional

AAI ACC AN (M)
ATN (M) CITY DISC NBR
DNUM DQTY (M) EUA (E)
IWCON IWCON-TEL NO. LD1
LD2 LD3 LV1
LV2 LV3 SANO
SASD SASF SASN
SASS SATH STATE
TC PER TC TO PRI TC TO SEC
TCID VER (M) ZIP

Optional

IWO* LCON-NAME LCON-TEL NO.
LOCNUM (M) LOCNUM HEADER* (E) TC OPT*
WSOP

ACT= D: LSR

Required

ACT BAN1 CC
CCNA (E) D/TSENT DDD
INIT INIT-FAX NO. INIT-TEL NO.
PG_OF_ (M) PON REQTYP
SC TOS

ACT Tables: Reqtyp E, Resale, non-complex

Conditional

AN (M) ATN CUST (E)
IMPCON-TEL NO. LOCQTY NOR
RPON SUP VER

Optional

IMPCON* REMARKS RORD

ACT= D: EU

Required

NAME PG_OF_ (M) PON (M)

Conditional

AAI AN (M) ATN (M)
CITY DISC NBR DNUM
DQTY (M) LD1 LD2
LD3 LV1 LV2
LV3 SANO SASD
SASF SASS SATH



STATE	TC NAME	TC OPT
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	ZIP

Optional

LOCNUM (M)	LOCNUM HEADER (E)	SASN
------------	-------------------	------

ACT= L: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	NOR	RPON
SUP	VER	

Optional

IMPCON*	REMARKS	RORD
---------	---------	------

ACT= L: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

ACT Tables: Reqtyp E, Resale, non-complex

Conditional

AAI	AN (M)	ATN (M)
CITY	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
STATE	TC TO PRI	TC TO SEC
VER (M)	ZIP	

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER* (E)	SASN	TC OPT*

ACT= N: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
LSO	NOR	PROJECT
RPON	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	EXP
HTQTY	LSCP	REMARKS
RORD	VTA	

ACT= N: EU

Required

CITY	LOCNUM DETAIL (E)	NAME
------	-------------------	------



PG_OF_ (M) STATE	PON (M) ZIP	SASN
Conditional		
AAI	ACC	AN (M)
ATN (M)	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LV1	LV2
LV3	NCON (E)	SANO
SASD	SASF	SASS
SATH	VER (M)	
Optional		
IWO*	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER* (E)	WSOP

ACT Tables: Reqtyp E, Resale, non-complex

ACT= S: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER

Optional

IMPCON*	REMARKS	RORD
---------	---------	------

ACT= S: EU

Required

LOCNUM DETAIL (E)	NAME	PG_OF_ (M)
PON (M)		

Conditional

AAI	AN (M)	ATN (M)
CITY	EUA (E)	LD1
LD2	LD3	LV1
LV2	LV3	SANO
SASD	SASF	SASS
SATH	STATE	VER (M)
ZIP		

Optional

LOCNUM (M)	LOCNUM HEADER* (E)	SASN (E)
------------	--------------------	----------

ACT= T: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
DDDO**	IMPCON	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)
PON	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
LSO	NOR	PROJECT
RPON	SUP	VER

ACT Tables: Reqtyp E, Resale, non-complex
Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	HTQTY	LSCP
REMARKS	RORD	VTA

ACT= T: EU
Required

CITY	EATN	LOCNUM DETAIL (E)
NAME	PG_OF_ (M)	PON (M)
SASN	STATE	ZIP

Conditional

AAI	ACC	AN (M)
ATN (M)	EAN (M)	EUA (E)
IWCON	IWCON-TEL NO.	LD1
LD2	LD3	LV1
LV2	LV3	NCON (E)
SANO	SASD	SASF
SASS	SATH	TC NAME
TC TO PRI	TC TO SEC	VER (M)

Optional

IWO*	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER* (E)	TC OPT*
WSOP		

ACT= V: LSR
Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	MI	PG_OF_ (M)
PON	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
NOR	PROJECT	RPON
SUP	VER	

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	HTQTY	LSCP
NATN (E)	REMARKS	RORD
VTA		

ACT Tables: Reqtyp E, Resale, non-complex
ACT= V: EU
Required

ELT	LOCNUM DETAIL (E)	NAME
PG_OF_ (M)	PON (M)	

Conditional

AAI	ACC	AN (M)
ATN (M)	CITY	DISC NBR
DNUM	DQTY	EAN (M)
EATN	EUA	EUMI
FB-BILLCON	FB-BILLCON TEL NO.	FB-BILLNM
FB-CITY	FB-FLOOR	FBI
FB-ROOM	FB-SBILLNM	FB-STATE



Attachment
SN91084109

FB-STREET
IWCON-TEL NO.
LD3
LV3
SASD
SASS
TC NAME
TC TO SEC

FB-ZIP
LD1
LV1
NCON (E)
SASF
SATH
TC PER
VER (M)

IWCON
LD2
LV2
SANO
SASN
STATE
TC TO PRI
ZIP

Optional

IWO*
LOCNUM (M)
WSOP

LCON-NAME
LOCNUM HEADER* (E)

LCON-TEL NO.
TC OPT*

Coin

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp E, Coin

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
PROJECT	RPON	SUP
VER		

Optional

APPTIME-DDD	DFDT	EXP
LSCP	REMARKS	VTA

ACT= C: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	ACC	AN (M)
ATN (M)	CITY	DNUM
DQTY	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LOCNUM DETAIL (E)	LV1
LV2	LV3	SANO
SASD	SASF	SASN
SASS	SATH	STATE
VER (M)	ZIP	

ACT Tables: Reqtyp E, Coin

Optional

DISC NBR*	IWO*	LCON-NAME
-----------	------	-----------

LCON-TEL NO.

LOCNUM (M)

LOCNUM HEADER* (E)

WSOP
ACT= D: LSR
Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
LOCQTY	NOR	RPON
SUP	VER	

Optional
DFDT

REMARKS

ACT= D: EU
Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	AN (M)	ATN (M)
CITY	DISC NBR	DNUM
DQTY	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
STATE	TC NAME	TC OPT
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	ZIP

Optional

SASN

ACT= N: LSR
Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

ACT Tables: Reqtyp E, Coin
Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
PROJECT	RPON	SUP
VER		

Optional

APPTIME-DDD	EXP	LSCP
REMARKS	VTA	

ACT= N: EU
Required

CITY	LOCNUM DETAIL (E)	NAME
PG_OF_ (M)	PON (M)	SASN
STATE	ZIP	

Conditional



AAI
ATN (M)
IWCON-TEL NO.
LD3
LV3
SASD
SATH

ACC
EUA
LD1
LV1
NCON (E)
SASF
VER (M)

AN (M)
IWCON
LD2
LV2
SANO
SASS

Optional

IWO* (M)
LOCNUM (M)

LCON-NAME
LOCNUM HEADER (E)

LCON-TEL NO.
WSOP

ACT= T: LSR

Required

ACT
CCNA (E)
DDDO
INIT-FAX NO.
PON
TOS

BAN1
D/TSENT
IMPCON
INIT-TEL NO.
REQTYP

CC
DDD
INIT
PG_OF_ (M)
SC

Conditional

ALT-IMPCON-TEL NO.
CUST (E)
NOR
SUP

AN (M)
IMPCON-TEL NO.
PROJECT
VER

ATN
LOCQTY
RPON

Optional

ALT-IMPCON*
EXP
VTA

APPTIME-DDD
LSCP

DFDT
REMARKS

ACT Tables: Reqty E, Coin

ACT= T: EU

Required

CITY
PG_OF_ (M)
STATE

LOCNUM DETAIL (E)
PON (M)
ZIP

NAME
SASN

Conditional

AAI
ATN (M)
IWCON-TEL NO.
LD3
LV3
SASD
SATH
TC TO SEC

ACC
EUA
LD1
LV1
NCON
SASF
TC NAME
VER (M)

AN (M)
IWCON
LD2
LV2
SANO
SASS
TC TO PRI

Optional

IWO*
LOCNUM (M)

LCON-NAME
LOCNUM HEADER (E)

LCON-TEL NO.
TC OPT*

WSOP

ACT= V: LSR

Required

ACT
CCNA (E)
IMPCON
INIT-TEL NO.
PON
TOS

BAN1
D/TSENT
INIT
MI
REQTYP

CC
DDD
INIT-FAX NO.
PG_OF_ (M)
SC



Conditional

AN (M)
DDDO (M)
NOR
SUP

ATN
IMPCON-TEL NO.
PROJECT
VER

CUST (E)
LOCQTY
RPON

Optional

APPTIME-DDD
LSCP

DFDT
REMARKS

EXP
VTA

ACT= V: EU

Required

ELT
PG_OF_ (M)
ACT Tables: Reqty E, Coin

LOCNUM DETAIL (E)
PON (M)

NAME

Conditional

AAI
ATN (M)
DQTY
EUA
FB-BILLCON TEL NO.
FB-FLOOR
FB-SBILLNM
FB-ZIP
LD1
LV1
NCON
SASF
SATH
TC PER
VER (M)

ACC
CITY
EAN (M)
EUMI
FB-BILLNM
FBI
FB-STATE
IWCON
LD2
LV2
SANO
SASN
STATE
TC TO PRI
ZIP

AN (M)
DNUM
EATN
FB-BILLCON (E)
FB-CITY
FB-ROOM
FB-STREET
IWCON-TEL NO.
LD3
LV3
SASD
SASS
TC NAME
TC TO SEC

Optional

DISC NBR*
LCON-TEL NO.
TC OPT*

IWO*
LOCNUM (M)
WSOP

LCON-NAME
LOCNUM HEADER (E)

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp M, Switched Combo Bus/Res

ACT= B: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER

Optional

CIC (E)	IMPCON*	PORTTYP
REMARKS	RORD	

ACT= B: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	AN (M)	ATN (M)
CITY	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
STATE	VER (M)	ZIP

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER (E)	SASN	

ACT Tables: Reqtyp M, Switched Combo Bus/Res

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
MEU (M)	NOR	PROJECT
RPON	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	CIC (E)
DFDT	EXP	HTQTY
LSCP	PORTTYP	REMARKS
RORD		

ACT= C: EU
Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	ACC	AN (M)
ATN (M)	CITY	DISC NBR
DNUM	DQTY	EUA (M)
IWCON	IWCON-TEL NO.	LD1
LD2	LD3	LOCNUM DETAIL (E)
LV1	LV2	LV3
SANO	SASD	SASF
SASN	SASS	SATH
STATE	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)	ZIP	

Optional

IWO*	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER (E)	TC OPT*
WSOP		

ACT= D: LSR
Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

ACT Tables: Reqtyp M, Switched Combo Bus/Res

Conditional

AN	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER

Optional

CIC (E)	IMPCON*	PORTTYP
REMARKS	RORD	

ACT= D: EU
Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional



AAI	AN (M)	ATN (M)
CITY	DISC NBR	DNUM
DQTY	LD1	LD2
LD3	LV1	LV2
LV3	SASD	SASF
SASS	SATH	STATE
TC NAME	TC OPT	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)	ZIP	

Optional

LOCNUM HEADER (E)	SANO*	SASN
-------------------	-------	------

ACT= L: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN	ATN	CUST (E)
IMPCON-TEL NO.	NOR	RPON
SUP	VER	

Optional

CIC (E)	IMPCON*	PORTTYP
REMARKS	RORD	

ACT= L: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

ACT Tables: Reqtyp M, Switched Combo Bus/Res

Conditional

AAI	AN (M)	ATN (M)
CITY	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
STATE	TC NAME	TC TO PRI
TC TO SEC	VER (M)	ZIP

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM HEADER (E)
SASN	TC OPT*	

ACT= N: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
PORTTYP	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
MEU (M)	NOR	PROJECT
RPON	SUP	VER

Optional



ALT-IMPCON*
~~DFDT~~
LSCP

APPTIME-DDD
EXP
REMARKS

CIC (E)
HTQTY
RORD

ACT= N: EU

Required

CITY
PON (M)
ZIP

NAME
SASN

PG_OF_ (M)
STATE

Conditional

AAI
ATN (M)
IWCON-TEL NO.
LD3
LV2
SANO
SASS

ACC
EUA (M)
LD1
LOCNUM DETAIL (E)
LV3
SASD
SATH

AN (M)
IWCON
LD2
LV1
NCON
SASF
VER (M)

Optional

IWO*
LOCNUM (M)

LCON-NAME
LOCNUM HEADER (E)

LCON-TEL NO.
WSOP

ACT Tables: Reqtyp M, Switched Combo Bus/Res

ACT= S: LSR

Required

ACT
CCNA
INIT
PG_OF_ (M)
SC

BAN1
D/TSENT
INIT-FAX NO.
PON
TOS

CC
DDD
INIT-TEL NO.
REQTYP

Conditional

AN
IMPCON-TEL NO.
RPON

ATN
LOCQTY
SUP

CUST (E)
NOR
VER

Optional

CIC (E)
REMARKS

IMPCON*
RORD

PORTTYP

ACT= S: EU

Required

NAME

PG_OF_ (M)

PON (M)

Conditional

AAI
CITY
LD3
LV2
SASD
SASS
VER (M)

AN (M)
LD1
LOCNUM DETAIL (E)
LV3
SASF
SATH
ZIP

ATN (M)
LD2
LV1
SANO
SASN
STATE

Optional

LCON-NAME
LOCNUM HEADER (E)

LCON-TEL NO.

LOCNUM (M)

ACT= T: LSR

Required

ACT
CCNA (E)
DDDO**

BAN1
D/TSENT
IMPCON

CC
DDD
INIT



INIT-FAX NO.
PON
SC

INIT-TEL NO.
PORTTYP
TOS

PG_OF_ (M)
REQTYP

Conditional

ALT-IMP CON-TEL NO.
CUST (E)
MEU (M)
R PON

AN (M)
IMP CON-TEL NO.
NOR
SUP

ATN
LOCQTY
PROJECT
VER

ACT Tables: Reqtyp M, Switched Combo Bus/Res

Optional

ALT-IMP CON*
~~DFDT~~
LSCP

APPTIME-DDD
EXP
REMARKS

CIC (E)
HTQTY
RORD

ACT= T: EU

Required

CITY
PG_OF_ (M)
STATE

EATN
PON (M)
ZIP

NAME
SASN

Conditional

AAI
ATN (M)
IWCON
LD2
LV1
NCON
SASF
TC NAME
VER (M)

ACC
EAN (M)
IWCON-TEL NO.
LD3
LV2
SANO
SASS
TC TO PRI

AN (M)
EUA (M)
LD1
LOCNUM DETAIL (E)
LV3
SASD
SATH
TC TO SEC

Optional

IWO*
LOCNUM (M)
WSOP

LCON-NAME
LOCNUM HEADER (E)

LCON-TEL NO.
TC OPT*

ACT= V: LSR

Required

ACT
CCNA (E)
IMP CON
INIT-TEL NO.
PON
SC

BAN1
D/TSENT
INIT
MI
PORTTYP
TOS

CC
DDD
INIT-FAX NO.
PG_OF_ (M)
REQTYP

Conditional

ALT-IMP CON-TEL NO.
CUST (E)
MEU (M)
R PON

AN
IMP CON-TEL NO.
NOR
SUP

ATN
LOCQTY
PROJECT
VER

Optional

ALT-IMP CON*
~~DFDT~~
LSCP
RORD

APPTIME-DDD
EXP
NATN (E)
VTA (M)

CIC (E)
HTQTY
REMARKS

ACT Tables: Reqtyp M, Switched Combo Bus/Res

ACT= V: EU

Required

ELT

NAME

PG_OF_ (M)



Attachment
SN91084109

PON (M)

Conditional

AAI
ATN (M)
DNUM
EATN
FB-BILLCON
FB-CITY
FB-ROOM
FB-STREET
IWCON-TEL NO.
LD3
LV2
SANO
SASN
STATE
TC TO PRI
ZIP

ACC
CITY
DQTY
EUA (M)
FB-BILLCON TEL NO.
FB-FLOOR
FB-SBILLNM
FB-ZIP
LD1
LOCNUM DETAIL (E)
LV3
SASD
SASS
TC NAME
TC TO SEC

AN (M)
DISC NBR
EAN (M)
EUMI
FB-BILLNM
FBI
FB-STATE
IWCON
LD2
LV1
NCON
SASF
SATH
TC PER
VER (M)

Optional

IWO*
LOCNUM (M)
WSOP

LCON-NAME
LOCNUM HEADER (E)

LCON-TEL NO.
TC OPT*

UNE P Coin

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp M, Coin

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
PROJECT	RPON	SUP
VER		

Optional

APPTIME-DDD	DFDT	EXP
LSCP	PORTTYP	REMARKS
VTA		

ACT= C: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	ACC	AN (M)
ATN	CITY	DNUM
DQTY	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LOCNUM DETAIL (E)	LV1
LV2	LV3	SANO
SASD	SASF	SASN
SASS	SATH	STATE
TC NAME	VER (M)	ZIP

ACT Tables: Reqtyp M, Coin

Optional



DISC NBR*
LCON-TEL NO.

IWO*
LOCNUM (M)

LCON-NAME
LOCNUM HEADER* (E)

WSOP

ACT= D: LSR

Required

ACT
CCNA (E)
INIT
PG_OF_ (M)
SC

BAN1
D/TSENT
INIT-FAX NO.
PON
TOS

CC
DDD
INIT-TEL NO.
REQTYP

Conditional

AN (M)
LOCQTY
SUP

ATN
NOR
VER

CUST (E)
RPON

Optional

DFDT

PORTTYP

REMARKS

ACT= D: EU

Required

NAME

PG_OF_ (M)

PON (M)

Conditional

AAI
CITY
DQTY
LD3
LV3
SASF
STATE
TC PER
TCID

AN (M)
DISC NBR
LD1
LV1
SANO
SASS
TC NAME
TC TO PRI
VER (M)

ATN
DNUM
LD2
LV2
SASD
SATH
TC OPT
TC TO SEC
ZIP

Optional

SASN

ACT= N: LSR

Required

ACT
CCNA (E)
IMPCON
INIT-TEL NO.
PORTTYP
TOS

BAN1
D/TSENT
INIT
PG_OF_ (M)
REQTYP

CC
DDD
INIT-FAX NO.
PON
SC

ACT Tables: Reqtyp M, Coin

Conditional

AN (M)
IMPCON-TEL NO.
PROJECT
VER

ATN
LOCQTY
RPON

CUST (E)
NOR
SUP

Optional

APPTIME-DDD
REMARKS

EXP
VTA

LSCP

ACT= N: EU

Required

CITY
PON (M)

NAME
SASN

PG_OF_ (M)
STATE

ZIP

Conditional

AAI	ACC (M)	AN (M)
ATN	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LOCNUM DETAIL (E)	LV1
LV2	LV3	NCON (E)
SANO	SASD	SASF
SASS	SATH	VER (M)

Optional

IWO* (M)	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER (E)	WSOP

ACT= T: LSR
Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
DDDO	IMPCON	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)
PON	PORTTYP	REQTYP
SC	TOS	

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
NOR	PROJECT	RPON
SUP	VER	

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	LSCP	REMARKS
VTA		

ACT Tables: Reqty M, Coin
ACT= T: EU
Required

CITY	NAME	PG_OF_ (M)
PON (M)	SASN	STATE
ZIP		

Conditional

AAI	ACC	AN (M)
ATN	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LOCNUM DETAIL (E)	LV1
LV2	LV3	NCON (E)
SANO	SASD	SASF
SASS	SATH	TC NAME
TC TO PRI	TC TO SEC	VER (M)

Optional

IWO*	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER (E)	TC OPT*
WSOP		

ACT= V: LSR
Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	MI	PG_OF_ (M)



PON
SC

PORTTYP
TOS

REQTYP

Conditional

AN (M)
IMPCON-TEL NO.
PROJECT
VER

ATN
LOCQTY
RPON

CUST (E)
NOR
SUP

Optional

APPTIME-DDD
LSCP

~~DFDT~~
REMARKS

EXP
VTA

ACT= V: EU

Required

ELT
PON (M)

NAME

PG_OF_ (M)

ACT Tables: Reqty M, Coin

Conditional

AAI
ATN
DQTY
EUA
FB-BILLCON TEL NO.
FB-FLOOR
FB-SBILLNM
FB-ZIP
LD1
LOCNUM DETAIL (E)
LV3
SASD
SASS
TC NAME
TC TO SEC

ACC
CITY
EAN (M)
EUMI
FB-BILLNM
FBI
FB-STATE
IWCON
LD2
LV1
NCON
SASF
SATH
TC PER
VER (M)

AN (M)
DNUM
EATN
FB-BILLCON
FB-CITY
FB-ROOM
FB-STREET
IWCON-TEL NO.
LD3
LV2
SANO
SASN
STATE
TC TO PRI
ZIP

Optional

DISC NBR*
LCON-TEL NO.
TC OPT*

IWO*
LOCNUM (M)
~~WSOP~~

LCON-NAME
LOCNUM HEADER (E)

CCP 1854 Attachment Listed Below

Description of Change List for CRB#

Item #	TCIF 9	ELMS 6	Form	LOH Section	Field	Description of change
1	N/A	X	EU	R/C/O	DQTY	Change field from Optional to Conditional where it appears in R/C/O as follows: REQTYP CB
2	N/A	X	EU	DED	FBI	Change conditional usage note as follows: From: Note 3: Prohibited when the REQTYP is B or C and the MI field is A or B. To: Note 3: Prohibited when the MI field is A or B.
3	X	X	EU	R/C/O	FB-SBILLN M	Remove this field REQTYP JB ACT=D
4	X	X	EU	R/C/O	FB-FLOOR	Remove this field REQTYP JB ACT=D
5	X	X	EU	R/C/O	FB-ROOM	Remove this field REQTYP JB ACT=D
5A	X	X	EU	R/C/O	FB-TEL NO	Remove this field REQTYP JB ACT=D
5B	X	X	EU	R/C/O	FB-STATE	Remove this field REQTYP JB ACT=D
5C	X	X	EU	R/C/O	FB-BILLN M	Remove this field REQTYP JB ACT=D
5D	X	X	EU	R/C/O	FBI	Remove this field REQTYP JB ACT=D
5E	X	X	EU	R/C/O	FB-STREE T	Remove this field REQTYP JB ACT=D
5F	X	X	EU	R/C/O	FB-BILLC ON	Remove this field REQTYP JB ACT=D
5G	X	X	EU	R/C/O	FB-CITY	Remove this field REQTYP JB ACT=D
5H	X	X	EU	R/C/O	FB-ZIP	Remove this field REQTYP JB ACT=D

Item #	TCIF 9	ELMS 6	Form	LOH Section	Field	Description of change
6	X	X	EU	R/C/O	LCON-NAME	Change field from conditional to optional for the following: REQTYP A (Unbundled Cooper Loop-Designed (UCL) ACT=D
7	N/A	X	EU	R/C/O	TC-FR	Remove from R/C/O table on EU form this field is not applicable to EU form.
8	N/A	X	EU	R/C/O	TC-PER	Remove this field from all R/C/O tables for ACT=T
9	N/A	X	EU	R/C/O	TCID	Remove this field from all R/C/O tables for ACT=N and T Remove TCID from RCO tables for ACT=V for REQTYP E, F, and M.
10	X	X	EU	DED	WSOP	Add business rule that states: For additional information on WSOP and ADL, please refer to the section in the LOH titled: Abandoned Stations/Additional Line
11	X	X	EU	R/C/O	WSOP	Remove this field from the following products R/C/O wherever it appears: REQTYP A REQTYP E (ISDN-BRI) REQTYP M (ISDN-BRI) REQTYP F REQTYP N REQTYP P REQTYP E (COIN) REQTYP M (COIN)
12	N/A	X	LSR	R/C/O	NOR	Please add this field for REQTYP J to the conditional column as follows: REQTYP J, ACT=D, N, R
13	N/A	X	LSR	R/C/O	RPON	Please change RPON from Optional to conditional as follows: REQTYP J, ACT=D, N, R

FB-BILLNM – Final Billing Name**EU Form/Screen**

15.0B(LSOG6 / ELMS6 map)

Definition:

Identifies the end user bill name.

Definition Notes:

NOTE 1: The end user final bill name will remain as it appears on the BST record.

Valid Entries:

None

Valid Entry Notes:

None

Data Characteristics:

Up to 25 alpha/numeric characters

Examples:

ABC CO

Conditional Usage Notes:

Manual:

Note 1: Required when the FBI field is D, otherwise optional.

Electronic:

Note 2: Required when the FBI field is Y, otherwise prohibited.

Note 3: Prohibited when ~~the REQ TYP is B or C and~~ the MI field is A or B.**Business Rules**

None

WSOP – Working Service on Premises**EU Form/Screen**

15.0B(LSOG6 / ELMS6 map)

Definition:

Indicates if there is a working service at the end user location that needs to be disconnected.

Definition Notes:

NOTE 1: If the end user name is the same as the interfering station service name, then it does not qualify as an abandon station.

NOTE 2: When WSOP is populated with “V”, this indicates that the CLEC has confirmed with their end user that the existing line is an Abandoned Station.

Valid Entries:

Entry	Description
-------	-------------

V	Abandon Station; results in disconnection of the interfering service.
---	---

Valid Entry Notes:

None

Data Characteristics:

1 alpha character

Examples:

V

Conditional Usage Notes:

Note 1: Optional when the 1st character of the TOS field is 2 and the REQTYTYP is E (Non-Complex) or M (Non-Complex), otherwise prohibited.

Business Rules

Rule 1: For additional information on WSOP and ADL, please refer to the section in the LOH titled: Abandoned Stations/Additional Line

~~None~~

CCP 1855 Attachment Listed Below

15.0 (ELMS 6)

LNA Tables: Reqtyp A, Unbundled Copper Loop – Non-Designed (UCL-ND)

LNA= D: LS

Required

AN (M)	ECCKT	LNA
LNUM	LQTY	PG_OF_ (M)
PON (M)		

Conditional

TC-NAME	TC-PER	TC-TO-PRI
TC-TO-SEC	TCID	VER (M)

Optional

DISC NBR	TC-OPT *	TER*
----------	---------------------	------

TC PER – Transfer of Calls Period

LS Form/Screen

15.0B(LSOG6 / ELMS6 map)

CRB Issues included: None

Definition:

Indicates the requested date that the transfer of calls, specified in the TC TO field, is to be removed and the standard recorded announcement is to be provided.

Definition Notes:

None

Valid Entries:

Manual Entry Format:

When the standard period of transfer is acceptable, the field is to be left blank. Otherwise use:

Character Position	Description
1st and 2nd	Two Digit Month (01-12)
3rd	Always a Hyphen
4th and 5th	Two Digit Day (01-31)
6th	Always a Hyphen
7th and 8th	Two Digit Century (20-99)
9th and 10th	Two Digit Year (00-99)

Electronic Entry Format:

Character Position	Description
1st and 2nd	Two Digit Century (20-99)
3rd and 4th	Two Digit Year (00-99)
5th and 6th	Two Digit Month (01-12)



7th and 8th Two Digit Day (01-31)

Valid Entry Notes:

None

Data Characteristics:

Manual: 10 alpha/numeric characters (including 2 hyphens)
Electronic: 8 numeric characters

Examples:

Manual: 03-31-2001
Electronic: 20010331

Conditional Usage Notes:

Note 1: Prohibited when TC OPT is not ST or TC.

~~Note 2: Prohibited when the REQTYP is A and the LNA is N, C or D.~~

Note 2: Prohibited when the LNA is N or C.

Note 3: Prohibited when the LNA is D and the product type is:

Line Share

Line Splitting

XDSL

Unbundled Copper Loop Designed (UCL-D)

Unbundled Copper Loop Non-Designed (UCL-ND)

EELS

Business Rules

Rule 1: For residence service, the standard period for transfer of calls is 3 months.

Rule 2: For business service, the standard period for transfer of calls is 12 months or the life of the directory.

Rule 3: Transfer of calls period may be reduced due to a shortage of numbers or when the number is specifically requested by another client.

Rule 4: The date populated in this field must be later than the LSR receipt date.

***** End of definition for TC PER / LS form screen *****

LNUM – Line Number**LS Form/Screen**

15.0B(LSOG6 / ELMS6 map)

*CRB Issues included: None***Definition:**

Identifies the first line or trunk as a unique number and each additional line or trunk segment as a unique number.

Definition Notes:

None

Valid Entries:

00000-99999

Valid Entry Notes:

None

Data Characteristics:

5 numeric characters

Examples:

00167

Conditional Usage Notes:

None

Business Rules

~~Rule 1: This field is required to match a LOCNUM (Header) or LOCNUM (Detail) at End User location.~~

Rule 21: LNUM must be unique within each LOCNUM.

***** End of definition for LNUM / LS form screen *****

LOCNUM – Location Number**LS Form/Screen**

15.0B(LSOG6 / ELMS6 map)

CRB Issues included: None

Definition:

Identifies the service location number for the service requested.

Definition Notes:

None

Valid Entries:

None

Valid Entry Notes:

NOTE 1: When the Location Number (LOCNUM) of service is received with blank data, the system will replace with 000 (zeros) and accept as a valid value.

Note 2: When populated LOCNUM at services level must match LOCNUM at end user level.

Data Characteristics:

3 numeric characters

Examples:

118

Conditional Usage Notes:

None

Business Rules

None

CCP 1856 Attachment Listed Below

Reqtyp A

Analog Non-Designed Loop

LNA Tables: Reqtyp A, Analog Non-Designed Loop

LNA= V: LS

Required

AN (M)	CABLE ID	CHAN/PAIR
DISC NBR	LNA	LNUM
LQTY	PG_OF_ (M)	PON (M)

Conditional

IWJK (M)	IWJQ (M)	JK CODE (M)
JK NUM (M)	JK POS (M)	LEAN- (M)
LEATN- (M)	VER (M)	

Optional

JR* (M)	NIDR*	REMARKS (M)
TSP (M)		

Analog Design Loop

LNA= V: LS

Required

AN (M)	DISC NBR	LNA
LNUM	LQTY	PG_OF_ (M)
PON (M)		

Conditional

CABLE ID	CFA	CHAN/PAIR
CHAN/PAIR 2 (E)	IWJK (M)	IWJQ (M)
JK CODE	JK NUM	JK POS
LEATN- (M)	VER (M)	LEAN

Optional

CKR	JR (M)	NIDR*
TSP (M)		

Unbundled Copper Loop - Designed (UCL)

LNA Tables: Reqtyp A, Unbundled Copper Loop – Designed (UCL)

LNA= V: LS

Required

AN (M)	CABLE ID	CHAN/PAIR
DISC NBR	LNA	LNUM
LQTY	PG_OF_ (M)	PON (M)

Conditional

CHAN/PAIR 2 (E)	IWJK (M)	IWJQ (M)
JK CODE	JK NUM	JK POS



LEATN ~~(M)~~ VER (M) LEAN

Optional

CKR JR* (M) NIDR*
REMARKS (M) TSP (M)

Unbundled Copper Loop - Non-Designed (UCL-

LNA Tables: Reqtyp A, Unbundled Copper Loop – Non-Designed (UCL-ND)

LNA= V: LS

Required

AN (M) CABLE ID CHAN/PAIR
DISC NBR LNA LNUM
LQTY PG_OF_ (M) PON (M)

Conditional

IWJK (M) IWJQ (M) JK CODE (M)
JK NUM (M) JK POS (M) LEAN
LEATN VER (M)

Optional

JR* (M) NIDR* (M) REMARKS (M)
TNT (E) TSP (M)

LNA= W: LS

Required

AN (M) CABLE ID (M) CHAN/PAIR (M)
ECCKT (M) LNA (M) LNUM (M)
LQTY (M) PG_OF_ (M) PON (M)

Conditional

VER (M)

xDSL Loops

Product Listing

LNA= V: LS

Required

AN (M) CABLE ID CHAN/PAIR
DISC NBR LNA LNUM
LQTY PG_OF_ (M) PON (M)

Conditional

CHAN/PAIR 2 (E) JK CODE JK NUM
JK POS VER (M) LEAN
LEATN

Optional

CKR NIDR* (M) REMARKS (M)

TSP (M)

LNP, Designed Analog Loop

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp B, LNP, Designed Analog Loop

ACT= V: LSR

Required

ACNA	ACT	ACTL
AN	BAN1	BAN2
B11	B12	CC
CCNA	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	LSO	MI
NC	NCI	PG_OF_ (M)
PON	REQTYP	SC
SECNCI	TOS	

Conditional

ATN	CUST	DSGCON
DSGCON-CITY	DSGCON-FAX NO.	DSGCON-FLOOR
DSGCON-ROOM/MAIL STOP	DSGCON-STATE	DSGCON-STREET
DSGCON-TEL NO.	DSGCON-ZIP CODE	IMPCON-TEL NO.
LSCP	NNSP	NOR
PROJECT	RPON	SUP
VER		

Optional

CIC	DFDT	DRC*
EXP	REMARKS	SLI

ACT= V: EU

Required

AN (M)	CITY	ELT
NAME	PG_OF_ (M)	PON (M)
SASN	STATE	ZIP

ACT Tables: Reqtyp B, LNP, Designed Analog Loop

Conditional

AAI	ACC (M)	ATN (M)
DNUM	DQTY	EAN
EATN	EUMI	FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM	FB-CITY
FB-FLOOR	FBI	FB-ROOM
FB-SBILLNM	FB-STATE	FB-STREET
FB-ZIP	IWBAN (M)	IWCON (M)
IWCON-TEL NO. (M)	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
TC NAME	TC OPT	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

Optional

DISC NBR*	LCON-NAME	LCON-TEL NO.
NCON	TER	

LNA Tables: Reqtyp B, LNP, Designed Analog Loop

LNA= N: LSNP
Required

AN (M)	LNA	LNUM
LQTY	PG_OF_(M)	PON (M)

Conditional

ATN (M)	CABLE ID	CFA
CHAN/PAIR	CHAN/PAIR 2 (E)	JK CODE (M)
VER (M)	JKNUM (M)	JKPOS (M)

Optional

NIDR* (M)	CKR
-----------	-----

LNA= V: LSNP
Required

AN (M)	LNA	LNUM
LQTY	NPQTY	NPT
PG_OF_(M)	PON (M)	PORTED NBR

Conditional

ATN (M)	CABLE ID	CFA
CHAN/PAIR	CHAN/PAIR 2 (E)	JK CODE (M)
LEATN	VER (M)	LEAN
JKNUM (M)	JKPOS (M)	

Optional

NIDR* (M)
CKR

LNP, Non-designed Analog Loop

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not

supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp B, LNP, Non-Designed Analog Loop

ACT= V: LSR

Required

ACNA	ACT	ACTL
AN	BAN1	BAN2
BII	BI2	CC
CCNA	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	LSO	MI
NC	PG_OF_(M)	PON
REQTYP	RESID	SC
TOS		

Conditional

ATN	CHC	CUST
DSGCON	DSGCON-CITY	DSGCON-FAX NO.
DSGCON-FLOOR	DSGCON-ROOM/MAIL STOP	DSGCON-STATE
DSGCON-STREET	DSGCON-TEL NO.	DSGCON-ZIP CODE
IMPCON-TEL NO.	LSCP	NNSP
NOR	PROJECT	SUP
VER		

Optional

CIC	DFDT*	DRC*
EXP	REMARKS	RPON
SLI		

ACT= V: EU

Required

AN (M)	CITY	ELT
NAME	PG_OF_(M)	PON (M)
SASN	STATE	ZIP

ACT Tables: Reqtyp B, LNP, Non-Designed Analog Loop

Conditional

AAI	ACC (M)	ATN (M)
DNUM	DQTY	EAN
EATN	EUMI	FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM	FB-CITY
FB-FLOOR	FBI	FB-ROOM
FB-SBILLNM	FB-STATE	FB-STREET
FB-ZIP	IWBAN (M)	IWCON (M)
IWCON-TEL NO. (M)	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
TC NAME	TC OPT	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

Optional

DISC NBR*	LCON-NAME	LCON-TEL NO.
NCON	TER	

LNA Tables: Reqtyp B, LNP, Non-Designed Analog Loop

LNA= N: LSNP

Required

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
PG_OF_ (M)	PON (M)	

Conditional

ATN (M)	IWJK (M)	IWJQ (M)
JK CODE (M)	JK NUM (M)	JK POS (M)
VER (M)		

Optional

JR* (M)	NIDR* (M)	TNT
CKR		

LNA= V: LSNP

Required

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
NPQTY	NPT	PG_OF_ (M)
PON (M)	PORTED NBR	

Conditional

ATN (M)	IWJK(M)	IWJQ (M)
JK CODE (M)	JK NUM (M)	JK POS (M)
LEAN	LEATN	VER (M)

Optional

JR* (M)	NIDR* (M)	CKR
---------	-----------	-----

LNP, Unbundled Copper Loop – Designed (UCL-D)

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqttyp B, LNP, Unbundled Copper Loop – Designed (UCL-D)

ACT= V: LSR

Required

ACNA	ACT	ACTL
AN	BAN1	BAN2
BII	BI2	CC
CCNA	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	LSO	MI
NC	NCI	PG_OF_(M)
PON	REQTYP	RESID
SC	SECNCI	TOS

Conditional

ATN	CHC	CUST
DSGCON	DSGCON-CITY	DSGCON-FAX NO.
DSGCON-FLOOR	DSGCON-ROOM/MAIL STOP	DSGCON-STATE
DSGCON-STREET	DSGCON-TEL NO.	DSGCON-ZIP CODE
IMPCON-TEL NO.	LSCP	NNSP
NOR	PROJECT	SUP
VER		

Optional

CIC	DFDT*	DRC*
EXP	REMARKS	RPON
SLI		

ACT= V: EU

Required

AN (M)	CITY	ELT
NAME	PG_OF_(M)	PON (M)
SASN	STATE	ZIP

ACT Tables: Reqtyp B, LNP, Unbundled Copper Loop – Designed (UCL-D)
Conditional

AAI	ACC (M)	ATN (M)
DNUM	DQTY	EAN
EATN	EUMI	FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM	FB-CITY
FB-FLOOR	FBI	FB-ROOM
FB-SBILLNM	FB-STATE	FB-STREET
FB-ZIP	IWBAN (M)	IWCON (M)
IWCON-TEL NO. (M)	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
TC NAME	TC OPT	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

Optional

DISC NBR*	LCON-NAME	LCON-TEL NO.
NCON	TER	

LNA Tables: Reqtyp B, LNP, Unbundled Copper Loop – Designed (UCL-D)
LNA= N: LSNP
Required

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
PG_OF_ (M)	PON (M)	

Conditional

ATN (M)	IWJK (M)	IWJQ (M)
JK CODE (M)	JK NUM (M)	JK POS (M)
VER (M)		

Optional

JR* (M0)	NIDR* (M)	TNT
CKR		

LNA= V: LSNP
Required

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
NPQTY	NPT	PG_OF_ (M)
PON (M)	PORTED NBR	

Conditional

ATN (M)	IWJK (M)	IWJQ (M)
JK CODE (M)	JK NUM (M)	JK POS (M)
LEAN	LEATN	VER (M)

Optional

JR* (M)	NIDR* (M)	
CKR		

LNP, Unbundled Copper Loop – Non-Designed (UCL-ND) RCO

Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp B, LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)

ACT= V: LSR

Required

ACNA	ACT	ACTL
AN	ATN	BAN1
BAN2	BII	BI2
CC	CCNA	CIC
D/TSENT	DDD	IMPCON
INIT	INIT-FAX NO.	INIT-TEL NO.
LSO	MI	NC
PG_OF_(M)	PON	REQTYP
RESID	SC	TOS

Conditional

AI	ALT-IMPCON-TEL NO.	APOT
CUST	DSGCON	DSGCON-CITY
DSGCON-FAX NO.	DSGCON-FLOOR	DSGCON-ROOM/MAIL STOP
DSGCON-STATE	DSGCON-STREET	DSGCON-TEL NO.
DSGCON-ZIP CODE	IMPCON-TEL NO.	LSCP
NOR	PROJECT	RPON
SUP	VER	

Optional

ALT-IMPCON*	CHC	DRC*
EXP	REMARKS	RORD
SLI		

ACT= V: EU

Required

AN (M)	ATN (M)	CITY
ELT	NAME	PG_OF_(M)
PON (M)	SASN	STATE
ZIP		



ACT Tables: Reqtyp B, LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)

Conditional

AAI	ACC	EATN
EUMI	FB-BILLCON	FB-BILLCON TEL NO.
FB-BILLNM	FB-CITY	FB-FLOOR
FBI	FB-ROOM	FB-SBILLNM
FB-STATE	FB-STREET	FB-ZIP
IWBAN	IWCON	IWCON-TEL NO.
LD1	LD2	LD3
LV1	LV2	LV3
SANO	SASD	SASF
SASS	SATH	VER (M)

Optional

LCON-NAME	LCON-TEL NO.	NCON
-----------	--------------	------

LNA Tables: Reqtyp B, LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)
LNA= D: LSNP
Required

AN (M)	ATN (M)	ECCKT
LNA	LNUM	LQTY
PG_OF_ (M)	PON (M)	

Conditional

VER (M)

LNA= N: LSNP
Required

AN (M)	ATN (M)	CABLE ID
CHAN/PAIR	LNA	LQTY
PG_OF_ (M)	PON (M)	

Conditional

IWJK (M)	IWJQ (M)	JK CODE (M)
JK NUM (M)	JK POS (M)	VER (M)
CKR		

Optional

JR* (M)	NIDR* (M)	TNT (M)
---------	-----------	---------

LNA= V: LSNP
Required

AN (M)	ATN (M)	CABLE ID
CFTN	CHAN/PAIR	LNA
LNUM	LQTY	NPQTY
NPT	PG_OF_ (M)	PON (M)
PORTED NBR	TNP	

Conditional

IWJK (M)	IWJQ (M)	JK CODE (M)
JK NUM (M)	JK POS (M)	LEATN
RTI	VER (M)	LEAN

Optional

JR* (M)	NIDR* (M)	
CKR		

LNP, xDSL Loops

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for

clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp B, LNP, xDSL Loops

ACT= V: LSR

Required

ACNA	ACT	ACTL
AN	BAN1	BAN2
B11	B12	CC
CCNA	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	LSO	MI
NC	NCI	PG_OF_(M)
PON	REQTYP	RESID
SC	SECNCI	TOS

Conditional

ATN	CUST	DSGCON
DSGCON-CITY	DSGCON-FAX NO.	DSGCON-FLOOR
DSGCON-ROOM/MAIL STOP	DSGCON-STATE	DSGCON-STREET
DSGCON-TEL NO.	DSGCON-ZIP CODE	IMPCON-TEL NO.
LSCP	NNSP	NOR
PROJECT	RPON	SUP
VER		

Optional

CIC	DFDT	DRC*
EXP	REMARKS	SLI

ACT= V: EU

Required

AN (M)	CITY	ELT
NAME	PG_OF_(M)	PON (M)
SASN	STATE	ZIP

ACT Tables: Reqtyp B, LNP, xDSL Loops

Conditional

AAI	ACC (M)	ATN (M)
DNUM	DQTY	EAN
EATN	EUMI	FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM	FB-CITY
FB-FLOOR	FBI	FB-ROOM
FB-SBILLNM	FB-STATE	FB-STREET
FB-ZIP	IWBAN (M)	IWCON (M)
IWCON-TEL NO. (M)	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
TC NAME	TC OPT	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

Optional

DISC NBR*	LCON-NAME	LCON-TEL NO.
NCON	TER	

LNA Tables: Reqtyp B, LNP, xDSL Loops

LNA= N: LSNP

Required

AN (M)	LNA	LNUM
LQTY	PG_OF_(M)	PON (M)

Conditional

ATN (M)	CABLE ID	CFA
CHAN/PAIR	CHAN/PAIR 2 (E)	JK CODE (m)
VER (M)	JKPOS (M)	JKNUM (M)

Optional

NIDR* (m)
CKR

LNA= V: LSNP

Required

AN (M)	LNA	LNUM
LQTY	NPQTY	NPT
PG_OF_(M)	PON (M)	PORTED NBR

Conditional

ATN (M)	CABLE ID	CFA
CHAN/PAIR	CHAN/PAIR 2 (E)	JK CODE (M)
LEATN	VER (M)	LEAN
JKPOS (M)	JKNUM(M)	

Optional

NIDR* (M)
CKR

LNP, Digital Designed Basic Rate ISDN

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqty B, LNP, Digital Designed Basic Rate ISDN

ACT= V: LSR

Required

ACNA	ACT	ACTL
AN	BAN1	BAN2
BII	BI2	CC
CCNA	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	LSO	MI
NC	NCI	PG_OF_(M)
PON	REQTYP	SC
SECNCI	TOS	

Conditional

ATN	CUST	DSGCON
DSGCON-CITY	DSGCON-FAX NO.	DSGCON-FLOOR
DSGCON-ROOM/MAIL STOP	DSGCON-STATE	DSGCON-STREET
DSGCON-TEL NO.	DSGCON-ZIP CODE	IMPCON-TEL NO.
LSCP	NNSP	NOR
PROJECT	RPON	SUP
VER		

Optional

CIC	DFDT	DRC*
EXP	REMARKS	SLI

ACT= V: EU
Required

AN (M)	CITY	ELT
NAME	PG_OF_(M)	PON (M)
SASN	STATE	ZIP

ACT Tables: Reqty B, LNP, Digital Designed Basic Rate ISDN

Conditional

AAI	ACC (M)	ATN (M)
DNUM	DQTY	EAN
EATN	EUMI	FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM	FB-CITY
FB-FLOOR	FBI	FB-ROOM
FB-SBILLNM	FB-STATE	FB-STREET
FB-ZIP	IWBAN (M)	IWCON (M)
IWCON-TEL NO. (M)	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
TC NAME	TC OPT	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

Optional

DISC NBR*	LCON-NAME	LCON-TEL NO.
NCON	TER	

LNA Tables: Reqty B, LNP, Digital Designed Basic Rate ISDN

LNA= N: LSNP
Required

AN (M)	LNA	LNUM
LQTY	PG_OF_(M)	PON (M)

Conditional

ATN (M)	CABLE ID	CFA
CHAN/PAIR	CHAN/PAIR 2 (E)	JK CODE (M)
VER (M)		
JKPOS (M)	JKNUM(M)	

Optional



Attachment
SN91084109

NIDR* (m)
CKR

LNA= V: LSNP

Required

AN (M)
LQTY
PG_OF_ (M)

LNA
NPQTY
PON (M)

LNUM
NPT
PORTED NBR

Conditional

ATN (M)
CHAN/PAIR
LEATN

CABLE ID
CHAN/PAIR 2 (E)
VER (M)

CFA
JK CODE (M)
LEAN

Optional

NIDR* (M)
CKR

CCP 1857 Attachment Listed Below*ACT Tables: Reqtyp A, xDSL Loops***ACT= T: LSR****Required**ACNA (M)
AN (M)
CCNA (M)
IMPCON (M)
INIT-TEL NO. (M)
NCI (M)
REQTYP (M)
TOS (M)ACT (M)
BAN1 (M)
D/TSENT (M)
INIT (M)
LSO (M)
PG_OF_ (M)
SC (M)ACTL (M)
CC (M)
DDD (M)
INIT-FAX NO. (M)
NC (M)
PON (M)
SECNCI (M)**Conditional**CUST (M)
DSGCON-CITY (M)
DSGCON-ROOM/MAIL STOP (M)
DSGCON-TEL NO. (M)
NOR (M)
RPON (M)DFDT (M)
DSGCON-FAX NO. (M)
DSGCON-STATE (M)
DSGCON-ZIP CODE (M)
PROJECT (M)
SUP (M)DSGCON (M)
DSGCON-FLOOR (M)
DSGCON-STREET (M)
IMPCON-TEL NO. (M)
RESID (M)
VER (M)**Optional**CIC (M)
REMARKS (M)DRC* (M)
SCA (M)

EXP (M)

ACT= T: EU**Required**AN (M)
PG_OF_ (M)CITY (M)
PON (M)NAME (M)
SASN (M)**Conditional**AAI (M)
IWCON (M)
LD1 (M)
LV1 (M)
NCON (M)
SASF (M)
STATE (M)ACC (M)
IWCON-TEL NO. (M)
LD2 (M)
LV2 (M)
SANO (M)
SASS (M)
VER (M)IWBAN (M)
IWO (M)
LD3 (M)
LV3 (M)
SASD (M)
SATH (M)
ZIP (M)**Optional**

LCON-NAME (M)

LCON-TEL NO. (M)

CCP 1859 Attachment Listed Below

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	Analog Non-Designed Loop	C	LSR	INIT	R		
A	Analog Non-Designed Loop	C	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Analog Non-Designed Loop	D	LSR	INIT	R		
A	Analog Non-Designed Loop	D	LSR	INIT-FAX NO.	R		
A	Analog Non-Designed Loop	N	LSR	INIT	R		
A	Analog Non-Designed Loop	N	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Analog Non-Designed Loop	T	LSR	INIT	R		
A	Analog Non-Designed Loop	T	LSR	INIT-FAX NO.	R		
A	Analog Non-Designed Loop	V	LSR	INIT	R		
A	Analog Non-Designed Loop	V	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Analog Designed Loop	C	LSR	INIT	R		
A	Analog Designed Loop	C	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Analog Designed Loop	D	LSR	INIT	R		
A	Analog Designed Loop	D	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Analog Designed Loop	N	LSR	INIT	R		
A	Analog Designed Loop	N	LSR	INIT-FAX NO.	R		
A	Analog Designed Loop	T	LSR	INIT	R		
A	Analog Designed Loop	T	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Analog Designed Loop	V	LSR	INIT	R		
A	Analog Designed Loop	V	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	C	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	C	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	D	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	D	LSR	INIT-FAX NO.	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	Digital Data Designed Loop (DS0)	N	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	N	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	T	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	T	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	V	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	V	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Digital Designed Loop (Basic Rate ISDN)	C	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	C	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	D	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	D	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	N	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	N	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	T	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	T	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	V	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	V	LSR	INIT-FAX NO.	R		
A	CLEC to CLEC Conversion Non- Designed Loop	W	LSR	INIT	R	M	
A	CLEC to CLEC Conversion Non- Designed Loop	W	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	CLEC to CLEC Conversion						
A	Designed Loop CLEC to CLEC Conversion	W	LSR	INIT	R	M	
A	Designed Loop Channelized DS1, DS3, STS1 Local Channel	W	LSR	INIT-FAX NO.	R	M	
A	Channelized DS1, DS3, STS1 Local Channel	D	LSR	INIT	R	M	
A	Channelized DS1, DS3, STS1 Local Channel	D	LSR	INIT-FAX NO.	R	M	
A	Channelized DS1, DS3, STS1 Local Channel	N	LSR	INIT	R	M	
A	Channelized DS1, DS3, STS1 Local Channel	N	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS-1 local loop	C	LSR	INIT	R	M	
A	Non-Channelized DS-1 local loop	C	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS-1 local loop	D	LSR	INIT	R	M	
A	Non-Channelized DS-1 local loop	D	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS-1 local loop	N	LSR	INIT	R	M	
A	Non-Channelized DS-1 local loop	N	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS-1 local loop	T	LSR	INIT	R	M	
A	Non-Channelized DS-1 local loop	T	LSR	INIT-FAX NO.	R	M	
A	EELs	C	LSR	INIT	R		
A	EELs	C	LSR	INIT-FAX NO.	R		
A	EELs	D	LSR	INIT	R		
A	EELs	D	LSR	INIT-FAX NO.	R		
A	EELs	N	LSR	INIT	R		
A	EELs	N	LSR	INIT-FAX NO.	R		
A	EELs	T	LSR	INIT	R		
A	EELs	T	LSR	INIT-FAX NO.	R		
A	Network Interface Devices (NIDs)	N	LSR	INIT	R	M	
A	Network Interface Devices (NIDs)	N	LSR	INIT-FAX NO.	R	M	
A	Unbundled Copper Loop – Designed (UCL)	C	LSR	INIT	R		
A	Unbundled Copper Loop – Designed (UCL)	C	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Designed (UCL)	D	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Loop – Designed (UCL)						
A	Unbundled Copper Loop – Designed (UCL)	D	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Designed (UCL)	N	LSR	INIT	R		
A	Unbundled Copper Loop – Designed (UCL)	N	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Designed (UCL)	T	LSR	INIT	R		
A	Unbundled Copper Loop – Designed (UCL)	T	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Designed (UCL)	V	LSR	INIT	R		
A	Unbundled Copper Loop – Designed (UCL)	V	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	C	LSR	INIT	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	C	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	D	LSR	INIT	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	D	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	N	LSR	INIT	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	N	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	T	LSR	INIT	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	T	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	V	LSR	INIT	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	V	LSR	INIT-FAX NO.	R		
A	Unbundled Copper	W	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Loop – Non-Designed (UCL-ND) Unbundled Copper						
A	Loop – Non-Designed (UCL-ND) Universal Digital	W	LSR	INIT-FAX NO.	R	M	
A	Channel (UDC) Universal Digital	C	LSR	INIT	R	M	
A	Channel (UDC) Universal Digital	C	LSR	INIT-FAX NO.	R	M	
A	Channel (UDC) Universal Digital	D	LSR	INIT	R		
A	Channel (UDC) Universal Digital	D	LSR	INIT-FAX NO.	R		
A	Channel (UDC) Universal Digital	N	LSR	INIT	R		
A	Channel (UDC) Universal Digital	N	LSR	INIT-FAX NO.	R		
A	Channel (UDC) Universal Digital	T	LSR	INIT	R	M	
A	Channel (UDC) Universal Digital	T	LSR	INIT-FAX NO.	R	M	
A	Channel (UDC) Universal Digital	W	LSR	INIT	R	M	
A	Channel (UDC) Universal Digital	W	LSR	INIT-FAX NO.	R	M	
A	xDSL Loops	C	LSR	INIT	R		
A	xDSL Loops	C	LSR	INIT-FAX NO.	R	M	Remove (m)
A	xDSL Loops	D	LSR	INIT	R		
A	xDSL Loops	D	LSR	INIT-FAX NO.	R		
A	xDSL Loops	N	LSR	INIT	R		
A	xDSL Loops	N	LSR	INIT-FAX NO.	R		
A	xDSL Loops	T	LSR	INIT	R	M	
A	xDSL Loops	T	LSR	INIT-FAX NO.	R	M	
A	xDSL Loops	V	LSR	INIT	R		
A	xDSL Loops	V	LSR	INIT-FAX NO.	R		
	Unbundled CO-based Line Share (BST-Owned						
A	Splitter)	C	LSR	INIT	R		
	Unbundled CO-based Line Share (BST-Owned						
A	Splitter)	C	LSR	INIT-FAX NO.	R	M	Remove (m)
	Unbundled CO-based Line Share (BST-Owned						
A	Splitter)	D	LSR	INIT	R		
	Unbundled CO-based Line Share (BST-Owned						
A	Splitter)	D	LSR	INIT-FAX NO.	R	M	Remove (m)
	Unbundled CO-based Line Share						
A		N	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	(BST-Owned Splitter) Unbundled CO- based Line Share (BST-Owned Splitter)	N	LSR	INIT-FAX NO.	R	M	
A	(BST-Owned Splitter) Unbundled CO- based Line Share (BST-Owned Splitter)	V	LSR	INIT	R		
A	(BST-Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	(DLEC- Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	C	LSR	INIT	R		
A	(DLEC- Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	C	LSR	INIT-FAX NO.	R	M	
A	(DLEC- Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	D	LSR	INIT	R		
A	(DLEC- Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	
A	(DLEC- Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	N	LSR	INIT	R		
A	(DLEC- Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	N	LSR	INIT-FAX NO.	R		
A	(DLEC- Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	V	LSR	INIT	R	M	
A	(DLEC- Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	(DLEC- Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	W	LSR	INIT	R	M	
A	(DLEC- Owned Splitter)	W	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	Non-Channelized DS3 and STS1	D	LSR	INIT	R	M	
A	Non-Channelized DS3 and STS1	D	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS3 and STS1	N	LSR	INIT	R	M	
A	Non-Channelized DS3 and STS1	N	LSR	INIT-FAX NO.	R	M	
A	Unbundled Sub-Loops	C	LSR	INIT	R	M	
A	Unbundled Sub-Loops	C	LSR	INIT-FAX NO.	R	M	
A	Unbundled Sub-Loops	D	LSR	INIT	R	M	
A	Unbundled Sub-Loops	D	LSR	INIT-FAX NO.	R	M	
A	Unbundled Sub-Loops	N	LSR	INIT	R	M	
A	Unbundled Sub-Loops	N	LSR	INIT-FAX NO.	R	M	
A	Unbundled Sub-Loops	V	LSR	INIT	R	M	
A	Unbundled Sub-Loops	V	LSR	INIT-FAX NO.	R	M	
A	Unbundled Network Terminating Wire-UNTW	C	LSR	INIT	R	M	
A	Unbundled Network Terminating Wire-UNTW	C	LSR	INIT-FAX NO.	R	M	
A	Unbundled Network Terminating Wire-UNTW	D	LSR	INIT	R	M	
A	Unbundled Network Terminating Wire-UNTW	D	LSR	INIT-FAX NO.	R	M	
A	Unbundled CO-based Line Share (DLEC-Owned Splitter)	C	LSR	INIT	R		
A	Unbundled CO-based Line Share (DLEC-Owned Splitter)	C	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Unbundled CO-based Line Share (DLEC-Owned Splitter)	D	LSR	INIT	R		
A	Unbundled CO-based Line Share (DLEC-Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Unbundled CO-based Line Share	N	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	(DLEC-Owned Splitter) Unbundled CO-based Line Share (DLEC-Owned Splitter)	N	LSR	INIT-FAX NO.	R		
A	(DLEC-Owned Splitter) Unbundled CO-based Line Share (DLEC-Owned Splitter)	V	LSR	INIT	R		
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share (DLEC-Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share (DLEC-Owned Splitter)	C	LSR	INIT	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share (DLEC-Owned Splitter)	C	LSR	INIT-FAX NO.	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share (DLEC-Owned Splitter)	D	LSR	INIT	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share (DLEC-Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share (DLEC-Owned Splitter)	N	LSR	INIT	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share (DLEC-Owned Splitter)	N	LSR	INIT-FAX NO.	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share (DLEC-Owned Splitter)	V	LSR	INIT	R	M	
A	(DLEC-Owned Splitter) HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	(DLEC-Owned Splitter) HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	C	LSR	INIT	R	M	
A	(DLEC-Owned Splitter) HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	C	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	D	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	N	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	N	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	V	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	W	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	W	LSR	INIT-FAX NO.	R	M	
A	Unbundled Dark Fiber (UDF)	D	LSR	INIT	R	M	
A	Unbundled Dark Fiber (UDF)	D	LSR	INIT-FAX NO.	R	M	
A	Unbundled Dark Fiber (UDF)	N	LSR	INIT	R	M	
A	Unbundled Dark Fiber (UDF)	N	LSR	INIT-FAX NO.	R	M	
A	Ordinarily Combined UNEs (OCU)	C	LSR	INIT	R	M	
A	Ordinarily Combined UNEs (OCU)	C	LSR	INIT-FAX NO.	R	M	
A	Ordinarily Combined UNEs (OCU)	D	LSR	INIT	R	M	
A	Ordinarily Combined UNEs (OCU)	D	LSR	INIT-FAX NO.	R	M	
A	Ordinarily Combined UNEs	N	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	(OCU) Ordinarily Combined UNEs						
A	(OCU) Ordinarily Combined UNEs	N	LSR	INIT-FAX NO.	R	M	
A	(OCU) Ordinarily Combined UNEs	T	LSR	INIT	R	M	
A	(OCU) Ordinarily Combined UNEs	T	LSR	INIT-FAX NO.	R	M	
A	Digital Data Designed Loop (DS1)	C	LSR	INIT	R	M	
A	Digital Data Designed Loop (DS1)	C	LSR	INIT-FAX NO.	R	M	
A	Digital Data Designed Loop (DS1)	D	LSR	INIT	R	M	
A	Digital Data Designed Loop (DS1)	D	LSR	INIT-FAX NO.	R	M	
A	Digital Data Designed Loop (DS1)	N	LSR	INIT	R	M	
A	Digital Data Designed Loop (DS1)	N	LSR	INIT-FAX NO.	R	M	
A	Digital Data Designed Loop (DS1)	T	LSR	INIT	R	M	
A	Digital Data Designed Loop (DS1)	T	LSR	INIT-FAX NO.	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	C	LSR	INIT	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	C	LSR	INIT-FAX NO.	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	D	LSR	INIT	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	N	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	N	LSR	INIT-FAX NO.	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	V	LSR	INIT	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	W	LSR	INIT	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	W	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized IOC	C	LSR	INIT	R		
A	Non-Channelized IOC	C	LSR	INIT-FAX NO.	R		
A	Non-Channelized IOC	D	LSR	INIT	R		
A	Non-Channelized IOC	D	LSR	INIT-FAX NO.	R		
A	Non-Channelized IOC	N	LSR	INIT	R		
A	Non-Channelized IOC	N	LSR	INIT-FAX NO.	R		
B	INP, Designed Analog Loop	V	LSR	INIT	R	M	
B	INP, Designed Analog Loop	V	LSR	INIT-FAX NO.	R	M	
B	INP, Non-Designed Analog Loop	V	LSR	INIT	R	M	
B	INP, Non-Designed Analog Loop	V	LSR	INIT-FAX NO.	R	M	
B	INP, Unbundled Copper Loop – Designed (UCL-D)	V	LSR	INIT	R	M	
B	INP, Unbundled Copper Loop – Designed (UCL-D)	V	LSR	INIT-FAX NO.	R	M	
B	INP, xDSL Loops	V	LSR	INIT	R	M	
B	INP, xDSL Loops	V	LSR	INIT-FAX NO.	R	M	
B	LNP, Designed Analog Loop	V	LSR	INIT	R		
B	LNP, Designed Analog Loop	V	LSR	INIT-FAX NO.	R		
B	LNP, Non-Designed Analog Loop	V	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
B	LNP, Non-Designed Analog Loop	V	LSR	INIT-FAX NO.	R		
B	LNP, Unbundled Copper Loop – Designed (UCL-D)	V	LSR	INIT	R		
B	LNP, Unbundled Copper Loop – Designed (UCL-D)	V	LSR	INIT-FAX NO.	R		
B	LNP, xDSL Loops	V	LSR	INIT	R		
B	LNP, xDSL Loops	V	LSR	INIT-FAX NO.	R		
B	INP, Digital Designed Basic Rate ISDN	V	LSR	INIT	R	M	
B	INP, Digital Designed Basic Rate ISDN	V	LSR	INIT-FAX NO.	R	M	
B	INP, Digital Data Designed Loop (DS0)	V	LSR	INIT	R	M	
B	INP, Digital Data Designed Loop (DS0)	V	LSR	INIT-FAX NO.	R	M	
B	LNP, Digital Designed Basic Rate ISDN	V	LSR	INIT	R		
B	LNP, Digital Designed Basic Rate ISDN	V	LSR	INIT-FAX NO.	R		
B	LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)	V	LSR	INIT	R		
B	LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)	V	LSR	INIT-FAX NO.	R		
B	UNE to UNE Bulk Migrations	V	LSR	INIT	R	E	
B	UNE to UNE Bulk Migrations	V	LSR	INIT-FAX NO.	R	E	
B	INP, Unbundled Copper Loop – Non-Designed (UCL-ND)	V	LSR	INIT	R	M	
B	INP, Unbundled Copper Loop – Non-Designed (UCL-ND)	V	LSR	INIT-FAX NO.	R	M	
C	INP	C	LSR	INIT	R	M	
C	INP	C	LSR	INIT-FAX NO.	R	M	
C	INP	V	LSR	INIT	R	M	
C	INP	V	LSR	INIT-FAX NO.	R	M	
C	LNP	V	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
C	LNP	V	LSR	INIT-FAX NO.	R		
C	Wireless LNP (WLNP)	V	LSR	INIT	R		
C	Wireless LNP (WLNP)	V	LSR	INIT-FAX NO.	R		
E	Resale, non- complex	B	LSR	INIT	R		
E	Resale, non- complex	B	LSR	INIT-FAX NO.	R		
E	Resale, non- complex	C	LSR	INIT	R		
E	Resale, non- complex	C	LSR	INIT-FAX NO.	R		
E	Resale, non- complex	D	LSR	INIT	R		
E	Resale, non- complex	D	LSR	INIT-FAX NO.	R		
E	Resale, non- complex	L	LSR	INIT	R		
E	Resale, non- complex	L	LSR	INIT-FAX NO.	R		
E	Resale, non- complex	N	LSR	INIT	R		
E	Resale, non- complex	N	LSR	INIT-FAX NO.	R		
E	Resale, non- complex	S	LSR	INIT	R		
E	Resale, non- complex	S	LSR	INIT-FAX NO.	R		
E	Resale, non- complex	T	LSR	INIT	R		
E	Resale, non- complex	T	LSR	INIT-FAX NO.	R		
E	Resale, non- complex	V	LSR	INIT	R		
E	Resale, non- complex	V	LSR	INIT-FAX NO.	R		
E	Resale, non- complex	W	LSR	INIT	R		
E	Resale, non- complex	W	LSR	INIT-FAX NO.	R		
E	Resale, non- complex	Y	LSR	INIT	R		
E	Resale, non- complex	Y	LSR	INIT-FAX NO.	R		
E	Remote Call Forwarding (RCF)	C	LSR	INIT	R		
E	Remote Call Forwarding (RCF)	C	LSR	INIT-FAX NO.	R		
E	Remote Call Forwarding (RCF)	D	LSR	INIT	R		
E	Remote Call Forwarding (RCF)	D	LSR	INIT-FAX NO.	R		
E	Remote Call	N	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Forwarding (RCF) Remote Call						
E	Forwarding (RCF) Remote Call	N	LSR	INIT-FAX NO.	R		
E	Forwarding (RCF) Remote Call	T	LSR	INIT	R		
E	Forwarding (RCF) Remote Call	T	LSR	INIT-FAX NO.	R		
E	Forwarding (RCF) Remote Call	V	LSR	INIT	R		
E	Forwarding (RCF) Remote Call	V	LSR	INIT-FAX NO.	R		
E	Forwarding (RCF) Remote Call	W	LSR	INIT	R		
E	Forwarding (RCF) ISDN-BRI Resale	W	LSR	INIT-FAX NO.	R		
E	Service ISDN-BRI Resale	C	LSR	INIT	R		
E	Service ISDN-BRI Resale	C	LSR	INIT-FAX NO.	R		
E	Service ISDN-BRI Resale	D	LSR	INIT	R		
E	Service ISDN-BRI Resale	D	LSR	INIT-FAX NO.	R		
E	Service ISDN-BRI Resale	N	LSR	INIT	R	M	
E	Service ISDN-BRI Resale	N	LSR	INIT-FAX NO.	R	M	
E	Service ISDN-BRI Resale	T	LSR	INIT	R	M	
E	Service ISDN-BRI Resale	T	LSR	INIT-FAX NO.	R	M	
E	Service ISDN-BRI Resale	V	LSR	INIT	R		
E	Service ISDN-BRI Resale	V	LSR	INIT-FAX NO.	R		
E	Service ISDN-BRI Resale	W	LSR	INIT	R		
E	Service	W	LSR	INIT-FAX NO.	R		
E	Coin	C	LSR	INIT	R		
E	Coin	C	LSR	INIT-FAX NO.	R		
E	Coin	D	LSR	INIT	R		
E	Coin	D	LSR	INIT-FAX NO.	R		
E	Coin	N	LSR	INIT	R		
E	Coin	N	LSR	INIT-FAX NO.	R		
E	Coin	T	LSR	INIT	R		
E	Coin	T	LSR	INIT-FAX NO.	R		
E	Coin	V	LSR	INIT	R		
E	Coin	V	LSR	INIT-FAX NO.	R		
E	Coin	W	LSR	INIT	R		
E	Coin	W	LSR	INIT-FAX NO.	R		
E	BellSouth® Intergrated	C	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Solutions						
	BellSouth®						
	Intergrated						
E	Solutions	C	LSR	INIT-FAX NO.	R	M	
	BellSouth®						
	Intergrated						
E	Solutions	D	LSR	INIT	R	M	
	BellSouth®						
	Intergrated						
E	Solutions	D	LSR	INIT-FAX NO.	R	M	
	BellSouth®						
	Intergrated						
E	Solutions	N	LSR	INIT	R	M	
	BellSouth®						
	Intergrated						
E	Solutions	N	LSR	INIT-FAX NO.	R	M	
	BellSouth®						
	Intergrated						
E	Solutions	V	LSR	INIT	R	M	
	BellSouth®						
	Intergrated						
E	Solutions	V	LSR	INIT-FAX NO.	R	M	
	BellSouth®						
	Intergrated						
E	Solutions	W	LSR	INIT	R	M	
	BellSouth®						
	Intergrated						
E	Solutions	W	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	C	LSR	INIT	R	M	
E	AccuPulse®	C	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	D	LSR	INIT	R	M	
E	AccuPulse®	D	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	N	LSR	INIT	R	M	
E	AccuPulse®	N	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	T	LSR	INIT	R	M	
E	AccuPulse®	T	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	V	LSR	INIT	R	M	
E	AccuPulse®	V	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	W	LSR	INIT	R	M	
E	AccuPulse®	W	LSR	INIT-FAX NO.	R	M	
E	ATM	C	LSR	INIT	R	M	
E	ATM	C	LSR	INIT-FAX NO.	R	M	
E	ATM	D	LSR	INIT	R	M	
E	ATM	D	LSR	INIT-FAX NO.	R	M	
E	ATM	N	LSR	INIT	R	M	
E	ATM	N	LSR	INIT-FAX NO.	R	M	
E	ATM	T	LSR	INIT	R	M	
E	ATM	T	LSR	INIT-FAX NO.	R	M	
E	ATM	V	LSR	INIT	R	M	
E	ATM	V	LSR	INIT-FAX NO.	R	M	
E	ATM	W	LSR	INIT	R	M	



Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
E	ATM	W	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	C	LSR	INIT	R	M	
E	Frame Relay	C	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	D	LSR	INIT	R	M	
E	Frame Relay	D	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	N	LSR	INIT	R	M	
E	Frame Relay	N	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	T	LSR	INIT	R	M	
E	Frame Relay	T	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	V	LSR	INIT	R	M	
E	Frame Relay	V	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	W	LSR	INIT	R	M	
E	Frame Relay	W	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	C	LSR	INIT	R	M	
E	MegaLink® Service	C	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	D	LSR	INIT	R	M	
E	MegaLink® Service	D	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	N	LSR	INIT	R	M	
E	MegaLink® Service	N	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	T	LSR	INIT	R	M	
E	MegaLink® Service	T	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	V	LSR	INIT	R	M	
E	MegaLink® Service	V	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	W	LSR	INIT	R	M	
E	MegaLink® Service	W	LSR	INIT-FAX NO.	R	M	
E	Channel Services MegaLink®	C	LSR	INIT	R	M	
E	Channel Services MegaLink®	C	LSR	INIT-FAX NO.	R	M	
E	Channel Services MegaLink®	D	LSR	INIT	R	M	
E	Channel Services MegaLink®	D	LSR	INIT-FAX NO.	R	M	
E	Channel Services MegaLink®	N	LSR	INIT	R	M	
E	Channel Services MegaLink®	N	LSR	INIT-FAX NO.	R	M	
E	Channel Services MegaLink®	T	LSR	INIT	R	M	
E	Channel Services MegaLink®	T	LSR	INIT-FAX NO.	R	M	
E	Channel Services MegaLink®	V	LSR	INIT	R	M	
E	Channel Services MegaLink®	V	LSR	INIT-FAX NO.	R	M	
E	Channel Services MegaLink®	W	LSR	INIT	R	M	
E	Channel Services	W	LSR	INIT-FAX NO.	R	M	
E	NMLI	C	LSR	INIT	R	M	
E	NMLI	C	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
E	NMLI	D	LSR	INIT	R	M	
E	NMLI	D	LSR	INIT-FAX NO.	R	M	
E	NMLI	N	LSR	INIT	R	M	
E	NMLI	N	LSR	INIT-FAX NO.	R	M	
E	NMLI	V	LSR	INIT	R	M	
E	NMLI	V	LSR	INIT-FAX NO.	R	M	
E	NMLI	W	LSR	INIT	R	M	
E	NMLI	W	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	C	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	C	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	D	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	D	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	N	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	N	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	T	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	T	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	V	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	V	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	W	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	W	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	C	LSR	INIT	R	M	
E	SMARTRing® Service	C	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	D	LSR	INIT	O	M	
E	SMARTRing® Service	D	LSR	INIT	R	M	
E	SMARTRing® Service	D	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	N	LSR	INIT	R	M	
E	SMARTRing® Service	N	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	T	LSR	INIT	R	M	
E	SMARTRing® Service	T	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	V	LSR	INIT	R	M	
E	SMARTRing® Service	V	LSR	INIT-FAX NO.	R	M	



Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Service						
E	SMARTRing® Service	W	LSR	INIT	R	M	
E	SMARTRing® Service	W	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	C	LSR	INIT	R	M	
E	LIGHTGATE® Services	C	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	D	LSR	INIT	R	M	
E	LIGHTGATE® Services	D	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	N	LSR	INIT	R	M	
E	LIGHTGATE® Services	N	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	T	LSR	INIT	R	M	
E	LIGHTGATE® Services	T	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	V	LSR	INIT	R	M	
E	LIGHTGATE® Services	V	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	W	LSR	INIT	R	M	
E	LIGHTGATE® Services	W	LSR	INIT-FAX NO.	R	M	
E	TFD	C	LSR	INIT	R	M	
E	TFD	C	LSR	INIT-FAX NO.	R	M	
E	TFD	D	LSR	INIT	R	M	
E	TFD	D	LSR	INIT-FAX NO.	R	M	
E	TFD	N	LSR	INIT	R	M	
E	TFD	N	LSR	INIT-FAX NO.	R	M	
E	TFD	V	LSR	INIT	R	M	
E	TFD	V	LSR	INIT-FAX NO.	R	M	
E	TFD	W	LSR	INIT	R	M	
E	TFD	W	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	C	LSR	INIT	R	M	
E	TIE Lines	C	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	D	LSR	INIT	R	M	
E	TIE Lines	D	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	N	LSR	INIT	R	M	
E	TIE Lines	N	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	T	LSR	INIT	R	M	
E	TIE Lines	T	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	V	LSR	INIT	R	M	
E	TIE Lines	V	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	W	LSR	INIT	R	M	
E	TIE Lines	W	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	On/Off Premises						
E	Extensions	C	LSR	INIT	R	M	
	On/Off Premises						
E	Extensions	C	LSR	INIT-FAX NO.	R	M	
	On/Off Premises						
E	Extensions	D	LSR	INIT	R	M	
	On/Off Premises						
E	Extensions	D	LSR	INIT-FAX NO.	R	M	
	On/Off Premises						
E	Extensions	N	LSR	INIT	R	M	
	On/Off Premises						
E	Extensions	N	LSR	INIT-FAX NO.	R	M	
	On/Off Premises						
E	Extensions	T	LSR	INIT	R	M	
	On/Off Premises						
E	Extensions	T	LSR	INIT-FAX NO.	R	M	
	On/Off Premises						
E	Extensions	V	LSR	INIT	R	M	
	On/Off Premises						
E	Extensions	V	LSR	INIT-FAX NO.	R	M	
	On/Off Premises						
E	Extensions	W	LSR	INIT	R	M	
	On/Off Premises						
E	Extensions	W	LSR	INIT-FAX NO.	R	M	
	BellSouth® 256						
E	DSL Service	C	LSR	INIT	R	M	
	BellSouth® 256						
E	DSL Service	C	LSR	INIT-FAX NO.	R	M	
	BellSouth® 256						
E	DSL Service	D	LSR	INIT	R	M	
	BellSouth® 256						
E	DSL Service	D	LSR	INIT-FAX NO.	R	M	
	BellSouth® 256						
E	DSL Service	N	LSR	INIT	R	M	
	BellSouth® 256						
E	DSL Service	N	LSR	INIT-FAX NO.	R	M	
	BellSouth® 256						
E	DSL Service	T	LSR	INIT	R	M	
	BellSouth® 256						
E	DSL Service	T	LSR	INIT-FAX NO.	R	M	
	BellSouth® 256						
E	DSL Service	V	LSR	INIT	R	M	
	BellSouth® 256						
E	DSL Service	V	LSR	INIT-FAX NO.	R	M	
	BellSouth® 256						
E	DSL Service	W	LSR	INIT	R	M	
	BellSouth® 256						
E	DSL Service	W	LSR	INIT-FAX NO.	R	M	
	BellSouth® 256						
E	WATS	C	LSR	INIT	R	M	
E	WATS	C	LSR	INIT-FAX NO.	R	M	
E	WATS	D	LSR	INIT	R	M	
E	WATS	D	LSR	INIT-FAX NO.	R	M	
E	WATS	N	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
E	WATS	N	LSR	INIT-FAX NO.	R	M	
E	WATS	V	LSR	INIT	R	M	
E	WATS	V	LSR	INIT-FAX NO.	R	M	
E	WATS	W	LSR	INIT	R	M	
E	WATS	W	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	C	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	C	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	D	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	D	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	N	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	N	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	T	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	T	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	V	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	V	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	W	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	W	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	C	LSR	INIT	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	C	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	N	LSR	INIT	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	N	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	T	LSR	INIT	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	T	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	V	LSR	INIT	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	V	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Complex PBX On/Off Premises						
E	Extensions/DPA	W	LSR	INIT	R	M	
	Complex PBX On/Off Premises						
E	Extensions/DPA	W	LSR	INIT-FAX NO.	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	C	LSR	INIT	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	C	LSR	INIT-FAX NO.	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	N	LSR	INIT	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	N	LSR	INIT-FAX NO.	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	T	LSR	INIT	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	T	LSR	INIT-FAX NO.	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	V	LSR	INIT	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	V	LSR	INIT-FAX NO.	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	W	LSR	INIT	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	W	LSR	INIT-FAX NO.	R	M	
E	Address Correction	R	LSR	INIT	R	M	
E	Address Correction	R	LSR	INIT-FAX NO.	R	M	
	BellSouth® Metro						
E	Ethernet	C	LSR	INIT	R	M	
	BellSouth® Metro						
E	Ethernet	C	LSR	INIT-FAX NO.	R	M	
	BellSouth® Metro						
E	Ethernet	D	LSR	INIT	R	M	
	BellSouth® Metro						
E	Ethernet	D	LSR	INIT-FAX NO.	R	M	
	BellSouth® Metro						
E	Ethernet	N	LSR	INIT	R	M	
	BellSouth® Metro						
E	Ethernet	N	LSR	INIT-FAX NO.	R	M	
	BellSouth® Metro						
E	Ethernet	V	LSR	INIT	R	M	
	BellSouth® Metro						
E	Ethernet	V	LSR	INIT-FAX NO.	R	M	



Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	BellSouth® Metro						
E	Ethernet	W	LSR	INIT	R	M	
	BellSouth® Metro						
E	Ethernet	W	LSR	INIT-FAX NO.	R	M	
F	Port Service	B	LSR	INIT	R		
F	Port Service	B	LSR	INIT-FAX NO.	R		
F	Port Service	C	LSR	INIT	R		
F	Port Service	C	LSR	INIT-FAX NO.	R		
F	Port Service	D	LSR	INIT	R		
F	Port Service	D	LSR	INIT-FAX NO.	R		
F	Port Service	L	LSR	INIT	R		
F	Port Service	L	LSR	INIT-FAX NO.	R		
F	Port Service	N	LSR	INIT	R		
F	Port Service	N	LSR	INIT-FAX NO.	R		
F	Port Service	S	LSR	INIT	R		
F	Port Service	S	LSR	INIT-FAX NO.	R		
F	Port Service	V	LSR	INIT	R		
F	Port Service	V	LSR	INIT-FAX NO.	R		
F	Port Service	Y	LSR	INIT	R		
F	Port Service	Y	LSR	INIT-FAX NO.	R		
J	Directory Listing	D	LSR	INIT	R		
J	Directory Listing	D	LSR	INIT-FAX NO.	R		
J	Directory Listing	N	LSR	INIT	R		
J	Directory Listing	N	LSR	INIT-FAX NO.	R		
J	Directory Listing	R	LSR	INIT	R		
J	Directory Listing	R	LSR	INIT-FAX NO.	R		
K	Private Line	C	LSR	INIT	R	M	
K	Private Line	C	LSR	INIT-FAX NO.	R	M	
K	Private Line	D	LSR	INIT	R	M	
K	Private Line	D	LSR	INIT-FAX NO.	R	M	
K	Private Line	N	LSR	INIT	R	M	
K	Private Line	N	LSR	INIT-FAX NO.	R	M	
K	Private Line	T	LSR	INIT	R	M	
K	Private Line	T	LSR	INIT-FAX NO.	R	M	
K	Private Line	V	LSR	INIT	R	M	
K	Private Line	V	LSR	INIT-FAX NO.	R	M	
K	Private Line	W	LSR	INIT	R	M	
K	Private Line	W	LSR	INIT-FAX NO.	R	M	
K	Synchronet	C	LSR	INIT	R	M	
K	Synchronet	C	LSR	INIT-FAX NO.	R	M	
K	Synchronet	D	LSR	INIT	O	M	Remove (Looks like field is in R/C/O twice)
K	Synchronet	D	LSR	INIT	R	M	
K	Synchronet	D	LSR	INIT-FAX NO.	R	M	
K	Synchronet	D	LSR	INIT-FAX NO.	C	M	Change from Conditional to Required
K	Synchronet	N	LSR	INIT	R	M	



Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
K	Synchronet	N	LSR	INIT-FAX NO.	R	M	
K	Synchronet	T	LSR	INIT	R	M	
K	Synchronet	T	LSR	INIT-FAX NO.	R	M	
K	Synchronet	V	LSR	INIT	R	M	
K	Synchronet	V	LSR	INIT-FAX NO.	R	M	
K	Synchronet	W	LSR	INIT	R	M	
K	Synchronet	W	LSR	INIT-FAX NO.	R	M	
M	Switched Combo Bus/Res	B	LSR	INIT	R		
M	Switched Combo Bus/Res	B	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	C	LSR	INIT	R		
M	Switched Combo Bus/Res	C	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	D	LSR	INIT	R		
M	Switched Combo Bus/Res	D	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	L	LSR	INIT	R		
M	Switched Combo Bus/Res	L	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	N	LSR	INIT	R		
M	Switched Combo Bus/Res	N	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	S	LSR	INIT	R		
M	Switched Combo Bus/Res	S	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	T	LSR	INIT	R		
M	Switched Combo Bus/Res	T	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	V	LSR	INIT	R		
M	Switched Combo Bus/Res	V	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	W	LSR	INIT	R		
M	Switched Combo Bus/Res	W	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	Y	LSR	INIT	R		
M	Switched Combo Bus/Res	Y	LSR	INIT-FAX NO.	R		
M	Remote Call Forwarding (RCF)	C	LSR	INIT	R		
M	Remote Call Forwarding (RCF)	C	LSR	INIT-FAX NO.	R		



Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Switched Combo Remote Call						
M	Forwarding (RCF)	D	LSR	INIT	R		
	Switched Combo Remote Call						
M	Forwarding (RCF)	D	LSR	INIT-FAX NO.	R		
	Switched Combo Remote Call						
M	Forwarding (RCF)	N	LSR	INIT	R		
	Switched Combo Remote Call						
M	Forwarding (RCF)	N	LSR	INIT-FAX NO.	R		
	Switched Combo Remote Call						
M	Forwarding (RCF)	T	LSR	INIT	R		
	Switched Combo Remote Call						
M	Forwarding (RCF)	T	LSR	INIT-FAX NO.	R		
	Switched Combo Remote Call						
M	Forwarding (RCF)	V	LSR	INIT	R		
	Switched Combo Remote Call						
M	Forwarding (RCF)	V	LSR	INIT-FAX NO.	R		
	Switched Combo Remote Call						
M	Forwarding (RCF)	W	LSR	INIT	R		
	Switched Combo Remote Call						
M	Forwarding (RCF)	W	LSR	INIT-FAX NO.	R		
M	Coin	C	LSR	INIT	R		
M	Coin	C	LSR	INIT-FAX NO.	R		
M	Coin	D	LSR	INIT	R		
M	Coin	D	LSR	INIT-FAX NO.	R		
M	Coin	N	LSR	INIT	R		
M	Coin	N	LSR	INIT-FAX NO.	R		
M	Coin	T	LSR	INIT	R		
M	Coin	T	LSR	INIT-FAX NO.	R		
M	Coin	V	LSR	INIT	R		
M	Coin	V	LSR	INIT-FAX NO.	R		
M	Coin	W	LSR	INIT	R		
M	Coin	W	LSR	INIT-FAX NO.	R		
	4-wire ISDN PRI						
M	Combination	C	LSR	INIT	R	M	
	4-wire ISDN PRI						
M	Combination	C	LSR	INIT-FAX NO.	R	M	
	4-wire ISDN PRI						
M	Combination	D	LSR	INIT	R	M	
	4-wire ISDN PRI						
M	Combination	D	LSR	INIT-FAX NO.	R	M	
	4-wire ISDN PRI						
M	Combination	N	LSR	INIT	R	M	
M	4-wire ISDN PRI	N	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Combination 4-wire ISDN PRI						
M	Combination	V	LSR	INIT	R	M	
	4-wire ISDN PRI						
M	Combination	V	LSR	INIT-FAX NO.	R	M	
	2-wire ISDN-BRI						
M	UNE Combo	C	LSR	INIT	R	M	
	2-wire ISDN-BRI						
M	UNE Combo	C	LSR	INIT-FAX NO.	R	M	
	2-wire ISDN-BRI						
M	UNE Combo	D	LSR	INIT	R	M	
	2-wire ISDN-BRI						
M	UNE Combo	D	LSR	INIT-FAX NO.	R	M	
	2-wire ISDN-BRI						
M	UNE Combo	N	LSR	INIT	R	M	
	2-wire ISDN-BRI						
M	UNE Combo	N	LSR	INIT-FAX NO.	R	M	
	2-wire ISDN-BRI						
M	UNE Combo	V	LSR	INIT	R	M	
	2-wire ISDN-BRI						
M	UNE Combo	V	LSR	INIT-FAX NO.	R	M	
M	DDITS - DS1	C	LSR	INIT	R	M	
M	DDITS - DS1	C	LSR	INIT-FAX NO.	R	M	
M	DDITS - DS1	D	LSR	INIT	R	M	
M	DDITS - DS1	D	LSR	INIT-FAX NO.	R	M	
M	DDITS - DS1	N	LSR	INIT	R	M	
M	DDITS - DS1	N	LSR	INIT-FAX NO.	R	M	
M	DDITS - DS1	V	LSR	INIT	R	M	
M	DDITS - DS1	V	LSR	INIT-FAX NO.	R	M	
	DDITS - UNE Combos Trunk						
M	Service	C	LSR	INIT	R	M	
	DDITS - UNE Combos Trunk						
M	Service	C	LSR	INIT-FAX NO.	R	M	
	DDITS - UNE Combos Trunk						
M	Service	D	LSR	INIT	R	M	
	DDITS - UNE Combos Trunk						
M	Service	D	LSR	INIT-FAX NO.	R	M	
	DDITS - UNE Combos Trunk						
M	Service	N	LSR	INIT	R	M	
	DDITS - UNE Combos Trunk						
M	Service	N	LSR	INIT-FAX NO.	R	M	
	DDITS - UNE Combos Trunk						
M	Service	V	LSR	INIT	R	M	
	DDITS - UNE Combos Trunk						
M	Service	V	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	C	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	C	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	D	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	D	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	N	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	N	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	V	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	V	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	C	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	C	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	D	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	D	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	N	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization	N	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
M	with Port (Trunk Service) 4-wire DS1 Loop with Channelization with Port (Trunk Service)	V	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	V	LSR	INIT-FAX NO.	R	M	
M	UNE P Centrex	C	LSR	INIT	R	M	
M	UNE P Centrex	C	LSR	INIT-FAX NO.	R	M	
M	UNE P Centrex	D	LSR	INIT	R	M	
M	UNE P Centrex	D	LSR	INIT-FAX NO.	R	M	
M	UNE P Centrex	N	LSR	INIT	R	M	
M	UNE P Centrex	N	LSR	INIT-FAX NO.	R	M	
M	UNE P Centrex	V	LSR	INIT	R	M	
M	UNE P Centrex	V	LSR	INIT-FAX NO.	R	M	
M	UNE-P Complex PBX On/Off Premises Extensions/DPA	C	LSR	INIT	R	M	
M	UNE-P Complex PBX On/Off Premises Extensions/DPA	C	LSR	INIT-FAX NO.	R	M	
M	UNE-P Complex PBX On/Off Premises Extensions/DPA	N	LSR	INIT	R	M	
M	UNE-P Complex PBX On/Off Premises Extensions/DPA	N	LSR	INIT-FAX NO.	R	M	
M	UNE-P Complex PBX On/Off Premises Extensions/DPA	V	LSR	INIT	R	M	
M	UNE-P Complex PBX On/Off Premises Extensions/DPA	V	LSR	INIT-FAX NO.	R	M	
M	UNE-P Non-Complex On/Off Premises Extensions/DPA	C	LSR	INIT	R	M	
M	UNE-P Non-Complex On/Off Premises Extensions/DPA	C	LSR	INIT-FAX NO.	R	M	
M	UNE-P Non-Complex On/Off Premises	N	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Extensions/DPA UNE-P Non- Complex On/Off Premises						
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	N	LSR	INIT-FAX NO.	R	M	
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	T	LSR	INIT	R	M	
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	T	LSR	INIT-FAX NO.	R	M	
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	V	LSR	INIT	R	M	
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	V	LSR	INIT-FAX NO.	R	M	
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	W	LSR	INIT	R	M	
M	Extensions/DPA	W	LSR	INIT-FAX NO.	R	M	
N	DID Resale Service	C	LSR	INIT	R		
N	DID Resale Service	C	LSR	INIT-FAX NO.	R		
N	DID Resale Service	D	LSR	INIT	R	M	
N	DID Resale Service	D	LSR	INIT-FAX NO.	R	M	
N	DID Resale Service	N	LSR	INIT	R	M	
N	DID Resale Service	N	LSR	INIT-FAX NO.	R	M	
N	DID Resale Service	T	LSR	INIT	R	M	
N	DID Resale Service	T	LSR	INIT-FAX NO.	R	M	
N	DID Resale Service	V	LSR	INIT	R		
N	DID Resale Service	V	LSR	INIT-FAX NO.	R		
N	DID Resale Service	W	LSR	INIT	R		
N	DID Resale Service	W	LSR	INIT-FAX NO.	R		
N	2-wire DID UNE Combination	C	LSR	INIT	R	M	
N	2-wire DID UNE Combination	C	LSR	INIT-FAX NO.	R	M	
N	2-wire DID UNE Combination	D	LSR	INIT	R	M	
N	2-wire DID UNE Combination	D	LSR	INIT-FAX NO.	R	M	
N	2-wire DID UNE Combination	N	LSR	INIT	R	M	
N	2-wire DID UNE Combination	N	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
N	2-wire DID UNE Combination	V	LSR	INIT	R	M	
N	2-wire DID UNE Combination	V	LSR	INIT-FAX NO.	R	M	
N	PBX Resale Service	C	LSR	INIT	R	M	Remove (m)
N	PBX Resale Service	C	LSR	INIT-FAX NO.	R		
N	PBX Resale Service	D	LSR	INIT	R	M	Remove (m)
N	PBX Resale Service	D	LSR	INIT-FAX NO.	R		
N	PBX Resale Service	N	LSR	INIT	R		
N	PBX Resale Service	N	LSR	INIT-FAX NO.	R		
N	PBX Resale Service	T	LSR	INIT	R		
N	PBX Resale Service	T	LSR	INIT-FAX NO.	R		
N	PBX Resale Service	V	LSR	INIT	R		
N	PBX Resale Service	V	LSR	INIT-FAX NO.	R		
N	PBX Resale Service	W	LSR	INIT	R		
N	PBX Resale Service	W	LSR	INIT-FAX NO.	R		
N	PBX Stand Alone Port	C	LSR	INIT	R	M	
N	PBX Stand Alone Port	C	LSR	INIT-FAX NO.	R	M	
N	PBX Stand Alone Port	D	LSR	INIT	R	M	
N	PBX Stand Alone Port	D	LSR	INIT-FAX NO.	R	M	
N	PBX Stand Alone Port	N	LSR	INIT	R	M	
N	PBX Stand Alone Port	N	LSR	INIT-FAX NO.	R	M	
N	PBX UNE Combo	C	LSR	INIT	R	M	
N	PBX UNE Combo	C	LSR	INIT-FAX NO.	R	M	
N	PBX UNE Combo	D	LSR	INIT	R	M	
N	PBX UNE Combo	D	LSR	INIT-FAX NO.	R	M	
N	PBX UNE Combo	N	LSR	INIT	R	M	
N	PBX UNE Combo	N	LSR	INIT-FAX NO.	R	M	
N	PBX UNE Combo	V	LSR	INIT	R	M	
N	PBX UNE Combo	V	LSR	INIT-FAX NO.	R	M	
N	Address Correction	R	LSR	INIT	R	M	
N	Address Correction	R	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	B	LSR	INIT	R	M	
P	BellSouth® Centrex®	B	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	C	LSR	INIT	R	M	
P	BellSouth® Centrex®	C	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	D	LSR	INIT	R	M	
P	BellSouth® Centrex®	D	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	L	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
P	BellSouth® Centrex®	L	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	N	LSR	INIT	R	M	
P	BellSouth® Centrex®	N	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	S	LSR	INIT	R	M	
P	BellSouth® Centrex®	S	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	T	LSR	INIT	R	M	
P	BellSouth® Centrex®	T	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	V	LSR	INIT	R	M	
P	BellSouth® Centrex®	V	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	W	LSR	INIT	R	M	
P	BellSouth® Centrex®	W	LSR	INIT-FAX NO.	R	M	
P	ESSX®	B	LSR	INIT	R	M	
P	ESSX®	B	LSR	INIT-FAX NO.	R	M	
P	ESSX®	C	LSR	INIT	R	M	
P	ESSX®	C	LSR	INIT-FAX NO.	R	M	
P	ESSX®	D	LSR	INIT	R	M	
P	ESSX®	D	LSR	INIT-FAX NO.	R	M	
P	ESSX®	L	LSR	INIT	R	M	
P	ESSX®	L	LSR	INIT-FAX NO.	R	M	
P	ESSX®	S	LSR	INIT	R	M	
P	ESSX®	S	LSR	INIT-FAX NO.	R	M	
P	ESSX®	T	LSR	INIT	R	M	
P	ESSX®	T	LSR	INIT-FAX NO.	R	M	
P	ESSX®	V	LSR	INIT	R	M	
P	ESSX®	V	LSR	INIT-FAX NO.	R	M	
P	ESSX®	W	LSR	INIT	R	M	
P	ESSX®	W	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	B	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	B	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	C	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	C	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	D	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	D	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	L	LSR	INIT	R	M	



Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
P	MultiServ® / MultiServ PLUS®	L	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	N	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	N	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	S	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	S	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	T	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	T	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	V	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	V	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	W	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	W	LSR	INIT-FAX NO.	R	M	

CCP 1860 Attachment Listed Below

Reqtyp J

Directory Listing

Product Listing

Directory Listings

Standard Directory Listings include the name, address and telephone number of an customer. This listing appears alphabetically in the Directory Assistance (DA) records and the White Pages Directory for the area in which the telephone service is located. Directory listings are intended to be an aid in the use of the telephone service, so they are limited to information for the identification of the listed party.

Ordering Forms/Screens for REQ TYP J

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Directory Listing		
LSR	EU	DL
R	R	C [1]
R = Required C = Conditional O = Optional		

[1] = The DL form/screen is required for ACT N or R, and prohibited for ACT D.

Completing the LSR and EU Forms/Screens

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid REQ TYP / ACT combination in the **REQ TYP / ACT Combination for Directory Listing** Section.

The following chart shows all of the valid account level activities for REQ TYP J. Refer to the **REQ TYP Overview** Section for descriptions of the account level activities.

Valid Account Level Activities REQTYP J - Directory Listing		
N	D	R
X	X	X
" X " denotes valid account level activities. A dash (-) indicates a non-valid account level activity.		

For REQTYP(s) other than J

The DL form is applicable to REQTYPs B, C, E, F, K, M, N, P.

The following chart illustrates when the DL form is required, conditional, optional or prohibited, for the different ACTTYPs.

ACT	DL Form R/C/O
N	R
C	C*
D	P
L	P
T	R
R	O
V	C**
W	P
S	P
B	P
Y	P
R=Required, C=Conditional, O=Optional, P=Prohibited	

*The DL form is required when the ACT is C and the request is to change service from residence to business, or business to residence.

**The DL form is required when the ACT is V and the ELT field is populated with C.

Valid LACT and DACT for ACT Type

The Directory Listing (DL) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid listing activities (LACTs) and valid delivery activities (DACTs). These LACTs and DACTs determine how, or if, the DL form/screen should be populated. The following charts give the valid LACTs and DACTs for each account level activity (ACT) and the associated DL formsscreen usage.

If ACT is:	Then LACT is:	And DL form/screen is:
------------	---------------	------------------------

N	N	Required
D	Prohibited	Prohibited
R	N, D, I or O (REQTYP J)	Optional
T	N	Required
C	N, D, I or O	Optional
V	N, D or Z (REQTYP E, M)	Conditional
V	N, Z (REQTYP B, C)	Conditional

If ACT is:	Then DACT is:	And DL form/screen is:
N	N	Required
D	Prohibited	Not Required
R	N	Required
T	N	Required
C	N	Optional
V	N	Optional

The LACT and DACT Entries

Activities for directory listings and directory delivery are listed below.

Listing Activities (LACT) for Directory Listings:

N = New Listing

D = Delete Listing

I = Change Listing (new data to be inserted)

O = Change Listing (old data)

Z = No Change to listing

Delivery Activities (DACT) for Directory Delivery:

N = New Directory Delivery

Address Correction

Description:

This section defines the process for correcting address information when the service address shown on the existing customer service record should be changed for record purposes only.

An address correction occurs when a customer submits a request to change the address on an existing end user account to ensure the information on the Customer Service Record (CSR) accurately reflects the location where the service is working.

Restrictions:

Restrictions for Address Correction orders are shown under the Address Correction heading in the Reqty E chapter (page **Error! Bookmark not defined.**) and the Reqty N chapter (page **Error! Bookmark not defined.**).

Ordering Forms/Screens

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Address Correction		
LSR	EU	DL
R	R	CO
R = Required C = Conditional O = Optional		

Completing the LSR and EU Forms/Screens

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid REQTYP / ACT combination in the **REQTYP / ACT Combination for Directory Listing** Section.

The following chart shows all of the valid account level activities for REQTYP J. Refer to the **REQTYP Overview** Section for descriptions of the account level activities.

Valid Account Level Activities Address Correction			
N	C	D	R
-	-	-	X
" X " denotes valid account level activities. A dash (-) indicates a non-valid account level activity.			

Valid LACT and DACT for Address Correction

The Directory Listing (DL) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid listing activities (LACTs) and valid delivery activities (DACTs). These LACTs and DACTs determine how, or if, the DL form/screen should be populated. The following charts give the valid LACTs and DACTs for each account level activity (ACT) and the associated DL forms screen usage.

The DL form is not required for service address corrections, however if the Listed Address (LA) is to be changed in conjunction with the service address (SA) correction a DL form must be submitted. When the DL form is submitted the chart below depicts the valid ACT/LACT/DACT allowed for address corrections.

If ACT is:	Then LACT is:	And DL form/screen is:
R	I or O	Required

If ACT is:	Then DACT is:	And DL form/screen is:
R	N	Optional Required

*Note: The ACT of R in the charts above is limited to REQTYP E, M or N and is applicable only to address correction request(s).

Note 2: When the ACT is R on REQTYP is E, M or N, and the request is for an address correction the customer should use the LSR/EU R/C/O tables for completing that portion of the request.

CCP 1877 Attachment Listed Below**LCON-TEL NO. – Local Contact Telephone Number****EU Form/Screen**

15.0B(LSOG6 / ELMS6 map)

Definition:

Identifies the telephone number of the local contact for the service location.

Definition Notes:

NOTE 1: During installation, this is the contact number that the provider's technician will call to reach the person named in the LCON-NAME field that can provide access to the service location.

Valid Entries:

None

Valid Entry Notes:

None

Data Characteristics:

Manual: Minimum of 10 numeric characters or up to 14 numeric characters (excluding 3 optional hyphens)

Electronic: 10 numeric characters

Examples:

Manual:

20198135871234

201-981-3587-1234

2059813587

205-981-3587

Electronic: 2019813587

Conditional Usage Notes:

None

Business Rules

Rule 1: Population of this field on the LSR will be interpreted as permission by the CLEC for Bell South to contact the person named in the LCON field even though specific CLEC contract provisions state otherwise

CCP 1879 Attachment Listed Below

Note: Local Service Requests that are sent to the incorrect fax server will be returned as rejected.

Atlanta LCSC	Telephone Number	Fax Number
Resale - Consumer	800-872-3116	800-872-7059
Resale - Small Business/Coin	800-872-3116	800-303-4426
UNE Switched Combos (Non-Complex)	800-872-3116	877-711-0855
Billing	800-872-3116	205-321-2724

Birmingham LCSC	Telephone Number	Fax Number
Resale - Consumer	800-773-4967	888-704-9368
Resale - Small Business/Coin	800-773-4967	800-773-4970
Unbundled Network Elements and Local Number Portability	800-773-4967	888-792-6271
Wireless LNP	888-285-6123	877-711-0378
UNE Switched Combos (Non-Complex)	800-773-4967	888-704-9368
LNP to Resale/UNE P Migrations (Non-Complex) Complex CRSG	800-773-4967 800-773-4967 205-321-7702	888-792-6271 877-672-0132 800-365-8101 or email crsg@bellsouth.com
Complex Services- Resale & UNE Switched Combos	800-773-4967	877-672-0132
Billing	800-773-4967	205-321-2817

CCP 1880 Attachment Listed Below**AD – Associated Detail****DIDPBXDOD Form/Screen**

15.0B(LSOG6 / ELMS6 map)

Definition:

Identifies the telephone number and/or trunk section(s) associated with this request.

Definition Notes:

None

Valid Entries:

Entry	Description
A	DID/DOD Telephone Number Section only
B	Trunk Service Detail Section only
C	Both

Valid Entry Notes:

Note ~~OTE~~ 1: When AD is populated with A or C, the 2nd character of the TOS must be Q.

Note ~~OTE~~ 2: When both PBX and DID are on the same request and the AD field is populated with C, the 2nd character of the TOS must be Q.

Note 3: When AD is populated with B, the 2nd character of the TOS must be J.

Note 4: When AD is populated with C, data is required in both the DID Telephone Number Section and the Trunk Detail Section.

Data Characteristics:

1 alpha character

Examples:

A

Conditional Usage Notes:

Note 1: Required when the REQTYP is N, the 2nd character of the TOS is J, and the ACT Type is N, C, D, V or T. ~~otherwise prohibited.~~

Note 2: Required when the REQTYP is N, the 2nd character of the TOS is Q, and the ACT Type is C or V. ~~otherwise prohibited.~~

~~Note 3: When AD is populated with B, the 2nd character of the TOS must be J.~~

~~Note 4: When AD is populated with C, data is required in both the DID Telephone Number Section and the Trunk Detail Section.~~



Attachment
SN91084109

Manual:

Note 3: Required when the REQTYP is N, the 2nd character of the TOS is Q and the ACT is N.

Business Rules

None

CCP 1881 Attachment Listed Below

TCIF 9/ELMS 6

LPIC – IntraLATA Presubscription Indicator Code**PS Form/Screen**

16.0A(LSOG6 / ELMS6 map)

CRB Issues included: 2507

Definition:

Identifies the Presubscription Indicator Code (LPIC) for the carrier the customer has selected for IntraLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid LPIC Code of four (4) numerics
NONE	No LPIC chosen (Customer does not want to presubscribe).
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:
NA Not Applicable - Service may not require a LPIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, T or P, the only valid entries are NONE, UNDC or a 4 numeric valid LPIC code.

Note 2: For REQ TYP M when the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid LPIC code or when the LPIC is not changing, this field **must may** be populated with NC (No Change) or left Blank.

Note 3: For REQ TYP F when the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid LPIC code or when the LPIC is not changing, this field **must may** be populated with NC (No Change).

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC

NONE
0288***Conditional Usage Notes:***

Note 1: Required when the REQ TYP is M and the LNA field is populated with N, G, T or P and the 4th character of the TOS is not R.

Note 2: Prohibited when the LNA is populated with W, L or B.

Note 3: Required when the REQ TYP is F and the LNA is N, G, P or V.

Note 4: Required when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERTR or UERTE.

Note 5: Prohibited when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERLC, UERAC or UERVJ.

Business Rules

None

TCIF 9/ELMS 6

LPIC – IntraLATA Presubscription Indicator Code**RS Form/Screen**

16.0A(LSOG6 / ELMS6 map)

Definition:

Identifies the Presubscription Indicator Code (LPIC) for the carrier the customer has selected for IntraLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid LPIC Code (4 Numerics)
NONE	No LPIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a LPIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, T or P, the only valid entries are NONE, UNDC or a 4 numeric valid LPIC code.

Note 2 When the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid LPIC code or when the LPIC is not changing, this field **must may** be populated with NC (No Change) or left Blank.

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC
NONE
0288

Conditional Usage Notes:

Note 1: Required when the LNA field is N, T, G or P.

Note 2: Prohibited when the LNA is W, L or B.

Note 3: Required when the 1st character of TOS is 2 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFRS or RCFRU

Note 4: Prohibited when the 1st character of the TOS is 2 and the 4th character of the TOS is R and one of the LNECLS SVC field is populated with RCFRF, RD5RF, RCFWS, RCFWE, RCF7S, RCF7E, RCFRQ, RCFRE, RCFRG or RCFRN.

Note 5: Required when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVS or RCFVU.

Note 6: Prohibited when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVF, RD5VF, RCFVJ, RCFVQ, RCFVE, RCFVG, RCFVD, RCFLB, RCFVN, RCFWS, RCFWE, RCFWU, RCFWQ, RCFWG, RCF7S, RCF7E, RCF7Q or RCF7G.

Business Rules

None

***** End of definition for LPIC / RS form screen *****

TCIF 9/ELMS 6

PIC – InterLATA Presubscription Indicator Code

PS Form/Screen

16.0A(LSO6 / ELMS6 map)
CRB Issues included: 2507

Definition:

Identifies the Presubscription Indicator Code (PIC) for the carrier the customer has selected for the InterLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid PIC Code of four (4) numerics
NONE	No PIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a PIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, P or T, the only valid entries are NONE, UNDC or a 4 numeric valid PIC code.

Note 2: For REQ TYP M when the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid PIC code or when the PIC is not changing, this field **must may** be populated with NC (No Change) or left Blank.

Note 3: For REQ TYP F when the LNA is V, C or X the only valid entries are NONE, UNDC, NC or a valid PIC code **or when the PIC is not changing, this field must be populated with NC (No Change).**

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC
NONE
0288

Conditional Usage Notes:

Note 1: Required when the LNA field is N, G, X, V or P; and the REQ TYP is F.

Note 2: Required when the REQ TYP is M and the LNA is N, P, T, G or P and the 4th character of the TOS is not R.

Note 3: Prohibited when the LNA is W, L or B.

Note 4: Required when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERTR or UERTE.

Note 5: Prohibited when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERLC, UERAC or UERVJ.

Business Rules

None

***** End of definition for PIC / PS form screen *****

TCIF 9/ELMS 6

PIC – InterLATA Presubscription Indicator Code

RS Form/Screen

16.0A(LSOG6 / ELMS6 map)

CRB Issues included: 2507

Definition:

Identifies the Presubscription Indicator Code (PIC) for the carrier the customer has selected for InterLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid PIC Code of four (4) numerics
NONE	No PIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a PIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, T or P, the only valid entries are NONE, UNDC or a 4 numeric valid PIC code.

Note 2: When the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid PIC code or when the PIC is not changing, this field **must** ~~may~~ be populated with NC (No Change) or left Blank.

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC
NONE
0288

Conditional Usage Notes:

Note 1: Required when the LNA field is N, G, T or P.

Note 2: Prohibited when the ACT is W, L or B.

Note 3: Required when the 1st character of the TOS is 2 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFRQ, RCFRE or RCFRN.

Note 4: Prohibited when the 1st character of the TOS is 2 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFRF, RD5RF, RCFWS, RCFWE, RCF7S, RCF7E, RCFRU or RCFRG.

Note 5: Required when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVQ, RCFVE, RCFVN, RCF7E, RCFRS or RCF7Q.

Note 6: Prohibited when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVF, RD5VF, RCFVJ, RCFVU, RCFVG, RCFVD, RCFLB, RCFVS, RCFWS, RCFWE, RCFWU, RCFWQ, RCFWG, RCF7S or RCF7G.

Business Rules

None

***** End of definition for PIC / RS form screen *****

CCP 1882 Attachment Listed Below**PIC – InterLATA Presubscription Indicator Code****RS Form/Screen**

15.0B(LSOG6 / ELMS6 map)

Definition:

Identifies the Presubscription Indicator Code (PIC) for the carrier the customer has selected for InterLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid PIC Code of four (4) numerics
NONE	No PIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a PIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, T or P, the only valid entries are NONE, UNDC or a 4 numeric valid PIC code.

Note 2: When the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid LPIC code or when the PIC is not changing, this field may be populated with NC (No Change) or left Blank.

Note 3: When the 2nd character of the TOS is “H” and the Data PIC Code is different from the PIC Code, the Data PIC Code FID (DPIC XXXX) must be populated in the Feature Detail Section.

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:NC
NONE
0288

Conditional Usage Notes:

Note 1: Required when the LNA field is N, G, T or P.

Note 2: Prohibited when the ACT is W, L or B.

Business Rules

None

PIC – InterLATA Presubscription Indicator Code**PS Form/Screen**

15.0B(LSOG6 / ELMS6 map)

Definition:

Identifies the Presubscription Indicator Code (PIC) for the carrier the customer has selected for the InterLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid PIC Code of four (4) numerics
NONE	No PIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a PIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, P or T, the only valid entries are NONE, UNDC or a 4 numeric valid PIC code.

Note 2: For REQTYP M when the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid PIC code or when the PIC is not changing, this field may be populated with NC (No Change) or left Blank.

Note 3: For REQTYP F when the LNA is V, C or X the only valid entries are NONE, UNDC, NC or a valid PIC code.

Note 4: When the 2nd character of the TOS is “H” and the Data PIC Code is different from the PIC Code, the Data PIC Code FID (DPIC XXXX) must be populated in the Feature Detail Section.



Attachment
SN91084109

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC
NONE
0288

Conditional Usage Notes:

Note 1: Required when the LNA field is N, G, X, V or P; and the REQTYP is F.

Note 2: Required when the REQTYP is M and the LNA is N, P, T, G or P.

Note 3: Prohibited when the LNA is W, L or B.

Business Rules

None



Attachment
SN91084109

CCP 1883 Attachment Listed Below

Corrected spelling of the word 'Ocuurs' to "Occurs" in the Pre-Order Parsed CSR Response table.

CCP 1891 Attachment Listed Below**Release 15.0 and 16.0 ELMS 6**

Removed (M) from the following fields to be consistent with INIT.

Reqtyp	Product	Code Type	Code	Form/Screen	Field	R/C/O
N	PBX Resale Service	ACT	D	LSR	INIT-TEL NO.	R
N	PBX Resale Service	ACT	C	LSR	INIT-TEL NO.	R