
BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

**Carrier Notification
SN91084110**

Date: June 1, 2004

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version **16.0**, New Local Service Ordering Guide 6 (LSOG 6) and EDI Local Mechanization Specifications 6 (ELMS 6) for Release 16.0

This is to advise that BellSouth has identified the following documentation defects in the LOH Version **16.0** for ELMS 6 Release 16.0.

CCP Number	Description Of The Change
1847	Removed DFDT from R/C/O tables for REQ TYP E/M (Non-Complex and COIN), Remove WSOP from REQ TYP E/M (Coin) R/C/O tables
1854	Multiple EU-Form Defects were fixed – see attachment for details
1855	Corrected Multiple LS-Form Defects
1856	Corrected R/C/O tables for REQ TYP B on the following fields: <ul style="list-style-type: none"> ▪ CKR, LEAN, JK CODE, JK NUM, and JK POS Corrected R/C/O tables for REQ TYP A for LEAN/LEATN fields
1857	Corrected R/C/O table for REQ TYP A/ACT=T (XDSL) to add (m) to the following fields: <ul style="list-style-type: none"> ▪ IWCON, IWCON-TEL NO, IWBAN, and IWO
1859	Aligned the INIT FAX and INIT fields
1860	Modified the Forms Table in the ORD-general section of REQ TYP J. Impacts: Address Correction, and REQ TYP J
1877	Modified the manual data characters for the LCON TEL NO field
1878	Modified R/C/O tables for 16.0 forward R/C/O
1879	Added New Fax Server information
1880	Modified conditional usage notes and VE notes for AD field in the DED section
1881	Note 2 will be changed to state the following: “Must Be” instead of “May Be”
1882	Added verbiage to the PIC code field for ISDN BRI and the DPIC Code
1883	Corrected the EDI Parsed CSR Response section's spelling of the word "Occurs"
1891	Updated INIT and INIT-TEL NO. content in RCO tables

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 6 Release 15.0/LOH Version **16.0a**, which was posted on May 21, 2004.

A summary of all changes within this document will be listed in the **Summary of Changes** Section. This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth local support manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachments

CCP 1847 Attachment Listed Below

Area of Impact Summary				
Release	LOH Section	REQTYP	Field	COMMENTS
16-ELMS	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Non-Complex REQTYP E-Coin See attachments
16-ELMS	ORD-RCO	M	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP M-Non-Complex REQTYP M-Coin See attachments
16-ELMS	ORD-RCO	E	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP E-Coin See attachments
16-ELMS	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP E-Coin See attachments
15-ELMS	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Non-Complex REQTYP E-Coin See attachments
15-ELMS	ORD-RCO	M	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP M-Non-Complex REQTYP M-Coin See attachments
15-ELMS	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following product REQTYP M-Coin See attachments
15-ELMS	ORD-RCO	E	WSOP	Remove WSOP in R/C/O tables for the following product REQTYP E-Coin See attachments
16-TCIF	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Coin See attachments

Area of Impact Summary				
Release	LOH Section	REQTYP	Field	COMMENTS
16-TCIF	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP M-Coin See attachments
13-TCIF	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Coin See attachments
13-TCIF	ORD-RCO	M	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP M-Coin See attachments
13-TCIF	ORD-RCO	E	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP E-Coin See attachments
13-TCIF	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP M-Coin See attachments

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp M, Switched Combo Bus/Res

ACT= B: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER

Optional

CIC (E)	IMPCON*	PORTTYP
REMARKS	RORD	

ACT= B: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	AN (M)	ATN (M)
CITY	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
STATE	VER (M)	ZIP

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER (E)	SASN	

ACT Tables: Reqtyp M, Switched Combo Bus/Res

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
MEU (M)	NOR	PROJECT
RPON	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	CIC (E)
DFDT	EXP	HTQTY
LSCP	PORTTYP	REMARKS
RORD		

ACT= C: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	ACC	AN (M)
ATN (M)	CITY	DISC NBR
DNUM	DQTY	EUA (M)
IWCON	IWCON-TEL NO.	LD1
LD2	LD3	LOCNUM DETAIL (E)
LV1	LV2	LV3
SANO	SASD	SASF
SASN	SASS	SATH
STATE	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)	ZIP	

Optional

IWO*	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER (E)	TC OPT*
WSOP		

ACT= D: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

ACT Tables: Reqtyp M, Switched Combo Bus/Res

Conditional

AN	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER

Optional

CIC (E)	IMPCON*	PORTTYP
REMARKS	RORD	

ACT= D: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	AN (M)	ATN (M)
CITY	DISC NBR	DNUM
DQTY	LD1	LD2
LD3	LV1	LV2
LV3	SASD	SASF
SASS	SATH	STATE
TC NAME	TC OPT	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)	ZIP	

Optional

LOCNUM HEADER (E)	SANO*	SASN
-------------------	-------	------

ACT= L: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN	ATN	CUST (E)
IMPCON-TEL NO.	NOR	RPON
SUP	VER	

Optional

CIC (E)	IMPCON*	PORTTYP
REMARKS	RORD	

ACT= L: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

ACT Tables: Reqtyp M, Switched Combo Bus/Res

Conditional

AAI	AN (M)	ATN (M)
CITY	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
STATE	TC NAME	TC TO PRI
TC TO SEC	VER (M)	ZIP

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM HEADER (E)
SASN	TC OPT*	

ACT= N: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
PORTTYP	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
MEU (M)	NOR	PROJECT
RPON	SUP	VER

Optional

ALT-IMPCON*
~~DFDT~~
LSCP

APPTIME-DDD
EXP
REMARKS

CIC (E)
HTQTY
RORD

ACT= N: EU

Required

CITY
PON (M)
ZIP

NAME
SASN

PG_OF_ (M)
STATE

Conditional

AAI
ATN (M)
IWCON-TEL NO.
LD3
LV2
SANO
SASS

ACC
EUA (M)
LD1
LOCNUM DETAIL (E)
LV3
SASD
SATH

AN (M)
IWCON
LD2
LV1
NCON
SASF
VER (M)

Optional

IWO*
LOCNUM (M)

LCON-NAME
LOCNUM HEADER (E)

LCON-TEL NO.
WSOP

ACT Tables: Reqtyp M, Switched Combo Bus/Res

ACT= S: LSR

Required

ACT
CCNA
INIT
PG_OF_ (M)
SC

BAN1
D/TSENT
INIT-FAX NO.
PON
TOS

CC
DDD
INIT-TEL NO.
REQTYP

Conditional

AN
IMPCON-TEL NO.
RPON

ATN
LOCQTY
SUP

CUST (E)
NOR
VER

Optional

CIC (E)
REMARKS

IMPCON*
RORD

PORTTYP

ACT= S: EU

Required

NAME

PG_OF_ (M)

PON (M)

Conditional

AAI
CITY
LD3
LV2
SASD
SASS
VER (M)

AN (M)
LD1
LOCNUM DETAIL (E)
LV3
SASF
SATH
ZIP

ATN (M)
LD2
LV1
SANO
SASN
STATE

Optional

LCON-NAME
LOCNUM HEADER (E)

LCON-TEL NO.

LOCNUM (M)

ACT= T: LSR

Required

ACT
CCNA (E)
DDDO**

BAN1
D/TSENT
IMPCON

CC
DDD
INIT

INIT-FAX NO.
 PON
 SC

 INIT-TEL NO.
 PORTTYP
 TOS

 PG_OF_ (M)
 REQTY

Conditional

 ALT-IMP CON-TEL NO.
 CUST (E)
 MEU (M)
 RPON

 AN (M)
 IMP CON-TEL NO.
 NOR
 SUP

 ATN
 LOCQTY
 PROJECT
 VER

ACT Tables: Reqtyp M, Switched Combo Bus/Res
Optional

 ALT-IMP CON*
~~DFDT~~
 LSCP

 APPTIME-DDD
 EXP
 REMARKS

 CIC (E)
 HTQTY
 RORD

ACT= T: EU
Required

 CITY
 PG_OF_ (M)
 STATE

 EATN
 PON (M)
 ZIP

 NAME
 SASN

Conditional

 AAI
 ATN (M)
 IWCON
 LD2
 LV1
 NCON
 SASF
 TC NAME
 VER (M)

 ACC
 EAN (M)
 IWCON-TEL NO.
 LD3
 LV2
 SANO
 SASS
 TC TO PRI

 AN (M)
 EUA (M)
 LD1
 LOCNUM DETAIL (E)
 LV3
 SASD
 SATH
 TC TO SEC

Optional

 IWO*
 LOCNUM (M)
 WSOP

 LCON-NAME
 LOCNUM HEADER (E)

 LCON-TEL NO.
 TC OPT*

ACT= V: LSR
Required

 ACT
 CCNA (E)
 IMP CON
 INIT-TEL NO.
 PON
 SC

 BAN1
 D/TSENT
 INIT
 MI
 PORTTYP
 TOS

 CC
 DDD
 INIT-FAX NO.
 PG_OF_ (M)
 REQTY

Conditional

 ALT-IMP CON-TEL NO.
 CUST (E)
 MEU (M)
 RPON

 AN
 IMP CON-TEL NO.
 NOR
 SUP

 ATN
 LOCQTY
 PROJECT
 VER

Optional

 ALT-IMP CON*
~~DFDT~~
 LSCP
 RORD

 APPTIME-DDD
 EXP
 NATN (E)
 VTA (M)

 CIC (E)
 HTQTY
 REMARKS

ACT Tables: Reqtyp M, Switched Combo Bus/Res
ACT= V: EU
Required

ELT

NAME

PG_OF_ (M)

PON (M)

Conditional

AAI	ACC	AN (M)
ATN (M)	CITY	DISC NBR
DNUM	DQTY	EAN (M)
EATN	EUA (M)	EUMI
FB-BILLCON	FB-BILLCON TEL NO.	FB-BILLNM
FB-CITY	FB-FLOOR	FBI
FB-ROOM	FB-SBILLNM	FB-STATE
FB-STREET	FB-ZIP	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LOCNUM DETAIL (E)	LV1
LV2	LV3	NCON
SANO	SASD	SASF
SASN	SASS	SATH
STATE	TC NAME	TC PER
TC TO PRI	TC TO SEC	VER (M)
ZIP		

Optional

IWO*	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER (E)	TC OPT*
WSOP		

ACT= W: LSR
Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	PORTTYP
REQTYP	SC	TOS

Conditional

AN	ATN	CUST (E)
NOR	PROJECT	RPON
SUP	VER	

Optional

CIC (E)	REMARKS	RORD
---------	---------	------

ACT= W: EU
Required

DQTY (M)	NAME	PG_OF_ (M)
PON (M)		

ACT Tables: Reqty M, Switched Combo Bus/Res

Conditional

AAI	AN (M)	ATN (M)
CITY	FB-BILLCON	FB-BILLCON TEL NO.
FB-BILLNM	FB-CITY	FB-FLOOR
FBI	FB-ROOM	FB-SBILLNM
FB-STATE	FB-STREET	FB-ZIP
LD1	LD2	LD3
LV1	LV2	LV3
SANO	SASD	SASF
SASS	SATH	STATE
VER (M)	ZIP	

Optional

LOCNUM (M)	LOCNUM HEADER* (E)	SASN
------------	--------------------	------

ACT= Y: LSR
Required



ACT
CCNA (E)
INIT
PG_OF_ (M)
SC

BAN1
D/TSENT
INIT-FAX NO.
PON
TOS

CC
DDD
INIT-TEL NO.
REQTYP

Conditional

AN
IMPCON-TEL NO.

ATN
SUP

CUST (E)
VER

Optional

CIC (E)
REMARKS

IMPCON*

PORTTYP

ACT= Y: EU

Required

NAME

PG_OF_ (M)

PON (M)

Conditional

AAI
CITY
LD3
LV2
SASD
SATH
ZIP

AN (M)
LD1
LOCNUM DETAIL (E)
LV3
SASF
STATE

ATN (M)
LD2
LV1
SANO
SASS
VER (M)

Optional

LOCNUM (M)
UNE P Coin

LOCNUM HEADER (E)

SASN

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp M, Coin

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
PROJECT	RPON	SUP
VER		

Optional

APPTIME-DDD	DFDT	EXP
LSCP	PORTTYP	REMARKS
VTA		

ACT= C: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	ACC	AN (M)
ATN	CITY	DNUM
DQTY	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LOCNUM DETAIL (E)	LV1
LV2	LV3	SANO
SASD	SASF	SASN
SASS	SATH	STATE
TC NAME	VER (M)	ZIP

ACT Tables: Reqtyp M, Coin

Optional

DISC NBR*
LCON-TEL NO.
~~WSOP~~

IWO*
LOCNUM (M)

LCON-NAME
LOCNUM HEADER* (E)

ACT= D: LSR

Required

ACT
CCNA (E)
INIT
PG_OF_ (M)
SC

BAN1
D/TSENT
INIT-FAX NO.
PON
TOS

CC
DDD
INIT-TEL NO.
REQTYP

Conditional

AN (M)
LOCQTY
SUP

ATN
NOR
VER

CUST (E)
RPON

Optional

~~DFDT~~

PORTTYP

REMARKS

ACT= D: EU

Required

NAME

PG_OF_ (M)

PON (M)

Conditional

AAI
CITY
DQTY
LD3
LV3
SASF
STATE
TC PER
TCID

AN (M)
DISC NBR
LD1
LV1
SANO
SASS
TC NAME
TC TO PRI
VER (M)

ATN
DNUM
LD2
LV2
SASD
SATH
TC OPT
TC TO SEC
ZIP

Optional

SASN

ACT= N: LSR

Required

ACT
CCNA (E)
IMPCON
INIT-TEL NO.
PORTTYP
TOS

BAN1
D/TSENT
INIT
PG_OF_ (M)
REQTYP

CC
DDD
INIT-FAX NO.
PON
SC

ACT Tables: Reqty M, Coin

Conditional

AN (M)
IMPCON-TEL NO.
PROJECT
VER

ATN
LOCQTY
RPON

CUST (E)
NOR
SUP

Optional

APPTIME-DDD
REMARKS

EXP
VTA

LSCP

ACT= N: EU

Required

CITY
PON (M)
ZIP

NAME
SASN

PG_OF_ (M)
STATE

Conditional

AAI	ACC (M)	AN (M)
ATN	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LOCNUM DETAIL (E)	LV1
LV2	LV3	NCON (E)
SANO	SASD	SASF
SASS	SATH	VER (M)

Optional

IWO* (M)	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER (E)	WSOP

ACT= T: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
DDDO	IMPCON	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)
PON	PORTTYP	REQTYP
SC	TOS	

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
NOR	PROJECT	RPON
SUP	VER	

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	LSCP	REMARKS
VTA		

ACT Tables: Reqty M, Coin

ACT= T: EU

Required

CITY	NAME	PG_OF_ (M)
PON (M)	SASN	STATE
ZIP		

Conditional

AAI	ACC	AN (M)
ATN	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LOCNUM DETAIL (E)	LV1
LV2	LV3	NCON (E)
SANO	SASD	SASF
SASS	SATH	TC NAME
TC TO PRI	TC TO SEC	VER (M)

Optional

IWO*	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER (E)	TC OPT*
WSOP		

ACT= V: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	MI	PG_OF_ (M)
PON	PORTTYP	REQTYP
SC	TOS	

Conditional

 AN (M)
 IMPCON-TEL NO.
 PROJECT
 VER

 ATN
 LOCQTY
 RPON

 CUST (E)
 NOR
 SUP

Optional

 APPTIME-DDD
 LSCP

DFDT
 REMARKS

 EXP
 VTA

ACT= V: EU
Required

 ELT
 PON (M)

NAME

PG_OF_ (M)

ACT Tables: Reqty M, Coin
Conditional

 AAI
 ATN
 DQTY
 EUA
 FB-BILLCON TEL NO.
 FB-FLOOR
 FB-SBILLNM
 FB-ZIP
 LD1
 LOCNUM DETAIL (E)
 LV3
 SASD
 SASS
 TC NAME
 TC TO SEC

 ACC
 CITY
 EAN (M)
 EUMI
 FB-BILLNM
 FBI
 FB-STATE
 IWCON
 LD2
 LV1
 NCON
 SASF
 SATH
 TC PER
 VER (M)

 AN (M)
 DNUM
 EATN
 FB-BILLCON
 FB-CITY
 FB-ROOM
 FB-STREET
 IWCON-TEL NO.
 LD3
 LV2
 SANO
 SASN
 STATE
 TC TO PRI
 ZIP

Optional

 DISC NBR*
 LCON-TEL NO.
 TC OPT*

 IWO*
 LOCNUM (M)
WSOP

 LCON-NAME
 LOCNUM HEADER (E)

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp E, Resale, non-complex

ACT= B: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER

Optional

IMPCON*	REMARKS	RORD
---------	---------	------

ACT= B: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	AN (M)	ATN (M)
CITY	SANO	SASD
SASF	SASS	SATH
STATE	VER (M)	ZIP

Optional

LOCNUM (M)	LOCNUM HEADER* (E)	SASN
------------	--------------------	------

ACT Tables: Reqtyp E, Resale, non-complex

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.

INIT-TEL NO. REQTYP	PG_OF_ (M) SC	PON TOS
------------------------	------------------	------------

Conditional

ALT-IMP CON-TEL NO. CUST (E) NOR SUP	AN (M) IMP CON-TEL NO. PROJECT VER	ATN LOCQTY RPON
---	---	-----------------------

Optional

ALT-IMP CON* EXP REMARKS	APPTIME-DDD HTQTY RORD	DFDT LSCP VTA
--------------------------------	------------------------------	--------------------------------

ACT= C: EU

Required

LOCNUM DETAIL (E) PON (M)	NAME	PG_OF_ (M)
------------------------------	------	------------

Conditional

AAI ATN (M) DNUM IWCON LD2 LV2 SASD SASS TC PER TCID	ACC CITY DQTY (M) IWCON-TEL NO. LD3 LV3 SASF SATH TC TO PRI VER (M)	AN (M) DISC NBR EUA (E) LD1 LV1 SANO SASN STATE TC TO SEC ZIP
---	--	--

Optional

IWO* LOCNUM (M) WSOP	LCON-NAME LOCNUM HEADER* (E)	LCON-TEL NO. TC OPT*
----------------------------	---------------------------------	-------------------------

ACT= D: LSR

Required

ACT CCNA (E) INIT PG_OF_ (M) SC	BAN1 D/TSENT INIT-FAX NO. PON TOS	CC DDD INIT-TEL NO. REQTYP
---	---	-------------------------------------

ACT Tables: Reqtyp E, Resale, non-complex

Conditional

AN (M) IMP CON-TEL NO. RPON	ATN LOCQTY SUP	CUST (E) NOR VER
-----------------------------------	----------------------	------------------------

Optional

IMP CON*	REMARKS	RORD
----------	---------	------

ACT= D: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI CITY DQTY (M) LD3 LV3 SASF	AN (M) DISC NBR LD1 LV1 SANO SASS	ATN (M) DNUM LD2 LV2 SASD SATH
---	--	---

STATE	TC NAME	TC OPT
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	ZIP

Optional

LOCNUM (M)	LOCNUM HEADER (E)	SASN
------------	-------------------	------

ACT= L: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	NOR	RPON
SUP	VER	

Optional

IMPCON*	REMARKS	RORD
---------	---------	------

ACT= L: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

ACT Tables: Reqtyp E, Resale, non-complex

Conditional

AAI	AN (M)	ATN (M)
CITY	LD1	LD2
LD3	LV1	LV2
LV3	SANO	SASD
SASF	SASS	SATH
STATE	TC TO PRI	TC TO SEC
VER (M)	ZIP	

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER* (E)	SASN	TC OPT*

ACT= N: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
LSO	NOR	PROJECT
RPON	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	EXP
HTQTY	LSCP	REMARKS
RORD	VTA	

ACT= N: EU

Required

CITY	LOCNUM DETAIL (E)	NAME
------	-------------------	------

PG_OF_ (M) STATE	PON (M) ZIP	SASN
Conditional		
AAI	ACC	AN (M)
ATN (M)	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LV1	LV2
LV3	NCON (E)	SANO
SASD	SASF	SASS
SATH	VER (M)	
Optional		
IWO*	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER* (E)	WSOP
<i>ACT Tables: Reqtyp E, Resale, non-complex</i>		

ACT= S: LSR

Required		
ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	
Conditional		
AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER
Optional		
IMPCON*	REMARKS	RORD

ACT= S: EU

Required		
LOCNUM DETAIL (E)	NAME	PG_OF_ (M)
PON (M)		
Conditional		
AAI	AN (M)	ATN (M)
CITY	EUA (E)	LD1
LD2	LD3	LV1
LV2	LV3	SANO
SASD	SASF	SASS
SATH	STATE	VER (M)
ZIP		
Optional		
LOCNUM (M)	LOCNUM HEADER* (E)	SASN (E)

ACT= T: LSR

Required		
ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
DDDO**	IMPCON	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)
PON	REQTYP	SC
TOS		
Conditional		
ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
LSO	NOR	PROJECT
RPON	SUP	VER

ACT Tables: Reqtyp E, Resale, non-complex

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	HTQTY	LSCP
REMARKS	RORD	VTA

ACT= T: EU

Required

CITY	EATN	LOCNUM DETAIL (E)
NAME	PG_OF_ (M)	PON (M)
SASN	STATE	ZIP

Conditional

AAI	ACC	AN (M)
ATN (M)	EAN (M)	EUA (E)
IWCON	IWCON-TEL NO.	LD1
LD2	LD3	LV1
LV2	LV3	NCON (E)
SANO	SASD	SASF
SASS	SATH	TC NAME
TC TO PRI	TC TO SEC	VER (M)

Optional

IWO*	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER* (E)	TC OPT*
WSOP		

ACT= V: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	MI	PG_OF_ (M)
PON	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
NOR	PROJECT	RPON
SUP	VER	

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	HTQTY	LSCP
NATN (E)	REMARKS	RORD
VTA		

ACT Tables: Reqtyp E, Resale, non-complex

ACT= V: EU

Required

ELT	LOCNUM DETAIL (E)	NAME
PG_OF_ (M)	PON (M)	

Conditional

AAI	ACC	AN (M)
ATN (M)	CITY	DISC NBR
DNUM	DQTY	EAN (M)
EATN	EUA	EUMI
FB-BILLCON	FB-BILLCON TEL NO.	FB-BILLNM
FB-CITY	FB-FLOOR	FBI
FB-ROOM	FB-SBILLNM	FB-STATE



Attachment
SN91084110

FB-STREET
IWCON-TEL NO.
LD3
LV3
SASD
SASS
TC NAME
TC TO SEC

FB-ZIP
LD1
LV1
NCON (E)
SASF
SATH
TC PER
VER (M)

IWCON
LD2
LV2
SANO
SASN
STATE
TC TO PRI
ZIP

Optional

IWO*
LOCNUM (M)
WSOP

LCON-NAME
LOCNUM HEADER* (E)

LCON-TEL NO.
TC OPT*

Coin

Product Listing

Coin

Resale Services are those bundled services where the service provider is different from the network provider. Competitive Local Exchange Carriers (CLECs) can purchase telecommunications products, features and services from Local Exchange Carriers such as BellSouth®, for resale to their customers.

Ordering Forms/Screens

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Coin										
LSR	Hunting	EU	DL	RS	DRS	PS	NP	LS	LSNP	RPL
R	[1]	R	C [2]	C [3]						
R = Required C = Conditional O = Optional										

[1] = Hunting is prohibited.

[2] = DL form/screen is required when the ACT is N or T.

[3] = RS form/screen is required only when the ACT is N, C, T or V. Otherwise, the RS form/screen is not required.

Completing the DL Form/Screen

If directory listings are required, refer to **REQTYP J** for more information on completing the DL form/screen.

Completing the HUNTING Section on the LSR-HGI Form/Screen

Hunting is prohibited with Coin service.

Completing the LSR and EU Forms/Screens

Account level activities (ACT) apply to the entire account. A complete list of ACTs and their definition can be found in the Data Dictionary entry for ACT.

The following chart shows all of the valid account level activities for this service.

Valid Account Level Activities										
Coin										
N	C	D	T	R	V	S	B	W	L	Y
X	X	X	X	-	X	-	-	X	-	-
Note: "X" denotes valid account level activities. A dash (-) indicates a non-valid account level activity.										

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid ACT code in the **ACT Tables** section.

Completing the RS Form/Screen

The Resale Service (RS) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid Line Level Activities (LNAs). These LNAs determine how, or if, the RS form/screen should be populated. A complete list of LNAs and their definition can be found in the Data Dictionary entry for LNA.

The following chart gives the valid LNAs for each account level activity (ACT) and the associated RS form/screen usage for this service.

If ACT is:	Then LNA is:	And RS form/screen is:
N	N	Required
C	N, C, D, X or P	Required
D	Prohibited	Not Required
T	N, T	Required
V	N, D, G, X, V, W or P	Required
W	Prohibited	Not Required

The Required, Conditional and Optional (R/C/O) fields for the RS form/screen are listed according to the Line Level Activity (LNA) in the **LNA Tables** Section.

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp E, Coin

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	NOR
PROJECT	RPON	SUP
VER		

Optional

APPTIME-DDD	DFDT	EXP
LSCP	REMARKS	VTA

ACT= C: EU

Required

NAME	PG_OF_ (M)	PON (M)
------	------------	---------

Conditional

AAI	ACC	AN (M)
ATN (M)	CITY	DNUM
DQTY	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LOCNUM DETAIL (E)	LV1
LV2	LV3	SANO
SASD	SASF	SASN
SASS	SATH	STATE
VER (M)	ZIP	

ACT Tables: Reqtyp E, Coin

Optional

DISC NBR*	IWO*	LCON-NAME
-----------	------	-----------

LCON-TEL NO.

LOCNUM (M)

LOCNUM HEADER* (E)

WSOP
ACT= D: LSR
Required

 ACT
 CCNA (E)
 INIT
 PG_OF_ (M)
 SC

 BAN1
 D/TSENT
 INIT-FAX NO.
 PON
 TOS

 CC
 DDD
 INIT-TEL NO.
 REQ TYP

Conditional

 AN (M)
 LOCQTY
 SUP

 ATN
 NOR
 VER

 CUST (E)
 RPON

Optional
DFDT

REMARKS

ACT= D: EU
Required

NAME

PG_OF_ (M)

PON (M)

Conditional

 AAI
 CITY
 DQTY
 LD3
 LD3
 LV3
 SASF
 STATE
 TC PER
 TCID

 AN (M)
 DISC NBR
 LD1
 LD1
 LV1
 SANO
 SASS
 TC NAME
 TC TO PRI
 VER (M)

 ATN (M)
 DNUM
 LD2
 LD2
 LV2
 SASD
 SATH
 TC OPT
 TC TO SEC
 ZIP

Optional

SASN

ACT= N: LSR
Required

 ACT
 CCNA (E)
 IMPCON
 INIT-TEL NO.
 REQ TYP

 BAN1
 D/TSENT
 INIT
 PG_OF_ (M)
 SC

 CC
 DDD
 INIT-FAX NO.
 PON
 TOS

ACT Tables: Reqty E, Coin
Conditional

 AN (M)
 IMPCON-TEL NO.
 PROJECT
 VER

 ATN
 LOCQTY
 RPON

 CUST (E)
 NOR
 SUP

Optional

 APPTIME-DDD
 REMARKS

 EXP
 VTA

LSCP

ACT= N: EU
Required

 CITY
 PG_OF_ (M)
 STATE

 LOCNUM DETAIL (E)
 PON (M)
 ZIP

 NAME
 SASN

Conditional

AAI	ACC	AN (M)
ATN (M)	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LV1	LV2
LV3	NCON (E)	SANO
SASD	SASF	SASS
SATH	VER (M)	

Optional

IWO* (M)	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER (E)	WSOP

ACT= T: LSR
Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
DDDO	IMPCON	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)
PON	REQTYP	SC
TOS		

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN
CUST (E)	IMPCON-TEL NO.	LOCQTY
NOR	PROJECT	RPON
SUP	VER	

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	LSCP	REMARKS
VTA		

ACT Tables: Reqtyp E, Coin

ACT= T: EU
Required

CITY	LOCNUM DETAIL (E)	NAME
PG_OF_ (M)	PON (M)	SASN
STATE	ZIP	

Conditional

AAI	ACC	AN (M)
ATN (M)	EUA	IWCON
IWCON-TEL NO.	LD1	LD2
LD3	LV1	LV2
LV3	NCON	SANO
SASD	SASF	SASS
SATH	TC NAME	TC TO PRI
TC TO SEC	VER (M)	

Optional

IWO*	LCON-NAME	LCON-TEL NO.
LOCNUM (M)	LOCNUM HEADER (E)	TC OPT*
WSOP		

ACT= V: LSR
Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	MI	PG_OF_ (M)
PON	REQTYP	SC
TOS		

Conditional

 AN (M)
 DDDO (M)
 NOR
 SUP

 ATN
 IMPCON-TEL NO.
 PROJECT
 VER

 CUST (E)
 LOCQTY
 RPON

Optional

 APPTIME-DDD
 LSCP

DFDT
 REMARKS

 EXP
 VTA

ACT= V: EU
Required

 ELT
 PG_OF_ (M)
ACT Tables: Reqty E, Coin

 LOCNUM DETAIL (E)
 PON (M)

NAME

Conditional

 AAI
 ATN (M)
 DQTY
 EUA
 FB-BILLCON TEL NO.
 FB-FLOOR
 FB-SBILLNM
 FB-ZIP
 LD1
 LV1
 NCON
 SASF
 SATH
 TC PER
 VER (M)

 ACC
 CITY
 EAN (M)
 EUMI
 FB-BILLNM
 FBI
 FB-STATE
 IWCON
 LD2
 LV2
 SANO
 SASN
 STATE
 TC TO PRI
 ZIP

 AN (M)
 DNUM
 EATN
 FB-BILLCON (E)
 FB-CITY
 FB-ROOM
 FB-STREET
 IWCON-TEL NO.
 LD3
 LV3
 SASD
 SASS
 TC NAME
 TC TO SEC

Optional

 DISC NBR*
 LCON-TEL NO.
 TC OPT*

 IWO*
 LOCNUM (M)
WSOP

 LCON-NAME
 LOCNUM HEADER (E)

CCP 1854 Attachment Listed Below

Description of Change List for CRB#

Item #	TCIF 9	ELMS 6	Form	LOH Section	Field	Description of change
1	N/A	X	EU	R/C/O	DQTY	Change field from Optional to Conditional where it appears in R/C/O as follows: REQTYP CB
2	N/A	X	EU	DED	FBI	Change conditional usage note as follows: From: Note 3: Prohibited when the REQTYP is B or C and the MI field is A or B. To: Note 3: Prohibited when the MI field is A or B.
3	X	X	EU	R/C/O	FB-SBILLNM	Remove this field REQTYP JB ACT=D
4	X	X	EU	R/C/O	FB-FLOOR	Remove this field REQTYP JB ACT=D
5	X	X	EU	R/C/O	FB-ROOM	Remove this field REQTYP JB ACT=D
5A	X	X	EU	R/C/O	FB-TEL NO	Remove this field REQTYP JB ACT=D
5B	X	X	EU	R/C/O	FB-STATE	Remove this field REQTYP JB ACT=D
5C	X	X	EU	R/C/O	FB-BILLNM	Remove this field REQTYP JB ACT=D
5D	X	X	EU	R/C/O	FBI	Remove this field REQTYP JB ACT=D
5E	X	X	EU	R/C/O	FB-STREET	Remove this field REQTYP JB ACT=D
5F	X	X	EU	R/C/O	FB-BILLCON	Remove this field REQTYP JB ACT=D
5G	X	X	EU	R/C/O	FB-CITY	Remove this field REQTYP JB ACT=D
5H	X	X	EU	R/C/O	FB-ZIP	Remove this field REQTYP JB ACT=D
6	X	X	EU	R/C/O	LCON-NAME	Change field from conditional to optional for the following: REQTYP A (Unbundled Cooper

Item #	TCIF 9	ELMS 6	Form	LOH Section	Field	Description of change
						Loop-Designed (UCL) ACT=D
7	N/A	X	EU	R/C/O	TC-FR	Remove from R/C/O table on EU form this field is not applicable to EU form.
8	N/A	X	EU	R/C/O	TC-PER	Remove this field from all R/C/O tables for ACT=T
9	N/A	X	EU	R/C/O	TCID	Remove this field from all R/C/O tables for ACT=N and T Remove TCID from RCO tables for ACT=V for REQ TYP E, F, and M.
10	X	X	EU	DED	WSOP	Add business rule that states: For additional information on WSOP and ADL, please refer to the section in the LOH titled: Abandoned Stations/Additional Line
11	X	X	EU	R/C/O	WSOP	Remove this field from the following products R/C/O where-ever it appears: REQ TYP A REQ TYP E (ISDN-BRI) REQ TYP M (ISDN-BRI) REQ TYP F REQ TYP N REQ TYP P REQ TYP E (COIN) REQ TYP M (COIN)
12	N/A	X	LSR	R/C/O	NOR	Add this field for REQ TYP J to the conditional column as follows: REQ TYP J, ACT=D, N, R
13	N/A	X	LSR	R/C/O	RPON	Change RPON from Optional to conditional as follows: REQ TYP J, ACT=D, N, R

FB-BILLNM – Final Billing Name**EU Form/Screen**

15.0B(LSOG6 / ELMS6 map)

Definition:

Identifies the end user bill name.

Definition Notes:

NOTE 1: The end user final bill name will remain as it appears on the BST record.

Valid Entries:

None

Valid Entry Notes:

None

Data Characteristics:

Up to 25 alpha/numeric characters

Examples:

ABC CO

Conditional Usage Notes:

Manual:

Note 1: Required when the FBI field is D, otherwise optional.

Electronic:

Note 2: Required when the FBI field is Y, otherwise prohibited.

Note 3: Prohibited when the REQTYP is B or C and the MI field is A or B.

Business Rules

None

WSOP – Working Service on Premises**EU Form/Screen**

15.0B(LSOG6 / ELMS6 map)

*CRB Issues included: None***Definition:**

Indicates if there is a working service at the end user location that needs to be disconnected.

Definition Notes:

NOTE 1: If the end user name is the same as the interfering station service name, then it does not qualify as an abandon station.

NOTE 2: When WSOP is populated with “V”, this indicates that the CLEC has confirmed with their end user that the existing line is an Abandoned Station.

Valid Entries:

Entry Description

V Abandon Station; results in disconnection of the interfering service.

Valid Entry Notes:

None

Data Characteristics:

1 alpha character

Examples:

V

Conditional Usage Notes:

Note 1: Optional when the 1st character of the TOS field is 2 and the REQTYP is E (Non-Complex) or M (Non-Complex), otherwise prohibited.

Business Rules

Rule 1: For additional information on WSOP and ADL, please refer to the section in the LOH titled: Abandoned Stations/Additional Line

None

CCP 1855 Attachment Listed Below

LNA Tables: Reqtyp A, Unbundled Copper Loop – Non-Designed (UCL-ND)

LNA= D: LS

Required

AN (M)	ECCKT	LNA
LNUM	LQTY	PG_OF_ (M)
PON (M)		

Conditional

TC NAME	TC PER	TC TO PRI
TC TO SEC	TCID	VER (M)

Optional

DISC NBR	TC OPT*	TER*
----------	---------	------

TC PER – Transfer of Calls Period

LS Form/Screen

16.0A(LSOG6 / ELMS6 map)

CRB Issues included: None

Definition:

Indicates the requested date that the transfer of calls, specified in the TC TO field, is to be removed and the standard recorded announcement is to be provided.

Definition Notes:

None

Valid Entries:

Manual Entry Format:

When the standard period of transfer is acceptable, the field is to be left blank. Otherwise use:

Character Position	Description
1st and 2nd	Two Digit Month (01-12)
3rd	Always a Hyphen
4th and 5th	Two Digit Day (01-31)
6th	Always a Hyphen
7th and 8th	Two Digit Century (20-99)
9th and 10th	Two Digit Year (00-99)

Electronic Entry Format:

Character Position	Description
1st and 2nd	Two Digit Century (20-99)
3rd and 4th	Two Digit Year (00-99)
5th and 6th	Two Digit Month (01-12)
7th and 8th	Two Digit Day (01-31)

Valid Entry Notes:

None

Data Characteristics:

Manual: 10 alpha/numeric characters (including 2 hyphens)

Electronic: 8 numeric characters

Examples:

Manual: 03-31-2001

Electronic: 20010331

Conditional Usage Notes:

Note 1: Prohibited when TC OPT is not ST or TC.

~~Note 2: Prohibited when the REQ TYP is A and the LNA is N, C or D.~~**Note 2: Prohibited when the LNA is N or C****Note 3:****Prohibited when the LNA is D and the product type is:****Line Share****Line Splitting****XDSL****Unbundled Copper Loop Designed (UCL-D)****Unbundled Copper Loop Non-Designed (UCL-ND)****EELS****Business Rules**

Rule 1: For residence service, the standard period for transfer of calls is 3 months.

Rule 2: For business service, the standard period for transfer of calls is 12 months or the life of the directory.

Rule 3: Transfer of calls period may be reduced due to a shortage of numbers or when the number

is specifically requested by another client.

Rule 4: The date populated in this field must be later than the LSR receipt date.

***** End of definition for TC PER / LS form screen *****

LNUM – Line Number**LS Form/Screen**

16.0A(LSOG6 / ELMS6 map)

*CRB Issues included: None***Definition:**

Identifies the first line or trunk as a unique number and each additional line or trunk segment as a unique number.

Definition Notes:

None

Valid Entries:

00000-99999

Valid Entry Notes:

None

Data Characteristics:

5 numeric characters

Examples:

00167

Conditional Usage Notes:

None

Business Rules

~~Rule 1: This field is required to match a LOCNUM (Header) or LOCNUM (Detail) at End User location.~~

Rule 21: LNUM must be unique within each LOCNUM.

***** End of definition for LNUM / LS form screen *****

LOCNUM – Location Number**LS Form/Screen**

16.0A(LSOG6 / ELMS6 map)

*CRB Issues included: None***Definition:**

Identifies the service location number for the service requested.

Definition Notes:

None

Valid Entries:

None

Valid Entry Notes:

NOTE 1: When the Location Number (LOCNUM) of service is received with blank data, the system will replace with 000 (zeros) and accept as a valid value.

Note 2: When populated LOCNUM at services level must match LOCNUM at end user level.

Data Characteristics:

3 numeric characters

Examples:

118

Conditional Usage Notes:

None

Business Rules

None

****** End of definition for LOCNUM / LSf*

TC OPT – Transfer of Call Options**LS Form/Screen**

16.0A(LSOG6 / ELMS6 map)

*CRB Issues included: None***Definition:**

Identifies the type of transfer of call option requested by the end user.

Definition Notes:

The following standard intercept recordings will automatically apply when this field is not populated.

Order or Line Activity Standard Intercept Report

"D" - Disconnect "The number you have reached has been disconnected."

"C" or "T" - Number change to a Non-Pub number "The number you have reached XXX-XXXX

has been changed to a non-published number."

"C" or "T" - Number change to a listed number "The number you have reached XXX-XXXX has

been changed. The new number is XXX-XXXX."

"C" - Seasonal suspension "At the customer's request XXX-XXXX has been temporarily

disconnected."

"C" - Disconnect RingMaster number refer calls to Main Number "The number you have reached

XXX-XXXX has been changed. The new number is XXX-XXXX."

NOTE 1: For Multi Line disconnects when a TC OPT is not selected a Transfer of Calls Intercept message may be received such as:

Example:

"We're sorry, you have reached a number that has been disconnected or is no longer in service. If you feel you have reached this recording in error please check the number and try your call again."

or

The Transfer of Calls Intercept message will reflect the status of the main number:

Example:

"The number you have reached XXX-XXXX (disconnected number) has been changed to XXX-XXXX (main tn)."

or

When the main TN is non-published, the recording will reflect:

"The number you have reached XXX-XXXX (disconnected number) has been changed to a Non-published number."

Valid Entries:

TC: Transfer of Calls. "The number you have reached XXX-XXXX has been changed.
The new

number is XXX-XXXX."

NO: None

"The number you have reached has been disconnected."

ST: Split
verifies the

"The called number is routed to an operator/recording who

number being called and then quotes the new number(s)."

CA: Used to cancel a transfer of call option when a number is disconnected. "The
number you
have reached has been disconnected."

Valid Entry Notes:

NOTE 1: For Multi Line disconnects when a TC OPT is not selected a random Transfer
of Calls

Intercept message may be received such as: "The number you have reached is being
checked for

trouble. Please try your call again later." or "We're sorry. Your call cannot be completed
as
dialed."

or "The number you have been reached XXX-XXXX, has been changed to a Non-
published
number."

NOTE 2: TC OPT of CA is prohibited for REQTYP A.

Data Characteristics:

2 alpha characters

Examples:

TC

Conditional Usage Notes:

Note 1: Prohibited when the LNA is N or C.

Note 2: Prohibited when the 2nd character of the TOS is "P" or "R".

Note 3: Prohibited when the DISC NBR on the LS Form/Screen is not populated.

Note 4: Prohibited when the LNA is D and the product is:

XDSL.

Unbundled Copper Loop Designed (2W/4W) (UCL-D)

Unbundled Cooper Loop Non-Designed (UCL-ND)

EELS

Business Rules

Manual:

Rule 1: If intercept report type field is not provided, a standard intercept report will be
assigned



Attachment
SN91084110

based on order activity.

Rule 2: A reference from a business telephone number to a residence telephone number is prohibited.

CCP 1856 Attachment Listed Below

Reqtyp A

Analog Non-Designed Loop

Product Listing

LNA Tables: Reqtyp A, Analog Non-Designed Loop

LNA= V: LS

Required

AN (M)	CABLE ID	CHAN/PAIR
DISC NBR	LNA	LNUM
LQTY	PG_OF_ (M)	PON (M)

Conditional

IWJK	IWJQ	IWT (E)
IWTQ (E)	JK CODE	JK NUM
JK POS	LEAN (M)	LEATN (M)
REMARKS (M)	VER (M)	

Optional

JR*	NIDR*	TSP (M)
-----	-------	---------

Analog Design Loop

LNA Tables: Reqtyp A, Analog Designed Loop

LNA= V: LS

Required

AN (M)	DISC NBR	LNA
LNUM	LQTY	PG_OF_ (M)
PON (M)		

Conditional

CABLE ID	CFA	CHAN/PAIR
CHAN/PAIR 2 (E)	IWJK	IWJQ
IWT (E)	IWTQ (E)	JK CODE
JK NUM	JK POS	LEATN (M)
VER (M)	LEAN	

Optional

CKR	JR	NIDR*
TSP (M)		

Unbundled Copper Loop - Designed (UCL)

LNA Tables: Reqtyp A, Unbundled Copper Loop – Designed (UCL)

LNA= V: LS

Required

AN (M)	CABLE ID	CHAN/PAIR
DISC NBR	LNA	LNUM
LQTY	PG_OF_ (M)	PON (M)

Conditional

CHAN/PAIR 2 (E)	IWJK	IWJQ
IWT (E)	IWTQ (E)	JK CODE
JK NUM	JK POS	LEATN (M)
REMARKS (M)	VER (M)	LEAN

Optional

CKR	JR*	NIDR*
TSP (M)		

Unbundled Copper Loop - Non-Designed (UCL-ND)

Product Listing

LNA Tables: Reqtyp A, Unbundled Copper Loop – Non-Designed (UCL-ND)

LNA= V: LS
Required

AN (M)	CABLE ID	CHAN/PAIR
DISC NBR	LNA	LNUM
LQTY	PG_OF_ (M)	PON (M)

Conditional

IWJK	IWJQ	IWT (E)
IWTQ (E)	JK CODE	JK NUM
JK POS	LEAN	LEATN
REMARKS (M)	VER (M)	

Optional

JR*	NIDR*	TNT (E)
TSP (M)		

xDSL Loops

LNA Tables: Reqtyp A, xDSL Loops

LNA= V: LS
Required

AN (M)	CABLE ID	CHAN/PAIR
DISC NBR	LNA	LNUM
LQTY	PG_OF_ (M)	PON (M)

Conditional

CHAN/PAIR 2 (E)	IWJK	IWJQ
IWT (E)	IWTQ (E)	JK CODE
JK NUM	JK POS	REMARKS (M)
VER (M)	LEAN	LEATN

Optional

CKR	JR*	NIDR*
TSP (M)		

LNP, Designed Analog Loop

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp B, LNP, Designed Analog Loop

ACT= V: LSR

Required

ACNA	ACT	ACTL
AN	BAN1	BAN2
BI1	BI2	CC
CCNA	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	LSO	MI
NC	NCI	PG_OF_(M)
PON	REQTYP	SC
SECNCI	TOS	

Conditional

AAN (E)	ATN	CUST
DSGCON	DSGCON-CITY	DSGCON-FAX NO.
DSGCON-FLOOR	DSGCON-ROOM/MAIL STOP	DSGCON-STATE
DSGCON-STREET	DSGCON-TEL NO.	DSGCON-ZIP CODE
IMPCON-TEL NO.	LSCP	NNSP
NOR	PROJECT	RPON
SUP	VER	

Optional

CIC	DFDT	DRC*
EXP	REMARKS	SLI

ACT= V: EU

Required

AN (M)	CITY	ELT
NAME	PG_OF_(M)	PON (M)
SASN	STATE	ZIP

ACT Tables: Reqtyp B, LNP, Designed Analog Loop

Conditional

AAI	ACC (M)	ATN (M)
DNUM	DQTY	EAN
EATN	EUMI	FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM	FB-CITY
FB-FLOOR	FBI	FB-ROOM
FB-SBILLNM	FB-STATE	FB-STREET
FB-ZIP	IWBAN	IWCON
IWCON-TEL NO.	IWO	LD1
LD2	LD3	LV1
LV2	LV3	SANO
SASD	SASF	SASS
SATH	TC NAME	TC OPT
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

DISC NBR*	LCON-NAME	LCON-TEL NO.
NCON	TER	

LNA Tables: Reqtyp B, LNP, Designed Analog Loop

LNA= N: LSNP

Required

AN (M)	LNA	LNUM
LQTY	PG_OF_(M)	PON (M)

Conditional

ATN (M)	CABLE ID	CFA
CHAN/PAIR	CHAN/PAIR 2 (E)	IWJK
IWJQ	IWT (E)	IWTQ (E)
JK CODE	JK NUM	JK POS
VER (M)		

Optional

JR*	NIDR*	CKR
-----	-------	-----

LNA= V: LSNP

Required

AN (M)	LNA	LNUM
LQTY	NPQTY	NPT
PG_OF_(M)	PON (M)	PORTED NBR

Conditional

ATN (M)	CABLE ID	CFA
CHAN/PAIR	CHAN/PAIR 2 (E)	IWJK
IWJQ	IWT (E)	IWTQ (E)
JK CODE	JK NUM	JK POS
LEATN	VER (M)	LEAN

Optional

JR*	NIDR*	CKR
-----	-------	-----

LNP, Non-designed Analog Loop

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp B, LNP, Non-Designed Analog Loop

ACT= V: LSR

Required

ACNA	ACT	ACTL
AN	BAN1	BAN2
B11	BI2	CC
CCNA	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	LSO	MI
NC	PG_OF_(M)	PON
REQTYP	RESID	SC
TOS		

Conditional

ATN	CHC	CUST
DSGCON	DSGCON-CITY	DSGCON-FAX NO.
DSGCON-FLOOR	DSGCON-ROOM/MAIL STOP	DSGCON-STATE
DSGCON-STREET	DSGCON-TEL NO.	DSGCON-ZIP CODE
IMPCON-TEL NO.	LSCP	NNSP
NOR	PROJECT	SUP
VER		

Optional

CIC	DFDT*	DRC*
EXP	REMARKS	RPON
SLI		

ACT= V: EU

Required

AN (M)	CITY	ELT
NAME	PG_OF_(M)	PON (M)
SASN	STATE	ZIP

ACT Tables: Reqtyp B, LNP, Non-Designed Analog Loop

Conditional

AAI	ACC (M)	ATN (M)
DNUM	DQTY	EAN
EATN	EUMI	FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM	FB-CITY
FB-FLOOR	FBI	FB-ROOM
FB-SBILLNM	FB-STATE	FB-STREET
FB-ZIP	IWBAN	IWCON
IWCON-TEL NO.	IWO	LD1
LD2	LD3	LV1
LV2	LV3	SANO
SASD	SASF	SASS
SATH	TC NAME	TC OPT
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

DISC NBR*	LCON-NAME	LCON-TEL NO.
NCON	TER	

LNA Tables: Reqtyp B, LNP, Non-Designed Analog Loop

LNA= N: LSNP

Required

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
PG_OF_ (M)	PON (M)	

Conditional

ATN (M)	IWJK	IWJQ
IWT (E)	IWTQ (E)	JK CODE
JK NUM	JK POS	VER (M)

Optional

JR*	NIDR*	TNT
CKR		

LNA= V: LSNP

Required

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
NPQTY	NPT	PG_OF_ (M)
PON (M)	PORTED NBR	

Conditional

ATN (M)	IWJK	IWJQ
IWT (E)	IWTQ (E)	JK CODE
JK NUM	JK POS	LEAN
LEATN	VER (M)	

Optional

JR*	NIDR*	CKR
-----	-------	-----

LNP, Unbundled Copper Loop – Designed (UCL-D)

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp B, LNP, Unbundled Copper Loop – Designed (UCL-D)
ACT= V: LSR
Required

ACNA	ACT	ACTL
AN	BAN1	BAN2
B11	B12	CC
CCNA	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	LSO	MI
NC	NCI	PG_OF_(M)
PON	REQTYP	RESID
SC	SECNCI	TOS

Conditional

AAN (E)	ATN	CHC
CUST	DSGCON	DSGCON-CITY
DSGCON-FAX NO.	DSGCON-FLOOR	DSGCON-ROOM/MAIL STOP
DSGCON-STATE	DSGCON-STREET	DSGCON-TEL NO.
DSGCON-ZIP CODE	IMPCON-TEL NO.	LSCP
NNSP	NOR	PROJECT
SCA	SUP	VER

Optional

CIC	DFDT*	DRC*
EXP	REMARKS	RPON
SLI		

ACT= V: EU
Required

AN (M)	CITY	ELT
NAME	PG_OF_(M)	PON (M)
SASN	STATE	ZIP

ACT Tables: Reqtyp B, LNP, Unbundled Copper Loop – Designed (UCL-D)
Conditional

AAI	ACC (M)	ATN (M)
DNUM	DQTY	EAN
EATN	EUMI	FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM	FB-CITY
FB-FLOOR	FBI	FB-ROOM
FB-SBILLNM	FB-STATE	FB-STREET
FB-ZIP	IWBAN	IWCON
IWCON-TEL NO.	IWO	LD1
LD2	LD3	LV1
LV2	LV3	SANO
SASD	SASF	SASS
SATH	TC NAME	TC OPT
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

DISC NBR*	LCON-NAME	LCON-TEL NO.
NCON	TER	

LNA Tables: Reqtyp B, LNP, Unbundled Copper Loop – Designed (UCL-D)
LNA= N: LSNP
Required

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
PG_OF_(M)	PON (M)	

Conditional

ATN (M)	IWJK	IWJQ
IWT (E)	IWTQ (E)	JK CODE
JK NUM	JK POS	VER (M)

Optional

JR*	NIDR*	TNT
CKR		

LNA= V: LSNP

Required

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
NPQTY	NPT	PG_OF_ (M)
PON (M)	PORTED NBR	

Conditional

ATN (M)	IWJK	IWJQ
IWT (E)	IWTQ (E)	JK CODE
JK NUM	JK POS	LEAN
LEATN	VER (M)	

Optional

JR*	NIDR*	CKR
-----	-------	-----

LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp B, LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)

ACT= V: LSR

Required

ACNA	ACT	ACTL
AN	ATN	BAN1
BAN2	BI1	BI2
CC	CCNA	CIC
D/TSENT	DDD	IMPCON
INIT	INIT-FAX NO.	INIT-TEL NO.
LSO	MI	NC



PG_OF_ (M)
RESID

PON
SC

REQTYP
TOS

Conditional

AI
CUST
DSGCON-FAX NO.
DSGCON-STATE
DSGCON-ZIP CODE
NOR
SUP

ALT-IMPCON-TEL NO.
DSGCON
DSGCON-FLOOR
DSGCON-STREET
IMPCON-TEL NO.
PROJECT
VER

APOT
DSGCON-CITY
DSGCON-ROOM/MAIL STOP
DSGCON-TEL NO.
LSCP
RPON

Optional

ALT-IMPCON*
EXP
SLI

CHC
REMARKS

DRC*
RORD

ACT= V: EU

Required

AN
ELT
PON (M)
ZIP

ATN
NAME
SASN

CITY
PG_OF_ (M)
STATE

ACT Tables: Reqttyp B, LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)

Conditional

AAI
EUMI
FB-BILLNM
FBI
FB-STATE
IWBAN
IWO
LD3
LV3
SASF
VER

ACC
FB-BILLCON
FB-CITY
FB-ROOM
FB-STREET
IWCON
LD1
LV1
SANO
SASS

EATN
FB-BILLCON TEL NO.
FB-FLOOR
FB-SBILLNM
FB-ZIP
IWCON-TEL NO.
LD2
LV2
SASD
SATH

Optional

LCON-NAME

LCON-TEL NO.

NCON

LNA Tables: Reqttyp B, LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)

LNA= D: LSNP

Required

AN (M)
LNA
PG_OF_ (M)

ATN (M)
LNUM
PON (M)

ECCKT
LQTY

Conditional

VER (M)

LNA= N: LSNP

Required

AN (M)
CHAN/PAIR
PG_OF_ (M)

ATN (M)
LNA
PON (M)

CABLE ID
LQTY

Conditional

IWJK
IWTQ (E)
JK POS

IWJQ
JK CODE
VER (M)

IWT (E)
JK NUM

Optional

JR*

NIDR*

TNT (M)

| CKR

LNA= V: LSNP
Required

AN (M)	ATN (M)	CABLE ID
CFTN	CHAN/PAIR	LNA
LNUM	LQTY	NPQTY
NPT	PG_OF_ (M)	PON (M)
PORTED NBR	TNP	

Conditional

IWJK	IWJQ	IWT (E)
IWTQ (E)	JK CODE	JK NUM
JK POS	LEATN	RTI
VER (M)	LEAN	

Optional

JR*	NIDR*	CKR
-----	-------	-----

LNP, xDSL Loops

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp B, LNP, xDSL Loops

ACT= V: LSR
Required

ACNA	ACT	ACTL
AN	BAN1	BAN2
B11	B12	CC
CCNA	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	LSO	MI
NC	NCI	PG_OF_ (M)
PON	REQTYP	RESID
SC	SECNCI	TOS

Conditional

ATN	CUST	DSGCON
-----	------	--------



DSGCON-CITY
DSGCON-ROOM/MAIL STOP
DSGCON-TEL NO.
LSCP
PROJECT
SUP

DSGCON-FAX NO.
DSGCON-STATE
DSGCON-ZIP CODE
NNSP
RPN
VER

DSGCON-FLOOR
DSGCON-STREET
IMPCON-TEL NO.
NOR
SCA

Optional

CIC
EXP

DFDT
REMARKS

DRC*
SLI

ACT= V: EU

Required

AN (M)
NAME
SASN

CITY
PG_OF_(M)
STATE

ELT
PON (M)
ZIP

ACT Tables: Reqty B, LNP, xDSL Loops

Conditional

AAI
DNUM
EATN
FB-BILLCON TEL NO.
FB-FLOOR
FB-SBILLNM
FB-ZIP
IWCON-TEL NO.
LD2
LV2
SASD
SATH
TC PER
TCID

ACC (M)
DQTY
EUMI
FB-BILLNM
FBI
FB-STATE
IWBAN
IWO
LD3
LV3
SASF
TC NAME
TC TO PRI
VER (M)

ATN (M)
EAN
FB-BILLCON
FB-CITY
FB-ROOM
FB-STREET
IWCON
LD1
LV1
SANO
SASS
TC OPT
TC TO SEC

Optional

DISC NBR*
NCON

LCON-NAME
TER

LCON-TEL NO.

LNA Tables: Reqty B, LNP, xDSL Loops

LNA= N: LSNP

Required

AN (M)
LQTY

LNA
PG_OF_(M)

LNUM
PON (M)

Conditional

ATN (M)
CHAN/PAIR
IWJQ
JK CODE
VER (M)

CABLE ID
CHAN/PAIR 2 (E)
IWT (E)
JK NUM

CFA
IWJK
IWTQ (E)
JK POS

Optional

JR*

NIDR*

CKR

LNA= V: LSNP

Required

AN (M)
LQTY
PG_OF_(M)

LNA
NPQTY
PON (M)

LNUM
NPT
PORTED NBR

Conditional

ATN (M)
CHAN/PAIR
IWJQ

CABLE ID
CHAN/PAIR 2 (E)
IWT (E)

CFA
IWJK
IWTQ (E)

JK CODE	JK NUM	JK POS
LEATN	VER (M)	LEAN
<u>Optional</u>		
JR*	NIDR*	CKR

LNP, Digital Designed Basic Rate ISDN

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp B, LNP, Digital Designed Basic Rate ISDN

ACT= V: LSR

Required

ACNA	ACT	ACTL
AN	BAN1	BAN2
B11	BI2	CC
CCNA	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	LSO	MI
NC	NCI	PG_OF_ (M)
PON	REQTYP	SC
SECNCI	TOS	

Conditional

AAN (E)	ATN	CUST
DSGCON	DSGCON-CITY	DSGCON-FAX NO.
DSGCON-FLOOR	DSGCON-ROOM/MAIL STOP	DSGCON-STATE
DSGCON-STREET	DSGCON-TEL NO.	DSGCON-ZIP CODE
IMPCON-TEL NO.	LSCP	NNSP
NOR	PROJECT	RPON
SUP	VER	

Optional

CIC	DFDT	DRC*
EXP	REMARKS	SLI

ACT= V: EU

Required

AN (M)	CITY	ELT
--------	------	-----



NAME	PG_OF_(M)	PON (M)
SASN	STATE	ZIP

ACT Tables: Reqtyp B, LNP, Digital Designed Basic Rate ISDN

Conditional

AAI	ACC (M)	ATN (M)
DNUM	DQTY	EAN
EATN	EUMI	FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM	FB-CITY
FB-FLOOR	FBI	FB-ROOM
FB-SBILLNM	FB-STATE	FB-STREET
FB-ZIP	IWBAN	IWCON
IWCON-TEL NO.	IWO	LD1
LD2	LD3	LV1
LV2	LV3	SANO
SASD	SASF	SASS
SATH	TC NAME	TC OPT
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

DISC NBR*	LCON-NAME	LCON-TEL NO.
NCON	TER	

LNA Tables: Reqtyp B, LNP, Digital Designed Basic Rate ISDN

LNA= N: LSNP

Required

AN (M)	LNA	LNUM
LQTY	PG_OF_(M)	PON (M)

Conditional

ATN (M)	CABLE ID	CFA
CHAN/PAIR	CHAN/PAIR 2 (E)	IWJK
IWJQ	IWT (E)	IWTQ (E)
JK CODE	JK NUM	JK POS
VER (M)		

Optional

JR*	NIDR*	CKR
-----	-------	-----

LNA= V: LSNP

Required

AN (M)	LNA	LNUM
LQTY	NPQTY	NPT
PG_OF_(M)	PON (M)	PORTED NBR

Conditional

ATN (M)	CABLE ID	CFA
CHAN/PAIR	CHAN/PAIR 2 (E)	IWJK
IWJQ	IWT (E)	IWTQ (E)
JK CODE	JK NUM	JK POS
LEATN	VER (M)	LEAN

Optional

JR*	NIDR*	CKR
-----	-------	-----

CCP 1857 Attachment Listed Below*ACT Tables: Reqtyp A, xDSL Loops***ACT= T: LSR****Required**ACNA (M)
AN (M)
CCNA (M)
IMPCON (M)
INIT-TEL NO. (M)
NCI (M)
REQTYP (M)
TOS (M)ACT (M)
BAN1 (M)
D/TSENT (M)
INIT (M)
LSO (M)
PG_OF_ (M)
SC (M)ACTL (M)
CC (M)
DDD (M)
INIT-FAX NO. (M)
NC (M)
PON (M)
SECNCI (M)**Conditional**CUST (M)
DSGCON-CITY (M)
DSGCON-ROOM/MAIL STOP (M)
DSGCON-TEL NO. (M)
NOR (M)
RPON (M)DFDT (M)
DSGCON-FAX NO. (M)
DSGCON-STATE (M)
DSGCON-ZIP CODE (M)
PROJECT (M)
SUP (M)DSGCON (M)
DSGCON-FLOOR (M)
DSGCON-STREET (M)
IMPCON-TEL NO. (M)
RESID (M)
VER (M)**Optional**CIC (M)
REMARKS (M)DRC* (M)
SCA (M)

EXP (M)

ACT= T: EU**Required**AN (M)
PG_OF_ (M)CITY (M)
PON (M)NAME (M)
SASN (M)**Conditional**AAI (M)
IWCON (M)
LD1 (M)
LV1 (M)
NCON (M)
SASF (M)
STATE (M)ACC (M)
IWCON-TEL NO. (M)
LD2 (M)
LV2 (M)
SANO (M)
SASS (M)
VER (M)IWBAN (M)
IWO (M)
LD3 (M)
LV3 (M)
SASD (M)
SATH (M)
ZIP (M)**Optional**

LCON-NAME (M)

LCON-TEL NO. (M)

CCP 1859 Attachment Listed Below

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	Analog Non-Designed Loop	C	LSR	INIT	R		
A	Analog Non-Designed Loop	C	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Analog Non-Designed Loop	D	LSR	INIT	R		
A	Analog Non-Designed Loop	D	LSR	INIT-FAX NO.	R		
A	Analog Non-Designed Loop	N	LSR	INIT	R		
A	Analog Non-Designed Loop	N	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Analog Non-Designed Loop	T	LSR	INIT	R		
A	Analog Non-Designed Loop	T	LSR	INIT-FAX NO.	R		
A	Analog Non-Designed Loop	V	LSR	INIT	R		
A	Analog Non-Designed Loop	V	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Analog Designed Loop	C	LSR	INIT	R		
A	Analog Designed Loop	C	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Analog Designed Loop	D	LSR	INIT	R		
A	Analog Designed Loop	D	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Analog Designed Loop	N	LSR	INIT	R		
A	Analog Designed Loop	N	LSR	INIT-FAX NO.	R		
A	Analog Designed Loop	T	LSR	INIT	R		
A	Analog Designed Loop	T	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Analog Designed Loop	V	LSR	INIT	R		
A	Analog Designed Loop	V	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	C	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	C	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	D	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	D	LSR	INIT-FAX NO.	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	Digital Data Designed Loop (DS0)	N	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	N	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	T	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	T	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	V	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	V	LSR	INIT-FAX NO.	R	M	Remove (m)
A	Digital Designed Loop (Basic Rate ISDN)	C	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	C	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	D	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	D	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	N	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	N	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	T	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	T	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	V	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	V	LSR	INIT-FAX NO.	R		
A	CLEC to CLEC Conversion Non- Designed Loop	W	LSR	INIT	R	M	
A	CLEC to CLEC Conversion Non- Designed Loop	W	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	CLEC to CLEC Conversion						
A	Designed Loop CLEC to CLEC Conversion	W	LSR	INIT	R	M	
A	Designed Loop Channelized DS1, DS3, STS1 Local Channel	W	LSR	INIT-FAX NO.	R	M	
A	Channelized DS1, DS3, STS1 Local Channel	D	LSR	INIT	R	M	
A	Channelized DS1, DS3, STS1 Local Channel	D	LSR	INIT-FAX NO.	R	M	
A	Channelized DS1, DS3, STS1 Local Channel	N	LSR	INIT	R	M	
A	Channelized DS1, DS3, STS1 Local Channel	N	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS-1 local loop	C	LSR	INIT	R	M	
A	Non-Channelized DS-1 local loop	C	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS-1 local loop	D	LSR	INIT	R	M	
A	Non-Channelized DS-1 local loop	D	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS-1 local loop	N	LSR	INIT	R	M	
A	Non-Channelized DS-1 local loop	N	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS-1 local loop	T	LSR	INIT	R	M	
A	Non-Channelized DS-1 local loop	T	LSR	INIT-FAX NO.	R	M	
A	EELs	C	LSR	INIT	R		
A	EELs	C	LSR	INIT-FAX NO.	R		
A	EELs	D	LSR	INIT	R		
A	EELs	D	LSR	INIT-FAX NO.	R		
A	EELs	N	LSR	INIT	R		
A	EELs	N	LSR	INIT-FAX NO.	R		
A	EELs	T	LSR	INIT	R		
A	EELs	T	LSR	INIT-FAX NO.	R		
A	Network Interface Devices (NIDs)	N	LSR	INIT	R	M	
A	Network Interface Devices (NIDs)	N	LSR	INIT-FAX NO.	R	M	
A	Unbundled Copper Loop – Designed (UCL)	C	LSR	INIT	R		
A	Unbundled Copper Loop – Designed (UCL)	C	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop	D	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Copper Loop – Designed (UCL) Unbundled						
A	Copper Loop – Designed (UCL) Unbundled	D	LSR	INIT-FAX NO.	R		
A	Copper Loop – Designed (UCL) Unbundled	N	LSR	INIT	R		
A	Copper Loop – Designed (UCL) Unbundled	N	LSR	INIT-FAX NO.	R		
A	Copper Loop – Designed (UCL) Unbundled	T	LSR	INIT	R		
A	Copper Loop – Designed (UCL) Unbundled	T	LSR	INIT-FAX NO.	R		
A	Copper Loop – Designed (UCL) Unbundled	V	LSR	INIT	R		
A	Copper Loop – Designed (UCL) Unbundled	V	LSR	INIT-FAX NO.	R		
A	Copper Loop – Non-Designed (UCL-ND) Unbundled	C	LSR	INIT	R		
A	Copper Loop – Non-Designed (UCL-ND) Unbundled	C	LSR	INIT-FAX NO.	R		
A	Copper Loop – Non-Designed (UCL-ND) Unbundled	D	LSR	INIT	R		
A	Copper Loop – Non-Designed (UCL-ND) Unbundled	D	LSR	INIT-FAX NO.	R		
A	Copper Loop – Non-Designed (UCL-ND) Unbundled	N	LSR	INIT	R		
A	Copper Loop – Non-Designed (UCL-ND) Unbundled	N	LSR	INIT-FAX NO.	R		
A	Copper Loop – Non-Designed (UCL-ND) Unbundled	T	LSR	INIT	R		
A	Copper Loop – Non-Designed	T	LSR	INIT-FAX NO.	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	(UCL-ND) Unbundled Copper Loop – Non-Designed	V	LSR	INIT	R		
A	(UCL-ND) Unbundled Copper Loop – Non-Designed	V	LSR	INIT-FAX NO.	R		
A	(UCL-ND) Unbundled Copper Loop – Non-Designed	W	LSR	INIT	R	M	
A	(UCL-ND) Unbundled Copper Loop – Non-Designed	W	LSR	INIT-FAX NO.	R	M	
A	Universal Digital Channel (UDC)	C	LSR	INIT	R	M	
A	Universal Digital Channel (UDC)	C	LSR	INIT-FAX NO.	R	M	
A	Universal Digital Channel (UDC)	D	LSR	INIT	R		
A	Universal Digital Channel (UDC)	D	LSR	INIT-FAX NO.	R		
A	Universal Digital Channel (UDC)	N	LSR	INIT	R		
A	Universal Digital Channel (UDC)	N	LSR	INIT-FAX NO.	R		
A	Universal Digital Channel (UDC)	T	LSR	INIT	R	M	
A	Universal Digital Channel (UDC)	T	LSR	INIT-FAX NO.	R	M	
A	Universal Digital Channel (UDC)	W	LSR	INIT	R	M	
A	Universal Digital Channel (UDC)	W	LSR	INIT-FAX NO.	R	M	
A	xDSL Loops	C	LSR	INIT	R		
A	xDSL Loops	C	LSR	INIT-FAX NO.	R	M	Remove (m)
A	xDSL Loops	D	LSR	INIT	R		
A	xDSL Loops	D	LSR	INIT-FAX NO.	R		
A	xDSL Loops	N	LSR	INIT	R		
A	xDSL Loops	N	LSR	INIT-FAX NO.	R		
A	xDSL Loops	T	LSR	INIT	R	M	
A	xDSL Loops	T	LSR	INIT-FAX NO.	R	M	
A	xDSL Loops	V	LSR	INIT	R		
A	xDSL Loops	V	LSR	INIT-FAX NO.	R		
	Unbundled CO- based Line Share (BST-Owned Splitter)	C	LSR	INIT	R		
A	Unbundled CO- based Line Share	C	LSR	INIT-FAX NO.	R	M	Remove (m)

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	(BST-Owned Splitter) Unbundled CO-based Line Share (BST-Owned Splitter)	D	LSR	INIT	R		
A	(BST-Owned Splitter) Unbundled CO-based Line Share (BST-Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	Remove (m)
A	(BST-Owned Splitter) Unbundled CO-based Line Share (BST-Owned Splitter)	N	LSR	INIT	R		
A	(BST-Owned Splitter) Unbundled CO-based Line Share (BST-Owned Splitter)	N	LSR	INIT-FAX NO.	R	M	
A	(BST-Owned Splitter) Unbundled CO-based Line Share (BST-Owned Splitter)	V	LSR	INIT	R		
A	(BST-Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	(DLEC-Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	C	LSR	INIT	R		
A	(DLEC-Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	C	LSR	INIT-FAX NO.	R	M	
A	(DLEC-Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	D	LSR	INIT	R		
A	(DLEC-Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	
A	(DLEC-Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	N	LSR	INIT	R		
A	(DLEC-Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	N	LSR	INIT-FAX NO.	R		
A	(DLEC-Owned Splitter) HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	V	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	W	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	W	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS3 and STS1	D	LSR	INIT	R	M	
A	Non-Channelized DS3 and STS1	D	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS3 and STS1	N	LSR	INIT	R	M	
A	Non-Channelized DS3 and STS1	N	LSR	INIT-FAX NO.	R	M	
A	Unbundled Sub-Loops	C	LSR	INIT	R	M	
A	Unbundled Sub-Loops	C	LSR	INIT-FAX NO.	R	M	
A	Unbundled Sub-Loops	D	LSR	INIT	R	M	
A	Unbundled Sub-Loops	D	LSR	INIT-FAX NO.	R	M	
A	Unbundled Sub-Loops	N	LSR	INIT	R	M	
A	Unbundled Sub-Loops	N	LSR	INIT-FAX NO.	R	M	
A	Unbundled Sub-Loops	V	LSR	INIT	R	M	
A	Unbundled Sub-Loops	V	LSR	INIT-FAX NO.	R	M	
A	Unbundled Network Terminating Wire-UNTW	C	LSR	INIT	R	M	
A	Unbundled Network Terminating Wire-UNTW	C	LSR	INIT-FAX NO.	R	M	
A	Unbundled Network Terminating Wire-UNTW	D	LSR	INIT	R	M	
A	Unbundled Network Terminating Wire-UNTW	D	LSR	INIT-FAX NO.	R	M	
A	Unbundled CO-based Line Share	C	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	(DLEC-Owned Splitter) Unbundled CO- based Line Share						
A	(DLEC-Owned Splitter) Unbundled CO- based Line Share	C	LSR	INIT-FAX NO.	R	M	Remove (m)
A	(DLEC-Owned Splitter) Unbundled CO- based Line Share	D	LSR	INIT	R		
A	(DLEC-Owned Splitter) Unbundled CO- based Line Share	D	LSR	INIT-FAX NO.	R	M	Remove (m)
A	(DLEC-Owned Splitter) Unbundled CO- based Line Share	N	LSR	INIT	R		
A	(DLEC-Owned Splitter) Unbundled CO- based Line Share	N	LSR	INIT-FAX NO.	R		
A	(DLEC-Owned Splitter) Unbundled CO- based Line Share	V	LSR	INIT	R		
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share	V	LSR	INIT-FAX NO.	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share	C	LSR	INIT	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share	C	LSR	INIT-FAX NO.	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share	D	LSR	INIT	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share	D	LSR	INIT-FAX NO.	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share	N	LSR	INIT	R	M	
A	(DLEC-Owned Splitter) RS (Remote Site) HFS Line Share	N	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	RS (Remote Site) HFS Line Share (DLEC-Owned Splitter)	V	LSR	INIT	R	M	
A	RS (Remote Site) HFS Line Share (DLEC-Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	C	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	C	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	D	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	N	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	N	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	V	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	W	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	W	LSR	INIT-FAX NO.	R	M	
A	Unbundled Dark Fiber (UDF)	D	LSR	INIT	R	M	
A	Unbundled Dark Fiber (UDF)	D	LSR	INIT-FAX NO.	R	M	
A	Unbundled Dark Fiber (UDF)	N	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	Unbundled Dark Fiber (UDF)	N	LSR	INIT-FAX NO.	R	M	
A	Ordinarily Combined UNEs (OCU)	C	LSR	INIT	R	M	
A	Ordinarily Combined UNEs (OCU)	C	LSR	INIT-FAX NO.	R	M	
A	Ordinarily Combined UNEs (OCU)	D	LSR	INIT	R	M	
A	Ordinarily Combined UNEs (OCU)	D	LSR	INIT-FAX NO.	R	M	
A	Ordinarily Combined UNEs (OCU)	N	LSR	INIT	R	M	
A	Ordinarily Combined UNEs (OCU)	N	LSR	INIT-FAX NO.	R	M	
A	Ordinarily Combined UNEs (OCU)	T	LSR	INIT	R	M	
A	Ordinarily Combined UNEs (OCU)	T	LSR	INIT-FAX NO.	R	M	
A	Digital Data Designed Loop (DS1)	C	LSR	INIT	R	M	
A	Digital Data Designed Loop (DS1)	C	LSR	INIT-FAX NO.	R	M	
A	Digital Data Designed Loop (DS1)	D	LSR	INIT	R	M	
A	Digital Data Designed Loop (DS1)	D	LSR	INIT-FAX NO.	R	M	
A	Digital Data Designed Loop (DS1)	N	LSR	INIT	R	M	
A	Digital Data Designed Loop (DS1)	N	LSR	INIT-FAX NO.	R	M	
A	Digital Data Designed Loop (DS1)	T	LSR	INIT	R	M	
A	Digital Data Designed Loop (DS1)	T	LSR	INIT-FAX NO.	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	C	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	C	LSR	INIT-FAX NO.	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	D	LSR	INIT	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	N	LSR	INIT	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	N	LSR	INIT-FAX NO.	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	V	LSR	INIT	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	W	LSR	INIT	R	M	
A	RS (Remote Site) HFS Line Splitting (DLEC-Owned Splitter)	W	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized IOC	C	LSR	INIT	R		
A	Non-Channelized IOC	C	LSR	INIT-FAX NO.	R		
A	Non-Channelized IOC	D	LSR	INIT	R		
A	Non-Channelized IOC	D	LSR	INIT-FAX NO.	R		
A	Non-Channelized IOC	N	LSR	INIT	R		
A	Non-Channelized IOC	N	LSR	INIT-FAX NO.	R		
B	INP, Designed Analog Loop	V	LSR	INIT	R	M	
B	INP, Designed Analog Loop	V	LSR	INIT-FAX NO.	R	M	
B	INP, Non- Designed Analog	V	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Loop						
B	INP, Non-Designed Analog Loop	V	LSR	INIT-FAX NO.	R	M	
B	INP, Unbundled Copper Loop – Designed (UCL-D)	V	LSR	INIT	R	M	
B	INP, Unbundled Copper Loop – Designed (UCL-D)	V	LSR	INIT-FAX NO.	R	M	
B	INP, xDSL Loops	V	LSR	INIT	R	M	
B	INP, xDSL Loops	V	LSR	INIT-FAX NO.	R	M	
B	LNP, Designed Analog Loop	V	LSR	INIT	R		
B	LNP, Designed Analog Loop	V	LSR	INIT-FAX NO.	R		
B	LNP, Non-Designed Analog Loop	V	LSR	INIT	R		
B	LNP, Non-Designed Analog Loop	V	LSR	INIT-FAX NO.	R		
B	LNP, Unbundled Copper Loop – Designed (UCL-D)	V	LSR	INIT	R		
B	LNP, Unbundled Copper Loop – Designed (UCL-D)	V	LSR	INIT-FAX NO.	R		
B	LNP, xDSL Loops	V	LSR	INIT	R		
B	LNP, xDSL Loops	V	LSR	INIT-FAX NO.	R		
B	INP, Digital Designed Basic Rate ISDN	V	LSR	INIT	R	M	
B	INP, Digital Designed Basic Rate ISDN	V	LSR	INIT-FAX NO.	R	M	
B	INP, Digital Data Designed Loop (DS0)	V	LSR	INIT	R	M	
B	INP, Digital Data Designed Loop (DS0)	V	LSR	INIT-FAX NO.	R	M	
B	LNP, Digital Designed Basic Rate ISDN	V	LSR	INIT	R		
B	LNP, Digital Designed Basic Rate ISDN	V	LSR	INIT-FAX NO.	R		
B	LNP, Unbundled	V	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Copper Loop – Non-Designed (UCL-ND) LNP, Unbundled						
B	Copper Loop – Non-Designed (UCL-ND) UNE to UNE Bulk	V	LSR	INIT-FAX NO.	R		
B	Migrations	V	LSR	INIT	R	E	
B	UNE to UNE Bulk Migrations	V	LSR	INIT-FAX NO.	R	E	
	INP, Unbundled						
B	Copper Loop – Non-Designed (UCL-ND) INP, Unbundled	V	LSR	INIT	R	M	
	Copper Loop – Non-Designed (UCL-ND)						
B	INP	V	LSR	INIT-FAX NO.	R	M	
C	INP	C	LSR	INIT	R	M	
C	INP	C	LSR	INIT-FAX NO.	R	M	
C	INP	V	LSR	INIT	R	M	
C	INP	V	LSR	INIT-FAX NO.	R	M	
C	LNP	V	LSR	INIT	R		
C	LNP	V	LSR	INIT-FAX NO.	R		
	Wireless LNP						
C	(WLNP)	V	LSR	INIT	R		
	Wireless LNP						
C	(WLNP)	V	LSR	INIT-FAX NO.	R		
	Resale, non- complex						
E		B	LSR	INIT	R		
	Resale, non- complex						
E		B	LSR	INIT-FAX NO.	R		
	Resale, non- complex						
E		C	LSR	INIT	R		
	Resale, non- complex						
E		C	LSR	INIT-FAX NO.	R		
	Resale, non- complex						
E		D	LSR	INIT	R		
	Resale, non- complex						
E		D	LSR	INIT-FAX NO.	R		
	Resale, non- complex						
E		L	LSR	INIT	R		
	Resale, non- complex						
E		L	LSR	INIT-FAX NO.	R		
	Resale, non- complex						
E		N	LSR	INIT	R		
	Resale, non- complex						
E		N	LSR	INIT-FAX NO.	R		
	Resale, non- complex						
E		S	LSR	INIT	R		
	Resale, non- complex						
E		S	LSR	INIT-FAX NO.	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
E	Resale, non-complex	T	LSR	INIT	R		
E	Resale, non-complex	T	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	V	LSR	INIT	R		
E	Resale, non-complex	V	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	W	LSR	INIT	R		
E	Resale, non-complex	W	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	Y	LSR	INIT	R		
E	Resale, non-complex	Y	LSR	INIT-FAX NO.	R		
E	Remote Call Forwarding (RCF)	C	LSR	INIT	R		
E	Remote Call Forwarding (RCF)	C	LSR	INIT-FAX NO.	R		
E	Remote Call Forwarding (RCF)	D	LSR	INIT	R		
E	Remote Call Forwarding (RCF)	D	LSR	INIT-FAX NO.	R		
E	Remote Call Forwarding (RCF)	N	LSR	INIT	R		
E	Remote Call Forwarding (RCF)	N	LSR	INIT-FAX NO.	R		
E	Remote Call Forwarding (RCF)	T	LSR	INIT	R		
E	Remote Call Forwarding (RCF)	T	LSR	INIT-FAX NO.	R		
E	Remote Call Forwarding (RCF)	V	LSR	INIT	R		
E	Remote Call Forwarding (RCF)	V	LSR	INIT-FAX NO.	R		
E	Remote Call Forwarding (RCF)	W	LSR	INIT	R		
E	Remote Call Forwarding (RCF)	W	LSR	INIT-FAX NO.	R		
E	ISDN-BRI Resale Service	C	LSR	INIT	R		
E	ISDN-BRI Resale Service	C	LSR	INIT-FAX NO.	R		
E	ISDN-BRI Resale Service	D	LSR	INIT	R		
E	ISDN-BRI Resale Service	D	LSR	INIT-FAX NO.	R		
E	ISDN-BRI Resale Service	N	LSR	INIT	R	M	
E	ISDN-BRI Resale Service	N	LSR	INIT-FAX NO.	R	M	
E	ISDN-BRI Resale Service	T	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
E	ISDN-BRI Resale Service	T	LSR	INIT-FAX NO.	R	M	
E	ISDN-BRI Resale Service	V	LSR	INIT	R		
E	ISDN-BRI Resale Service	V	LSR	INIT-FAX NO.	R		
E	ISDN-BRI Resale Service	W	LSR	INIT	R		
E	ISDN-BRI Resale Service	W	LSR	INIT-FAX NO.	R		
E	Coin	C	LSR	INIT	R		
E	Coin	C	LSR	INIT-FAX NO.	R		
E	Coin	D	LSR	INIT	R		
E	Coin	D	LSR	INIT-FAX NO.	R		
E	Coin	N	LSR	INIT	R		
E	Coin	N	LSR	INIT-FAX NO.	R		
E	Coin	T	LSR	INIT	R		
E	Coin	T	LSR	INIT-FAX NO.	R		
E	Coin	V	LSR	INIT	R		
E	Coin	V	LSR	INIT-FAX NO.	R		
E	Coin	W	LSR	INIT	R		
E	Coin	W	LSR	INIT-FAX NO.	R		
E	BellSouth® Intergrated Solutions	C	LSR	INIT	R	M	
E	BellSouth® Intergrated Solutions	C	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Intergrated Solutions	D	LSR	INIT	R	M	
E	BellSouth® Intergrated Solutions	D	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Intergrated Solutions	N	LSR	INIT	R	M	
E	BellSouth® Intergrated Solutions	N	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Intergrated Solutions	V	LSR	INIT	R	M	
E	BellSouth® Intergrated Solutions	V	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Intergrated Solutions	W	LSR	INIT	R	M	
E	BellSouth® Intergrated Solutions	W	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	C	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
E	AccuPulse®	C	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	D	LSR	INIT	R	M	
E	AccuPulse®	D	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	N	LSR	INIT	R	M	
E	AccuPulse®	N	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	T	LSR	INIT	R	M	
E	AccuPulse®	T	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	V	LSR	INIT	R	M	
E	AccuPulse®	V	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	W	LSR	INIT	R	M	
E	AccuPulse®	W	LSR	INIT-FAX NO.	R	M	
E	ATM	C	LSR	INIT	R	M	
E	ATM	C	LSR	INIT-FAX NO.	R	M	
E	ATM	D	LSR	INIT	R	M	
E	ATM	D	LSR	INIT-FAX NO.	R	M	
E	ATM	N	LSR	INIT	R	M	
E	ATM	N	LSR	INIT-FAX NO.	R	M	
E	ATM	T	LSR	INIT	R	M	
E	ATM	T	LSR	INIT-FAX NO.	R	M	
E	ATM	V	LSR	INIT	R	M	
E	ATM	V	LSR	INIT-FAX NO.	R	M	
E	ATM	W	LSR	INIT	R	M	
E	ATM	W	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	C	LSR	INIT	R	M	
E	Frame Relay	C	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	D	LSR	INIT	R	M	
E	Frame Relay	D	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	N	LSR	INIT	R	M	
E	Frame Relay	N	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	T	LSR	INIT	R	M	
E	Frame Relay	T	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	V	LSR	INIT	R	M	
E	Frame Relay	V	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	W	LSR	INIT	R	M	
E	Frame Relay	W	LSR	INIT-FAX NO.	R	M	
E	MegaLink®						
E	Service	C	LSR	INIT	R	M	
E	MegaLink®						
E	Service	C	LSR	INIT-FAX NO.	R	M	
E	MegaLink®						
E	Service	D	LSR	INIT	R	M	
E	MegaLink®						
E	Service	D	LSR	INIT-FAX NO.	R	M	
E	MegaLink®						
E	Service	N	LSR	INIT	R	M	
E	MegaLink®						
E	Service	N	LSR	INIT-FAX NO.	R	M	
E	MegaLink®						
E	Service	T	LSR	INIT	R	M	
E	MegaLink®	T	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Service						
E	MegaLink® Service	V	LSR	INIT	R	M	
E	MegaLink® Service	V	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	W	LSR	INIT	R	M	
E	MegaLink® Service	W	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	C	LSR	INIT	R	M	
E	MegaLink® Channel Services	C	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	D	LSR	INIT	R	M	
E	MegaLink® Channel Services	D	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	N	LSR	INIT	R	M	
E	MegaLink® Channel Services	N	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	T	LSR	INIT	R	M	
E	MegaLink® Channel Services	T	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	V	LSR	INIT	R	M	
E	MegaLink® Channel Services	V	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	W	LSR	INIT	R	M	
E	MegaLink® Channel Services	W	LSR	INIT-FAX NO.	R	M	
E	NMLI	C	LSR	INIT	R	M	
E	NMLI	C	LSR	INIT-FAX NO.	R	M	
E	NMLI	D	LSR	INIT	R	M	
E	NMLI	D	LSR	INIT-FAX NO.	R	M	
E	NMLI	N	LSR	INIT	R	M	
E	NMLI	N	LSR	INIT-FAX NO.	R	M	
E	NMLI	V	LSR	INIT	R	M	
E	NMLI	V	LSR	INIT-FAX NO.	R	M	
E	NMLI	W	LSR	INIT	R	M	
E	NMLI	W	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	C	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	C	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	D	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	D	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	N	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
E	Primary Rate ISDN -PRI	N	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	T	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	T	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	V	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	V	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	W	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	W	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	C	LSR	INIT	R	M	
E	SMARTRing® Service	C	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	D	LSR	INIT	O	M	
E	SMARTRing® Service	D	LSR	INIT	R	M	
E	SMARTRing® Service	D	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	N	LSR	INIT	R	M	
E	SMARTRing® Service	N	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	T	LSR	INIT	R	M	
E	SMARTRing® Service	T	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	V	LSR	INIT	R	M	
E	SMARTRing® Service	V	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	W	LSR	INIT	R	M	
E	SMARTRing® Service	W	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	C	LSR	INIT	R	M	
E	LIGHTGATE® Services	C	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	D	LSR	INIT	R	M	
E	LIGHTGATE® Services	D	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	N	LSR	INIT	R	M	
E	LIGHTGATE® Services	N	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	T	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
E	LIGHTGATE® Services	T	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	V	LSR	INIT	R	M	
E	LIGHTGATE® Services	V	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	W	LSR	INIT	R	M	
E	LIGHTGATE® Services	W	LSR	INIT-FAX NO.	R	M	
E	TFD	C	LSR	INIT	R	M	
E	TFD	C	LSR	INIT-FAX NO.	R	M	
E	TFD	D	LSR	INIT	R	M	
E	TFD	D	LSR	INIT-FAX NO.	R	M	
E	TFD	N	LSR	INIT	R	M	
E	TFD	N	LSR	INIT-FAX NO.	R	M	
E	TFD	V	LSR	INIT	R	M	
E	TFD	V	LSR	INIT-FAX NO.	R	M	
E	TFD	W	LSR	INIT	R	M	
E	TFD	W	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	C	LSR	INIT	R	M	
E	TIE Lines	C	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	D	LSR	INIT	R	M	
E	TIE Lines	D	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	N	LSR	INIT	R	M	
E	TIE Lines	N	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	T	LSR	INIT	R	M	
E	TIE Lines	T	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	V	LSR	INIT	R	M	
E	TIE Lines	V	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	W	LSR	INIT	R	M	
E	TIE Lines	W	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	C	LSR	INIT	R	M	
E	On/Off Premises Extensions	C	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	D	LSR	INIT	R	M	
E	On/Off Premises Extensions	D	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	N	LSR	INIT	R	M	
E	On/Off Premises Extensions	N	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	T	LSR	INIT	R	M	
E	On/Off Premises Extensions	T	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	V	LSR	INIT	R	M	
E	On/Off Premises Extensions	V	LSR	INIT-FAX NO.	R	M	



Attachment
SN91084110

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
E	On/Off Premises Extensions	W	LSR	INIT	R	M	
E	On/Off Premises Extensions	W	LSR	INIT-FAX NO.	R	M	
E	BellSouth® 256 DSL Service	C	LSR	INIT	R	M	
E	BellSouth® 256 DSL Service	C	LSR	INIT-FAX NO.	R	M	
E	BellSouth® 256 DSL Service	D	LSR	INIT	R	M	
E	BellSouth® 256 DSL Service	D	LSR	INIT-FAX NO.	R	M	
E	BellSouth® 256 DSL Service	N	LSR	INIT	R	M	
E	BellSouth® 256 DSL Service	N	LSR	INIT-FAX NO.	R	M	
E	BellSouth® 256 DSL Service	T	LSR	INIT	R	M	
E	BellSouth® 256 DSL Service	T	LSR	INIT-FAX NO.	R	M	
E	BellSouth® 256 DSL Service	V	LSR	INIT	R	M	
E	BellSouth® 256 DSL Service	V	LSR	INIT-FAX NO.	R	M	
E	BellSouth® 256 DSL Service	W	LSR	INIT	R	M	
E	BellSouth® 256 DSL Service	W	LSR	INIT-FAX NO.	R	M	
E	WATS	C	LSR	INIT	R	M	
E	WATS	C	LSR	INIT-FAX NO.	R	M	
E	WATS	D	LSR	INIT	R	M	
E	WATS	D	LSR	INIT-FAX NO.	R	M	
E	WATS	N	LSR	INIT	R	M	
E	WATS	N	LSR	INIT-FAX NO.	R	M	
E	WATS	V	LSR	INIT	R	M	
E	WATS	V	LSR	INIT-FAX NO.	R	M	
E	WATS	W	LSR	INIT	R	M	
E	WATS	W	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	C	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	C	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	D	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	D	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	N	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	N	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	T	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	T	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	CSA / ANI						
E	Uniserv UAN / CSA / ANI	V	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	V	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	W	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	W	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	C	LSR	INIT	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	C	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	N	LSR	INIT	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	N	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	T	LSR	INIT	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	T	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	V	LSR	INIT	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	V	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	W	LSR	INIT	R	M	
E	Complex PBX On/Off Premises Extensions/DPA	W	LSR	INIT-FAX NO.	R	M	
E	Non-Complex On/Off Premises Extensions/DPA	C	LSR	INIT	R	M	
E	Non-Complex On/Off Premises Extensions/DPA	C	LSR	INIT-FAX NO.	R	M	
E	Non-Complex On/Off Premises Extensions/DPA	N	LSR	INIT	R	M	
E	Non-Complex On/Off Premises Extensions/DPA	N	LSR	INIT-FAX NO.	R	M	
E	Non-Complex On/Off Premises Extensions/DPA	T	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Non-Complex On/Off Premises						
E	Extensions/DPA	T	LSR	INIT-FAX NO.	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	V	LSR	INIT	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	V	LSR	INIT-FAX NO.	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	W	LSR	INIT	R	M	
	Non-Complex On/Off Premises						
E	Extensions/DPA	W	LSR	INIT-FAX NO.	R	M	
	Address						
E	Correction	R	LSR	INIT	R	M	
	Address						
E	Correction	R	LSR	INIT-FAX NO.	R	M	
	BellSouth® Metro						
E	Ethernet	C	LSR	INIT	R	M	
	BellSouth® Metro						
E	Ethernet	C	LSR	INIT-FAX NO.	R	M	
	BellSouth® Metro						
E	Ethernet	D	LSR	INIT	R	M	
	BellSouth® Metro						
E	Ethernet	D	LSR	INIT-FAX NO.	R	M	
	BellSouth® Metro						
E	Ethernet	N	LSR	INIT	R	M	
	BellSouth® Metro						
E	Ethernet	N	LSR	INIT-FAX NO.	R	M	
	BellSouth® Metro						
E	Ethernet	V	LSR	INIT	R	M	
	BellSouth® Metro						
E	Ethernet	V	LSR	INIT-FAX NO.	R	M	
	BellSouth® Metro						
E	Ethernet	W	LSR	INIT	R	M	
	BellSouth® Metro						
E	Ethernet	W	LSR	INIT-FAX NO.	R	M	
F	Port Service	B	LSR	INIT	R		
F	Port Service	B	LSR	INIT-FAX NO.	R		
F	Port Service	C	LSR	INIT	R		
F	Port Service	C	LSR	INIT-FAX NO.	R		
F	Port Service	D	LSR	INIT	R		
F	Port Service	D	LSR	INIT-FAX NO.	R		
F	Port Service	L	LSR	INIT	R		
F	Port Service	L	LSR	INIT-FAX NO.	R		
F	Port Service	N	LSR	INIT	R		
F	Port Service	N	LSR	INIT-FAX NO.	R		
F	Port Service	S	LSR	INIT	R		
F	Port Service	S	LSR	INIT-FAX NO.	R		
F	Port Service	V	LSR	INIT	R		



Attachment
SN91084110

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
F	Port Service	V	LSR	INIT-FAX NO.	R		
F	Port Service	Y	LSR	INIT	R		
F	Port Service	Y	LSR	INIT-FAX NO.	R		
J	Directory Listing	D	LSR	INIT	R		
J	Directory Listing	D	LSR	INIT-FAX NO.	R		
J	Directory Listing	N	LSR	INIT	R		
J	Directory Listing	N	LSR	INIT-FAX NO.	R		
J	Directory Listing	R	LSR	INIT	R		
J	Directory Listing	R	LSR	INIT-FAX NO.	R		
K	Private Line	C	LSR	INIT	R	M	
K	Private Line	C	LSR	INIT-FAX NO.	R	M	
K	Private Line	D	LSR	INIT	R	M	
K	Private Line	D	LSR	INIT-FAX NO.	R	M	
K	Private Line	N	LSR	INIT	R	M	
K	Private Line	N	LSR	INIT-FAX NO.	R	M	
K	Private Line	T	LSR	INIT	R	M	
K	Private Line	T	LSR	INIT-FAX NO.	R	M	
K	Private Line	V	LSR	INIT	R	M	
K	Private Line	V	LSR	INIT-FAX NO.	R	M	
K	Private Line	W	LSR	INIT	R	M	
K	Private Line	W	LSR	INIT-FAX NO.	R	M	
K	Synchronet	C	LSR	INIT	R	M	
K	Synchronet	C	LSR	INIT-FAX NO.	R	M	
K	Synchronet	D	LSR	INIT	O	M	Remove (Looks like field is in R/C/O twice)
K	Synchronet	D	LSR	INIT	R	M	
K	Synchronet	D	LSR	INIT-FAX NO.	R	M	
K	Synchronet	D	LSR	INIT-FAX NO.	C	M	Change from Conditional to Required
K	Synchronet	N	LSR	INIT	R	M	
K	Synchronet	N	LSR	INIT-FAX NO.	R	M	
K	Synchronet	T	LSR	INIT	R	M	
K	Synchronet	T	LSR	INIT-FAX NO.	R	M	
K	Synchronet	V	LSR	INIT	R	M	
K	Synchronet	V	LSR	INIT-FAX NO.	R	M	
K	Synchronet	W	LSR	INIT	R	M	
K	Synchronet	W	LSR	INIT-FAX NO.	R	M	
M	Switched Combo Bus/Res	B	LSR	INIT	R		
M	Switched Combo Bus/Res	B	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	C	LSR	INIT	R		
M	Switched Combo Bus/Res	C	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	D	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
M	Switched Combo Bus/Res	D	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	L	LSR	INIT	R		
M	Switched Combo Bus/Res	L	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	N	LSR	INIT	R		
M	Switched Combo Bus/Res	N	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	S	LSR	INIT	R		
M	Switched Combo Bus/Res	S	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	T	LSR	INIT	R		
M	Switched Combo Bus/Res	T	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	V	LSR	INIT	R		
M	Switched Combo Bus/Res	V	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	W	LSR	INIT	R		
M	Switched Combo Bus/Res	W	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	Y	LSR	INIT	R		
M	Switched Combo Bus/Res	Y	LSR	INIT-FAX NO.	R		
M	Switched Combo Remote Call	C	LSR	INIT	R		
M	Forwarding (RCF) Switched Combo Remote Call	C	LSR	INIT-FAX NO.	R		
M	Forwarding (RCF) Switched Combo Remote Call	D	LSR	INIT	R		
M	Forwarding (RCF) Switched Combo Remote Call	D	LSR	INIT-FAX NO.	R		
M	Forwarding (RCF) Switched Combo Remote Call	N	LSR	INIT	R		
M	Forwarding (RCF) Switched Combo Remote Call	N	LSR	INIT-FAX NO.	R		
M	Forwarding (RCF) Switched Combo Remote Call	T	LSR	INIT	R		
M	Forwarding (RCF) Switched Combo Remote Call	T	LSR	INIT-FAX NO.	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Switched Combo Remote Call						
M	Forwarding (RCF)	V	LSR	INIT	R		
	Switched Combo Remote Call						
M	Forwarding (RCF)	V	LSR	INIT-FAX NO.	R		
	Switched Combo Remote Call						
M	Forwarding (RCF)	W	LSR	INIT	R		
	Switched Combo Remote Call						
M	Forwarding (RCF)	W	LSR	INIT-FAX NO.	R		
M	Coin	C	LSR	INIT	R		
M	Coin	C	LSR	INIT-FAX NO.	R		
M	Coin	D	LSR	INIT	R		
M	Coin	D	LSR	INIT-FAX NO.	R		
M	Coin	N	LSR	INIT	R		
M	Coin	N	LSR	INIT-FAX NO.	R		
M	Coin	T	LSR	INIT	R		
M	Coin	T	LSR	INIT-FAX NO.	R		
M	Coin	V	LSR	INIT	R		
M	Coin	V	LSR	INIT-FAX NO.	R		
M	Coin	W	LSR	INIT	R		
M	Coin	W	LSR	INIT-FAX NO.	R		
	4-wire ISDN PRI Combination						
M	4-wire ISDN PRI Combination	C	LSR	INIT	R	M	
	4-wire ISDN PRI Combination						
M	4-wire ISDN PRI Combination	C	LSR	INIT-FAX NO.	R	M	
	4-wire ISDN PRI Combination						
M	4-wire ISDN PRI Combination	D	LSR	INIT	R	M	
	4-wire ISDN PRI Combination						
M	4-wire ISDN PRI Combination	D	LSR	INIT-FAX NO.	R	M	
	4-wire ISDN PRI Combination						
M	4-wire ISDN PRI Combination	N	LSR	INIT	R	M	
	4-wire ISDN PRI Combination						
M	4-wire ISDN PRI Combination	N	LSR	INIT-FAX NO.	R	M	
	4-wire ISDN PRI Combination						
M	4-wire ISDN PRI Combination	V	LSR	INIT	R	M	
	4-wire ISDN PRI Combination						
M	4-wire ISDN PRI Combination	V	LSR	INIT-FAX NO.	R	M	
	2-wire ISDN-BRI UNE Combo						
M	2-wire ISDN-BRI UNE Combo	C	LSR	INIT	R	M	
	2-wire ISDN-BRI UNE Combo						
M	2-wire ISDN-BRI UNE Combo	C	LSR	INIT-FAX NO.	R	M	
	2-wire ISDN-BRI UNE Combo						
M	2-wire ISDN-BRI UNE Combo	D	LSR	INIT	R	M	
	2-wire ISDN-BRI UNE Combo						
M	2-wire ISDN-BRI UNE Combo	D	LSR	INIT-FAX NO.	R	M	
	2-wire ISDN-BRI UNE Combo						
M	2-wire ISDN-BRI UNE Combo	N	LSR	INIT	R	M	
	2-wire ISDN-BRI UNE Combo						
M	2-wire ISDN-BRI UNE Combo	N	LSR	INIT-FAX NO.	R	M	
	2-wire ISDN-BRI UNE Combo						
M	2-wire ISDN-BRI UNE Combo	V	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	UNE Combo 2-wire ISDN-BRI						
M	UNE Combo	V	LSR	INIT-FAX NO.	R	M	
M	DDITS - DS1	C	LSR	INIT	R	M	
M	DDITS - DS1	C	LSR	INIT-FAX NO.	R	M	
M	DDITS - DS1	D	LSR	INIT	R	M	
M	DDITS - DS1	D	LSR	INIT-FAX NO.	R	M	
M	DDITS - DS1	N	LSR	INIT	R	M	
M	DDITS - DS1	N	LSR	INIT-FAX NO.	R	M	
M	DDITS - DS1	V	LSR	INIT	R	M	
M	DDITS - DS1	V	LSR	INIT-FAX NO.	R	M	
	DDITS - UNE Combos Trunk Service	C	LSR	INIT	R	M	
M	DDITS - UNE Combos Trunk Service	C	LSR	INIT-FAX NO.	R	M	
M	DDITS - UNE Combos Trunk Service	D	LSR	INIT	R	M	
M	DDITS - UNE Combos Trunk Service	D	LSR	INIT-FAX NO.	R	M	
M	DDITS - UNE Combos Trunk Service	N	LSR	INIT	R	M	
M	DDITS - UNE Combos Trunk Service	N	LSR	INIT-FAX NO.	R	M	
M	DDITS - UNE Combos Trunk Service	V	LSR	INIT	R	M	
M	DDITS - UNE Combos Trunk Service	V	LSR	INIT-FAX NO.	R	M	
	4-wire DS1 Loop with Channelization with Port (DS1 Service)	C	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	C	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	D	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization	D	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
M	with Port (DS1 Service) 4-wire DS1 Loop with Channelization with Port (DS1 Service)	N	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	N	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	V	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	V	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	C	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	C	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	D	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	D	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	N	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	N	LSR	INIT-FAX NO.	R	M	
M	with	V	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Channelization with Port (Trunk Service) 4-wire DS1 Loop with Channelization with Port (Trunk Service)						
M	UNE P Centrex	V	LSR	INIT-FAX NO.	R	M	
M	UNE P Centrex	C	LSR	INIT	R	M	
M	UNE P Centrex	C	LSR	INIT-FAX NO.	R	M	
M	UNE P Centrex	D	LSR	INIT	R	M	
M	UNE P Centrex	D	LSR	INIT-FAX NO.	R	M	
M	UNE P Centrex	N	LSR	INIT	R	M	
M	UNE P Centrex	N	LSR	INIT-FAX NO.	R	M	
M	UNE P Centrex	V	LSR	INIT	R	M	
M	UNE P Centrex	V	LSR	INIT-FAX NO.	R	M	
	UNE-P Complex PBX On/Off Premises						
M	Extensions/DPA UNE-P Complex PBX On/Off Premises	C	LSR	INIT	R	M	
M	Extensions/DPA UNE-P Complex PBX On/Off Premises	C	LSR	INIT-FAX NO.	R	M	
M	Extensions/DPA UNE-P Complex PBX On/Off Premises	N	LSR	INIT	R	M	
M	Extensions/DPA UNE-P Complex PBX On/Off Premises	N	LSR	INIT-FAX NO.	R	M	
M	Extensions/DPA UNE-P Complex PBX On/Off Premises	V	LSR	INIT	R	M	
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	V	LSR	INIT-FAX NO.	R	M	
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	C	LSR	INIT	R	M	
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	C	LSR	INIT-FAX NO.	R	M	
M	Extensions/DPA	N	LSR	INIT	R	M	
M	UNE-P Non-	N	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Complex On/Off Premises Extensions/DPA UNE-P Non- Complex On/Off Premises						
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	T	LSR	INIT	R	M	
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	T	LSR	INIT-FAX NO.	R	M	
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	V	LSR	INIT	R	M	
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	V	LSR	INIT-FAX NO.	R	M	
M	Extensions/DPA UNE-P Non- Complex On/Off Premises	W	LSR	INIT	R	M	
M	Extensions/DPA DID Resale	W	LSR	INIT-FAX NO.	R	M	
N	Service DID Resale	C	LSR	INIT	R		
N	Service DID Resale	C	LSR	INIT-FAX NO.	R		
N	Service DID Resale	D	LSR	INIT	R	M	
N	Service DID Resale	D	LSR	INIT-FAX NO.	R	M	
N	Service DID Resale	N	LSR	INIT	R	M	
N	Service DID Resale	N	LSR	INIT-FAX NO.	R	M	
N	Service DID Resale	T	LSR	INIT	R	M	
N	Service DID Resale	T	LSR	INIT-FAX NO.	R	M	
N	Service DID Resale	V	LSR	INIT	R		
N	Service DID Resale	V	LSR	INIT-FAX NO.	R		
N	Service DID Resale	W	LSR	INIT	R		
N	Service 2-wire DID UNE	W	LSR	INIT-FAX NO.	R		
N	Combination	C	LSR	INIT	R	M	
N	2-wire DID UNE	C	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
	Combination 2-wire DID UNE						
N	Combination 2-wire DID UNE	D	LSR	INIT	R	M	
N	Combination 2-wire DID UNE	D	LSR	INIT-FAX NO.	R	M	
N	Combination 2-wire DID UNE	N	LSR	INIT	R	M	
N	Combination 2-wire DID UNE	N	LSR	INIT-FAX NO.	R	M	
N	Combination 2-wire DID UNE	V	LSR	INIT	R	M	
N	Combination 2-wire DID UNE	V	LSR	INIT-FAX NO.	R	M	
N	Service PBX Resale	C	LSR	INIT	R	M	Remove (m)
N	Service PBX Resale	C	LSR	INIT-FAX NO.	R		
N	Service PBX Resale	D	LSR	INIT	R	M	Remove (m)
N	Service PBX Resale	D	LSR	INIT-FAX NO.	R		
N	Service PBX Resale	N	LSR	INIT	R		
N	Service PBX Resale	N	LSR	INIT-FAX NO.	R		
N	Service PBX Resale	T	LSR	INIT	R		
N	Service PBX Resale	T	LSR	INIT-FAX NO.	R		
N	Service PBX Resale	V	LSR	INIT	R		
N	Service PBX Resale	V	LSR	INIT-FAX NO.	R		
N	Service PBX Resale	W	LSR	INIT	R		
N	Service PBX Stand Alone	W	LSR	INIT-FAX NO.	R		
N	Port PBX Stand Alone	C	LSR	INIT	R	M	
N	Port PBX Stand Alone	C	LSR	INIT-FAX NO.	R	M	
N	Port PBX Stand Alone	D	LSR	INIT	R	M	
N	Port PBX Stand Alone	D	LSR	INIT-FAX NO.	R	M	
N	Port PBX Stand Alone	N	LSR	INIT	R	M	
N	Port PBX Stand Alone	N	LSR	INIT-FAX NO.	R	M	
N	PBX UNE Combo	C	LSR	INIT	R	M	
N	PBX UNE Combo	C	LSR	INIT-FAX NO.	R	M	
N	PBX UNE Combo	D	LSR	INIT	R	M	
N	PBX UNE Combo	D	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
N	PBX UNE Combo	N	LSR	INIT	R	M	
N	PBX UNE Combo	N	LSR	INIT-FAX NO.	R	M	
N	PBX UNE Combo	V	LSR	INIT	R	M	
N	PBX UNE Combo	V	LSR	INIT-FAX NO.	R	M	
N	Address						
N	Correction	R	LSR	INIT	R	M	
N	Address						
N	Correction	R	LSR	INIT-FAX NO.	R	M	
N	BellSouth®						
P	Centrex®	B	LSR	INIT	R	M	
P	BellSouth®						
P	Centrex®	B	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	Centrex®	C	LSR	INIT	R	M	
P	BellSouth®						
P	Centrex®	C	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	Centrex®	D	LSR	INIT	R	M	
P	BellSouth®						
P	Centrex®	D	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	Centrex®	L	LSR	INIT	R	M	
P	BellSouth®						
P	Centrex®	L	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	Centrex®	N	LSR	INIT	R	M	
P	BellSouth®						
P	Centrex®	N	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	Centrex®	S	LSR	INIT	R	M	
P	BellSouth®						
P	Centrex®	S	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	Centrex®	T	LSR	INIT	R	M	
P	BellSouth®						
P	Centrex®	T	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	Centrex®	V	LSR	INIT	R	M	
P	BellSouth®						
P	Centrex®	V	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	Centrex®	W	LSR	INIT	R	M	
P	BellSouth®						
P	Centrex®	W	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	ESSX®	B	LSR	INIT	R	M	
P	BellSouth®						
P	ESSX®	B	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	ESSX®	C	LSR	INIT	R	M	
P	BellSouth®						
P	ESSX®	C	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	ESSX®	D	LSR	INIT	R	M	
P	BellSouth®						
P	ESSX®	D	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	ESSX®	L	LSR	INIT	R	M	
P	BellSouth®						
P	ESSX®	L	LSR	INIT-FAX NO.	R	M	
P	BellSouth®						
P	ESSX®	S	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change
P	ESSX®	S	LSR	INIT-FAX NO.	R	M	
P	ESSX®	T	LSR	INIT	R	M	
P	ESSX®	T	LSR	INIT-FAX NO.	R	M	
P	ESSX®	V	LSR	INIT	R	M	
P	ESSX®	V	LSR	INIT-FAX NO.	R	M	
P	ESSX®	W	LSR	INIT	R	M	
P	ESSX®	W	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	B	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	B	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	C	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	C	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	D	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	D	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	L	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	L	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	N	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	N	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	S	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	S	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	T	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	T	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	V	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	V	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	W	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	W	LSR	INIT-FAX NO.	R	M	

CCP 1860 Attachment Listed Below

Reqtyp J

Directory Listing

Product Listing

Directory Listings

Standard Directory Listings include the name, address and telephone number of an customer. This listing appears alphabetically in the Directory Assistance (DA) records and the White Pages Directory for the area in which the telephone service is located. Directory listings are intended to be an aid in the use of the telephone service, so they are limited to information for the identification of the listed party.

Ordering Forms/Screens for REQ TYP J

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Directory Listing		
LSR	EU	DL
R	R	C [1]
R = Required C = Conditional O = Optional		

[1] = The DL form/screen is required for ACT N or R, and prohibited for ACT D.

Completing the LSR and EU Forms/Screens

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid REQ TYP / ACT combination in the **REQ TYP / ACT Combination for Directory Listing** Section.

The following chart shows all of the valid account level activities for REQ TYP J. Refer to the **REQ TYP Overview** Section for descriptions of the account level activities.

Valid Account Level Activities REQ TYP J - Directory Listing		
N	D	R
X	X	X
" X " denotes valid account level activities. A dash (-) indicates a non-valid account level activity.		

For REQ TYP(s) other than J

The DL form is applicable to REQ TYPs B, C, E, F, K, M, N, P.

The following chart illustrates when the DL form is required, conditional, optional or prohibited, for the different ACTTYPs.

ACT	DL Form R/C/O
N	R
C	C*
D	P
L	P
T	R
R	⊖
V	C**
W	P
S	P
B	P
Y	P

R=Required, C=Conditional, O=Optional, P=Prohibited

*The DL form is required when the ACT is C and the request is to change service from residence to business, or business to residence.

**The DL form is required when the ACT is V and the ELT field is populated with C.

Valid LACT and DACT for ACT Type

The Directory Listing (DL) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid listing activities (LACTs) and valid delivery activities (DACTs). These LACTs and DACTs determine how, or if, the DL form/screen should be populated. The following charts give the valid LACTs and DACTs for each account level activity (ACT) and the associated DL formsscreen usage.

If ACT is:	Then LACT is:	And DL form/screen is:
N	N	Required
D	Prohibited	Prohibited
R	N, D, I or O (REQTYP J)	Optional
T	N	Required
C	N, D, I or O	Optional
V	N, D or Z (REQTYP E, M)	Conditional
V	N, Z (REQTYP B, C)	Conditional

If ACT is:	Then DACT is:	And DL form/screen is:
N	N	Required
D	Prohibited	Not Required
R	N	Required
T	N	Required
C	N	Optional
V	N	Optional

The LACT and DACT Entries

Activities for directory listings and directory delivery are listed below.

Listing Activities (LACT) for Directory Listings:

N = New Listing

D = Delete Listing

I = Change Listing (new data to be inserted)

O = Change Listing (old data)

Z = No Change to listing

Delivery Activities (DACT) for Directory Delivery:

N = New Directory Delivery

Address Correction

Description:

This section defines the process for correcting address information when the service address shown on the existing customer service record should be changed for record purposes only.

An address correction occurs when a customer submits a request to change the address on an existing end user account to ensure the information on the Customer Service Record (CSR) accurately reflects the location where the service is working.

Restrictions:

Restrictions for Address Correction orders are shown under the Address Correction heading in the Reqtyp E chapter (page **Error! Bookmark not defined.**) and the Reqtyp N chapter (page **Error! Bookmark not defined.**).

Ordering Forms/Screens

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Address Correction		
LSR	EU	DL
R	R	EO
R = Required C = Conditional O = Optional		

Completing the LSR and EU Forms/Screens

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid REQ TYP / ACT combination in the **REQ TYP / ACT Combination for Directory Listing** Section.

The following chart shows all of the valid account level activities for REQ TYP J. Refer to the **REQ TYP Overview** Section for descriptions of the account level activities.

Valid Account Level Activities Address Correction			
N	C	D	R
-	-	-	X
" X " denotes valid account level activities. A dash (-) indicates a non-valid account level activity.			

Valid LACT and DACT for Address Correction

The Directory Listing (DL) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid listing activities (LACTs) and valid delivery activities (DACTs). These LACTs and DACTs determine how, or if, the DL form/screen should be populated. The following charts give the valid LACTs and DACTs for each account level activity (ACT) and the associated DL forms screen usage. **The DL form is not required for service address corrections, however if the Listed Address (LA) is to be changed in conjunction with the service address (SA) correction a DL form must be submitted. When the DL form is submitted the chart below depicts the valid ACT/LACT/DACT allowed for address corrections.**

If ACT is:	Then LACT is:	And DL form/screen is:
R	I or O	Required

If ACT is:	Then DACT is:	And DL form/screen is:
R	N	Optional Required

*Note: The ACT of R in the charts above is limited to REQ TYP E, M or N and is applicable only to address correction request(s).

Note 2: When the ACT is R on REQ TYP is E, M or N, and the request is for an address correction the customer should use the LSR/EU R/C/O tables for completing that portion of the request.

CCP 1877 Attachment Listed Below**LCON-TEL NO. – Local Contact Telephone Number****EU Form/Screen**

16.0A(LSOG6 / ELMS6 map)

Definition:

Identifies the telephone number of the local contact for the service location.

Definition Notes:

NOTE 1: During installation, this is the contact number that the provider's technician will call to reach the person named in the LCON-NAME field that can provide access to the service location.

Valid Entries:

None

Valid Entry Notes:

None

Data Characteristics:

Manual: Minimum 10 numeric characters or up to 14 numeric characters (excluding 3 optional hyphens)

Electronic: 10 numeric characters

Examples:

Manual:

20198135871234

201-981-3587-1234

2059813587

205-981-3587

Electronic: 2019813587

Conditional Usage Notes:

None

Business Rules

Rule 1: Population of this field on the LSR will be interpreted as permission by the CLEC for Bell South to contact the person named in the LCON field even though specific CLEC contract provisions state otherwise

CCP 1878 Attachment Listed Below

Remote Call Forwarding (RCF)

Product Listing

Remote Call Forwarding (RCF)

Resale Services are those bundled services where the service provider is different from the network provider. Competitive Local Exchange Carriers (CLECs) can purchase telecommunications products, features and services from Local Exchange Carriers such as BellSouth®, for resale to their customers.

Ordering Forms/Screens

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Remote Call Forwarding (RCF)										
LSR	Hunting	EU	DL	RS	DRS	PS	NP	LS	LSNP	RPL
R		R	C [1]	C [2]						
R = Required C = Conditional O = Optional										

[1] = DL form/screen is required when the ACT is N or T.

[2] = Required when the ACT=C, N, T or V

Completing the DL Form/Screen

If directory listings are required, refer to **REQTYP J** for more information on completing the DL form/screen.

Hunting

Note: If the line disconnecting is in a Hunt Group, the Hunting Page is also required.

Completing the LSR and EU Forms/Screens

Account level activities (ACT) apply to the entire account. A complete list of ACTs and their definition can be found in the Data Dictionary entry for ACT.

The following chart shows all of the valid account level activities for this service.

Valid Account Level Activities Remote Call Forwarding (RCF)										
N	C	D	T	R	V	S	B	W	L	Y
X	X	X	X	-	X	-	-	X	-	-
Note: "X" denotes valid account level activities. A dash (-) indicates a non-valid account level activity.										

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid ACT code in the **ACT Tables** section.

Completing the RS Form/Screen

The Resale Service (RS) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid Line Level Activities (LNAs). These LNAs determine how, or if, the RS form/screen should be populated. A complete list of LNAs and their definition can be found in the Data Dictionary entry for LNA.

The following chart gives the valid LNAs for each account level activity (ACT) and the associated RS form/screen usage for this service.

If ACT is:	Then LNA is:	And RS form/screen is:
N	N	Required
C	N, C, D, or P	Required
D	Prohibited	Not Required
T	N, T	Required
V	N, D, G, V, W or P	Required
W	Prohibited	Not Required

The Required, Conditional and Optional (R/C/O) fields for the RS form/screen are listed according to the Line Level Activity (LNA) in the **LNA Tables** Section.

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp E, Remote Call Forwarding (RCF)

ACT= C: LSR

Required

ACT	BAN1	CC
D/TSENT	DDD	IMPCON
INIT	INIT-FAX NO.	INIT-TEL NO.
LSO	PG_OF_ (M)	PON
REQTYP	SC	TOS
CCNA (E)		

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
CUST	IMPCON-TEL NO.	LOCQTY
NOR	RPON	SUP
VER		

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	LSCP	REMARKS
RORD		

ACT= C: EU

Required

PG_OF_ (M)	PON (M)
------------	---------

Conditional

AN	ATN	DISC NBR
DNUM	DQTY	LOCACT
LOCNUM DETAIL (E)	STATE	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER	

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM (M)
TC OPT*		

ACT Tables: Reqtyp E, Remote Call Forwarding (RCF)

ACT= D: LSR
Required

ACT	BAN1	CC
D/TSENT	DDD	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_(M)
PON	REQTYP	SC
TOS	CCNA (E)	

Conditional

AN (M)	ATN (M)	LOCQTY
NOR	RPON	SUP
VER		

Optional

DFDT	LSO	REMARKS
RORD		

ACT= D: EU
Required

PG_OF_(M)	PON (M)	
-----------	---------	--

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	ZIP

Optional

LCON-NAME	LCON-TEL NO.	TC OPT*
-----------	--------------	---------

ACT= N: LSR
Required

ACT	BAN1	CC
D/TSENT	DDD	IMPCON
INIT	INIT-FAX NO.	INIT-TEL NO.
LSO	PG_OF_(M)	PON
REQTYP	SC	TOS
CCNA (E)		

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	LSCP	REMARKS
RORD		

ACT Tables: Reqtyp E, Remote Call Forwarding (RCF)

ACT= N: EU
Required

PG_OF_(M)	PON (M)	
-----------	---------	--

Conditional

AN	ATN	LOCNUM DETAIL (E)
VER		

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM (M)
-----------	--------------	------------

ACT= T: LSR
Required

ACT	BANI	CC
D/TSENT	DDD	DDDO**
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	LSO	PG_OF_ (M)
PON	REQTYP	SC
TOS	CCNA (E)	

Conditional

ALT-IMPCON-TEL NO.	AN (M)	ATN (M)
CUST	IMPCON-TEL NO.	LOCQTY
NOR	RPON	SUP
VER		

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	LSCP	REMARKS
RORD		

ACT= T: EU
Required

PG_OF_ (M)	PON (M)	
------------	---------	--

Conditional

AN (M)	ATN (M)	DISC-NBR
DQTY	EATN	LCONUM DETAIL
TC NAME	TC PER	TC TO PRI
TC TO SEC	TCID	VER

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM (M)
TC OPT*		

ACT Tables: Reqtyp E, Remote Call Forwarding (RCF)

ACT= V: LSR
Required

ACT	BANI	CC
D/TSENT	DDD	IMPCON
INIT	INIT-FAX NO.	INIT-TEL NO.
LSO	MI	PG_OF_ (M)
PON	REQTYP	SC
TOS	CCNA (E)	

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	LSCP	REMARKS

ACT= V: EU
Required

ELT	PG_OF_ (M)	PON (M)
-----	------------	---------

Conditional

AN	ATN	DISC NBR
DNUM	DQTY	EATN
EUMI	FB-BILLCON	FB-BILLCON TEL NO.
FB-BILLNM	FB-CITY	FB-FLOOR
FBI	FB-ROOM	FB-SBILLNM



FB-STATE
LOCNUM DETAIL (E)
TC TO PRI
VER

FB-STREET
TC NAME
TC TO SEC
ZIP

FB-ZIP
TC PER
TCID

Optional

LCON-NAME
TC OPT*

LCON-TEL NO.

LOCNUM (M)

ACT= W: LSR

Required

ACT
D/TSENT
INIT-FAX NO.
PON
TOS

BAN1
DDD
INIT-TEL NO.
REQTYP
CCNA (E)

CC
INIT
PG_OF_ (M)
SC

Conditional

AN
RPON

ATN
SUP

NOR
VER

ACT Tables: Reqtyp E, Remote Call Forwarding (RCF)

Optional

LSO

REMARKS

RORD

ACT= W: EU

Required

PG_OF_ (M)

PON (M)

DQTY (M)

Conditional

AN (M)
FB-BILLCON TEL NO.
FB-FLOOR
FB-SBILLNM
FB-ZIP

ATN (M)
FB-BILLNM
FBI*
FB-STATE
VER

FB-BILLCON
FB-CITY
FB-ROOM
FB-STREET

Optional

LOCNUM

LNA Tables: Reqtyp E, Remote Call Forwarding (RCF)

LNA= C: RS

Required

FEATURE
LNUM
RSQTY TNS

FEATURE DETAIL
PG_OF_ (M)
LNECLS SVC (E)

LNA
PON (M)

Conditional

AN (M)
FA
TC NAME
TC TO SEC

ATN (M)
LPIC
TC PER
TCID

BLOCK
PIC
TC TO PRI
VER (M)

Optional

BA*
TC OPT*

FPI

LOCNUM

LNA= D: RS

Required

LNA
PON (M)
LNECLS SVC (E)

LNUM
RSQTY

PG_OF_ (M)
TNS

Conditional

AN (M)	ATN	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

LOCNUM	TC OPT*	
--------	---------	--

LNA= G: RS
Required

FEATURE	FEATURE DETAIL	LNA
LNUM	PG_OF_(M)	PON (M)
RSQTY	TNS	
LNECLS SVC (E)		

Conditional

AN (M)	ATN (M)	BLOCK
FA	LEAN	LEATN
LPIC	PIC	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER	

Optional

BA*	FPI	LOCNUM (M)
TC OPT*		

LNA Tables: Reqtyp E, Remote Call Forwarding (RCF)

LNA= N: RS
Required

FEATURE	FEATURE DETAIL	LNA
LNUM	PG_OF_(M)	PON (M)
RSQTY	TNS	
LNECLS SVC (E)		

Conditional

AN (M)	ATN (M)	BLOCK
FA	LPIC	PIC
TC FR	VER	

Optional

BA*	FPI	LOCNUM (M)
-----	-----	------------

LNA= P: RS
Required

LNA	LNUM	LPIC
PG_OF_(M)	PIC	PON (M)
RSQTY	TNS	
LNECLS SVC (E)		

Conditional

AN (M)	ATN (M)	VER (M)
--------	---------	---------

Optional

FPI	LOCNUM (M)	
-----	------------	--

LNA= T: RS

Required

FEATURE	FEATURE DETAIL	LNA
LNECLS SVC** (E)	LNUM	PG_OF_ (M)
PON (M)	RSQTY	TNS
LNECLS SVC (E)		

Conditional

FEATURE	FEATURE DETAIL	LNA
AN (M)	ATN (M)	LPIC
OTN	PIC	TC FR (E)
VER (M)		

Optional

FEATURE	FEATURE DETAIL	LNA
BA*	FA*	FPI
LOCNUM	TC OPT*	

LNA= V: RS
Required

FEATURE	FEATURE DETAIL	LNA
LNUM	PG_OF_ (M)	PON (M)
RSQTY TNS	LNECLS SVC (E)	

LNA Tables: Reqtyp E, Remote Call Forwarding (RCF)
Conditional

FEATURE	FEATURE DETAIL	LNA
AN (M)	ATN	BLOCK
FA	LEAN	LEATN
LPIC	PIC	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER	

Optional

FEATURE	FEATURE DETAIL	LNA
BA*	FPI	LOCNUM (M)
TC OPT*		

LNA= W: RS
Required

FEATURE	FEATURE DETAIL	LNA
LNA	LNUM	PG_OF_ (M)
PON (M)	RSQTY	TNS
LNECLS SVC (E)		

Conditional

FEATURE	FEATURE DETAIL	LNA
AN (M)	ATN (M)	VER (M)

Optional

FEATURE	FEATURE DETAIL	LNA
LOCNUM (M)		

Switched Combo Remote Call Forwarding (RCF UNE P BUS/RES)

Product Listing

Switched Combo Remote Call Forwarding (RCF UNE P BUS/RES)

This service offering is defined as a UNE 2-wire Port that is provisioned in the BellSouth® switch and a UNE voice grade loop which are rebundled to create the equivalent of BellSouth® Retail or Resale service. This combination will always be

measured and include switching functionality, shared interoffice transport, tandem switching, and a cross connect element. When combined, these elements will provide an end-to-end service. The Port functionality includes access to all vertical features as well as other functions and capabilities available in the central office switch.

Ordering Forms/Screens

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens										
Switched Combo Remote Call Forwarding (RCF UNE P BUS/RES)										
LSR	Hunting	EU	DL	RS	DRS	PS	NP	LS	LSNP	RPL
R		R	C [1]			C [2]				
R = Required C = Conditional O = Optional										

[1] = The DL form/screen is required when ACT = N or T.

[2] = The PS form/screen is required only when ACT = N, C, T or V. Otherwise, the PS form/screen is not required.

Completing the DL Form/Screen

If directory listings are required, refer to **REQ TYP J** for more information on completing the DL form/screen.

Completing the Hunting Section on the LSR Form/Screen

Hunting is an optional feature only when the ACT is N, C, T or V. For more information on Hunting, refer to **REQ TYP E - Hunting** for information on Hunting for UNE Switched Combinations.

Note: UNE Switched Combinations - When ACT is V, if Hunting exists on the account being converted and the CLEC wishes to *keep the hunting*, the HA field should be "E".

Completing the LSR and EU Forms/Screens

Account level activities (ACT) apply to the entire account. A complete list of ACTs and their definition can be found in the Data Dictionary entry for ACT.

The following chart shows all of the valid account level activities for this service.

Valid Account Level Activities Switched Combo Remote Call Forwarding (RCF UNE P BUS/RES)										
N	C	D	T	R	V	S	B	W	L	Y
X	X	X	X	-	X	-	-	X	-	-
Note: "X" denotes valid account level activities. A dash (-) indicates a non-valid account level activity.										

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid ACT code in the **ACT Tables** section.

Completing the PS Form/Screen

The Port Service (PS) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid Line Level Activities (LNAs). These LNAs determine how, or if, the PS form/screen should be populated. A complete list of LNAs and their definition can be found in the Data Dictionary entry for LNA.

The following chart gives the valid LNAs for each account level activity (ACT) and the associated PS form/screen usage for this service.

If ACT is:	Then LNA is:	And PS form/screen is:
N	N	Required
C	N, C, D or P	Required
D	Prohibited	Not Required
V	N, D, G, V, W or P	Required
T	N, T	Required
W	Prohibited	Not Required

The Required, Conditional and Optional (R/C/O) fields for the PS form/screen are listed according to the Line Level Activity (LNA) in the **LNA Tables** Section.

Basic Class of Service/Line Class of Service USOCS

Since there is no BCS field or LNECLSS SVC fields on a manual LSR the Basic Class of Service USOC and LNECLSS SVC USOC can be populated in the Feature Detail field. The following rules should be applied:

1. If the request is to migrate a Retail RCF to a UNE RCF the BCS and LNECLSS SVC USOCs are optional.
2. If the request is to migrate a Residence or Business line to a UNE RCF the BCS and LNECLSS SVC USOCs are required.
3. If the request is to order a new UNE RCF line the BCS and LNECLSS SVC USOCs are required.

UNE RCF and ACT Type = T

When the ACT Type is T the feature detail section should be populated with only the USOCS that the end user will have on the UNE RCF account.

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqtyp M, Switched Combo Remote Call Forwarding (RCF)

ACT= C: LSR

Required

ACT	BAN1	CC
D/TSENT	DDD	IMPCON
INIT	INIT-FAX NO.	INIT-TEL NO.
LSO	PG_OF_(M)	PON
REQTYP	SC	TOS
CCNA (E)		

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	LSCP	REMARKS
RORD	PORTTYP	

ACT= C: EU

Required

PG_OF_(M)	PON (M)
-----------	---------

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY	LOCNUM DETAIL (E)
TC NAME	TC PER	TC TO PRI
TC TO SEC	TCID	VER (M)

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM (M)
TC OPT*		

ACT Tables: Reqtyp M, Switched Combo Remote Call Forwarding (RCF)

ACT= D: LSR

Required

ACT	BAN1	CC
D/TSENT	DDD	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_(M)
PON	REQTYP	SC
TOS	CCNA (E)	

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
LOCQTY	NOR	RPON
SUP	VER	

Optional

ALT-IMPCON*	DFDT	LSO
REMARKS	RORD	PORTTYP

ACT= D: EU
Required

PG_OF_(M)	PON (M)
-----------	---------

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

LCON-NAME	LCON-TEL NO.	TC OPT*
-----------	--------------	---------

ACT= N: LSR
Required

ACT	BAN1	CC
D/TSENT	DDD	IMPCON
INIT	INIT-FAX NO.	INIT-TEL NO.
LSO	PG_OF_(M)	PON
REQTYP	SC	TOS
CCNA (E)	PORTTYP	

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	LSCP	REMARKS
RORD		

ACT Tables: Reqtyp M, Switched Combo Remote Call Forwarding (RCF)

ACT= N: EU
Required

PG_OF_(M)	PON (M)
-----------	---------

Conditional

AN	ATN	LOCNUM DETAIL (E)
VER (M)		

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM (M)
-----------	--------------	------------

ACT= T: LSR
Required

ACT	BAN1	CC
-----	------	----



D/TSENT	DDD	DDDO**
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	LSO	PG_OF_(M)
PON	REQTYP	SC
TOS	CCNA (E)	PORTTYP

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
IMPCON-TEL NO.	LOCQTY	NOR
SUP	VER	

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	LSCP	REMARKS
RORD		

ACT= T: EU

Required

PG_OF_(M)	PON (M)	
-----------	---------	--

Conditional

AN	ATN	DISC-NBR
DQTY	EATN	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM (M)
TC OPT*		

ACT Tables: Reqtyp M, Switched Combo Remote Call Forwarding (RCF)

ACT= V: LSR

Required

ACT	BAN1	CC
D/TSENT	DDD	IMPCON
INIT	INIT-FAX NO.	INIT-TEL NO.
LSO	MI	PG_OF_(M)
PON	REQTYP	SC
TOS	CCNA (E)	PORTTYP

Conditional

ALT-IMPCON-TEL NO.	AN	ATN
IMPCON-TEL NO.	LOCQTY	NOR
RPON	SUP	VER

Optional

ALT-IMPCON*	APPTIME-DDD	DFDT
EXP	LSCP	REMARKS
RORD		

ACT= V: EU

Required

ELT	PG_OF_(M)	PON (M)
-----	-----------	---------

Conditional

AN (M)	ATN	DISC NBR
DNUM	DQTY	EATN
EUMI	FB-BILLCON	FB-BILLCON TEL NO.
FB-BILLNM	FB-CITY	FB-FLOOR
FBI	FB-ROOM	FB-SBILLNM
FB-STATE	FB-STREET	FB-ZIP
LOCNUM DETAIL (E)	TC NAME	TC PER
TC TO PRI	TC TO SEC	TCID
VER (M)		

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM (M)
SASN	TC OPT*	

ACT= W: LSR
Required

ACT	BAN1	CC
D/TSENT	DDD	INIT
INIT-FAX NO.	INIT-TEL NO.	PG_OF_ (M)
PON	REQTYP	SC
TOS	CCNA (E)	PORTTYP

Conditional

AN	ATN	LSO
NOR	RORD	RPON
SUP	VER	

ACT Tables: Reqtyp M, Switched Combo Remote Call Forwarding (RCF)

Optional

REMARKS

ACT= W: EU
Required

DQTY (m)	PG_OF_ (M)	PON (M)
----------	------------	---------

Conditional

AN (M)	ATN (M)	FB-BILLCON
FB-BILLCON TEL NO.	FB-BILLNM	FB-CITY
FB-FLOOR	FBI	FB-ROOM
FB-SBILLNM	FB-STATE	FB-STREET
FB-ZIP	VER (M)	

Optional

LCON-NAME	LCON-TEL NO.	LOCNUM (M)
LOCNUM HEADER (E)		

LNA Tables: Reqtyp M, Switched Combo Remote Call Forwarding (RCF)

LNA= C: PS
Required

FEATURE	FEATURE DETAIL	LNUM
PG_OF_ (M)	PON (M)	PQTY
TNS	LNECLS SVC (E)	

Conditional

AN (M)	ATN (M)	BLOCK
FA	LNA	LPIC
PIC	TC NAME	TC OPT
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

BA*	FPI	LOCNUM (M)
TSP (M)		

LNA= D: PS
Required

LNUM	PG_OF_ (M)	PON (M)
PQTY TNS	LNECLS SVC (E)	

Conditional



AN (M)
LPIC
TC OPT
TC TO SEC

ATN (M)
PIC
TC PER
TCID

LNA
TC NAME
TC TO PRI
VER (M)

Optional

LOCNUM (M)

LNA= G: PS

Required

FEATURE
PON (M)
LNECLS SVC (E)

LNUM
PQTY

PG_OF_ (M)
TNS

Conditional

AN (M)
FA
LNA
TC NAME
TC TO PRI
VER (M)

ATN (M)
LEAN
LPIC
TC OPT
TC TO SEC

BLOCK
LEATN
PIC
TC PER
TCID

Optional

BA*

FPI

LOCNUM (M)

LNA Tables: Reqtyp M, Switched Combo Remote Call Forwarding (RCF)

LNA= N: PS

Required

FEATURE
PG_OF_ (M)
TNS
LNECLS SVC (E)

FEATURE DETAIL
PON (M)

LNUM
PQTY

Conditional

AN (M)
FA
PIC

ATN (M)
LNA
TC FR

BLOCK
LPIC
VER (M)

Optional

BA*

FPI

LOCNUM (M)

LNA= P: PS

Required

LNUM
PIC
TNS

LPIC
PON (M)

PG_OF_ (M)
PQTY

Conditional

AN (M)
VER (M)

ATN (M)

LNA

Optional

FPI

LOCNUM (M)

LNA= T: PS

Required

LNECLS SVC (E)
PON (M)
LNECLS SVC (E)

LNUM
PQTY

PG_OF_ (M)
TNS

Conditional

AN (M)	ATN (M)	BLOCK
FEATURE	FEATURE DETAIL	LNA
LOCNUM DETAIL (E)	LPIC	OTN
PIC	TC FR (E)	TC OPT
TERS	VER (M)	

Optional

BA*	FA*	FPI
LOCNUM (M)	TSP (M)	

LNA= V: PS
Required

FEATURE	FEATURE DETAIL	LNUM
PG_OF_ (M)	PON (M)	PQTY
TNS		
LNECLS SVC (E)		

LNA Tables: Reqtyp M, Switched Combo Remote Call Forwarding (RCF)
Conditional

AN (M)	ATN (M)	BLOCK
FA	LEAN	LEATN
LNA	LOCNUM DETAIL (E)	LPIC
PIC	TC NAME	TC OPT
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

BA*	FPI	LOCNUM (M)
TSP (M)		

LNA= W: PS
Required

LNUM	PG_OF_ (M)	PON (M)
PQTY	TNS	
LNECLS SVC (E)		

Conditional

AN (M)	ATN (M)	LNA
LOCNUM DETAIL (E)	VER (M)	

Optional

LOCNUM (M)		
------------	--	--

CCP 1879 Attachment Listed Below

Atlanta LCSC	Telephone Number	Fax Number
Resale - Consumer	800-872-3116	800-872-7059
Resale - Small Business/Coin	800-872-3116	800-303-4426
UNE Switched Combos (Non-Complex)	800-872-3116	877-711-0855
Billing	800-872-3116	205-321-2724

Birmingham LCSC	Telephone Number	Fax Number
Resale - Consumer	800-773-4967	888-704-9368
Resale - Small Business/Coin	800-773-4967	800-773-4970
Unbundled Network Elements and Local Number Portability	800-773-4967	888-792-6271
Wireless LNP	888-285-6123	877-711-0378
UNE Switched Combos (Non-Complex)	800-773-4967	888-704-9368
LNP to Resale/UNE P Migrations Non-Complex Complex CRSG	800-773-4967 800-773-4967 205-321-7702	888-792-6271 877-672-0132 800-365-8101 or email crsg@bellsouth.com
Complex Services- Resale & UNE Switched Combos	800-773-4967	877-672-0132
Billing	800-773-4967	205-321-2817

CCP 1880 Attachment Listed Below**AD – Associated Detail****DIDPBXDOD Form/Screen**

16.0A(LSOG6 / ELMS6 map)

Definition:

Identifies the telephone number and/or trunk section(s) associated with this request.

Definition Notes:

None

Valid Entries:

Entry	Description
A	DID/DOD Telephone Number Section only
B	Trunk Service Detail Section only
C	Both

Valid Entry Notes:

~~Note 1:~~ Note 1: When AD is populated with A or C, the 2nd character of the TOS must be Q.

~~Note 2:~~ Note 2: When both PBX and DID are on the same request and the AD field is populated with C, the 2nd character of the TOS must be Q.

Note 3: When AD is populated with B, the 2nd character of the TOS must be J.

Note 4: When AD is populated with C, data is required in both the DID Telephone Number Section and the Trunk Detail Section.

Data Characteristics:

1 alpha character

Examples:

A

Conditional Usage Notes:

~~Note 1:~~ Note 1: Required when the REQTYP is N, the 2nd character of the TOS is J, and the ACT Type is N, C, D, V or T, otherwise prohibited.

~~Note 2:~~ Note 2: Required when the REQTYP is N, the 2nd character of the TOS is Q, and the ACT Type is C or V, otherwise prohibited.

~~Note 3:~~ Note 3: When AD is populated with B, the 2nd character of the TOS must be J.

~~Note 4:~~ Note 4: When AD is populated with C, data is required in both the DID Telephone Number Section and the Trunk Detail Section.

Manual:



Attachment
SN91084110

Note 3: Required when the REQTYP is N, the 2nd character of the TOS is Q and the ACT is N.

Business Rules

None

**** End of definition for AD / DIDPBXDOD form screen ****

CCP 1881 Attachment Listed Below

TCIF 9/ELMS 6

LPIC – IntraLATA Presubscription Indicator Code**PS Form/Screen**

16.0A(LSOG6 / ELMS6 map)

CRB Issues included: 2507

Definition:

Identifies the Presubscription Indicator Code (LPIC) for the carrier the customer has selected for IntraLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid LPIC Code of four (4) numerics
NONE	No LPIC chosen (Customer does not want to presubscribe).
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:
NA Not Applicable - Service may not require a LPIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, T or P, the only valid entries are NONE, UNDC or a 4 numeric valid LPIC code.

Note 2: For REQ TYP M when the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid LPIC code or when the LPIC is not changing, this field **must may** be populated with NC (No Change) or left Blank.

Note 3: For REQ TYP F when the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid LPIC code or when the LPIC is not changing, this field **must may** be populated with NC (No Change).

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC

NONE
0288***Conditional Usage Notes:***

Note 1: Required when the REQ TYP is M and the LNA field is populated with N, G, T or P and the 4th character of the TOS is not R.

Note 2: Prohibited when the LNA is populated with W, L or B.

Note 3: Required when the REQ TYP is F and the LNA is N, G, P or V.

Note 4: Required when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERTR or UERTE.

Note 5: Prohibited when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERLC, UERAC or UERVJ.

Business Rules

None

TCIF 9/ELMS 6

LPIC – IntraLATA Presubscription Indicator Code**RS Form/Screen**

16.0A(LSOG6 / ELMS6 map)

*CRB Issues included: 2507****Definition:***

Identifies the Presubscription Indicator Code (LPIC) for the carrier the customer has selected for IntraLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid LPIC Code (4 Numerics)
NONE	No LPIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a LPIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, T or P, the only valid entries are NONE, UNDC or a 4 numeric valid LPIC code.

Note 2 When the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid LPIC code or when the LPIC is not changing, this field **must may** be populated with NC (No Change) or left Blank.

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC
NONE
0288

Conditional Usage Notes:

Note 1: Required when the LNA field is N, T, G or P.

Note 2: Prohibited when the LNA is W, L or B.

Note 3: Required when the 1st character of TOS is 2 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFRS or RCFRU

Note 4: Prohibited when the 1st character of the TOS is 2 and the 4th character of the TOS is R and one of the LNECLS SVC field is populated with RCFRF, RD5RF, RCFWS, RCFWE, RCF7S, RCF7E, RCFRQ, RCFRE, RCFRG or RCFRN.

Note 5: Required when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVS or RCFVU.

Note 6: Prohibited when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVF, RD5VF, RCFVJ, RCFVQ, RCFVE, RCFVG, RCFVD, RCFLB, RCFVN, RCFWS, RCFWE, RCFWU, RCFWQ, RCFWG, RCF7S, RCF7E, RCF7Q or RCF7G.

Business Rules

None

***** End of definition for LPIC / RS form screen *****

TCIF 9/ELMS 6

PIC – InterLATA Presubscription Indicator Code

PS Form/Screen

16.0A(LSOG6 / ELMS6 map)

*CRB Issues included: 2507****Definition:***

Identifies the Presubscription Indicator Code (PIC) for the carrier the customer has selected for the InterLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid PIC Code of four (4) numerics
NONE	No PIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a PIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, P or T, the only valid entries are NONE, UNDC or a 4 numeric valid PIC code.

Note 2: For REQ TYP M when the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid PIC code or when the PIC is not changing, this field **must may** be populated with NC (No Change) or left Blank.

Note 3: For REQ TYP F when the LNA is V, C or X the only valid entries are NONE, UNDC, NC or a valid PIC code **or when the PIC is not changing, this field must be populated with NC (No Change).**

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC

NONE

0288

Conditional Usage Notes:

Note 1: Required when the LNA field is N, G, X, V or P; and the REQ TYP is F.

Note 2: Required when the REQ TYP is M and the LNA is N, P, T, G or P and the 4th character of the TOS is not R.

Note 3: Prohibited when the LNA is W, L or B.

Note 4: Required when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERTR or UERTE.

Note 5: Prohibited when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERLC, UERAC or UERVJ.

Business Rules

None

***** End of definition for PIC / PS form screen *****

TCIF 9/ELMS 6**PIC – InterLATA Presubscription Indicator Code****RS Form/Screen**

16.0A(LSOG6 / ELMS6 map)

CRB Issues included: 2507

Definition:

Identifies the Presubscription Indicator Code (PIC) for the carrier the customer has selected for InterLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid PIC Code of four (4) numerics
NONE	No PIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a PIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, T or P, the only valid entries are NONE, UNDC or a 4 numeric valid PIC code.

Note 2: When the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid PIC code or when the PIC is not changing, this field **must** ~~may~~ be populated with NC (No Change) or left Blank.

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC
NONE
0288

Conditional Usage Notes:

Note 1: Required when the LNA field is N, G, T or P.

Note 2: Prohibited when the ACT is W, L or B.

Note 3: Required when the 1st character of the TOS is 2 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFRQ, RCFRE or RCFRN.

Note 4: Prohibited when the 1st character of the TOS is 2 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFRF, RD5RF, RCFWS, RCFWE, RCF7S, RCF7E, RCFRU or RCFRG.

Note 5: Required when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVQ, RCFVE, RCFVN, RCF7E, RCFRS or RCF7Q.

Note 6: Prohibited when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVF, RD5VF, RCFVJ, RCFVU, RCFVG, RCFVD, RCFLB, RCFVS, RCFWS, RCFWE, RCFWU, RCFWQ, RCFWG, RCF7S or RCF7G.

Business Rules

None

***** End of definition for PIC / RS form screen *****

CCP 1882 Attachment Listed Below**PIC – InterLATA Presubscription Indicator Code****PS Form/Screen**

16.0A(LSOG6 / ELMS6 map)

Definition:

Identifies the Presubscription Indicator Code (PIC) for the carrier the customer has selected for the InterLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid PIC Code of four (4) numerics
NONE	No PIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a PIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, P or T, the only valid entries are NONE, UNDC or a 4 numeric valid PIC code.

Note 2: For REQTYP M when the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid PIC code or when the PIC is not changing, this field may be populated with NC (No Change) or left Blank.

Note 3: For REQTYP F when the LNA is V, C or X the only valid entries are NONE, UNDC, NC or a valid PIC code.

Note 4: When the 2nd character of the TOS is “H” and the Data PIC Code is different from the PIC Code, the Data PIC Code FID (DPIC XXXX) must be populated in the Feature Detail Section.

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC

NONE

0288

Conditional Usage Notes:

Note 1: Required when the LNA field is N, G, X, V or P; and the REQTYP is F.

Note 2: Required when the REQTYP is M and the LNA is N, P, T, G or P and the 4th character of the TOS is not R.

Note 3: Prohibited when the LNA is W, L or B.

Note 4: Required when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERTR or UERTE.

Note 5: Prohibited when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERLC, UERAC or UERVJ.

Business Rules

None

PIC – InterLATA Presubscription Indicator Code**RS Form/Screen**

16.0A(LSOG6 / ELMS6 map)

*CRB Issues included: 2507***Definition:**

Identifies the Presubscription Indicator Code (PIC) for the carrier the customer has selected for InterLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid PIC Code of four (4) numerics
NONE	No PIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a PIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, T or P, the only valid entries are NONE, UNDC or a 4 numeric valid PIC code.

Note 2: When the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid LPIC code or when the PIC is not changing, this field may be populated with NC (No Change) or left Blank.

Note 3: When the 2nd character of the TOS is “H” and the Data PIC Code is different from the PIC Code, the Data PIC Code FID (DPIC XXXX) must be populated in the Feature Detail Section.

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC
NONE
0288

Conditional Usage Notes:

Note 1: Required when the LNA field is N, G, T or P.

Note 2: Prohibited when the ACT is W, L or B.

Note 3: Required when the 1st character of the TOS is 2 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFRQ, RCFRE or RCFRN.

Note 4: Prohibited when the 1st character of the TOS is 2 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFRF, RD5RF, RCFWS, RCFWE, RCF7S, RCF7E, RCFRU or RCFRG.

Note 5: Required when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVQ, RCFVE, RCFVN, RCF7E, RCFRS or RCF7Q.

Note 6: Prohibited when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVF, RD5VF, RCFVJ, RCFVU, RCFVG, RCFVD, RCFLB, RCFVS, RCFWS, RCFWE, RCFWU, RCFWQ, RCFWG, RCF7S or RCF7G.

Business Rules

None



Attachment
SN91084110

CCP 1883 Attachment Listed Below

Corrected spelling of the word 'Ocuurs' to "Occurs" in the Pre-Order Parsed CSR Response table.

CCP 1891 Attachment Listed Below**Release 15.0 and 16.0 ELMS 6**

Removed (M) from the following fields to be consistent with INIT.

Reqtyp	Product	Code Type	Code	Form/Screen	Field	R/C/O
N	PBX Resale Service	ACT	D	LSR	INIT-TEL NO.	R
N	PBX Resale Service	ACT	C	LSR	INIT-TEL NO.	R