

BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

Carrier Notification**SN91084112**

Date: June 1, 2004

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version **13.0e** for Telecommunications Industry Forum 9 (TCIF 9) Release 13.0

This is to advise that BellSouth has identified the following documentation defects in the LOH Version **13.0e** for TCIF 9 Release 13.0.

CCP Number	Description Of The Change
1847	Removed DFDT from R/C/O tables for REQ TYP E/M (Non-Complex and COIN), Remove WSOP from REQ TYP E/M (Coin) R/C/O tables
1854	Multiple EU-Form Defects were fixed – see attachment for details
1856	Corrected R/C/O tables for REQ TYP B on the following fields: <ul style="list-style-type: none">▪ CKR, LEAN, JK CODE, JK NUM, and JK POS Corrected R/C/O tables for REQ TYP A for LEAN/LEATN fields
1859	Aligned the INIT FAX and INIT fields
1877	Modified the manual data characters for the LCON TEL NO field
1881	Note 2 will be changed to state the following: “Must Be” instead of “May Be”
1882	Added verbiage to the PIC code field for ISDN BRI and the DPIC Code
1891	Updated INIT and INIT-TEL NO. content in RCO tables

Please refer to the attachment for specific details of the changes listed above.

These changes were reflected in the update of the TCIF 9 Release 13.0/LOH Version **13.0f** posted on May 21, 2004.

A summary of all changes within this document will be listed in the **Summary of Changes** Section.

This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth local support manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachment

CCP 1847 Attachment Listed Below

Area of Impact Summary				
Release	LOH Section	REQTYP	Field	COMMENTS
16-ELMS	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Non-Complex REQTYP E-Coin See attachments
16-ELMS	ORD-RCO	M	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP M-Non-Complex REQTYP M-Coin See attachments
16-ELMS	ORD-RCO	E	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP E-Coin See attachments
16-ELMS	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP E-Coin See attachments
15-ELMS	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Non-Complex REQTYP E-Coin See attachments
15-ELMS	ORD-RCO	M	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP M-Non-Complex REQTYP M-Coin See attachments
15-ELMS	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following product REQTYP M-Coin See attachments
15-ELMS	ORD-RCO	E	WSOP	Remove WSOP in R/C/O tables for the following product REQTYP E-Coin See attachments
16-TCIF	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Coin See attachments

Area of Impact Summary				
Release	LOH Section	REQTYP	Field	COMMENTS
16-TCIF	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP M-Coin See attachments
13-TCIF	ORD-RCO	E	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP E-Coin See attachments
13-TCIF	ORD-RCO	M	DFDT	Remove DFDT in R/C/O tables for the following products REQTYP M-Coin See attachments
13-TCIF	ORD-RCO	E	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP E-Coin See attachments
13-TCIF	ORD-RCO	M	WSOP	Remove WSOP in R/C/O tables for the following products REQTYP M-Coin See attachments

Coin

Product Listing

Coin

Resale Services are those bundled services where the service provider is different from the network provider. Competitive Local Exchange Carriers (CLECs) can purchase telecommunications products, features and services from Local Exchange Carriers such as BellSouth®, for resale to their customers.

Ordering Forms/Screens

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Coin										
LSR	Hunting	EU	DL	DSCR	RS	DRS	PS	NP	LS	LSNP

R	[1]	R	C	C	C					
			[2]	[3]	[4]					
R = Required C = Conditional O = Optional										

[1] = Hunting is prohibited.

[2] = DL form/screen is required when the ACT is N or T.

[3] = DSCR is required to indicate: Captions; Degree Of Indent; Irregular Placement

[4] = RS form/screen is required only when the ACT is N, C, T, V, P or Q. Otherwise, the RS form/screen is not required.

Completing the DL and DSCR Forms/Screens

If directory listings are required, please refer to **REQTYP J** for more information on completing the DL and DSCR forms/screens.

Completing the HUNTING Section on the LSR-HGI Form/Screen

Hunting is prohibited with Coin service.

Completing the LSR and EU Forms/Screens

Account level activities (ACT) apply to the entire account. A complete list of ACTs and their definition can be found in the Data Dictionary entry for ACT.

The following chart shows all of the valid account level activities for this service.

Valid Account Level Activities												
Coin												
N	C	D	T	R	V	S	B	W	L	Y	P	Q
X	X	X	X	-	X	-	-	X	-	-	X	X
Note: "X" denotes valid account level activities. A dash (-) indicates a non-valid account level activity.												

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid ACT code in the **ACT Tables** section.

Completing the RS Form/Screen

The Resale Service (RS) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid Line Level Activities (LNAs). These LNAs determine how, or if, the RS form/screen should be populated. A complete list of LNAs and their definition can be found in the Data Dictionary entry for LNA.

The following chart gives the valid LNAs for each account level activity (ACT) and the associated RS form/screen usage for this service.

If ACT is:	Then LNA is:	And RS form/screen is:
N	N	Required
C	N, C, D, X or P	Required
D	Prohibited	Not Required
T	N, T	Required
V	N, D, G, X, V, W or P	Required
W	Prohibited	Not Required
P	N, D, G, X, V, W or P	Required
Q	N, D, G, X, V, W or P	Required

The Required, Conditional and Optional (R/C/O) fields for the RS form/screen are listed according to the Line Level Activity (LNA) in the **LNA Tables** Section.

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the field in the Data Dictionary for additional clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: Reqttyp E, Coin

ACT= C: LSR

Required

ACT	BAN1	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_(M)	PON
REQTYP	SC	TOS

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	PROJECT
SUP	VER	

Optional

APPTIME-DDD	DDDF	EXP
REMARKS	RPON	SPEC
VTA		

ACT= C: EU

Required

EU-NAME	PG_OF_(M)	PON (M)
---------	-----------	---------

Conditional

AN (M)	ATN (M)	DNUM
DQTY (M)	EU-CITY	EU-STATE
EU-ZIP CODE	IWCON	IWCON-TEL NO.
LOCACT (E)	LOCNUM DETAIL (E)	SADLO
SANO	SASD	SASF
SASN	SASS	SATH
VER (M)		

ACT Tables: Reqttyp E, Coin

Optional

ACC	DISC NBR*	IWO*
LCON-NAME	LCON-TEL NO.	LOCNUM (M)

| LOCNUM HEADER* (E)

~~WSOP~~
ACT= D: LSR
Required

ACT	BANI	CC
CCNA (E)	D/TSENT	DDD
INIT	INIT-FAX NO.	INIT-TEL NO.
PG_OF_ (M)	PON	REQTYP
SC	TOS	

Conditional

AN (M)	ATN	CUST (E)
LOCQTY	SUP	VER

Optional

DFDT	REMARKS	RPON
-----------------	---------	------

ACT= D: EU
Required

EU-NAME	PG_OF_ (M)	PON (M)
---------	------------	---------

Conditional

AN (M)	ATN (M)	DISC NBR
DNUM	DQTY (M)	EU-CITY
EU-STATE	EU-ZIP CODE	SADLO
SANO	SASD	SASF
SASS	SATH	TC NAME
TC PER	TC TO PRI	TC TO SEC
TCID	VER (M)	

Optional

SASN	TC OPT*	
------	---------	--

ACT= N: LSR
Required

ACT	BANI	CC
CCNA (E)	D/TSENT	DDD
IMPCON	INIT	INIT-FAX NO.
INIT-TEL NO.	PG_OF_ (M)	PON
REQTYP	SC	TOS

Conditional

AN (M)	ATN	CUST (E)
IMPCON-TEL NO.	LOCQTY	PROJECT
SUP	VER	

ACT Tables: Reqtyp E, Coin
Optional

APPTIME-DDD	EXP	REMARKS
RPON	SPEC	VTA

ACT= N: EU
Required

EU-CITY	EU-NAME	EU-STATE
EU-ZIP CODE	LOCNUM DETAIL (E)	PG_OF_ (M)
PON (M)	SASN	

Conditional

AN (M)	ATN (M)	IWCON
--------	---------	-------



IWCON-TEL NO.
SADLO
SASF
VER (M)

LOCACT (E)
SANO
SASS

NCON (E)
SASD
SATH

Optional

ACC
EU-ROOM
LCON-TEL NO.
~~WSOP~~

EU-BLDG
IWO* (M)
LOCNUM (M)

EU-FLOOR
LCON-NAME
LOCNUM HEADER (E)

ACT= P: LSR

Required

ACT
CCNA (E)
IMPCON
INIT-TEL NO.
REQTYP

BAN1
D/TSENT
INIT
PG_OF_ (M)
SC

CC
DDD
INIT-FAX NO.
PON
TOS

Conditional

AN (M)
IMPCON-TEL NO.
SUP

ATN
LOCQTY
VER

CUST (E)
PROJECT

Optional

APPTIME-DDD
REMARKS
VTA

~~DEDT~~
RPON

EXP
SPEC

ACT= P: EU

Required

EU-NAME
PON (M)

LOCNUM DETAIL (E)

PG_OF_ (M)

ACT Tables: Reqtyp E, Coin

Conditional

AN (M)
DNUM (M)
EATN
EU-STATE
IWCON-TEL NO.
SANO
SASN
TC NAME (M)
TC TO SEC (M)

ATN (M)
DQTY (M)
EU-CITY
EU-ZIP CODE
LOCACT (E)
SASD
SASS
TC PER (M)
TCID (M)

DISC NBR (M)
EAN (M)
EUMI
IWCON
SADLO
SASF
SATH
TC TO PRI (M)
VER (M)

Optional

ACC
EU-ROOM
LCON-TEL NO.
TC OPT* (M)

EU-BLDG
IWO*
LOCNUM (M)
~~WSOP~~

EU-FLOOR
LCON-NAME
LOCNUM HEADER (E)

ACT= Q: LSR

Required

ACT
CCNA (E)
IMPCON
INIT-TEL NO.
REQTYP

BAN1
D/TSENT
INIT
PG_OF_ (M)
SC

CC
DDD
INIT-FAX NO.
PON
TOS

Conditional



AN (M)
IMPCON-TEL NO.
SUP

ATN
LOCQTY
VER

CUST (E)
PROJECT

Optional

APPTIME-DDD
REMARKS
VTA

~~DDD~~
RPON

EXP
SPEC

ACT= Q: EU

Required

EU-NAME
PON (M)

LOCNUM DETAIL (E)

PG_OF_ (M)

ACT Tables: Reqtyp E, Coin

Conditional

AN (M)
DNUM (M)
EATN
EU-STATE
IWCON-TEL NO.
SANO
SASN
TC NAME (M)
TC TO SEC (M)

ATN (M)
DQTY (M)
EU-CITY
EU-ZIP CODE
LOCACT (E)
SASD
SASS
TC PER (M)
TCID (M)

DISC NBR (M)
EAN (M)
EUMI
IWCON
SADLO
SASF
SATH
TC TO PRI (M)
VER (M)

Optional

ACC
EU-ROOM
LCON-TEL NO.
TC OPT* (M)

EU-BLDG
IWO*
LOCNUM (M)
~~WSQP~~

EU-FLOOR
LCON-NAME
LOCNUM HEADER (E)

ACT= T: LSR

Required

ACT
CCNA (E)
DDDO
INIT-FAX NO.
PON
TOS

BAN1
D/TSENT
IMPCON
INIT-TEL NO.
REQTYP

CC
DDD
INIT
PG_OF_ (M)
SC

Conditional

ALT-IMPCON-TEL NO.
CUST (E)
PROJECT

AN (M)
IMPCON-TEL NO.
SUP

ATN
LOCQTY
VER

Optional

ALT-IMPCON*
EXP
SPEC

APPTIME-DDD
REMARKS
VTA

~~DDD~~
RPON

ACT= T: EU

Required

EU-CITY
EU-ZIP CODE
PON (M)

EU-NAME
LOCNUM DETAIL (E)
SASN

EU-STATE
PG_OF_ (M)

Conditional

AN (M)
IWCON-TEL NO.
SADLO

ATN (M)
LOCACT (E)
SANO

IWCON
NCON (E)
SASD



SASF
TC NAME
TC TO SEC

SASS
TC PER
VER (M)

SATH
TC TO PRI

ACT Tables: Reqtyp E, Coin

Optional

ACC
EU-ROOM
LCON-TEL NO.
TC OPT*

EU-BLDG
IWO*
LOCNUM (M)
~~WSQP~~

EU-FLOOR
LCON-NAME
LOCNUM HEADER (E)

ACT= V: LSR

Required

ACT
CCNA (E)
IMPCON
INIT-TEL NO.
REQTYP

BAN1
D/TSENT
INIT
PG_OF_ (M)
SC

CC
DDD
INIT-FAX NO.
PON
TOS

Conditional

AN (M)
DDDO (M)
PROJECT

ATN
IMPCON-TEL NO.
SUP

CUST (E)
LOCQTY
VER

Optional

APPTIME-DDD
REMARKS
VTA

~~DEDT~~
RPON

EXP
SPEC

ACT= V: EU

Required

ERL
PG_OF_ (M)

EU-NAME
PON (M)

LOCNUM DETAIL (E)

Conditional

AN (M)
DQTY (M)
EU-CITY
EU-ZIP CODE
FB-BILLNM
FB-STATE
IWCON
NCON (E)
SASD
SASS
TC PER
TCID

ATN (M)
EAN (M)
EUMI
FB-BILLCON (E)
FB-CITY
FB-STREET
IWCON-TEL NO.
SADLO
SASF
SATH
TC TO PRI
VER (M)

DNUM
EATN
EU-STATE
FB-BILLCON TEL NO.
FBI
FB-ZIP CODE
LOCACT (E)
SANO
SASN
TC NAME
TC TO SEC

Optional

ACC
EU-FLOOR
FB-ROOM
LCON-NAME
LOCNUM HEADER (E)
ACT Tables: Reqtyp E, Coin

DISC NBR*
EU-ROOM
FB-SBILLNM
LCON-TEL NO.
TC OPT*

EU-BLDG
FB-FLOOR
IWO*
LOCNUM (M)
~~WSQP~~

ACT= W: LSR

Required

ACT
CCNA (E)
INIT
PG_OF_ (M)

BAN1
D/TSENT
INIT-FAX NO.
PON

CC
DDD
INIT-TEL NO.
REQTYP



SC

TOS

Conditional

AN (M)
SUP

ATN
VER

CUST (E)

Optional

REMARKS

RPON

ACT= W: EU

Required

DQTY (M)
PON (M)

EU-NAME

PG_OF_ (M)

Conditional

AN (M)
EU-STATE
FB-BILLCON TEL NO.
FB-STATE
SADLO
SASF
VER (M)

ATN (M)
EU-ZIP CODE
FB-CITY
FB-STREET
SANO
SASS

EU-CITY
FB-BILLCON
FBI
FB-ZIP CODE
SASD
SATH

Optional

EU-BLDG
FB-FLOOR
LOCNUM (M)

EU-FLOOR
FB-ROOM
LOCNUM HEADER (E)

EU-ROOM
FB-SBILLNM
SASN

CCP 1854 Attachment Listed Below

Description of Change List for CRB#

Item #	TCIF 9	ELMS 6	Form	LOH Section	Field	Description of change
1	N/A	X	EU	R/C/O	DQTY	Change field from Optional to Conditional where it appears in R/C/O as follows: REQTYP CB
2	N/A	X	EU	DED	FBI	Change conditional usage note as follows: From: Note 3: Prohibited when the REQTYP is B or C and the MI field is A or B. To: Note 3: Prohibited when the MI field is A or B.
3	X	X	EU	R/C/O	FB-SBILLN M	Remove this field REQTYP JB ACT=D
4	X	X	EU	R/C/O	FB-FLOOR	Remove this field REQTYP JB ACT=D
5	X	X	EU	R/C/O	FB-ROOM	Remove this field REQTYP JB ACT=D
5A	X	X	EU	R/C/O	FB-TEL NO	Remove this field REQTYP JB ACT=D
5B	X	X	EU	R/C/O	FB-STATE	Remove this field REQTYP JB ACT=D
5C	X	X	EU	R/C/O	FB-BILLN M	Remove this field REQTYP JB ACT=D
5D	X	X	EU	R/C/O	FBI	Remove this field REQTYP JB ACT=D
5E	X	X	EU	R/C/O	FB-STREE T	Remove this field REQTYP JB ACT=D
5F	X	X	EU	R/C/O	FB-BILLC ON	Remove this field REQTYP JB ACT=D
5G	X	X	EU	R/C/O	FB-CITY	Remove this field REQTYP JB ACT=D
5H	X	X	EU	R/C/O	FB-ZIP	Remove this field REQTYP JB ACT=D

Item #	TCIF 9	ELMS 6	Form	LOH Section	Field	Description of change
6	X	X	EU	R/C/O	LCON-NAME	Change field from conditional to optional for the following: REQTYP A (Unbundled Cooper Loop-Designed (UCL) ACT=D
7	N/A	X	EU	R/C/O	TC-FR	Remove from R/C/O table on EU form this field is not applicable to EU form.
8	N/A	X	EU	R/C/O	TC-PER	Remove this field from all R/C/O tables for ACT=T
9	N/A	X	EU	R/C/O	TCID	Remove this field from all R/C/O tables for ACT=N and T Remove TCID from RCO tables for ACT=V for REQTYP E, F, and M.
10	X	X	EU	DED	WSOP	Add business rule that states: For additional information on WSOP and ADL, please refer to the section in the LOH titled: Abandoned Stations/Additional Line
11	X	X	EU	R/C/O	WSOP	Remove this field from the following products R/C/O wherever it appears: REQTYP A REQTYP E (ISDN-BRI) REQTYP M (ISDN-BRI) REQTYP F REQTYP N REQTYP P REQTYP E (COIN) REQTYP M (COIN)
12	N/A	X	LSR	R/C/O	NOR	Add this field for REQTYP J to the conditional column as follows: REQTYP J, ACT=D, N, R
13	N/A	X	LSR	R/C/O	RPON	Change RPON from Optional to conditional as follows: REQTYP J, ACT=D, N, R

WSOP – Working Service on Premises**EU Form/Screen**

13.0F(TCIF9 and LSOG4 map)

*CRB Issues included: None***Definition:**

Indicates if there is a working service at the end user location that needs to be disconnected.

Definition Notes:

NOTE 1: If the end user name is the same as the interfering station service name, then it does not qualify as an abandon station.

NOTE 2: When WSOP is populated with “V”, this indicates that the CLEC has confirmed with their end user that the existing line is an Abandoned Station.

Valid Entries:

Entry	Description
V	Abandon Station; results in disconnection of the interfering service.

Valid Entry Notes:

None

Data Characteristics:

1 alpha character

Examples:

V

Conditional Usage Notes:

Note 1: Optional if the first character of the TOS field is 2 and REQ TYP E and M, otherwise prohibited.

None

Business Rules

Rule 1: Optional if the first character of the TOS field is 2 and REQ TYP E and M, otherwise prohibited.

Rule 1: For additional information on WSOP and ADL, please refer to the section in the LOH titled: Abandoned Stations/Additional Line

CCP 1856 Attachment Listed Below

Reqtyp A

Analog Non-Designed Loop*LNA Tables: Reqtyp A, Analog Non-Designed Loop***LNA= V: LS****Required**

AN (M)	CABLE ID	CHAN/PAIR
DISC NBR	LNA	LNUM
LQTY	PG_OF_ (M)	PON (M)

Conditional

IWJK (M)	IWJQ (M)	JK CODE (M)
JK NUM (M)	JK POS (M)	LEAN (M)
LEATN (M)	VER (M)	

Optional

JR* (M)	NIDR*	REMARKS (M)
TSP (M)		

Analog Design Loop**Product Listing***LNA Tables: Reqtyp A, Analog Designed Loop***LNA= V: LS****Required**

AN (M)	DISC NBR	LNA
LNUM	LQTY	PG_OF_ (M)
PON (M)		

Conditional

CABLE ID	CFA	CHAN/PAIR
CHAN/PAIR 2 (E)	IWJK (M)	IWJQ (M)
JK CODE (m)	JK NUM (m)	JK POS (m)
LEATN (M)	VER (M)	LEAN

Optional

CKR	JR (M)	NIDR* (m)
TSP (M)		

LNA Tables: Reqtyp A, Unbundled Copper Loop – Designed (UCL)

LNA= V: LS**Required**

AN (M)	CABLE ID	CHAN/PAIR
DISC NBR	LNA	LNUM
LQTY	PG_OF_ (M)	PON (M)

Conditional

CHAN/PAIR 2 (E)	IWJK (M)	IWJQ (M)
JK CODE (M)	JK NUM (M)	JK POS (M)
LEATN (M)	VER (M)	LEAN

LNA Tables: Reqtyp A, Unbundled Copper Loop – Designed (UCL)

Optional

CKR	JR* (M)	NIDR* (m)
REMARKS (M)	TSP (M)	

Unbundled Copper Loop - Non-Designed (UCL-ND)**Product Listing**

LNA Tables: Reqtyp A, Unbundled Copper Loop – Non-Designed (UCL-ND)
VER (M)

LNA= V: LS**Required**

AN (M)	CABLE ID	CHAN/PAIR
DISC NBR	LNA	LNUM
LQTY	PG_OF_ (M)	PON (M)

LNA Tables: Reqtyp A, Unbundled Copper Loop – Non-Designed (UCL-ND)

Conditional

IWJK (M)	IWJQ (M)	JK CODE (M)
JK NUM (M)	JK POS (M)	LEAN
LEATN	VER (M)	

Optional

JR* (M)	NIDR* (M)	REMARKS (M)
TNT (E)	TSP (M)	

xDSL Loops**LNA= V: LS****Required**

AN (M)	CABLE ID	CHAN/PAIR
--------	----------	-----------



DISC NBR	LNA	LNUM
LQTY	PG_OF_ (M)	PON (M)

Conditional

CHAN/PAIR 2 (E)	JK CODE(M)	JK NUM(M)
JK POS(M)	VER (M)	LEAN
LEATN		

Optional

CKR	NIDR* (M)	REMARKS (M)
TSP (M)		

LNP, Designed Analog Loop

The Required, Conditional and Optional (R/C/O) fields for the Loop Service with Number Portability (LSNP) form/screen are listed according to the Line Level Activity (LNA) in the **LNA Tables** Section.

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the field in the Data Dictionary for additional clarification.

See the Data Dictionary Section for additional information on each field.

LNA Tables: Reqtyp B, LNP, Designed Analog Loop

LNA= N: LSNP

Required

AN (M)	LNA	LNUM
LQTY	PG_OF_ (M)	PON (M)

Conditional

ATN (M)	CABLE ID	CFA
CHAN/PAIR	CHAN/PAIR 2 (E)	IWJK (M)
IWJQ(M)	JK CODE (M)	JK NUM (M)
JK POS (M)	VER (M)	

Optional

JR* (M)	NIDR* (M)	TSP (M)
CKR		

LNA= V: LSNP

Required

AN (M)	LNA	LNUM
LQTY	NPQTY	NPT
PG_OF_ (M)	PON (M)	PORTED NBR

Conditional

ATN (M)	BLOCK	CABLE ID
CFA	CHAN/PAIR	CHAN/PAIR 2 (E)
IWJK (M)	IWJQ (M)	JK CODE (M)
JK NUM (M)	JK POS (M)	LEAN
LEATN	NPTG	VER (M)

Optional

JR* (M)	NIDR* (M)	TSP (M)
---------	-----------	---------

| CKR

LNP, Non-designed Analog Loop

LNA Tables: Reqtyp B, LNP, Non-Designed Analog Loop

LNA= N: LSNP

Required

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
PG_OF_ (M)	PON (M)	

Conditional

ATN (M)	IWJK (M)	IWJQ (M)
JK CODE (M)	JK NUM (M)	JK POS (M)
VER (M)		

Optional

JR* (M)	NIDR* (M)	CKR
---------	-----------	-----

LNA= V: LSNP

Required

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
NPQTY	NPT	PG_OF_ (M)
PON (M)	PORTED NBR	

Conditional

ATN (M)	IWJK (M)	IWJQ (M)
JK CODE (M)	JK NUM (M)	JK POS (M)
LEAN	LEATN	VER (M)

Optional

JR* (M)	NIDR* (M)	
---------	-----------	--

LNP, Unbundled Copper Loop – Designed (UCL-D)

LNA Tables: Reqtyp B, LNP, Unbundled Copper Loop – Designed (UCL-D)

LNA= N: LSNP

Required

AN (M)	ATN (M)	CABLE ID
CHAN/PAIR	LNA	LQTY
PG_OF_ (M)	PON (M)	

Conditional

CHAN/PAIR 2 (E)	IWJK (M)	IWJQ (M)
JK CODE (M)	JK NUM (M)	JK POS (M)
VER (M)		

Optional

JR* (M)	NIDR* (M)	CKR
---------	-----------	-----

*LNA= V: LSNP***Required**

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
NPQTY	NPT	PG_OF_ (M)
PON (M)	PORTED NBR	

Conditional

ATN (M)	CHAN/PAIR 2 (E)	IWJK (M)
IWJQ (M)	JK CODE (M)	JK NUM (M)
JK POS (M)	LEAN	LEATN
VER (M)		

Optional

JR* (M)	NIDR* (M)	CKR
---------	-----------	-----

LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)**Product Listing**

TER

LNA Tables: Reqtyp B, LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)**LNA= N: LSNP****Required**

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
PG_OF_ (M)	PON (M)	

Conditional

ATN (M)	IWJK (M)	IWJQ (M)
JK CODE (M)	JK NUM (M)	JK POS (M)
VER (M)		

Optional

JR* (M)	NIDR* (M)	CKR
---------	-----------	-----

LNA= V: LSNP**Required**

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
NPQTY	NPT	PG_OF_ (M)
PON (M)	PORTED NBR	

Conditional

ATN (M)	IWJK (M)	IWJQ (M)
JK CODE (M)	JK NUM (M)	JK POS (M)
LEAN	LEATN	VER (M)

Optional

JR* (M)	NIDR* (M)	CKR
---------	-----------	-----

LNP, xDSL Loops**Product Listing**LNA Tables: Reqtyp B, LNP, xDSL Loops**LNA= N: LSNP****Required**

AN (M)	CABLE ID	CHAN/PAIR
LNA	LNUM	LQTY
PG_OF_ (M)	PON (M)	

Conditional

ATN (M)	CHAN/PAIR 2 (E)	IWJK (M)
---------	-----------------	----------



IWJQ (M)
JK POS (M)

JK CODE (M)
VER (M)

JK NUM (M)

Optional

JR* (M)

NIDR* (M)

TSP (M)

CKR

LNA= V: LSNP

Required

AN (M)
LNA
NPQTY
PON (M)

CABLE ID
LNUM
NPT
PORTED NBR

CHAN/PAIR
LQTY
PG_OF_ (M)

Conditional

ATN (M)
IWJQ (M)
JK POS (M)
VER (M)

CHAN/PAIR 2 (E)
JK CODE (M)
LEAN

IWJK (M)
JK NUM (M)
LEATN

Optional

JR* (M)

NIDR* (M)

TSP (M)

CKR

LNP, Digital Designed Basic Rate ISDN

Product Listing

LNA Tables: Reqtyp B, LNP, Digital Designed Basic Rate ISDN

LNA= N: LSNP

Required

AN (M)
LQTY

LNA
PG_OF_ (M)

LNUM
PON (M)

Conditional

ATN (M)
CHAN/PAIR
VER (M)

CABLE ID
CHAN/PAIR 2 (E)
JKPOS (M)

CFA
JK CODE (M)
JKNUM (M)

Optional

NIDR* (M)

CKR

LNA= V: LSNP



Required

AN (M)	LNA	LNUM
LQTY	NPQTY	NPT
PG_OF_ (M)	PON (M)	PORTED NBR

Conditional

ATN (M)	CABLE ID	CFA
CHAN/PAIR	CHAN/PAIR 2 (E)	JK CODE (M)
JKNUM (M)	JKPOS (M)	
LEATN	VER (M)	LEAN

Optional

NIDR*(M)	CKR
----------	-----

CCP 1859 Attachment Listed Below

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
A	Analog Non-Designed Loop	C	LSR	INIT	R		
A	Analog Non-Designed Loop	C	LSR	INIT-FAX NO.	R		
A	Analog Non-Designed Loop	D	LSR	INIT	R		
A	Analog Non-Designed Loop	D	LSR	INIT-FAX NO.	R		
A	Analog Non-Designed Loop	N	LSR	INIT	R		
A	Analog Non-Designed Loop	N	LSR	INIT-FAX NO.	R		
A	Analog Non-Designed Loop	P	LSR	INIT	R		
A	Analog Non-Designed Loop	P	LSR	INIT-FAX NO.	R		
A	Analog Non-Designed Loop	Q	LSR	INIT	R		
A	Analog Non-Designed Loop	Q	LSR	INIT-FAX NO.	R		
A	Analog Non-Designed Loop	T	LSR	INIT	R		
A	Analog Non-Designed Loop	T	LSR	INIT-FAX NO.	R		
A	Analog Non-Designed Loop	V	LSR	INIT	R		
A	Analog Non-Designed Loop	V	LSR	INIT-FAX NO.	R		
A	Analog Designed Loop	C	LSR	INIT	R		
A	Analog Designed Loop	C	LSR	INIT-FAX NO.	R		
A	Analog Designed Loop	D	LSR	INIT	R		
A	Analog Designed Loop	D	LSR	INIT-FAX NO.	R		
A	Analog Designed Loop	N	LSR	INIT	R		
A	Analog Designed Loop	N	LSR	INIT-FAX NO.	R		
A	Analog Designed Loop	P	LSR	INIT	R		
A	Analog Designed Loop	P	LSR	INIT-FAX NO.	R		
A	Analog Designed Loop	Q	LSR	INIT	R		
A	Analog Designed Loop	Q	LSR	INIT-FAX NO.	R		
A	Analog Designed Loop	T	LSR	INIT	R		
A	Analog Designed Loop	T	LSR	INIT-FAX NO.	R		
A	Analog Designed Loop	V	LSR	INIT	R		
A	Analog Designed Loop	V	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	C	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	C	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	D	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	D	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	N	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	N	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	P	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	P	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	Q	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	Q	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop	T	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
	(DS0)						
A	Digital Data Designed Loop (DS0)	T	LSR	INIT-FAX NO.	R		
A	Digital Data Designed Loop (DS0)	V	LSR	INIT	R		
A	Digital Data Designed Loop (DS0)	V	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	C	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	C	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	D	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	D	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	N	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	N	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	P	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	P	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	Q	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	Q	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	T	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	T	LSR	INIT-FAX NO.	R		
A	Digital Designed Loop (Basic Rate ISDN)	V	LSR	INIT	R		
A	Digital Designed Loop (Basic Rate ISDN)	V	LSR	INIT-FAX NO.	R		
A	CLEC to CLEC Conversion Non-Designed Loop	W	LSR	INIT	R	M	
A	CLEC to CLEC Conversion Non-Designed Loop	W	LSR	INIT-FAX NO.	R	M	
A	CLEC to CLEC Conversion Designed Loop	W	LSR	INIT	R	M	
A	CLEC to CLEC Conversion Designed Loop	W	LSR	INIT-FAX NO.	R	M	
A	Channelized DS1, DS3, STS1 local channel and IOC	D	LSR	INIT	R	M	
A	Channelized DS1, DS3, STS1 local channel and IOC	D	LSR	INIT-FAX NO.	R	M	
A	Channelized DS1, DS3, STS1 local channel and IOC	N	LSR	INIT	R	M	
A	Channelized DS1, DS3, STS1 local channel and IOC	N	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS-1 local loop	C	LSR	INIT	R	M	
A	Non-Channelized DS-1 local loop	C	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
	loop						
A	Non-Channelized DS-1 local loop	D	LSR	INIT	R	M	
A	Non-Channelized DS-1 local loop	D	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS-1 local loop	N	LSR	INIT	R	M	
A	Non-Channelized DS-1 local loop	N	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS-1 local loop	T	LSR	INIT	R	M	
A	Non-Channelized DS-1 local loop	T	LSR	INIT-FAX NO.	R	M	
A	EELs	C	LSR	INIT	R		
A	EELs	C	LSR	INIT-FAX NO.	R		
A	EELs	D	LSR	INIT	R		
A	EELs	D	LSR	INIT-FAX NO.	R		
A	EELs	N	LSR	INIT	R		
A	EELs	N	LSR	INIT-FAX NO.	R		
A	EELs	T	LSR	INIT	R		
A	EELs	T	LSR	INIT-FAX NO.	R		
A	Network Interface Devices (NIDs)	N	LSR	INIT	R	M	
A	Network Interface Devices (NIDs)	N	LSR	INIT-FAX NO.	R	M	
A	Unbundled Copper Loop – Designed (UCL)	C	LSR	INIT	R		
A	Unbundled Copper Loop – Designed (UCL)	C	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Designed (UCL)	D	LSR	INIT	R		
A	Unbundled Copper Loop – Designed (UCL)	D	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Designed (UCL)	N	LSR	INIT	R		
A	Unbundled Copper Loop – Designed (UCL)	N	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Designed (UCL)	P	LSR	INIT	R		
A	Unbundled Copper Loop – Designed (UCL)	P	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Designed (UCL)	Q	LSR	INIT	R		
A	Unbundled Copper Loop – Designed (UCL)	Q	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Designed (UCL)	T	LSR	INIT	R		
A	Unbundled Copper Loop – Designed (UCL)	T	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Designed (UCL)	V	LSR	INIT	R		
A	Unbundled Copper Loop – Designed (UCL)	V	LSR	INIT-FAX NO.	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	C	LSR	INIT	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	C	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	D	LSR	INIT	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	D	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	N	LSR	INIT	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	N	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	P	LSR	INIT	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	P	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	Q	LSR	INIT	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	Q	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	T	LSR	INIT	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	T	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	V	LSR	INIT	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	V	LSR	INIT-FAX NO.	R		
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	W	LSR	INIT	R	M	
A	Unbundled Copper Loop – Non-Designed (UCL-ND)	W	LSR	INIT-FAX NO.	R	M	
A	Universal Digital Channel (UDC)	C	LSR	INIT	R	M	
A	Universal Digital Channel (UDC)	C	LSR	INIT-FAX NO.	R	M	
A	Universal Digital Channel (UDC)	D	LSR	INIT	R		
A	Universal Digital Channel (UDC)	D	LSR	INIT-FAX NO.	R		
A	Universal Digital Channel (UDC)	N	LSR	INIT	R		
A	Universal Digital Channel (UDC)	N	LSR	INIT-FAX NO.	R		
A	Universal Digital Channel (UDC)	T	LSR	INIT	R	M	
A	Universal Digital Channel (UDC)	T	LSR	INIT-FAX NO.	R	M	
A	Universal Digital Channel (UDC)	W	LSR	INIT	R	M	
A	Universal Digital Channel (UDC)	W	LSR	INIT-FAX NO.	R	M	
A	xDSL Loops	C	LSR	INIT	R		
A	xDSL Loops	C	LSR	INIT-FAX NO.	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
A	xDSL Loops	D	LSR	INIT	R		
A	xDSL Loops	D	LSR	INIT-FAX NO.	R		
A	xDSL Loops	N	LSR	INIT	R		
A	xDSL Loops	N	LSR	INIT-FAX NO.	R		
A	xDSL Loops	P	LSR	INIT	R		
A	xDSL Loops	P	LSR	INIT-FAX NO.	R		
A	xDSL Loops	Q	LSR	INIT	R		
A	xDSL Loops	Q	LSR	INIT-FAX NO.	R		
A	xDSL Loops	T	LSR	INIT	R	M	
A	xDSL Loops	T	LSR	INIT-FAX NO.	R	M	
A	xDSL Loops	V	LSR	INIT	R		
A	xDSL Loops	V	LSR	INIT-FAX NO.	R		
A	Unbundled CO-based Line Share (BST-Owned Splitter)	C	LSR	INIT	R		
A	Unbundled CO-based Line Share (BST-Owned Splitter)	C	LSR	INIT-FAX NO.	R		
A	Unbundled CO-based Line Share (BST-Owned Splitter)	D	LSR	INIT	R		
A	Unbundled CO-based Line Share (BST-Owned Splitter)	D	LSR	INIT-FAX NO.	R		
A	Unbundled CO-based Line Share (BST-Owned Splitter)	N	LSR	INIT	R		
A	Unbundled CO-based Line Share (BST-Owned Splitter)	N	LSR	INIT-FAX NO.	R		
A	Unbundled CO-based Line Share (BST-Owned Splitter)	P	LSR	INIT	R		
A	Unbundled CO-based Line Share (BST-Owned Splitter)	P	LSR	INIT-FAX NO.	R		
A	Unbundled CO-based Line Share (BST-Owned Splitter)	Q	LSR	INIT	R		
A	Unbundled CO-based Line Share (BST-Owned Splitter)	Q	LSR	INIT-FAX NO.	R		
A	Unbundled CO-based Line Share (BST-Owned Splitter)	V	LSR	INIT	R		
A	Unbundled CO-based Line Share (BST-Owned Splitter)	V	LSR	INIT-FAX NO.	R		
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	C	LSR	INIT	R		
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	C	LSR	INIT-FAX NO.	R		
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	D	LSR	INIT	R		
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	D	LSR	INIT-FAX NO.	R		
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	N	LSR	INIT	R		
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	N	LSR	INIT-FAX NO.	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
	Splitter)						
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	P	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	P	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	Q	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	Q	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	V	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	W	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	W	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS3 and STS1	D	LSR	INIT	R	M	
A	Non-Channelized DS3 and STS1	D	LSR	INIT-FAX NO.	R	M	
A	Non-Channelized DS3 and STS1	N	LSR	INIT	R	M	
A	Non-Channelized DS3 and STS1	N	LSR	INIT-FAX NO.	R	M	
A	Unbundled Sub-Loops	C	LSR	INIT	R	M	
A	Unbundled Sub-Loops	C	LSR	INIT-FAX NO.	R	M	
A	Unbundled Sub-Loops	D	LSR	INIT	R	M	
A	Unbundled Sub-Loops	D	LSR	INIT-FAX NO.	R	M	
A	Unbundled Sub-Loops	N	LSR	INIT	R	M	
A	Unbundled Sub-Loops	N	LSR	INIT-FAX NO.	R	M	
A	Unbundled Sub-Loops	V	LSR	INIT	R	M	
A	Unbundled Sub-Loops	V	LSR	INIT-FAX NO.	R	M	
A	Unbundled Network Terminating Wire-UNTW	C	LSR	INIT	R	M	
A	Unbundled Network Terminating Wire-UNTW	C	LSR	INIT-FAX NO.	R	M	
A	Unbundled Network Terminating Wire-UNTW	D	LSR	INIT	R	M	
A	Unbundled Network Terminating Wire-UNTW	D	LSR	INIT-FAX NO.	R	M	
A	Unbundled CO-based Line Share (DLEC-Owned Splitter)	C	LSR	INIT	R	M	
A	Unbundled CO-based Line	C	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
	Share (DLEC-Owned Splitter) Unbundled CO-based Line						
A	Share (DLEC-Owned Splitter)	D	LSR	INIT	R	M	
	Unbundled CO-based Line						
A	Share (DLEC-Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	
	Unbundled CO-based Line						
A	Share (DLEC-Owned Splitter)	N	LSR	INIT	R	M	
	Unbundled CO-based Line						
A	Share (DLEC-Owned Splitter)	N	LSR	INIT-FAX NO.	R	M	
	Unbundled CO-based Line						
A	Share (DLEC-Owned Splitter)	P	LSR	INIT	R	M	
	Unbundled CO-based Line						
A	Share (DLEC-Owned Splitter)	P	LSR	INIT-FAX NO.	R	M	
	Unbundled CO-based Line						
A	Share (DLEC-Owned Splitter)	Q	LSR	INIT	R	M	
	Unbundled CO-based Line						
A	Share (DLEC-Owned Splitter)	Q	LSR	INIT-FAX NO.	R	M	
	Unbundled CO-based Line						
A	Share (DLEC-Owned Splitter)	V	LSR	INIT	R	M	
	Unbundled CO-based Line						
A	Share (DLEC-Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
	Remote Site (RS) HFS Line						
A	Share (DLEC-Owned Splitter)	C	LSR	INIT	R	M	
	Remote Site (RS) HFS Line						
A	Share (DLEC-Owned Splitter)	C	LSR	INIT-FAX NO.	R	M	
	Remote Site (RS) HFS Line						
A	Share (DLEC-Owned Splitter)	D	LSR	INIT	R	M	
	Remote Site (RS) HFS Line						
A	Share (DLEC-Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	
	Remote Site (RS) HFS Line						
A	Share (DLEC-Owned Splitter)	N	LSR	INIT	R	M	
	Remote Site (RS) HFS Line						
A	Share (DLEC-Owned Splitter)	N	LSR	INIT-FAX NO.	R	M	
	Remote Site (RS) HFS Line						
A	Share (DLEC-Owned Splitter)	P	LSR	INIT	R	M	
A	Remote Site (RS) HFS Line	P	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
	Share (DLEC-Owned Splitter)						
A	Remote Site (RS) HFS Line Share (DLEC-Owned Splitter)	Q	LSR	INIT	R	M	
A	Remote Site (RS) HFS Line Share (DLEC-Owned Splitter)	Q	LSR	INIT-FAX NO.	R	M	
A	Remote Site (RS) HFS Line Share (DLEC-Owned Splitter)	V	LSR	INIT	R	M	
A	Remote Site (RS) HFS Line Share (DLEC-Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	C	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	C	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	D	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	N	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	N	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	P	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	P	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	Q	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	Q	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	V	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	W	LSR	INIT	R	M	
A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	W	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
	Line Splitting (BST-Owned Splitter)						
A	Unbundled Dark Fiber (UDF)	D	LSR	INIT	R	M	
A	Unbundled Dark Fiber (UDF)	D	LSR	INIT-FAX NO.	R	M	
A	Unbundled Dark Fiber (UDF)	N	LSR	INIT	R	M	
A	Unbundled Dark Fiber (UDF)	N	LSR	INIT-FAX NO.	R	M	
A	Ordinarily Combined UNEs (OCU)	C	LSR	INIT	R	M	
A	Ordinarily Combined UNEs (OCU)	C	LSR	INIT-FAX NO.	R	M	
A	Ordinarily Combined UNEs (OCU)	D	LSR	INIT	R	M	
A	Ordinarily Combined UNEs (OCU)	D	LSR	INIT-FAX NO.	R	M	
A	Ordinarily Combined UNEs (OCU)	N	LSR	INIT	R	M	
A	Ordinarily Combined UNEs (OCU)	N	LSR	INIT-FAX NO.	R	M	
A	Ordinarily Combined UNEs (OCU)	T	LSR	INIT	R	M	
A	Ordinarily Combined UNEs (OCU)	T	LSR	INIT-FAX NO.	R	M	
A	Digital Data Designed Loop (DS1)	C	LSR	INIT	R	M	
A	Digital Data Designed Loop (DS1)	C	LSR	INIT-FAX NO.	R	M	
A	Digital Data Designed Loop (DS1)	D	LSR	INIT	R	M	
A	Digital Data Designed Loop (DS1)	D	LSR	INIT-FAX NO.	R	M	
A	Digital Data Designed Loop (DS1)	N	LSR	INIT	R	M	
A	Digital Data Designed Loop (DS1)	N	LSR	INIT-FAX NO.	R	M	
A	Digital Data Designed Loop (DS1)	T	LSR	INIT	R	M	
A	Digital Data Designed Loop (DS1)	T	LSR	INIT-FAX NO.	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	C	LSR	INIT	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	C	LSR	INIT-FAX NO.	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	D	LSR	INIT	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	D	LSR	INIT-FAX NO.	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	N	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	N	LSR	INIT-FAX NO.	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	P	LSR	INIT	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	P	LSR	INIT-FAX NO.	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	Q	LSR	INIT	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	Q	LSR	INIT-FAX NO.	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	V	LSR	INIT	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	V	LSR	INIT-FAX NO.	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	W	LSR	INIT	R	M	
A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	W	LSR	INIT-FAX NO.	R	M	
B	INP, Designed Analog Loop	P	LSR	INIT	R		
B	INP, Designed Analog Loop	P	LSR	INIT-FAX NO.	R		
B	INP, Designed Analog Loop	Q	LSR	INIT	R		
B	INP, Designed Analog Loop	Q	LSR	INIT-FAX NO.	R		
B	INP, Designed Analog Loop	V	LSR	INIT	R		
B	INP, Designed Analog Loop	V	LSR	INIT-FAX NO.	R		
B	INP, Non-Designed Analog Loop	P	LSR	INIT	R		
B	INP, Non-Designed Analog Loop	P	LSR	INIT-FAX NO.	R		
B	INP, Non-Designed Analog Loop	Q	LSR	INIT	R		
B	INP, Non-Designed Analog Loop	Q	LSR	INIT-FAX NO.	R		
B	INP, Non-Designed Analog Loop	V	LSR	INIT	R		
B	INP, Non-Designed Analog Loop	V	LSR	INIT-FAX NO.	R		
B	INP, Unbundled Copper Loop	P	LSR	INIT	R		
B	INP, Unbundled Copper Loop	P	LSR	INIT-FAX NO.	R		
B	INP, Unbundled Copper Loop	Q	LSR	INIT	R		
B	INP, Unbundled Copper Loop	Q	LSR	INIT-FAX NO.	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
B	INP, Unbundled Copper Loop	V	LSR	INIT	R		
B	INP, Unbundled Copper Loop	V	LSR	INIT-FAX NO.	R		
B	INP, xDSL Loops	P	LSR	INIT	R		
B	INP, xDSL Loops	P	LSR	INIT-FAX NO.	R		
B	INP, xDSL Loops	Q	LSR	INIT	R		
B	INP, xDSL Loops	Q	LSR	INIT-FAX NO.	R		
B	INP, xDSL Loops	V	LSR	INIT	R		
B	INP, xDSL Loops	V	LSR	INIT-FAX NO.	R		
B	LNP, Designed Analog Loop	P	LSR	INIT	R		
B	LNP, Designed Analog Loop	P	LSR	INIT-FAX NO.	R		
B	LNP, Designed Analog Loop	Q	LSR	INIT	R		
B	LNP, Designed Analog Loop	Q	LSR	INIT-FAX NO.	R		
B	LNP, Designed Analog Loop	V	LSR	INIT	R		
B	LNP, Designed Analog Loop	V	LSR	INIT-FAX NO.	R		
B	LNP, Non-Designed Analog Loop	P	LSR	INIT	R		
B	LNP, Non-Designed Analog Loop	P	LSR	INIT-FAX NO.	R		
B	LNP, Non-Designed Analog Loop	Q	LSR	INIT	R		
B	LNP, Non-Designed Analog Loop	Q	LSR	INIT-FAX NO.	R		
B	LNP, Non-Designed Analog Loop	V	LSR	INIT	R		
B	LNP, Non-Designed Analog Loop	V	LSR	INIT-FAX NO.	R		
B	LNP, Unbundled Copper Loop – Designed (UCL-D)	P	LSR	INIT	R		
B	LNP, Unbundled Copper Loop – Designed (UCL-D)	P	LSR	INIT-FAX NO.	R		
B	LNP, Unbundled Copper Loop – Designed (UCL-D)	Q	LSR	INIT	R		
B	LNP, Unbundled Copper Loop – Designed (UCL-D)	Q	LSR	INIT-FAX NO.	R		
B	LNP, Unbundled Copper Loop – Designed (UCL-D)	V	LSR	INIT	R		
B	LNP, Unbundled Copper Loop – Designed (UCL-D)	V	LSR	INIT-FAX NO.	R		
B	LNP, xDSL Loops	P	LSR	INIT	R		
B	LNP, xDSL Loops	P	LSR	INIT-FAX NO.	R		
B	LNP, xDSL Loops	Q	LSR	INIT	R		
B	LNP, xDSL Loops	Q	LSR	INIT-FAX NO.	R		
B	LNP, xDSL Loops	V	LSR	INIT	R		
B	LNP, xDSL Loops	V	LSR	INIT-FAX NO.	R		
B	INP, Digital Designed Basic Rate ISDN	P	LSR	INIT	R		
B	INP, Digital Designed Basic Rate ISDN	P	LSR	INIT-FAX NO.	R		
B	INP, Digital Designed Basic Rate ISDN	Q	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
B	INP, Digital Designed Basic Rate ISDN	Q	LSR	INIT-FAX NO.	R		
B	INP, Digital Designed Basic Rate ISDN	V	LSR	INIT	R		
B	INP, Digital Designed Basic Rate ISDN	V	LSR	INIT-FAX NO.	R		
B	INP, Digital Data Designed Loop (DS0)	P	LSR	INIT	R		
B	INP, Digital Data Designed Loop (DS0)	P	LSR	INIT-FAX NO.	R		
B	INP, Digital Data Designed Loop (DS0)	Q	LSR	INIT	R		
B	INP, Digital Data Designed Loop (DS0)	Q	LSR	INIT-FAX NO.	R		
B	INP, Digital Data Designed Loop (DS0)	V	LSR	INIT	R		
B	INP, Digital Data Designed Loop (DS0)	V	LSR	INIT-FAX NO.	R		
B	LNP, Digital Designed Basic Rate ISDN	P	LSR	INIT	R		
B	LNP, Digital Designed Basic Rate ISDN	P	LSR	INIT-FAX NO.	R		
B	LNP, Digital Designed Basic Rate ISDN	Q	LSR	INIT	R		
B	LNP, Digital Designed Basic Rate ISDN	Q	LSR	INIT-FAX NO.	R		
B	LNP, Digital Designed Basic Rate ISDN	V	LSR	INIT	R		
B	LNP, Digital Designed Basic Rate ISDN	V	LSR	INIT-FAX NO.	R		
B	LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)	P	LSR	INIT	R		
B	LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)	P	LSR	INIT-FAX NO.	R		
B	LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)	Q	LSR	INIT	R		
B	LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)	Q	LSR	INIT-FAX NO.	R		
B	LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)	V	LSR	INIT	R		
B	LNP, Unbundled Copper Loop – Non-Designed (UCL-ND)	V	LSR	INIT-FAX NO.	R		
C	INP	C	LSR	INIT	R		
C	INP	C	LSR	INIT-FAX NO.	R		
C	INP	P	LSR	INIT	R		
C	INP	P	LSR	INIT-FAX NO.	R		
C	INP	Q	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
C	INP	Q	LSR	INIT-FAX NO.	R		
C	INP	V	LSR	INIT	R		
C	INP	V	LSR	INIT-FAX NO.	R		
C	LNP	P	LSR	INIT	R		
C	LNP	P	LSR	INIT-FAX NO.	R		
C	LNP	Q	LSR	INIT	R		
C	LNP	Q	LSR	INIT-FAX NO.	R		
C	LNP	V	LSR	INIT	R		
C	LNP	V	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	B	LSR	INIT	R		
E	Resale, non-complex	B	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	C	LSR	INIT	R		
E	Resale, non-complex	C	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	D	LSR	INIT	R		
E	Resale, non-complex	D	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	L	LSR	INIT	R		
E	Resale, non-complex	L	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	N	LSR	INIT	R		
E	Resale, non-complex	N	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	P	LSR	INIT	R		
E	Resale, non-complex	P	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	Q	LSR	INIT	R		
E	Resale, non-complex	Q	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	S	LSR	INIT	R		
E	Resale, non-complex	S	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	T	LSR	INIT	R		
E	Resale, non-complex	T	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	V	LSR	INIT	R		
E	Resale, non-complex	V	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	W	LSR	INIT	R		
E	Resale, non-complex	W	LSR	INIT-FAX NO.	R		
E	Resale, non-complex	Y	LSR	INIT	R		
E	Resale, non-complex	Y	LSR	INIT-FAX NO.	R		
E	Remote Call Forwarding (RCF)	C	LSR	INIT	R	M	
E	Remote Call Forwarding (RCF)	C	LSR	INIT-FAX NO.	R	M	
E	Remote Call Forwarding (RCF)	D	LSR	INIT	R	M	
E	Remote Call Forwarding (RCF)	D	LSR	INIT-FAX NO.	R	M	
E	Remote Call Forwarding (RCF)	N	LSR	INIT	R	M	
E	Remote Call Forwarding (RCF)	N	LSR	INIT-FAX NO.	R	M	
E	Remote Call Forwarding (RCF)	P	LSR	INIT	R	M	
E	Remote Call Forwarding (RCF)	P	LSR	INIT-FAX NO.	R	M	
E	Remote Call Forwarding	Q	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
	(RCF)						
E	Remote Call Forwarding (RCF)	Q	LSR	INIT-FAX NO.	R	M	
E	Remote Call Forwarding (RCF)	T	LSR	INIT	R	M	
E	Remote Call Forwarding (RCF)	T	LSR	INIT-FAX NO.	R	M	
E	Remote Call Forwarding (RCF)	V	LSR	INIT	R	M	
E	Remote Call Forwarding (RCF)	V	LSR	INIT-FAX NO.	R	M	
E	Remote Call Forwarding (RCF)	W	LSR	INIT	R	M	
E	Remote Call Forwarding (RCF)	W	LSR	INIT-FAX NO.	R	M	
E	PBX Resale Service	C	LSR	INIT	R	M	
E	PBX Resale Service	C	LSR	INIT-FAX NO.	R		Add (m)
E	PBX Resale Service	D	LSR	INIT	R	M	
E	PBX Resale Service	D	LSR	INIT-FAX NO.	R		
E	PBX Resale Service	N	LSR	INIT	R		
E	PBX Resale Service	N	LSR	INIT-FAX NO.	R		
E	PBX Resale Service	P	LSR	INIT	R		
E	PBX Resale Service	P	LSR	INIT-FAX NO.	R		
E	PBX Resale Service	Q	LSR	INIT	R		
E	PBX Resale Service	Q	LSR	INIT-FAX NO.	R		
E	PBX Resale Service	T	LSR	INIT	R		
E	PBX Resale Service	T	LSR	INIT-FAX NO.	R		
E	PBX Resale Service	V	LSR	INIT	R		
E	PBX Resale Service	V	LSR	INIT-FAX NO.	R		
E	PBX Resale Service	W	LSR	INIT	R		
E	PBX Resale Service	W	LSR	INIT-FAX NO.	R		
E	ISDN-BRI Resale Service	C	LSR	INIT	R		
E	ISDN-BRI Resale Service	C	LSR	INIT-FAX NO.	R		
E	ISDN-BRI Resale Service	D	LSR	INIT	R		
E	ISDN-BRI Resale Service	D	LSR	INIT-FAX NO.	R		
E	ISDN-BRI Resale Service	N	LSR	INIT	R	M	
E	ISDN-BRI Resale Service	N	LSR	INIT-FAX NO.	R	M	
E	ISDN-BRI Resale Service	P	LSR	INIT	R		
E	ISDN-BRI Resale Service	P	LSR	INIT-FAX NO.	R		
E	ISDN-BRI Resale Service	Q	LSR	INIT	R		
E	ISDN-BRI Resale Service	Q	LSR	INIT-FAX NO.	R		
E	ISDN-BRI Resale Service	T	LSR	INIT	R	M	
E	ISDN-BRI Resale Service	T	LSR	INIT-FAX NO.	R	M	
E	ISDN-BRI Resale Service	V	LSR	INIT	R		
E	ISDN-BRI Resale Service	V	LSR	INIT-FAX NO.	R		
E	ISDN-BRI Resale Service	W	LSR	INIT	R		
E	ISDN-BRI Resale Service	W	LSR	INIT-FAX NO.	R		
E	Coin	C	LSR	INIT	R		
E	Coin	C	LSR	INIT-FAX NO.	R		
E	Coin	D	LSR	INIT	R		



Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
E	Coin	D	LSR	INIT-FAX NO.	R		
E	Coin	N	LSR	INIT	R		
E	Coin	N	LSR	INIT-FAX NO.	R		
E	Coin	P	LSR	INIT	R		
E	Coin	P	LSR	INIT-FAX NO.	R		
E	Coin	Q	LSR	INIT	R		
E	Coin	Q	LSR	INIT-FAX NO.	R		
E	Coin	T	LSR	INIT	R		
E	Coin	T	LSR	INIT-FAX NO.	R		
E	Coin	V	LSR	INIT	R		
E	Coin	V	LSR	INIT-FAX NO.	R		
E	Coin	W	LSR	INIT	R		
E	Coin	W	LSR	INIT-FAX NO.	R		
E	BellSouth® Intergrated Solutions	C	LSR	INIT	R	M	
E	BellSouth® Intergrated Solutions	C	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Intergrated Solutions	D	LSR	INIT	R	M	
E	BellSouth® Intergrated Solutions	D	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Intergrated Solutions	N	LSR	INIT	R	M	
E	BellSouth® Intergrated Solutions	N	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Intergrated Solutions	V	LSR	INIT	R	M	
E	BellSouth® Intergrated Solutions	V	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Intergrated Solutions	W	LSR	INIT	R	M	
E	BellSouth® Intergrated Solutions	W	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	C	LSR	INIT	R	M	
E	AccuPulse®	C	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	D	LSR	INIT	R	M	
E	AccuPulse®	D	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	N	LSR	INIT	R	M	
E	AccuPulse®	N	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	T	LSR	INIT	R	M	
E	AccuPulse®	T	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	V	LSR	INIT	R	M	
E	AccuPulse®	V	LSR	INIT-FAX NO.	R	M	
E	AccuPulse®	W	LSR	INIT	R	M	
E	AccuPulse®	W	LSR	INIT-FAX NO.	R	M	
E	ATM	C	LSR	INIT	R	M	
E	ATM	C	LSR	INIT-FAX NO.	R	M	
E	ATM	D	LSR	INIT	R	M	
E	ATM	D	LSR	INIT-FAX NO.	R	M	
E	ATM	N	LSR	INIT	R	M	
E	ATM	N	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
E	ATM	T	LSR	INIT	R	M	
E	ATM	T	LSR	INIT-FAX NO.	R	M	
E	ATM	V	LSR	INIT	R	M	
E	ATM	V	LSR	INIT-FAX NO.	R	M	
E	ATM	W	LSR	INIT	R	M	
E	ATM	W	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	C	LSR	INIT	R	M	
E	Frame Relay	C	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	D	LSR	INIT	R	M	
E	Frame Relay	D	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	N	LSR	INIT	R	M	
E	Frame Relay	N	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	T	LSR	INIT	R	M	
E	Frame Relay	T	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	V	LSR	INIT	R	M	
E	Frame Relay	V	LSR	INIT-FAX NO.	R	M	
E	Frame Relay	W	LSR	INIT	R	M	
E	Frame Relay	W	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	C	LSR	INIT	R	M	
E	MegaLink® Service	C	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	D	LSR	INIT	R	M	
E	MegaLink® Service	D	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	N	LSR	INIT	R	M	
E	MegaLink® Service	N	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	P	LSR	INIT	R	M	
E	MegaLink® Service	P	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	Q	LSR	INIT	R	M	
E	MegaLink® Service	Q	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	T	LSR	INIT	R	M	
E	MegaLink® Service	T	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	V	LSR	INIT	R	M	
E	MegaLink® Service	V	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Service	W	LSR	INIT	R	M	
E	MegaLink® Service	W	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	C	LSR	INIT	R	M	
E	MegaLink® Channel Services	C	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	D	LSR	INIT	R	M	
E	MegaLink® Channel Services	D	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	N	LSR	INIT	R	M	
E	MegaLink® Channel Services	N	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	P	LSR	INIT	R	M	
E	MegaLink® Channel Services	P	LSR	INIT-FAX NO.	R	M	



Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
E	MegaLink® Channel Services	Q	LSR	INIT	R	M	
E	MegaLink® Channel Services	Q	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	T	LSR	INIT	R	M	
E	MegaLink® Channel Services	T	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	V	LSR	INIT	R	M	
E	MegaLink® Channel Services	V	LSR	INIT-FAX NO.	R	M	
E	MegaLink® Channel Services	W	LSR	INIT	R	M	
E	MegaLink® Channel Services	W	LSR	INIT-FAX NO.	R	M	
E	NMLI	C	LSR	INIT	R	M	
E	NMLI	C	LSR	INIT-FAX NO.	R	M	
E	NMLI	D	LSR	INIT	R	M	
E	NMLI	D	LSR	INIT-FAX NO.	R	M	
E	NMLI	N	LSR	INIT	R	M	
E	NMLI	N	LSR	INIT-FAX NO.	R	M	
E	NMLI	V	LSR	INIT	R	M	
E	NMLI	V	LSR	INIT-FAX NO.	R	M	
E	NMLI	W	LSR	INIT	R	M	
E	NMLI	W	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	C	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	C	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	D	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	D	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	N	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	N	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	P	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	P	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	Q	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	Q	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	T	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	T	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	V	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	V	LSR	INIT-FAX NO.	R	M	
E	Primary Rate ISDN -PRI	W	LSR	INIT	R	M	
E	Primary Rate ISDN -PRI	W	LSR	INIT-FAX NO.	R	M	
E	Private Lines	C	LSR	INIT	R	M	
E	Private Lines	C	LSR	INIT-FAX NO.	R	M	
E	Private Lines	D	LSR	INIT	R	M	
E	Private Lines	D	LSR	INIT-FAX NO.	R	M	
E	Private Lines	N	LSR	INIT	R	M	
E	Private Lines	N	LSR	INIT-FAX NO.	R	M	
E	Private Lines	T	LSR	INIT	R	M	
E	Private Lines	T	LSR	INIT-FAX NO.	R	M	



Attachment
SN91084112

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
E	Private Lines	V	LSR	INIT	R	M	
E	Private Lines	V	LSR	INIT-FAX NO.	R	M	
E	Private Lines	W	LSR	INIT	R	M	
E	Private Lines	W	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	C	LSR	INIT	R	M	
E	SMARTRing® Service	C	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	D	LSR	INIT	R	M	
E	SMARTRing® Service	D	LSR	INIT	O	M	
E	SMARTRing® Service	D	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	N	LSR	INIT	R	M	
E	SMARTRing® Service	N	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	T	LSR	INIT	R	M	
E	SMARTRing® Service	T	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	V	LSR	INIT	R	M	
E	SMARTRing® Service	V	LSR	INIT-FAX NO.	R	M	
E	SMARTRing® Service	W	LSR	INIT	R	M	
E	SMARTRing® Service	W	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	C	LSR	INIT	R	M	
E	LIGHTGATE® Services	C	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	D	LSR	INIT	R	M	
E	LIGHTGATE® Services	D	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	N	LSR	INIT	R	M	
E	LIGHTGATE® Services	N	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	T	LSR	INIT	R	M	
E	LIGHTGATE® Services	T	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	V	LSR	INIT	R	M	
E	LIGHTGATE® Services	V	LSR	INIT-FAX NO.	R	M	
E	LIGHTGATE® Services	W	LSR	INIT	R	M	
E	LIGHTGATE® Services	W	LSR	INIT-FAX NO.	R	M	
E	SynchroNet®	C	LSR	INIT	R	M	
E	SynchroNet®	C	LSR	INIT-FAX NO.	R	M	
E	SynchroNet®	D	LSR	INIT	R	M	
E	SynchroNet®	D	LSR	INIT-FAX NO.	R	M	
E	SynchroNet®	N	LSR	INIT	R	M	
E	SynchroNet®	T	LSR	INIT	R	M	
E	SynchroNet®	T	LSR	INIT-FAX NO.	R	M	
E	SynchroNet®	V	LSR	INIT	R	M	
E	SynchroNet®	V	LSR	INIT-FAX NO.	R	M	
E	SynchroNet®	W	LSR	INIT	R	M	
E	SynchroNet®	W	LSR	INIT-FAX NO.	R	M	
E	TFD	C	LSR	INIT	R	M	
E	TFD	C	LSR	INIT-FAX NO.	R	M	
E	TFD	D	LSR	INIT	R	M	
E	TFD	D	LSR	INIT-FAX NO.	R	M	
E	TFD	N	LSR	INIT	R	M	
E	TFD	N	LSR	INIT-FAX NO.	R	M	
E	TFD	V	LSR	INIT	R	M	
E	TFD	V	LSR	INIT-FAX NO.	R	M	
E	TFD	W	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
E	TFD	W	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	C	LSR	INIT	R	M	
E	TIE Lines	C	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	D	LSR	INIT	R	M	
E	TIE Lines	D	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	N	LSR	INIT	R	M	
E	TIE Lines	N	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	P	LSR	INIT	R	M	
E	TIE Lines	P	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	Q	LSR	INIT	R	M	
E	TIE Lines	Q	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	T	LSR	INIT	R	M	
E	TIE Lines	T	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	V	LSR	INIT	R	M	
E	TIE Lines	V	LSR	INIT-FAX NO.	R	M	
E	TIE Lines	W	LSR	INIT	R	M	
E	TIE Lines	W	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	C	LSR	INIT	R	M	
E	On/Off Premises Extensions	C	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	D	LSR	INIT	R	M	
E	On/Off Premises Extensions	D	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	N	LSR	INIT	R	M	
E	On/Off Premises Extensions	N	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	P	LSR	INIT	R	M	
E	On/Off Premises Extensions	P	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	Q	LSR	INIT	R	M	
E	On/Off Premises Extensions	Q	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	T	LSR	INIT	R	M	
E	On/Off Premises Extensions	T	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	V	LSR	INIT	R	M	
E	On/Off Premises Extensions	V	LSR	INIT-FAX NO.	R	M	
E	On/Off Premises Extensions	W	LSR	INIT	R	M	
E	On/Off Premises Extensions	W	LSR	INIT-FAX NO.	R	M	
E	BellSouth® 256 DSL Service	C	LSR	INIT	R	M	
E	BellSouth® 256 DSL Service	C	LSR	INIT-FAX NO.	R	M	
E	BellSouth® 256 DSL Service	D	LSR	INIT	R	M	
E	BellSouth® 256 DSL Service	D	LSR	INIT-FAX NO.	R	M	
E	BellSouth® 256 DSL Service	N	LSR	INIT	R	M	
E	BellSouth® 256 DSL Service	N	LSR	INIT-FAX NO.	R	M	
E	BellSouth® 256 DSL Service	T	LSR	INIT	R	M	
E	BellSouth® 256 DSL Service	T	LSR	INIT-FAX NO.	R	M	
E	BellSouth® 256 DSL Service	V	LSR	INIT	R	M	
E	BellSouth® 256 DSL Service	V	LSR	INIT-FAX NO.	R	M	
E	BellSouth® 256 DSL Service	W	LSR	INIT	R	M	
E	BellSouth® 256 DSL Service	W	LSR	INIT-FAX NO.	R	M	
E	WATS	C	LSR	INIT	R	M	
E	WATS	C	LSR	INIT-FAX NO.	R	M	
E	WATS	D	LSR	INIT	R	M	
E	WATS	D	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
E	WATS	N	LSR	INIT	R	M	
E	WATS	N	LSR	INIT-FAX NO.	R	M	
E	WATS	V	LSR	INIT	R	M	
E	WATS	V	LSR	INIT-FAX NO.	R	M	
E	WATS	W	LSR	INIT	R	M	
E	WATS	W	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	C	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	C	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	D	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	D	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	N	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	N	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	T	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	T	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	V	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	V	LSR	INIT-FAX NO.	R	M	
E	Uniserv UAN / CSA / ANI	W	LSR	INIT	R	M	
E	Uniserv UAN / CSA / ANI	W	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	C	LSR	INIT	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	C	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	N	LSR	INIT	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	N	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	P	LSR	INIT	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	P	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	Q	LSR	INIT	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	Q	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	T	LSR	INIT	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	T	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	V	LSR	INIT	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	V	LSR	INIT-FAX NO.	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	W	LSR	INIT	R	M	
E	Complex PBX On/Off						
E	Premises Extensions/DPA	W	LSR	INIT-FAX NO.	R	M	
E	Non-Complex On/Off						
E	Premises Extensions/DPA	C	LSR	INIT	R	M	
E	Non-Complex On/Off						
E	Premises Extensions/DPA	C	LSR	INIT-FAX NO.	R	M	
E	Non-Complex On/Off						
E	Premises Extensions/DPA	N	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
E	Non-Complex On/Off Premises Extensions/DPA Non-Complex On/Off	N	LSR	INIT-FAX NO.	R	M	
E	Non-Complex On/Off Premises Extensions/DPA Non-Complex On/Off	P	LSR	INIT	R	M	
E	Non-Complex On/Off Premises Extensions/DPA Non-Complex On/Off	P	LSR	INIT-FAX NO.	R	M	
E	Non-Complex On/Off Premises Extensions/DPA Non-Complex On/Off	Q	LSR	INIT	R	M	
E	Non-Complex On/Off Premises Extensions/DPA Non-Complex On/Off	Q	LSR	INIT-FAX NO.	R	M	
E	Non-Complex On/Off Premises Extensions/DPA Non-Complex On/Off	T	LSR	INIT	R	M	
E	Non-Complex On/Off Premises Extensions/DPA Non-Complex On/Off	T	LSR	INIT-FAX NO.	R	M	
E	Non-Complex On/Off Premises Extensions/DPA Non-Complex On/Off	V	LSR	INIT	R	M	
E	Non-Complex On/Off Premises Extensions/DPA Non-Complex On/Off	V	LSR	INIT-FAX NO.	R	M	
E	Non-Complex On/Off Premises Extensions/DPA Non-Complex On/Off	W	LSR	INIT	R	M	
E	Non-Complex On/Off Premises Extensions/DPA Non-Complex On/Off	W	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Metro Ethernet	C	LSR	INIT	R	M	
E	BellSouth® Metro Ethernet	C	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Metro Ethernet	D	LSR	INIT	R	M	
E	BellSouth® Metro Ethernet	D	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Metro Ethernet	N	LSR	INIT	R	M	
E	BellSouth® Metro Ethernet	N	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Metro Ethernet	V	LSR	INIT	R	M	
E	BellSouth® Metro Ethernet	V	LSR	INIT-FAX NO.	R	M	
E	BellSouth® Metro Ethernet	W	LSR	INIT	R	M	
E	BellSouth® Metro Ethernet	W	LSR	INIT-FAX NO.	R	M	
F	Port Service	B	LSR	INIT	R		
F	Port Service	B	LSR	INIT-FAX NO.	R		
F	Port Service	C	LSR	INIT	R		
F	Port Service	C	LSR	INIT-FAX NO.	R		
F	Port Service	D	LSR	INIT	R		
F	Port Service	D	LSR	INIT-FAX NO.	R		
F	Port Service	L	LSR	INIT	R		
F	Port Service	L	LSR	INIT-FAX NO.	R		
F	Port Service	N	LSR	INIT	R		
F	Port Service	N	LSR	INIT-FAX NO.	R		
F	Port Service	P	LSR	INIT	R		
F	Port Service	P	LSR	INIT-FAX NO.	R		
F	Port Service	Q	LSR	INIT	R		
F	Port Service	Q	LSR	INIT-FAX NO.	R		
F	Port Service	S	LSR	INIT	R		
F	Port Service	S	LSR	INIT-FAX NO.	R		
F	Port Service	V	LSR	INIT	R		
F	Port Service	V	LSR	INIT-FAX NO.	R		
F	Port Service	Y	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
F	Port Service	Y	LSR	INIT-FAX NO.	R		
F	PBX Stand Alone Port	C	LSR	INIT	R	M	
F	PBX Stand Alone Port	C	LSR	INIT-FAX NO.	R	M	
F	PBX Stand Alone Port	D	LSR	INIT	R	M	
F	PBX Stand Alone Port	D	LSR	INIT-FAX NO.	R	M	
F	PBX Stand Alone Port	N	LSR	INIT	R	M	
F	PBX Stand Alone Port	N	LSR	INIT-FAX NO.	R	M	
J	Directory Listing	D	LSR	INIT	R		
J	Directory Listing	D	LSR	INIT-FAX NO.	R		
J	Directory Listing	N	LSR	INIT	R		
J	Directory Listing	N	LSR	INIT-FAX NO.	R		
J	Directory Listing	R	LSR	INIT	R		
J	Directory Listing	R	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	B	LSR	INIT	R		
M	Switched Combo Bus/Res	B	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	C	LSR	INIT	R		
M	Switched Combo Bus/Res	C	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	D	LSR	INIT	R		
M	Switched Combo Bus/Res	D	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	L	LSR	INIT	R		
M	Switched Combo Bus/Res	L	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	N	LSR	INIT	R		
M	Switched Combo Bus/Res	N	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	P	LSR	INIT	R		
M	Switched Combo Bus/Res	P	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	Q	LSR	INIT	R		
M	Switched Combo Bus/Res	Q	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	S	LSR	INIT	R		
M	Switched Combo Bus/Res	S	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	T	LSR	INIT	R		
M	Switched Combo Bus/Res	T	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	V	LSR	INIT	R		
M	Switched Combo Bus/Res	V	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	W	LSR	INIT	R		
M	Switched Combo Bus/Res	W	LSR	INIT-FAX NO.	R		
M	Switched Combo Bus/Res	Y	LSR	INIT	R		
M	Switched Combo Bus/Res	Y	LSR	INIT-FAX NO.	R		
M	Switched Combo Remote						
M	Call Forwarding (RCF)	C	LSR	INIT	R	M	
M	Switched Combo Remote						
M	Call Forwarding (RCF)	C	LSR	INIT-FAX NO.	R	M	
M	Switched Combo Remote						
M	Call Forwarding (RCF)	D	LSR	INIT	R	M	
M	Switched Combo Remote						
M	Call Forwarding (RCF)	D	LSR	INIT-FAX NO.	R	M	
M	Switched Combo Remote						
M	Call Forwarding (RCF)	N	LSR	INIT	R	M	
M	Switched Combo Remote						
M	Call Forwarding (RCF)	N	LSR	INIT-FAX NO.	R	M	
M	Switched Combo Remote	P	LSR	INIT	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
	Call Forwarding (RCF) Switched Combo Remote						
M	Call Forwarding (RCF) Switched Combo Remote	P	LSR	INIT-FAX NO.	R	M	
M	Call Forwarding (RCF) Switched Combo Remote	Q	LSR	INIT	R	M	
M	Call Forwarding (RCF) Switched Combo Remote	Q	LSR	INIT-FAX NO.	R	M	
M	Call Forwarding (RCF) Switched Combo Remote	T	LSR	INIT	R	M	
M	Call Forwarding (RCF) Switched Combo Remote	T	LSR	INIT-FAX NO.	R	M	
M	Call Forwarding (RCF) Switched Combo Remote	V	LSR	INIT	R	M	
M	Call Forwarding (RCF) Switched Combo Remote	V	LSR	INIT-FAX NO.	R	M	
M	Call Forwarding (RCF) Switched Combo Remote	W	LSR	INIT	R	M	
M	Call Forwarding (RCF)	W	LSR	INIT-FAX NO.	R	M	
M	Coin	C	LSR	INIT	R		
M	Coin	C	LSR	INIT-FAX NO.	R		
M	Coin	D	LSR	INIT	R		
M	Coin	D	LSR	INIT-FAX NO.	R		
M	Coin	N	LSR	INIT	R		
M	Coin	N	LSR	INIT-FAX NO.	R		
M	Coin	P	LSR	INIT	R		
M	Coin	P	LSR	INIT-FAX NO.	R		
M	Coin	Q	LSR	INIT	R		
M	Coin	Q	LSR	INIT-FAX NO.	R		
M	Coin	T	LSR	INIT	R		
M	Coin	T	LSR	INIT-FAX NO.	R		
M	Coin	V	LSR	INIT	R		
M	Coin	V	LSR	INIT-FAX NO.	R		
M	Coin	W	LSR	INIT	R		
M	Coin	W	LSR	INIT-FAX NO.	R		
M	PBX UNE Combo	C	LSR	INIT	R	M	
M	PBX UNE Combo	C	LSR	INIT-FAX NO.	R	M	
M	PBX UNE Combo	D	LSR	INIT	R	M	
M	PBX UNE Combo	D	LSR	INIT-FAX NO.	R	M	
M	PBX UNE Combo	N	LSR	INIT	R	M	
M	PBX UNE Combo	N	LSR	INIT-FAX NO.	R	M	
M	PBX UNE Combo	V	LSR	INIT	R	M	
M	PBX UNE Combo	V	LSR	INIT-FAX NO.	R	M	
M	4-wire ISDN PRI Combination	C	LSR	INIT	R	M	
M	4-wire ISDN PRI Combination	C	LSR	INIT-FAX NO.	R	M	
M	4-wire ISDN PRI Combination	D	LSR	INIT	R	M	
M	4-wire ISDN PRI Combination	D	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
M	4-wire ISDN PRI Combination	N	LSR	INIT	R	M	
M	4-wire ISDN PRI Combination	N	LSR	INIT-FAX NO.	R	M	
M	4-wire ISDN PRI Combination	V	LSR	INIT	R	M	
M	4-wire ISDN PRI Combination	V	LSR	INIT-FAX NO.	R	M	
M	2-wire ISDN-BRI UNE Combo	C	LSR	INIT	R	M	
M	2-wire ISDN-BRI UNE Combo	C	LSR	INIT-FAX NO.	R	M	
M	2-wire ISDN-BRI UNE Combo	D	LSR	INIT	R	M	
M	2-wire ISDN-BRI UNE Combo	D	LSR	INIT-FAX NO.	R	M	
M	2-wire ISDN-BRI UNE Combo	N	LSR	INIT	R	M	
M	2-wire ISDN-BRI UNE Combo	N	LSR	INIT-FAX NO.	R	M	
M	2-wire ISDN-BRI UNE Combo	V	LSR	INIT	R	M	
M	2-wire ISDN-BRI UNE Combo	V	LSR	INIT-FAX NO.	R	M	
M	2-wire DID UNE Combination	C	LSR	INIT	R	M	
M	2-wire DID UNE Combination	C	LSR	INIT-FAX NO.	R	M	
M	2-wire DID UNE Combination	D	LSR	INIT	R	M	
M	2-wire DID UNE Combination	D	LSR	INIT-FAX NO.	R	M	
M	2-wire DID UNE Combination	N	LSR	INIT	R	M	
M	2-wire DID UNE Combination	N	LSR	INIT-FAX NO.	R	M	
M	2-wire DID UNE Combination	V	LSR	INIT	R	M	
M	2-wire DID UNE Combination	V	LSR	INIT-FAX NO.	R	M	
M	DDITS - DS1	C	LSR	INIT	R	M	
M	DDITS - DS1	C	LSR	INIT-FAX NO.	R	M	
M	DDITS - DS1	D	LSR	INIT	R	M	
M	DDITS - DS1	D	LSR	INIT-FAX NO.	R	M	
M	DDITS - DS1	N	LSR	INIT	R	M	
M	DDITS - DS1	N	LSR	INIT-FAX NO.	R	M	
M	DDITS - DS1	V	LSR	INIT	R	M	
M	DDITS - DS1	V	LSR	INIT-FAX NO.	R	M	
M	DDITS - UNE Combos Trunk Service	C	LSR	INIT	R	M	
M	DDITS - UNE Combos Trunk Service	C	LSR	INIT-FAX NO.	R	M	
M	DDITS - UNE Combos Trunk Service	D	LSR	INIT	R	M	
M	DDITS - UNE Combos Trunk Service	D	LSR	INIT-FAX NO.	R	M	
M	DDITS - UNE Combos Trunk Service	N	LSR	INIT	R	M	
M	DDITS - UNE Combos Trunk Service	N	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
M	DDITS - UNE Combos Trunk Service	V	LSR	INIT	R	M	
M	DDITS - UNE Combos Trunk Service	V	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	C	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	C	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	D	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	D	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	N	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	N	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	V	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (DS1 Service)	V	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	C	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	C	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	D	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	D	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	N	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	N	LSR	INIT-FAX NO.	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	V	LSR	INIT	R	M	
M	4-wire DS1 Loop with Channelization with Port (Trunk Service)	V	LSR	INIT-FAX NO.	R	M	
M	UNE P Centrex	C	LSR	INIT	R	M	
M	UNE P Centrex	C	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
M	UNE P Centrex	D	LSR	INIT	R	M	
M	UNE P Centrex	D	LSR	INIT-FAX NO.	R	M	
M	UNE P Centrex	N	LSR	INIT	R	M	
M	UNE P Centrex	N	LSR	INIT-FAX NO.	R	M	
M	UNE P Centrex	V	LSR	INIT	R	M	
M	UNE P Centrex	V	LSR	INIT-FAX NO.	R	M	
M	UNE P Complex PBX On/Off Premises Extensions/DPA	C	LSR	INIT	R	M	
M	UNE P Complex PBX On/Off Premises Extensions/DPA	C	LSR	INIT-FAX NO.	R	M	
M	UNE P Complex PBX On/Off Premises Extensions/DPA	N	LSR	INIT	R	M	
M	UNE P Complex PBX On/Off Premises Extensions/DPA	N	LSR	INIT-FAX NO.	R	M	
M	UNE P Complex PBX On/Off Premises Extensions/DPA	V	LSR	INIT	R	M	
M	UNE P Complex PBX On/Off Premises Extensions/DPA	V	LSR	INIT-FAX NO.	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	C	LSR	INIT	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	C	LSR	INIT-FAX NO.	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	N	LSR	INIT	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	N	LSR	INIT-FAX NO.	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	P	LSR	INIT	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	P	LSR	INIT-FAX NO.	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	Q	LSR	INIT	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	Q	LSR	INIT-FAX NO.	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	T	LSR	INIT	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	T	LSR	INIT-FAX NO.	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	V	LSR	INIT	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	V	LSR	INIT-FAX NO.	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	W	LSR	INIT	R	M	
M	UNE P Non-Complex On/Off Premises Extensions/DPA	W	LSR	INIT-FAX NO.	R	M	
N	DID Resale Service	C	LSR	INIT	R		
N	DID Resale Service	C	LSR	INIT-FAX NO.	R		
N	DID Resale Service	D	LSR	INIT	R		
N	DID Resale Service	D	LSR	INIT-FAX NO.	R		
N	DID Resale Service	N	LSR	INIT	R		
N	DID Resale Service	N	LSR	INIT-FAX NO.	R		
N	DID Resale Service	P	LSR	INIT	R		

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
N	DID Resale Service	P	LSR	INIT-FAX NO.	R		
N	DID Resale Service	Q	LSR	INIT	R		
N	DID Resale Service	Q	LSR	INIT-FAX NO.	R		
N	DID Resale Service	T	LSR	INIT	R		
N	DID Resale Service	T	LSR	INIT-FAX NO.	R		
N	DID Resale Service	V	LSR	INIT	R		
N	DID Resale Service	V	LSR	INIT-FAX NO.	R		
N	DID Resale Service	W	LSR	INIT	R		
N	DID Resale Service	W	LSR	INIT-FAX NO.	R		
P	BellSouth® Centrex®	B	LSR	INIT	R	M	
P	BellSouth® Centrex®	B	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	C	LSR	INIT	R	M	
P	BellSouth® Centrex®	C	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	D	LSR	INIT	R	M	
P	BellSouth® Centrex®	D	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	L	LSR	INIT	R	M	
P	BellSouth® Centrex®	L	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	N	LSR	INIT	R	M	
P	BellSouth® Centrex®	N	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	P	LSR	INIT	R	M	
P	BellSouth® Centrex®	P	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	Q	LSR	INIT	R	M	
P	BellSouth® Centrex®	Q	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	S	LSR	INIT	R	M	
P	BellSouth® Centrex®	S	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	T	LSR	INIT	R	M	
P	BellSouth® Centrex®	T	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	V	LSR	INIT	R	M	
P	BellSouth® Centrex®	V	LSR	INIT-FAX NO.	R	M	
P	BellSouth® Centrex®	W	LSR	INIT	R	M	
P	BellSouth® Centrex®	W	LSR	INIT-FAX NO.	R	M	
P	ESSX®	B	LSR	INIT	R	M	
P	ESSX®	B	LSR	INIT-FAX NO.	R	M	
P	ESSX®	C	LSR	INIT	R	M	
P	ESSX®	C	LSR	INIT-FAX NO.	R	M	
P	ESSX®	D	LSR	INIT	R	M	
P	ESSX®	D	LSR	INIT-FAX NO.	R	M	
P	ESSX®	L	LSR	INIT	R	M	
P	ESSX®	L	LSR	INIT-FAX NO.	R	M	
P	ESSX®	P	LSR	INIT	R	M	
P	ESSX®	P	LSR	INIT-FAX NO.	R	M	
P	ESSX®	Q	LSR	INIT	R	M	
P	ESSX®	Q	LSR	INIT-FAX NO.	R	M	
P	ESSX®	S	LSR	INIT	R	M	
P	ESSX®	S	LSR	INIT-FAX NO.	R	M	
P	ESSX®	T	LSR	INIT	R	M	
P	ESSX®	T	LSR	INIT-FAX NO.	R	M	
P	ESSX®	V	LSR	INIT	R	M	
P	ESSX®	V	LSR	INIT-FAX NO.	R	M	

Reqtyp	Product	ACT	LSR Page	Field	Status	Manual	Change To
P	ESSX®	W	LSR	INIT	R	M	
P	ESSX®	W	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	B	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	B	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	C	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	C	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	D	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	D	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	L	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	L	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	N	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	N	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	P	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	P	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	Q	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	Q	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	S	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	S	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	T	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	T	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	V	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	V	LSR	INIT-FAX NO.	R	M	
P	MultiServ® / MultiServ PLUS®	W	LSR	INIT	R	M	
P	MultiServ® / MultiServ PLUS®	W	LSR	INIT-FAX NO.	R	M	

CCP 1877 Attachment Listed Below**LCON-TEL NO. – Local Contact Telephone Number****EU Form/Screen**

13.0F(TCIF9 and LSOG4 map)

*CRB Issues included: None***Definition:**

Identifies the telephone number of the local contact for the service location.

Definition Notes:

NOTE 1: During installation, this is the contact number that the provider's technician would call to reach the person named in the LCON field that can provide access to the service location.

Valid Entries:

None

Valid Entry Notes:

None

Data Characteristics:

Manual: Minimum of 10 numeric characters or up to 14 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

Examples:

Manual: 20198135871234 201-981-3587-1234

2019813587

201-981-3587

Electronic: 2019813587

Conditional Usage Notes:

None

Business Rules

Rule 1: It is strongly recommended that this information be provided to assist the BellSouth® technician in making every effort in ensuring completion of the service order on the due date.



Attachment
SN91084112

Rule 2: Population of this field on the LSR will be interpreted as permission by the CLEC for Bell South to contact the person named in the LCON-NAME field even though specific CLEC contract provisions state otherwise.

**** End of definition for LCON-TEL NO. / EU form screen ****

CCP 1881 Attachment Listed Below

TCIF 9/ELMS 6

LPIC – IntraLATA Presubscription Indicator Code**PS Form/Screen**

16.0A(LSOG6 / ELMS6 map)

CRB Issues included: 2507

Definition:

Identifies the Presubscription Indicator Code (LPIC) for the carrier the customer has selected for IntraLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid LPIC Code of four (4) numerics
NONE	No LPIC chosen (Customer does not want to presubscribe).
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:
NA Not Applicable - Service may not require a LPIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, T or P, the only valid entries are NONE, UNDC or a 4 numeric valid LPIC code.

Note 2: For REQ TYP M when the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid LPIC code or when the LPIC is not changing, this field **must may** be populated with NC (No Change) or left Blank.

Note 3: For REQ TYP F when the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid LPIC code or when the LPIC is not changing, this field **must may** be populated with NC (No Change).

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC

NONE
0288*Conditional Usage Notes:*

Note 1: Required when the REQ TYP is M and the LNA field is populated with N, G, T or P and the 4th character of the TOS is not R.

Note 2: Prohibited when the LNA is populated with W, L or B.

Note 3: Required when the REQ TYP is F and the LNA is N, G, P or V.

Note 4: Required when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERTR or UERTE.

Note 5: Prohibited when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERLC, UERAC or UERVJ.

Business Rules

None

TCIF 9/ELMS 6

LPIC – IntraLATA Presubscription Indicator Code**RS Form/Screen**

16.0A(LSOG6 / ELMS6 map)

*CRB Issues included: 2507****Definition:***

Identifies the Presubscription Indicator Code (LPIC) for the carrier the customer has selected for IntraLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid LPIC Code (4 Numerics)
NONE	No LPIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a LPIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, T or P, the only valid entries are NONE, UNDC or a 4 numeric valid LPIC code.

Note 2 When the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid LPIC code or when the LPIC is not changing, this field **must may** be populated with NC (No Change) or left Blank.

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC

NONE

0288

Conditional Usage Notes:

Note 1: Required when the LNA field is N, T, G or P.

Note 2: Prohibited when the LNA is W, L or B.

Note 3: Required when the 1st character of TOS is 2 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFRS or RCFRU

Note 4: Prohibited when the 1st character of the TOS is 2 and the 4th character of the TOS is R and one of the LNECLS SVC field is populated with RCFRF, RD5RF, RCFWS, RCFWE, RCF7S, RCF7E, RCFRQ, RCFRE, RCFRG or RCFRN.

Note 5: Required when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVS or RCFVU.

Note 6: Prohibited when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVF, RD5VF, RCFVJ, RCFVQ, RCFVE, RCFVG, RCFVD, RCFLB, RCFVN, RCFWS, RCFWE, RCFWU, RCFWQ, RCFWG, RCF7S, RCF7E, RCF7Q or RCF7G.

Business Rules

None

***** End of definition for LPIC / RS form screen *****

TCIF 9/ELMS 6

PIC – InterLATA Presubscription Indicator Code**PS Form/Screen**16.0A(LSOG6 / ELMS6 map)
*CRB Issues included: 2507****Definition:***

Identifies the Presubscription Indicator Code (PIC) for the carrier the customer has selected for the InterLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid PIC Code of four (4) numerics
NONE	No PIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a PIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, P or T, the only valid entries are NONE, UNDC or a 4 numeric valid PIC code.

Note 2: For REQ TYP M when the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid PIC code or when the PIC is not changing, this field **must may** be populated with NC (No Change) or left Blank.

Note 3: For REQ TYP F when the LNA is V, C or X the only valid entries are NONE, UNDC, NC or a valid PIC code **or when the PIC is not changing, this field must be populated with NC (No Change).**

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:



Attachment
SN91084112

NC
NONE
0288

Conditional Usage Notes:

Note 1: Required when the LNA field is N, G, X, V or P; and the REQ TYP is F.

Note 2: Required when the REQ TYP is M and the LNA is N, P, T, G or P and the 4th character of the TOS is not R.

Note 3: Prohibited when the LNA is W, L or B.

Note 4: Required when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERTR or UERTE.

Note 5: Prohibited when the 4th character of the TOS is R and the LNECLS SVC field is populated with UERLC, UERAC or UERVJ.

Business Rules

None

***** End of definition for PIC / PS form screen *****

TCIF 9/ELMS 6

PIC – InterLATA Presubscription Indicator Code**RS Form/Screen**16.0A(LSOG6 / ELMS6 map)
*CRB Issues included: 2507****Definition:***

Identifies the Presubscription Indicator Code (PIC) for the carrier the customer has selected for InterLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid PIC Code of four (4) numerics
NONE	No PIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA Not Applicable - Service may not require a PIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, T or P, the only valid entries are NONE, UNDC or a 4 numeric valid PIC code.

Note 2: When the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid PIC code or when the PIC is not changing, this field **must** ~~may~~ be populated with NC (No Change) or left Blank.

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:NC
NONE
0288***Conditional Usage Notes:***

Note 1: Required when the LNA field is N, G, T or P.

Note 2: Prohibited when the ACT is W, L or B.

Note 3: Required when the 1st character of the TOS is 2 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFRQ, RCFRE or RCFRN.

Note 4: Prohibited when the 1st character of the TOS is 2 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFRF, RD5RF, RCFWS, RCFWE, RCF7S, RCF7E, RCFRU or RCFRG.

Note 5: Required when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVQ, RCFVE, RCFVN, RCF7E, RCFRS or RCF7Q.

Note 6: Prohibited when the 1st character of the TOS is 1 or 3 and the 4th character of the TOS is R and the LNECLS SVC field is populated with RCFVF, RD5VF, RCFVJ, RCFVU, RCFVG, RCFVD, RCFLB, RCFVS, RCFWS, RCFWE, RCFWU, RCFWQ, RCFWG, RCF7S or RCF7G.

Business Rules

None

***** End of definition for PIC / RS form screen *****

CCP 1882 Attachment Listed Below**PIC – InterLATA Presubscription Indicator Code****RS Form/Screen**

13.0F(TCIF9 and LSOG4 map)

*CRB Issues included: None***Definition:**

Identifies the presubscription indicator code (PIC) for the carrier the customer has selected for InterLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid PIC Code of four (4) numerics
NONE	No PIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:

NA	Not Applicable - Service may not require a PIC or used in a conversion 'As Is' scenario.
----	--

Valid Entry Notes:

Note 1: When the LNA is N, G, T or P, the only valid entries are NONE, UNDC or a 4 numeric valid PIC code.

Note 2: When the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid LPIC code or when the PIC is not changing, this field may be populated with NC (No Change) or left Blank.

Note 3: When the 2nd character of the TOS is “H” and the Data PIC Code is different from the PIC Code, the Data PIC Code FID (DPIC XXXX) must be populated in the Feature Detail Section.

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC or NONE or 0288



Attachment
SN91084112

Conditional Usage Notes:

Note 1: Required when the LNA field is N, G, T or P.

Note 2: Prohibited when the ACT is W, L or B.

Business Rules

None

PIC – InterLATA Presubscription Indicator Code**PS Form/Screen**

13.0F(TCIF9 and LSOG4 map)

*CRB Issues included: None***Definition:**

Identifies the presubscription indicator code (PIC) for the carrier the customer has selected for the InterLATA traffic.

Definition Notes:

None

Valid Entries:

Entry	Description
XXXX	Valid PIC Code of four (4) numerics
NONE	No PIC chosen (Customer does not want to presubscribe.)
NC	No Change
UNDC	Undecided (Customer has not decided which presubscribed carrier to select.)
blank	No Change/Not populated

Additional Valid Entry for Manual:
NA Not Applicable - Service may not require a PIC or used in a conversion 'As Is' scenario.

Valid Entry Notes:

Note 1: When the LNA is N, G, P or T, the only valid entries are NONE, UNDC or a 4 numeric valid PIC code

Note 2: For REQTYP M when the LNA is V, C or X the only valid entries are NONE, UNDC, a 4 numeric valid PIC code or when the PIC is not changing, this field may be populated with NC (No Change) or left Blank.

Note 3: For REQTYP F when the LNA is V, C or X the only valid entries are NONE, UNDC, NC or a valid PIC code.

Note 4: When the 2nd character of the TOS is "H" and the Data PIC Code is different from the PIC Code, the Data PIC Code FID (DPIC XXXX) must be populated in the Feature Detail Section

Data Characteristics:

2 or 4 alpha characters or 4 numeric characters

Examples:

NC or NONE or 0288

Conditional Usage Notes:



Attachment
SN91084112

Note 1: Required when the LNA field is N, G, X, V or P; and the REQTYP is F.

Note 2: Required when the REQTYP is M and the LNA is N, T, G or P

Note 3: Prohibited when the LNA is W, L or B.

Business Rules

None



Attachment
SN91084112

CCP 1891 Attachment Listed Below

Release 13.0 and 16.0 TCIF 9

Added (M) to the following field to be consistent with INIT and INIT-TEL NO.

Reqtyp	Product	Code Type	Code	Form/Screen	Field	R/C/O
E	PBX Resale Service	ACT	D	LSR	INIT-FAX NO.	R