
BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

**Carrier Notification
SN91084134**

Date: June 25, 2004

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version **16.0a** for Telecommunications Industry Forum 9 (TCIF 9) Release 16.0

This is to advise that BellSouth has identified the following documentation defects in the LOH Version **16.0a** for TCIF 9 Release 16.0.

CCP Number	Description Of The Change
1886	Added clarifying language in DED for EATN, LEAN, LEATN, EAN
1911	Modified PS/RS form for TNS field data character length
1914	Updated Interval Guide to add Act of T for Frame Relay

Please refer to the attachment for specific details of the changes listed above.

These changes will be reflected in the next update of the TCIF 9 Release 16.0/LOH Version **16.0b** scheduled to be posted July 26, 2004.

A summary of all changes within this document will be listed in the **Summary of Changes** Section.

This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth local support manager with any questions.

Sincerely,

ORIGINAL SIGNED BY PAT FINLEN FOR JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachment

CCP 1886 Attachment Listed Below

~~**EATN** — Existing Account Telephone Number~~

~~PS Form/Screen~~

~~16.0B(TCIF9 / LSOG4 map)~~

~~CRB Issues included: None~~

~~**Definition:**~~

~~Identifies the End User's existing account telephone number assigned by the current NSP. It is a dialable telephone number.~~

~~**Definition Notes:**~~

~~None~~

~~**Valid Entries:**~~

~~None~~

~~**Valid Entry Notes:**~~

~~None~~

~~**Data Characteristics:**~~

~~Manual: — 12 numeric characters (including 2 preprinted hyphens)~~

~~Electronic: 10 numeric characters~~

~~**Examples:**~~

~~Manual: — 210-555-5200~~

~~Electronic: — 2015552000~~

~~**Conditional Usage Notes:**~~

~~Note 1: Prohibited when EAN, LEAN, or LEATN is populated.~~

~~Note 2: Required when the LEAN, LEATN, or EAN are not populated and ACT is V, P, or Q.~~

~~Note 3: Required when the EAN is not populated, and request is to change the telephone number(s) published in the Directory when no provisioning required [REQTYP=J/ACT=R].~~

~~Note 4: Required when REQTYP A/ACT=V conversion from dial tone to EELs.~~

~~Business Rules~~

~~Rule 1: EATN is required when REQTY = E and M and the ACT = T.~~

~~**** End of definition for EATN / PS form screen ****~~

LEAN — Line Existing Account Number

PS Form/Screen

16.0B(TCIF9 / LSOG4 map)

CRB Issues included: None

Definition:

Supports consolidating working telephone numbers that reside in Old LSP existing account(s) to a single Account Number (AN).

Definition Notes:

NOTE 1: Supports consolidating working telephone numbers that resides in old LSP existing account(s) to a single account telephone number.

Valid Entries:

None

Valid Entry Notes:

None

Data Characteristics:

Manual: 20 alpha/numeric characters

Electronic: 10 or 13 alpha/numeric characters (excluding optional hyphens)

Examples:

Manual: 201M231234 201-M23-1234 201M231234678 201-M23-1234-678

Electronic: 201M231234 201M231234678

Conditional Usage Notes:

Note 1: Required when ACT field is V, P, or Q and the LEATN, EAN or EATN fields are not populated, otherwise prohibited.

Note 2: Prohibited when the 1st character of TOS field is not 1 or 2.

As of: 04/20/04

Note 3: Prohibited when the 2nd character of TOS field is not A or B.

Business Rules

Rule #: LEATN, LEAN, EAN and EATN are mutually exclusive and may not appear in any combination on the LSR request.

None

***** End of definition for LEAN / PS form screen *****

LEATN — Line Existing Account Telephone Number

PS Form/Screen

16.0B(TCIF9 / LSOG4 map)

CRB Issues included: None

Definition:

Supports consolidating working telephone numbers that reside in Old LSP existing account(s) to a single Account Telephone Number (ATN).

Definition Notes:

NOTE 1: Supports one end user's multiple accounts of the same service type at one end user location.

Valid Entries:

None

Valid Entry Notes:

None

Data Characteristics:

Manual: 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

Examples:

Manual: 2015551234 201-555-1234

Electronic: 2015551234

Conditional Usage Notes:

Note 1: Required when ACT field is V, P, or Q and the LEAN, EAN or EATN fields are not populated, otherwise prohibited.

Note 2: Prohibited when the 1st character of TOS field is not 1 or 2.

As of: 04/20/04

Note 3: Prohibited when the 2nd character of TOS field is not A or B.

Business Rules

Rule #: LEATN, LEAN, EAN and EATN are mutually exclusive and may not appear in any combination on the LSR request.

None

***** End of definition for LEATN / PS form screen *****

LEAN — Line Existing Account Number

RS Form/Screen

16.0B(TCIF9 / LSOG4 map)

CRB Issues included: None

Definition:

Identifies the end user's account number by the current NSP and/or LSP.

Definition Notes:

NOTE 1: Supports consolidating working telephone numbers that resides in old LSP existing account(s) to a single account telephone number.

Valid Entries:

None

Valid Entry Notes:

None

Data Characteristics:

Manual: 20 alpha/numeric characters

Electronic: 10 or 13 alpha/numeric characters (excluding optional hyphens)

Examples:

Manual: 201M231234 201-M23-1234 201M231234678 201-M23-1234-678

Electronic: 201M231234 201M231234678

Conditional Usage Notes:

Note 1: Optional when the ACT field on the LSR is "V" or "W" and the EAN or EATN fields on the End User form/screen or the LEATN field is not populated, otherwise prohibited.

Note 2: Prohibited when the 1st character of TOS field is not '1' or '2'.

As of: 04/20/04

Note 3: Prohibited when the 2nd character of TOS field is not "A" or "B".

Business Rules

Rule #: LEATN, LEAN, EAN and EATN are mutually exclusive and may not appear in any combination on the LSR request.

***** End of definition for LEAN / RS form screen *****

LEATN — Line Existing Account Telephone Number

RS Form/Screen

16.0B(TCIF9 / LSOG4 map)

CRB Issues included: None

Definition:

Identifies the end user's existing account telephone number assigned by the old LSP.

Definition Notes:

NOTE 1: Supports consolidating working telephone numbers that resides in old LSP existing account(s) to a single account telephone number.

Valid Entries:

None

Valid Entry Notes:

None

Data Characteristics:

Manual: 10 numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters

Examples:

Manual: 2015551234 201-555-1234

As of: 04/20/04

Electronic: 2015551234

Conditional Usage Notes:

Note 1: Optional when the ACT field on the LSR is "V" or "W" and the EAN or EATN fields on the End User form/screen or the LEAN field is not populated, otherwise prohibited.

Note 2: Prohibited when the 1st character of TOS field is not '1' or '2'.

Note 3: Prohibited when the 2nd character of TOS field is not "A" or "B".

Business Rules

Rule 1: A maximum of four (4) LEATN accounts may be submitted with each request.

Rule 2: Each request must be for the same customer at the same location.

Rule #: LEATN, LEAN, EAN and EATN are mutually exclusive and may not appear in any combination on the LSR request.

**** End of definition for LEATN / RS form screen ****

CCP 1911 Attachment Listed Below**TNS — Telephone Numbers****PS Form/Screen**

16.0B(TCIF9 / LSOG4 map)

*CRB Issues included: None***Definition:**

Identifies the telephone number (TN) / terminal number (TER) or sequential range of TNS/TERs for this service request. Also includes ISDN-BRI directing number after TN & TER.

Definition Notes:

None

Valid Entries:Telephone Number(s)
Terminal Number

Additional Valid Entries for Manual Ordering:

N = New Telephone Number Requested or existing TN

Electronic:

Existing TN or Reserved TN.

Valid Entry Notes:

None

Data Characteristics:

Manual: 1 alpha or 15 alpha/ numeric characters (excluding optional hyphens)

Electronic: 10 numeric characters ~~or 15 alpha/numeric characters~~
~~———— (including a hyphen (—) in the 11th position)~~

Examples:

Manual: N ~~or 2015551111T0001 or 201-555-1111T0001~~
2016990001
201-699-0001
Electronic: 2015551111 ~~or 2015551111-0001~~

Conditional Usage Notes:

None

Business Rules

Manual:

Rule 1: When the LNA field is "X", the entry in this field indicates the new telephone number or request for a new telephone number. The out telephone number is shown in the OTN field.

Electronic:

Rule 2: TNS range not allowed when LNA = X.

Rule 3: Must be 10 numeric characters when ACT is "P" or "Q", ~~otherwise 15 alpha/numeric characters.~~

~~Rule 4: When the TNS field contains 15 alpha/numeric characters, the 11th character must be a hyphen (-).~~

***** End of definition for TNS / PS form screen *****

CCP 1914 Attachment Listed Below

Frame Relay*				
ACT N, T				
56K, 64K, T1	1-5 circuits*	10 business days	3 business days	---
---	6-14 circuits*	10 business days + 1 business day for each additional circuit	11 business days	---
---	15+ circuits*	Negotiated	Negotiated	Y
Fractional T1	1-5 circuits*	10 business days	6 business days	---
---	6-14 circuits*	10 business days + 1 business day for each additional circuit	11 business days	---
---	15+ circuits*	Negotiated	Negotiated	Y
DS3	All	Negotiated	Negotiated	Y
ACT C,V	1-4 circuits	3 business days	2 business days	---
---	5+ circuits	3 business days + 1 business day for each additional circuit	3 business days	---
ACT C (Speed Changes)	1-4 circuits	10 business days	2 business days	---
---	5+ circuits	10 business days + 1 business day for each additional circuit	3 business days	---