
BellSouth Interconnection Services

675 West Peachtree Street
Atlanta, Georgia 30375

Carrier Notification
SN91084235

Date: September 17, 2004

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version **17.0** for Telecommunications Industry Forum 9 (TCIF 9) Release 17.0

This is to advise that BellSouth has identified the following documentation defects in the LOH Version **17.0** for TCIF 9 Release 17.0.

CCP Number	Description Of The Change
1960	Remove the LCSC Contact Telephone Numbers table from the LOH and updated verbiage around url: http://interconnection.bellsouth.com/centers/html/lcsc.html .
1996	Change DQTY field from "Conditional" to "Optional".
1997	Modify Data Dictionary for DL and LSR [sections] for the LACT and ACT fields.
2036	Add note to TNAQ-MISC field and add Usage Note to CITY field on the TNAQ-MISC query in the TAG Business Rules, and in the EDI Data Dictionary.
2037	SPEC [field] update for Dark Fiber Combo for Data Dictionary.
2038	Changes to R/C/O table as the result of an audit of the Ordering LOH by the documentation team. (TCIF9 Release 17. only). Add Conditional Usage Notes to DED EU fields FB-FLOOR, FB-ROOM and FB-SBILLNM. R/C/O changes from Ordering LOH Audit (Address Fields): Changes to R/C/O table as the result of an audit of the Ordering LOH by the documentation team. (TCIF9 Release 17. only)
2039	REQTYP A UCL-ND (If ACT is tables): Modify the UCL=ND REQTYP A (IF ACT is tables) to indicate that LNA = D 'N/A' and LS form is prohibited.
2043	Contract Assumption Agreements: Create a section for Contract Service Agreements in the General Local Service Ordering section and remove the section for Local Resale contract assumption agreements.
2045	DDDO field: Modify DDDO field in Data Dictionary and R/C/O tables.
2047	UNE-P to Resale (ACT W): Remove ACT W, update UNE-P to Resale - Remove ACT W (not valid).

Please refer to the attachment for specific details of the changes listed above.

These changes will be reflected in the next update of the TCIF 9 Release 17.0/LOH Version **17.0a** scheduled to be posted September 17, 2004.

A summary of all changes within this document will be listed in the **Summary of Changes Section**.

This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth local support manager with any questions.

Sincerely,

ORIGINAL SIGNED BY JERRY HENDRIX

Jerry Hendrix – Assistant Vice President
BellSouth Interconnection Services

Attachment

CCP 1960 Attachment Listed Below

TCIF9 & ELMS6

General Local Service Ordering section

Manual and Electronic Ordering

Manual LSRs (Local Service Request) are requests for local service submitted by a CLEC to the LCSC. There are two options available to the CLEC for submitting manual LSRs to the LCSC:

- Option 1: Fax directly to the LCSC for manual input. Manually submitted LSR's are manually handled and tracked.
- Option 2: Web Based LSR Web Based LSR's are submitted to the LCSC via the LENS GUI and are manually handled and tracked. (Refer to LENS User Guide for information on WEB Based LSR's)

Note: Alternate method of receipt for individual LSR's greater than 100 pages must be pre-arranged by the CLEC with LCSC management.

CLECs can submit orders either manually or electronically. Depending upon the method chosen, the CLEC may have to provide different information to BellSouth®, that is, some data elements may be applicable only to manual or electronic orders, not both. For example, many of the data elements in the Administrative section of the LSR are repeated on each of the manual forms and must be completed to match the information on the LSR. These fields include PON, VER, AN, and ATN. When submitting an electronic request, however, these fields are populated once and the data flows through to all subsequent screens used in the order. Watch for these types of distinctions as they are made throughout this document.

~~LCSC LCSC/CRSG Contact Telephone Numbers~~

~~The Local Carrier Service Center (LCSC) is the single point of contact for a CLEC when manually submitting orders. Use the telephone numbers [link](#) below to find to contact numbers for the LCSC and CRSG. for questions relating to manually submitted local service requests and billing inquiries. All completed local service ordering forms may be sent via facsimile to the number indicated below. Prior to submitting service requests each CLEC will be assigned to either the Atlanta, Georgia or Birmingham, Alabama LCSC.~~

Click here for LCSC/CRSG Contact Telephone Numbers:

<http://interconnection.bellsouth.com/centers/html/lcsc.html>

Note: Local Service Requests that are sent to the incorrect fax server will be returned as rejected.

For questions/disputes concerning an LSR rejection, clarification or jeopardy notification the initial point of contact is the Fleming Island LCSC at 800-872-3116 (select appropriate ACD option to be transferred to Service Representative). In the event the LCSC is unable to resolve the issue the CLEC should follow normal escalation procedures. Click here for escalation procedures:

<http://interconnection.bellsouth.com/centers/html/lcsc.html>

Note: Local Service Requests that are sent to the incorrect fax server will be returned as rejected.

Atlanta LCSC	Telephone Number	Fax Number
Resale – Consumer	800-872-3116	800-872-7059
Resale – Small Business/Coin	800-872-3116	800-303-4426
UNE Switched Combos (Non-Complex) Wholesale Local Platform Services (WLP)	800-872-3116	877-711-0855
Billing	800-872-3116	205-321-2724

Birmingham LCSC	Telephone Number	Fax Number
Resale – Consumer	800-773-4967	888-704-9368
Resale – Small Business/Coin	800-773-4967	800-773-4970
Unbundled Network Elements and Local Number Portability	800-773-4967	888-792-6271
Wireless LNP	888-285-6123	877-711-0378
UNE Switched Combos, Non-Complex Wholesale Local Platform Services (WLP)	800-773-4967	888-704-9368
LNP to Resale, UNE-P/WLP Migrations, Non-Complex, Complex CRSG	800-773-4967 800-773-4967 205-321-7702	888-792-6271 877-672-0132 800-365-8101 or email ersg@bellsouth.com
Complex Services – Resale & UNE Switched Combos Wholesale Local Platform Services (WLP)	800-773-4967	877-672-0132
Billing	800-773-4967	205-321-2817

CCP 1996 Attachment Listed Below**TCIF9**

ACT Tables: Reqtyp M, 2-wire DID UNE Combination

ACT= C: LSR

Required

ACT (M) ATN (M) BAN1 (M)
CC (M) CCNA (M) D/TSENT (M)
DDD (M) IMPCON (M) IMPCON-TEL NO. (M)
INIT (M) INIT-FAX NO. (M) INIT-TEL NO. (M)
LSO (M) PG_OF_ (M) PON (M)
REQTYP (M) SC (M) TOS (M)

Conditional

ALT-IMPCON-TEL NO. (M) BAN2 (M) BI1 (M)
BI2 (M) CUST (M) DATED (M)
DFDT (M) LOCQTY (M) PROJECT (M)
SUP (M) VER (M)

Optional

ALBR (M) ALT-IMPCON* (M) APPTIME-DDD (M)
CHC* (M) EXP (M) LST (M)
REMARKS (M) RPON (M) SCA (M)
VTA (M)

ACT Tables: Reqtyp M, 2-wire DID UNE Combination**ACT= C: EU**Required

ATN (M) EU-NAME (M) LOCNUM (M)

PG_OF_ (M) PON (M)

Conditional~~DQTY (M)~~ EAN (M) EATN (M)

EU-BLDG (M) EU-CITY (M) EU-FLOOR (M)

EU-ROOM (M) EU-STATE (M) EU-ZIP CODE (M)

LOCACT (M) SADLO (M) SANO (M)

SASD (M) SASF (M) SASN (M)

SASS (M) SATH (M) VER (M)

Optional

LCON-NAME (M) LCON-TEL NO. (M) LOCNUM (M)

REMARKS (M) **DQTY (M)****ACT= D: LSR**Required

ACT (M) ATN (M) BAN1 (M)

CC (M) CCNA (M) D/TSENT (M)

DDD (M) INIT (M) INIT-FAX NO. (M)

INIT-TEL NO. (M) PG_OF_ (M) PON (M)

REQTYP (M) SC (M) TOS (M)

Conditional

ALT-IMPCON-TEL NO. (M) BAN2 (M) BI1 (M)

BI2 (M) CIC (M) CUST (M)

DFDT (M) IMPCON-TEL NO. (M) LOCQTY (M)

LSO (M) PROJECT (M) SUP (M)

VER (M)

ACT Tables: Reqtyp M, 2-wire DID UNE CombinationOptional

ALBR (M) ALT-IMPCON* (M) APPTIME-DDD (M)

CHC* (M) EXP (M) IMPCON* (M)

LST (M)REMARKS (M) RPON (M)

VTA (M)

ACT= D: EU

Required

ATN (M) EU-NAME (M) PG_OF_ (M)

PON (M)

Conditional~~DQTY (M)~~ EU-BLDG (M) EU-FLOOR (M)

EU-ROOM (M) SADLO (M) SANO (M)

SASD (M) SASF (M) SASS (M)

SATH (M) VER (M)

Optional

LCON-NAME (M) LCON-TEL NO. (M) REMARKS (M)

SASN (M) **DQTY (M)**

ACT= N: LSR

Required

ACT (M) ATN (M) BAN1 (M)

CC (M) CCNA (M) D/TSENT (M)

DDD (M) IMPCON (M) IMPCON-TEL NO. (M)

INIT (M) INIT-FAX NO. (M) INIT-TEL NO. (M)

LSO (M) PG_OF_ (M) PON (M)

REQTYP (M) SC (M) TOS (M)



ACT Tables: Reqty M, 2-wire DID UNE Combination

Conditional

ALT-IMP CON-TEL NO. (M) BAN2 (M) BI1 (M)
BI2 (M) CIC (M) CUST (M)
DFDT (M) LOCQTY (M) PROJECT (M)
SUP (M) VER (M)

Optional

ALBR (M) ALT-IMP CON* (M) APPTIME-DDD (M)
CHC* (M) EXP (M) LST (M)
REMARKS (M) RPON (M) SCA (M)
VTA (M)

ACT= N: EU

Required

ATN (M) EU-CITY (M) EU-NAME (M)
EU-STATE (M) EU-ZIP CODE (M) PG_OF_ (M)
PON (M) SASN (M)

Conditional

EU-BLDG (M) EU-FLOOR (M) EU-ROOM (M)
SADLO (M) SANO (M) SASD (M)
SASF (M) SASS (M) SATH (M)
VER (M)

Optional

LCON-NAME (M) LCON-TEL NO. (M) REMARKS (M)

ACT Tables: Reqtyp M, 2-wire DID UNE CombinationACT= V: LSRRequired

ACT (M) ATN (M) BAN1 (M)
CC (M) CCNA (M) D/TSENT (M)
DDD (M) IMPCON (M) IMPCON-TEL NO. (M)
INIT (M) INIT-FAX NO. (M) INIT-TEL NO. (M)
LSO (M) PG_OF_ (M) PON (M)
REQTYP (M) SC (M) TOS (M)

Conditional

ALT-IMPCON-TEL NO. (M) BAN2 (M) BI1 (M)
BI2 (M) CIC (M) CUST (M)
DATED (M) DFDT (M) LOCQTY (M)
LSP AUTH DATE (M) LSP AUTH NAME (M) PROJECT (M)
SUP (M) VER (M)

Optional

ALBR (M) ALT-IMPCON* (M) APPTIME-DDD (M)
CHC* (M) EXP (M) LSP AUTH* (M)
LST (M) REMARKS (M) RPON (M)
VTA (M)

ACT= V: EURequired

ATN (M) ERL (M) EU-CITY (M)
EU-NAME (M) EU-STATE (M) EU-ZIP CODE (M)
PG_OF_ (M) PON (M) SASN (M)



ACT Tables: Reqty M, 2-wire DID UNE Combination

Conditional

~~DQTY (M)~~ EATN (M) EU-BLDG (M)
EU-FLOOR (M) EU-ROOM (M) FB-BILLCON (M)
FB-BILLCON TEL NO. (M) FB-BILLNM (M)FB-CITY (M)
FB-FLOOR (M) FBI (M) FB-ROOM (M)
FB-SBILLNM (M) FB-STREET (M)FB-ZIP CODE (M)
SADLO (M) SANO (M) SASD (M)
SASF (M) SASS (M) SATH (M)
VER (M)

Optional

LCON-NAME (M) LCON-TEL NO. (M) LOCNUM (M)
REMARKS (M) **DQTY (M)**

CCP 1997 Attachment Listed Below

LOH-17.0A-TCIF9

LACT – Listing Activity Indicator

DL Form/Screen

(TCIF9 / LSOG4 map)

Definition:

Identifies the activity involved for this listing request.

Definition Notes:

NOTE 1: A valid entry of Z is optional when P, Q or V is indicated in the ACT field on the LSR, and all listings associated with the number indicated in the LTN field on the DL form/screen are migrating "AS IS " (no change to the listing, listing type (RTY), including ALI codes), otherwise prohibited.

NOTE 2: A valid entry of "Z" is optional when P, Q or V is indicated in the ACT field on the LSR, and NSTN = N11 is indicated, and the ALI field is indicated and the listing is to migrate "AS IS "(no change to the listing, listing type (RTY), including ALI codes).

NOTE 3: The valid entry of D is prohibited when the ACT = R, and the 2nd character of M is indicated in the RTY field on this form/screen.

NOTE 4: When changing an existing customer end user listing , two transactions listing segments are required:

The first transaction would have a LACT entry of O to specify the data to be deleted.

The second transaction would have a LACT entry of "I" to specify the new data.

NOTE 5: For REQTYP B and C when the NPT=D (LNP), the only valid listing activity indicators are 'N' and 'Z'.

NOTE 6: An LACT entry of Z is prohibited if there is no existing listing for the LTN.

NOTE 7: The valid entry of D is only allowed for ACT P or Q when it is being used for a listing other than the main listing for the account.

NOTE 8: The valid entry of D is only allowed for ACT V with REQTYP E or M, when it is being used for a listing other than the main listing for the account **and the request is not changing from Residence to Business or Business to Residence.**

Valid Entries:

Entry	Description
N	New Listing

D Delete Listing
I Change Listing (new data to be inserted)
O Change Listing (old data)
Z No change to listing

ACT/LACT COMBINATIONS

If ACT is: Then LACT is: (If there is Listing activity)

B Prohibited
C N, D, I or O
D Prohibited
L Prohibited
N N
P D, N or Z
Q D, N or Z
R N, D, I or O
S Prohibited
T N
V N or Z [REQTYP B,C]
V D, N, I & O or Z [REQTYP E, M]
W Prohibited
Y Prohibited

Valid Entry Notes:

Note 1: When the REQ TYP is E or M and the ACT is V and the class of service is not changing from residence to business or business to residence the only valid values are D, N or Z.

Note 2: LACT of Z is prohibited when the REQ TYP is E (Non-Complex) or M (Switched Combinations RES/BUS) with ACT of C when the request is changing from a residence to business or business to residence class of service.

Note 3: When the REQ TYP is E or M and the ACT is V and the class of service is changing from residence to business or business to residence, the only valid values are D and N.

Data Characteristics:

1 alpha character

Examples:

N

Conditional Usage Notes:

Note 1: Required when establishing, deleting or changing data in the listing control, listing indicator or listing instructions, otherwise prohibited.

Business Rules

Rule 1: When ERL=A or B, LACT is prohibited.

ACT – Activity Type

LSR Form/Screen

(TCIF9 / LSOG4 map)

Definition:

Identifies the activity involved in this service request.

Definition Notes:

None

Valid Entries:

Entry	Description
Activity	Activity Description
N	New Installation
C	Change / Modification to an existing service (If NPT = D, this activity is used for INP to LNP Conversions)
D	Disconnection
L	Seasonal suspension of full account
T	Move of an end user location to a new location, where LSP is not changing
R	Record activity - ordering administrative changes
V	Full Conversion of service to a new LSP as specified (Resale or Facility Based)
W	Full Conversion of service to new LSP as is
S	Suspend / restore partial account
B	Restore full account / restore denied account
Y	Deny
P	Partial Migration - Initial
Q	Partial Migration - subsequent

Valid Entry Notes:

NOTE 1: REQ TYP AB / ACT = V is only applicable for conversions from Retail, Resale, Non-Complex UNE-P/WLP services, Complex UNE-P/WLP, BRI or PBX services where the Telephone Number resides in the BellSouth® switch.

NOTE 2: When the REQ TYP is A and the ACT is T, the serving wire center (Central Office) cannot be changed.

Data Characteristics:

1 alpha character

Examples:

V

Conditional Usage Notes:

None

Business Rules

Rule 1: On a supplement to a request this field carries the original activity type.

Rule 2: When the ACT field involves a change, the PON should be canceled and a new PON submitted.

Rule 3: When ACT = S, the LNA must equal "L" or "B". This allows the end user to seasonally suspend or restore some of the lines on an account.

~~Rule 4: (Manual only) For split billing of a multi-line account, it is necessary to submit 2 LSR's:~~

~~-LSR#1 - (ACT = C, LNA = D) Removes the line from the existing account.~~

~~-LSR#2 - (ACT = N, LNA = N) Establishes the NEW account.~~

Rule 5#: (REQTYP B and C) Use ACT of C, when NPT is D on LSNP or NP form/screen for INP to LNP conversions.

Rule 6#: [BULK] ACT of V is only valid ACT for UNE to UNE Bulk Migration.

Manual

Rule # : For split billing of a multi-line account, it is necessary to submit 2 LSR's.

LSR#1 - (ACT = C, LNA = D) Removes the line from the existing account.

LSR#2 - (ACT = N, LNA = N) Establishes the NEW account.

***** End of definition for ACT / LSR form screen *****

REQTYP – Request Type

LSR Form/Screen

(TCIF9 / LSOG4 map)

Definition:

Identifies the type of service being requested and the status of the request.

Definition Notes:

None

Valid Entries:

Entry Description

REQTYP (1st character)

A Loop

B Loop with Number Portability

C Number Portability

E Resale

F Port

J Directory Listing and Directory Assistance

M Unbundled Network Element Switched Combinations

N DID Resale

P BellSouth® CENTREX Resale, ESSX®, and MultiServ®/MultiServ PLUS®

REQTYP (2nd character)

B Firm Order

Valid Entry Notes:

NOTE 1: The first character of the REQTYP specifies the type of service.

NOTE 2: The second character of REQTYP is always ' B '.

Data Characteristics:

2 alpha characters

Examples:

AB

Conditional Usage Notes:

None

Business Rules

Rule 1: A submitted request is always a Firm Order.

Rule 2: If a change in REQTYP is being made, the original PON must be canceled and a new PON sent with the new REQTYP.



Attachment
SN91084235

Rule ##: When REQ TYP is J and the LSR request is changing the service type from Residence to Business or Business to Residence, the existing class of service (CS) on the existing CSR must be LNPRL or LNPBL.

***** End of definition for REQ TYP / LSR form screen ***

CCP 2036 Attachment Listed Below

17.0 and 16.0

ELMS 6 AND TCIF 9 DOCS
TNAQ-MISC QUERY
(ADD NOTE to CITY Field)
TAG/LENS BUSINESS RULES

Telephone Number Availability Query For Miscellaneous Account Number (TNAQ-MISC)

This query requests miscellaneous NPANXXs & reserves up to 25 miscellaneous account numbers for 60 days per transaction.

This transaction is used twice:

First, to obtain a list of miscellaneous NPANXXs from which to make a selection.

Second, to request up to 25 miscellaneous account numbers.

Telephone Number Availability Query-Misc (TNAQ-MISC)									
Field Names			Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type	R/C/O	Business Rules			Valid Values
TNAQ-MISC Message									
TXNUM	INQNUM	TXNUM	Up to 16	A/N	R	Transaction Number			Identifies the customer provided tracking number to link the inquiry with the response.

Telephone Number Availability Query-Misc (TNAQ-MISC)									
Field Names			Usage						
BST	LSOG 4	LSOG 6	Field Length	Char Type	R/C/O	Business Rules			Valid Values
CITY	SALOC	CITY	Up to 32	A/N	R	City Identifies the city, village or township, etc. TAG only: Field is Case Sensitive. Enter all letters in Upper Case.			
STATE	STATE	STATE	2	A	R	State Code Identifies the abbreviation for the state or province-			AL = Alabama FL = Florida GA = Georgia KY = Kentucky LA = Louisiana MS = Mississippi NC = North Carolina SC = South Carolina TN = Tennessee

17.0 and 16.0
ELMS 6 and TCIF 9
PRE-ORDER LOH
EDI DATA DICTIONARY

CITY

Description name: City
 Business Rule: Identifies the city, village or township, etc.
 Characteristics: Up to 32 A/N
 Corresponding Firm Order Field Name: CITY - City
 Conditional Usage Notes:

Transaction	Condition
Address Validation Query by Address	Required if State/Zip code is not populated.
Miscellaneous TN Availability Query – MISC – TNAQ-MISC	City field is case sensitive. Enter all letters in Upper Case.
Miscellaneous TN Availability Query – MISC – TNAQ-MISC	City/State combination must be populated with when LSO is blank.



Attachment
SN91084235

Miscellaneous TN Availability Query – MISC – TNAQ-MISC	City/State is Prohibited when LSO is populated.
Estimated Service Date Query	Required if State/Zip code is not populated

CCP 2037 Attachment Listed Below**TCIF9****SPEC – Service and Product Enhancement Code****LSR Form/Screen**

(TCIF9 / LSOG4 map)

Definition:

Identifies a specific product or service offering. SPEC may be applicable for circuit level features and options other than those already identified by the Network Channel (NC) and Network Channel Interface (NCI) codes.

Definition Notes:

None

Valid Entries:

LSF valid entries are:

Entry Description

EU Add Local Service Freeze (LSF) per end user request

LP Add Local Service Freeze (LSF) per local service provider request

DE Delete Local Service Freeze (LSF)

Valid Entry Notes:

NOTE 1: For REQTYPs A, positions 1 - 7 = any alpha character except " I " or any numeric character except " 0 " (zero).

NOTE 2: For REQTYP E and M, LSF Valid Entries (Activity Types = N, C, T, V, P and Q).

Manual:

Note 5: When ordering a REQTYP A Unbundled Dark Fiber (UDF) as an Ordinarily Combined UNE Combination the only valid entry in the SPEC field is UDFCX.

Data Characteristics:

2 to 7 alpha/numeric characters

Examples:

BD1T5AD (UNE)

EU (RESALE)

Conditional Usage Notes:

Manual:



Attachment
SN91084235

Note 1: Required when ordering REQ TYP A Unbundled Dark Fiber (UDF) as an Ordinarily Combined UNE Combination.

Business Rules

Rule 1: LSF valid in all states except Georgia and North Carolina.

Rule 2: For REQ TYP 'A' the following table contains valid SPEC codes for EELs and NSC's service types.

SPEC Code	Service Type
UNCVX	Voice Grade
UNCNX	ISDN
UNCDX	56/64 kbps
UNC1X	DS1
UNC3X	DS3
UNCSX	STS-1

***** End of definition for SPEC / LSR form screen *****

CCP 2038 Attachment Listed Below
TCIF9

Rel	Map	Reqty	Product	Type	Field from	Action	Field to
17.0	TCIF9	A	Analog Non-Designed Loop	ACT=D: EU	SASN	change to	SASN*
17.0	TCIF9	A	Analog Non-Designed Loop	ACT=N: EU	EU-STATE	change to	required
17.0	TCIF9	A	Analog Non-Designed Loop	ACT=N: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Analog Non-Designed Loop	ACT=T: EU	EU-STATE	change to	required
17.0	TCIF9	A	Analog Non-Designed Loop	ACT=T: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Analog Designed Loop	ACT=D: EU	SASN	change to	SASN*
17.0	TCIF9	A	Analog Designed Loop	ACT=N: EU	EU-STATE	change to	required
17.0	TCIF9	A	Analog Designed Loop	ACT=N: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Analog Designed Loop	ACT=T: EU	EU-STATE	change to	required
17.0	TCIF9	A	Analog Designed Loop	ACT=T: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Digital Data Designed Loop (DS0)	ACT=C: EU	EU-BLDG	add field as	optional
17.0	TCIF9	A	Digital Data Designed Loop (DS0)	ACT=C: EU	EU-FLOOR	add field as	optional
17.0	TCIF9	A	Digital Data Designed Loop (DS0)	ACT=C: EU	EU-ROOM	add field as	optional
17.0	TCIF9	A	Digital Data Designed Loop (DS0)	ACT=D: EU	SASN	change to	SASN*
17.0	TCIF9	A	Digital Designed Loop (Basic Rate ISDN)	ACT=D: EU	SASN	change to	SASN*
17.0	TCIF9	A	Channelized	ACT=	SASN	change	SASN* (M)

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			DS1, DS3, STS1 local channel and IOC	D: EU	(M)	to	
17.0	TCIF9	A	EELs	ACT= C: EU	SASS	add field as	conditional
17.0	TCIF9	A	Unbundled Copper Loop – Designed (UCL)	ACT= D: EU	EU- BLDG	add field as	optional
17.0	TCIF9	A	Unbundled Copper Loop – Designed (UCL)	ACT= N: EU	EU- STATE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Designed (UCL)	ACT= N: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Designed (UCL)	ACT= P: EU	EU- STATE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Designed (UCL)	ACT= P: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Designed (UCL)	ACT= Q: EU	EU- STATE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Designed (UCL)	ACT= Q: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Designed (UCL)	ACT= T: EU	EU- STATE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Designed (UCL)	ACT= T: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Designed (UCL)	ACT= V: EU	EU- STATE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Designed (UCL)	ACT= V: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Non-Designed (UCL-ND)	ACT= D: EU	SASN	change to	SASN*

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	A	Unbundled Copper Loop – Non-Designed (UCL-ND)	ACT=N: EU	EU-STATE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Non-Designed (UCL-ND)	ACT=N: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Non-Designed (UCL-ND)	ACT=T: EU	EU-STATE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Non-Designed (UCL-ND)	ACT=T: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Non-Designed (UCL-ND)	ACT=V: EU	EU-STATE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Non-Designed (UCL-ND)	ACT=V: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Non-Designed (UCL-ND)	ACT=W: EU	EU-STATE (M)	change to	required
17.0	TCIF9	A	Unbundled Copper Loop – Non-Designed (UCL-ND)	ACT=W: EU	EU-ZIP CODE (M)	change to	required
17.0	TCIF9	A	Universal Digital Channel (UDC)	ACT=D: EU	SASN	change to	SASN*
17.0	TCIF9	A	Universal Digital Channel (UDC)	ACT=N: EU	EU-STATE	change to	required
17.0	TCIF9	A	Universal Digital Channel (UDC)	ACT=N: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Universal Digital Channel (UDC)	ACT=T: EU	EU-STATE (M)	change to	required
17.0	TCIF9	A	Universal Digital Channel (UDC)	ACT=T: EU	EU-ZIP CODE	change to	required

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
					(M)		
17.0	TCIF9	A	Universal Digital Channel (UDC)	ACT=W: EU	EU-CITY (M)	change to	conditional
17.0	TCIF9	A	Universal Digital Channel (UDC)	ACT=W: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	xDSL Loops	ACT=C: EU	EU-BLDG	add field as	optional
17.0	TCIF9	A	xDSL Loops	ACT=C: EU	EU-CITY	add field as	conditional
17.0	TCIF9	A	xDSL Loops	ACT=D: EU	EU-ROOM	add field as	optional
17.0	TCIF9	A	xDSL Loops	ACT=N: EU	EU-STATE	change to	required
17.0	TCIF9	A	xDSL Loops	ACT=N: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	xDSL Loops	ACT=P: EU	EU-STATE	change to	required
17.0	TCIF9	A	xDSL Loops	ACT=P: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	xDSL Loops	ACT=Q: EU	EU-STATE	change to	required
17.0	TCIF9	A	xDSL Loops	ACT=Q: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	xDSL Loops	ACT=T: EU	EU-STATE (M)	change to	required
17.0	TCIF9	A	xDSL Loops	ACT=T: EU	EU-ZIP CODE (M)	change to	required
17.0	TCIF9	A	xDSL Loops	ACT=V: EU	EU-STATE	change to	required
17.0	TCIF9	A	xDSL Loops	ACT=V: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	A	Unbundled CO-based Line Share (BST-Owned Splitter)	ACT=C: EU	SASN	change to	SASN*
17.0	TCIF9	A	Unbundled CO-based Line Share (BST-Owned Splitter)	ACT=D: EU	SASN	change to	SASN*
17.0	TCIF9	A	Unbundled CO-based Line	ACT=N: EU	SASN	change to	SASN*

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Share (BST- Owned Splitter)				
17.0	TCIF9	A	Unbundled CO- based Line Share (BST- Owned Splitter)	ACT= P: EU	SASN	change to	SASN*
17.0	TCIF9	A	Unbundled CO- based Line Share (BST- Owned Splitter)	ACT= Q: EU	SASN	change to	SASN*
17.0	TCIF9	A	Unbundled CO- based Line Share (BST- Owned Splitter)	ACT= V: EU	SASN	change to	SASN*
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	ACT= C: EU	EU- BLDG	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	ACT= C: EU	EU- FLOOR	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	ACT= C: EU	EU- ROOM	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	ACT= C: EU	SASN	change to	SASN*
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	ACT= D: EU	EU- BLDG	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	ACT= D: EU	EU- FLOOR	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC- Owned Splitter)	ACT= D: EU	EU- ROOM	change to	optional
17.0	TCIF9	A	HFS Unbundled	ACT=	SASN	change	SASN*

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			CO-based Line Splitting (DLEC-Owned Splitter)	D: EU		to	
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT=N: EU	EU-BLDG	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT=N: EU	EU-FLOOR	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT=N: EU	EU-ROOM	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT=N: EU	SASN	change to	SASN*
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT=P: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT=P: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT=P: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT=P: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT=Q: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT=Q: EU	EU-FLOOR (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT= Q: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT= Q: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT= V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT= V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT= V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT= V: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT= W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT= W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT= W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (DLEC-Owned Splitter)	ACT= W: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	Non-Channelized DS3 and STS1	ACT= N: EU	EU-BLDG (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	A	Non-Channelized DS3 and STS1	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	Non-Channelized DS3 and STS1	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Line Share (DLEC-Owned Splitter)	ACT=P: EU	EU-BLDG (M)	add field as	optional
17.0	TCIF9	A	Remote Site (RS) HFS Line Share (DLEC-Owned Splitter)	ACT=P: EU	EU-FLOOR (M)	add field as	optional
17.0	TCIF9	A	Remote Site (RS) HFS Line Share (DLEC-Owned Splitter)	ACT=P: EU	EU-ROOM (M)	add field as	optional
17.0	TCIF9	A	Remote Site (RS) HFS Line Share (DLEC-Owned Splitter)	ACT=Q: EU	EU-BLDG (M)	add field as	optional
17.0	TCIF9	A	Remote Site (RS) HFS Line Share (DLEC-Owned Splitter)	ACT=Q: EU	EU-FLOOR (M)	add field as	optional
17.0	TCIF9	A	Remote Site (RS) HFS Line Share (DLEC-Owned Splitter)	ACT=Q: EU	EU-ROOM (M)	add field as	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=C: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=C: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=C: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled	ACT=	SASN	change	SASN* (M)

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			CO-based Line Splitting (BST-Owned Splitter)	C: EU	(M)	to	
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=D: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=D: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=D: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=D: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=N: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=P: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST-Owned Splitter)	ACT=P: EU	EU-FLOOR (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= P: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= P: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= Q: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= Q: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= Q: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= Q: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= V: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= V: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= V: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= V: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= W: EU	EU- BLDG (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Owned Splitter)				
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= W: EU	EU-CITY (M)	add field as	conditional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= W: EU	EU-STATE (M)	add field as	conditional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= W: EU	EU-ZIP CODE (M)	add field as	conditional
17.0	TCIF9	A	HFS Unbundled CO-based Line Splitting (BST- Owned Splitter)	ACT= W: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	E	Resale, non-complex	ACT= C: EU	EU-BLDG	add field as	optional
17.0	TCIF9	E	Resale, non-complex	ACT= C: EU	EU-FLOOR	add field as	optional
17.0	TCIF9	E	Resale, non-complex	ACT= C: EU	EU-ROOM	add field as	optional
17.0	TCIF9	A	Unbundled Dark Fiber (UDF)	ACT= N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	Unbundled Dark Fiber (UDF)	ACT= N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	Unbundled Dark Fiber (UDF)	ACT= N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	Ordinarily Combined UNEs (OCU)	ACT= C: EU	EU-BLDG (M)	remove field from	conditional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	A	Ordinarily Combined UNEs (OCU)	ACT=C: EU	EU-FLOOR (M)	remove field from	conditional
17.0	TCIF9	A	Ordinarily Combined UNEs (OCU)	ACT=C: EU	EU-ROOM (M)	remove field from	conditional
17.0	TCIF9	A	Ordinarily Combined UNEs (OCU)	ACT=C: EU	SASS (M)	add field as	conditional
17.0	TCIF9	A	Ordinarily Combined UNEs (OCU)	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	Ordinarily Combined UNEs (OCU)	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	Ordinarily Combined UNEs (OCU)	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	Ordinarily Combined UNEs (OCU)	ACT=T: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	Ordinarily Combined UNEs (OCU)	ACT=T: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	Ordinarily Combined UNEs (OCU)	ACT=T: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	Digital Data Designed Loop (DS1)	ACT=C: EU	EU-BLDG (M)	add field as	optional
17.0	TCIF9	A	Digital Data Designed Loop (DS1)	ACT=C: EU	EU-FLOOR (M)	add field as	optional
17.0	TCIF9	A	Digital Data Designed Loop (DS1)	ACT=C: EU	EU-ROOM (M)	add field as	optional
17.0	TCIF9	A	Digital Data Designed Loop (DS1)	ACT=D: EU	EU-BLDG (M)	add field as	optional
17.0	TCIF9	A	Digital Data Designed Loop (DS1)	ACT=D: EU	EU-FLOOR (M)	add field as	optional
17.0	TCIF9	A	Digital Data	ACT=	EU-	add field	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Designed Loop (DS1)	D: EU	ROOM (M)	as	
17.0	TCIF9	A	Digital Data Designed Loop (DS1)	ACT= D: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= C: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= C: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= C: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= C: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= D: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= D: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= D: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line	ACT= D: EU	SASN (M)	change to	SASN* (M)

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Splitting (DLEC- Owned Splitter)				
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= N: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= N: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= N: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= N: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= P: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= P: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= P: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= P: EU	EU-ZIP CODE (M)	change to	conditional
17.0	TCIF9	A	Remote Site	ACT=	SASN	change	SASN* (M)

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			(RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	P: EU	(M)	to	
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= Q: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= Q: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= Q: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= Q: EU	EU-ZIP CODE (M)	change to	conditional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= Q: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= V: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= V: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC- Owned Splitter)	ACT= V: EU	EU- ROOM (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Owned Splitter)				
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= V: EU	EU-ZIP CODE (M)	change to	conditional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= V: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	A	Remote Site (RS) HFS Unbundled Line Splitting (DLEC-Owned Splitter)	ACT= W: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	B	INP, Designed Analog Loop	ACT= P: EU	EU-STATE	change to	required
17.0	TCIF9	B	INP, Designed Analog Loop	ACT= P: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	B	INP, Designed Analog Loop	ACT= Q: EU	EU-STATE	change to	required
17.0	TCIF9	B	INP, Designed Analog Loop	ACT= Q: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	B	INP, Designed Analog Loop	ACT= V: EU	EU-STATE	change to	required
17.0	TCIF9	B	INP, Designed Analog Loop	ACT= V: EU	EU-ZIP CODE	change to	required

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	B	INP, Non-Designed Analog Loop	ACT=P: EU	EU-STATE	change to	required
17.0	TCIF9	B	INP, Non-Designed Analog Loop	ACT=P: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	B	INP, Non-Designed Analog Loop	ACT=V: EU	EU-STATE	change to	required
17.0	TCIF9	B	INP, Non-Designed Analog Loop	ACT=V: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	B	INP, Digital Designed Basic Rate ISDN	ACT=P: EU	EU-STATE	change to	required
17.0	TCIF9	B	INP, Digital Designed Basic Rate ISDN	ACT=P: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	B	INP, Digital Designed Basic Rate ISDN	ACT=Q: EU	EU-STATE	change to	required
17.0	TCIF9	B	INP, Digital Designed Basic Rate ISDN	ACT=Q: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	B	INP, Digital Designed Basic Rate ISDN	ACT=V: EU	EU-STATE	change to	required
17.0	TCIF9	B	INP, Digital Designed Basic Rate ISDN	ACT=V: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	B	INP, Digital Data Designed Loop (DS0)	ACT=P: EU	EU-STATE	change to	required
17.0	TCIF9	B	INP, Digital Data Designed Loop (DS0)	ACT=P: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	B	INP, Digital Data Designed Loop (DS0)	ACT=Q: EU	EU-STATE	change to	required
17.0	TCIF9	B	INP, Digital Data Designed Loop (DS0)	ACT=Q: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	B	INP, Digital	ACT=	EU-	change	required

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Data Designed Loop (DS0)	V: EU	STATE	to	
17.0	TCIF9	B	INP, Digital Data Designed Loop (DS0)	ACT= V: EU	EU-ZIP CODE	change to	required
17.0	TCIF9	E	Resale, non-complex	ACT= B: EU	SASN	change to	SASN*
17.0	TCIF9	E	Resale, non-complex	ACT= D: EU	EU-BLDG	add field as	optional
17.0	TCIF9	E	Resale, non-complex	ACT= D: EU	EU-FLOOR	add field as	optional
17.0	TCIF9	E	Resale, non-complex	ACT= D: EU	EU-ROOM	add field as	optional
17.0	TCIF9	E	Resale, non-complex	ACT= D: EU	SASN	change to	SASN*
17.0	TCIF9	E	Resale, non-complex	ACT= L: EU	SASN	change to	SASN*
17.0	TCIF9	E	Resale, non-complex	ACT= S: EU	SASN (E)	change to	SASN*
17.0	TCIF9	E	Resale, non-complex	ACT= W: EU	SASN	change to	SASN*
17.0	TCIF9	E	Resale, non-complex	ACT= Y: EU	SASN	change to	SASN*
17.0	TCIF9	E	Remote Call Forwarding (RCF)	ACT= C: EU	EU-ROOM (M)	add field as	optional
17.0	TCIF9	E	Remote Call Forwarding (RCF)	ACT= D: EU	EU-BLDG (M)	add field as	optional
17.0	TCIF9	E	Remote Call Forwarding (RCF)	ACT= D: EU	EU-FLOOR (M)	add field as	optional
17.0	TCIF9	E	Remote Call Forwarding (RCF)	ACT= D: EU	EU-ROOM (M)	add field as	optional
17.0	TCIF9	E	Remote Call Forwarding (RCF)	ACT= D: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	E	Remote Call Forwarding (RCF)	ACT= N: EU	EU-CITY (M)	change to	required
17.0	TCIF9	E	Remote Call Forwarding	ACT= N: EU	EU-STATE	change to	required

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			(RCF)		(M)		
17.0	TCIF9	E	Remote Call Forwarding (RCF)	ACT=N: EU	EU-ZIP CODE (M)	change to	required
17.0	TCIF9	E	Remote Call Forwarding (RCF)	ACT=T: EU	EU-CITY (M)	change to	required
17.0	TCIF9	E	Remote Call Forwarding (RCF)	ACT=T: EU	EU-STATE (M)	change to	required
17.0	TCIF9	E	Remote Call Forwarding (RCF)	ACT=T: EU	EU-ZIP CODE (M)	change to	required
17.0	TCIF9	E	Remote Call Forwarding (RCF)	ACT=W: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	E	PBX Resale Service	ACT=D: EU	SASN	change to	SASN*
17.0	TCIF9	E	PBX Resale Service	ACT=W: EU	SASN	change to	SASN*
17.0	TCIF9	E	ISDN-BRI Resale Service	ACT=D: EU	SASN	change to	SASN*
17.0	TCIF9	E	ISDN-BRI Resale Service	ACT=W: EU	SASN	change to	SASN*
17.0	TCIF9	E	Coin	ACT=C: EU	EU-BLDG	add field as	optional
17.0	TCIF9	E	Coin	ACT=C: EU	EU-FLOOR	add field as	optional
17.0	TCIF9	E	Coin	ACT=C: EU	EU-ROOM	add field as	optional
17.0	TCIF9	E	Coin	ACT=D: EU	EU-BLDG	add field as	optional
17.0	TCIF9	E	Coin	ACT=D: EU	EU-FLOOR	add field as	optional
17.0	TCIF9	E	Coin	ACT=D: EU	EU-ROOM	add field as	optional
17.0	TCIF9	E	Coin	ACT=D: EU	SASN	change to	SASN*
17.0	TCIF9	E	Coin	ACT=W: EU	SASN	change to	SASN*
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT=C: EU	EU-BLDG (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= C: EU	EU-CITY (M)	add field as	conditional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= C: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= C: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= C: EU	EU- STATE (M)	add field as	conditional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= C: EU	EU-ZIP CODE (M)	add field as	conditional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= N: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= N: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= N: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= V: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= V: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= V: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= W: EU	EU- BLDG (M)	add field as	optional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= W: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	BellSouth® Intergrated Solutions	ACT= W: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	AccuPulse®	ACT=	EU-CITY	add field	conditional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
				C: EU	(M)	as	
17.0	TCIF9	E	AccuPulse®	ACT=C: EU	EU-STATE (M)	add field as	conditional
17.0	TCIF9	E	AccuPulse®	ACT=C: EU	EU-ZIP CODE (M)	add field as	conditional
17.0	TCIF9	E	AccuPulse®	ACT=C: EU	LD1 (M)	add field as	conditional
17.0	TCIF9	E	AccuPulse®	ACT=C: EU	LD2 (M)	add field as	conditional
17.0	TCIF9	E	AccuPulse®	ACT=C: EU	LD3 (M)	add field as	conditional
17.0	TCIF9	E	AccuPulse®	ACT=C: EU	LV1 (M)	add field as	conditional
17.0	TCIF9	E	AccuPulse®	ACT=C: EU	LV2 (M)	add field as	conditional
17.0	TCIF9	E	AccuPulse®	ACT=C: EU	LV3 (M)	add field as	conditional
17.0	TCIF9	E	AccuPulse®	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	AccuPulse®	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	AccuPulse®	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	AccuPulse®	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	AccuPulse®	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	AccuPulse®	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	AccuPulse®	ACT=W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	AccuPulse®	ACT=W: EU	EU-FLOOR (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	E	AccuPulse®	ACT=W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=D: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=D: EU	EU-CITY (M)	add field as	required
17.0	TCIF9	E	ATM	ACT=D: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=D: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=D: EU	EU-STATE (M)	add field as	required
17.0	TCIF9	E	ATM	ACT=D: EU	EU-ZIP CODE (M)	add field as	required
17.0	TCIF9	E	ATM	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=T: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=T: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=T: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=V: EU	EU-FLOOR	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
					(M)		
17.0	TCIF9	E	ATM	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	ATM	ACT=W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	Frame Relay	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	Frame Relay	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	Frame Relay	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	Frame Relay	ACT=T: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	Frame Relay	ACT=T: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	Frame Relay	ACT=T: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	Frame Relay	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	Frame Relay	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	Frame Relay	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	Frame Relay	ACT=W: EU	EU-BLDG (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	E	Frame Relay	ACT= W: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Frame Relay	ACT= W: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= N: EU	EU- BLDG (M)	add field as	optional
17.0	TCIF9	E	MegaLink® Service	ACT= N: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= N: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= P: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= P: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= P: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= Q: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= Q: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= Q: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= T: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= T: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= T: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	MegaLink®	ACT=	EU-	add field	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Service	V: EU	BLDG (M)	as	
17.0	TCIF9	E	MegaLink® Service	ACT= V: EU	EU-FLOOR (M)	add field as	optional
17.0	TCIF9	E	MegaLink® Service	ACT= V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	MegaLink® Service	ACT= W: EU	SASF (M)	change to	conditional
17.0	TCIF9	E	MegaLink® Service	ACT= W: EU	SASN (M)	change to	required
17.0	TCIF9	E	MegaLink® Channel Services	ACT= N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= P: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= P: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= P: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= Q: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	MegaLink®	ACT=	EU-	change	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Channel Services	Q: EU	FLOOR (M)	to	
17.0	TCIF9	E	MegaLink® Channel Services	ACT= Q: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= T: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= T: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= T: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	MegaLink® Channel Services	ACT= W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	NMLI	ACT= V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	NMLI	ACT= V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	NMLI	ACT= V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	NMLI	ACT= W: EU	EU-BLDG	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
					(M)		
17.0	TCIF9	E	NMLI	ACT= W: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	NMLI	ACT= W: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= N: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= N: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= N: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= P: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= P: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= P: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= Q: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= Q: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= Q: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= T: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= T: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= T: EU	EU- ROOM (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= V: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= V: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= V: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= W: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= W: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Primary Rate ISDN -PRI	ACT= W: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Private Lines	ACT= N: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Private Lines	ACT= N: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Private Lines	ACT= N: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Private Lines	ACT= T: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Private Lines	ACT= T: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Private Lines	ACT= T: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Private Lines	ACT= V: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Private Lines	ACT= V: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Private Lines	ACT=	EU-	change	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
				V: EU	ROOM (M)	to	
17.0	TCIF9	E	Private Lines	ACT=W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	Private Lines	ACT=W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	Private Lines	ACT=W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	SMARTRing® Service	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	SMARTRing® Service	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	SMARTRing® Service	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	SMARTRing® Service	ACT=T: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	SMARTRing® Service	ACT=T: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	SMARTRing® Service	ACT=T: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	SMARTRing® Service	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	SMARTRing® Service	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	SMARTRing® Service	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	SMARTRing® Service	ACT=W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	SMARTRing® Service	ACT=W: EU	EU-FLOOR	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
					(M)		
17.0	TCIF9	E	SMARTRing® Service	ACT=W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	LIGHTGATE® Services	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	LIGHTGATE® Services	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	LIGHTGATE® Services	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	LIGHTGATE® Services	ACT=T: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	LIGHTGATE® Services	ACT=T: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	LIGHTGATE® Services	ACT=T: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	LIGHTGATE® Services	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	LIGHTGATE® Services	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	LIGHTGATE® Services	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	LIGHTGATE® Services	ACT=W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	LIGHTGATE® Services	ACT=W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	LIGHTGATE® Services	ACT=W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	SynchroNet®	ACT=N: EU	EU-BLDG (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	E	SynchroNet®	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	SynchroNet®	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	SynchroNet®	ACT=T: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	SynchroNet®	ACT=T: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	SynchroNet®	ACT=T: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	SynchroNet®	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	SynchroNet®	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	SynchroNet®	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	SynchroNet®	ACT=W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	SynchroNet®	ACT=W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	SynchroNet®	ACT=W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=C: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=C: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=C: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=	EU-	change	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
				D: EU	BLDG (M)	to	
17.0	TCIF9	E	TFD	ACT=D: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=D: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	TFD	ACT=W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=C: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=C: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=C: EU	EU-ROOM	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
					(M)		
17.0	TCIF9	E	TIE Lines	ACT=C: EU	SASS (M)	add field as	conditional
17.0	TCIF9	E	TIE Lines	ACT=D: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=D: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=D: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=P: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=P: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=P: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=Q: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=Q: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=Q: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=T: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT=	EU-	change	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
				T: EU	FLOOR (M)	to	
17.0	TCIF9	E	TIE Lines	ACT= T: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT= V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT= V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT= V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT= W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT= W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	TIE Lines	ACT= W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT= C: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT= C: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT= C: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT= C: EU	SASS (M)	add field as	conditional
17.0	TCIF9	E	On/Off Premises Extensions	ACT= D: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT= D: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	On/Off Premises	ACT= D: EU	EU-ROOM	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Extensions		(M)		
17.0	TCIF9	E	On/Off Premises Extensions	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=P: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=P: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=P: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=Q: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=Q: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=Q: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=T: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=T: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=T: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=V: EU	EU-FLOOR (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	E	On/Off Premises Extensions	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	On/Off Premises Extensions	ACT=W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	BellSouth® 256 DSL Service	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	BellSouth® 256 DSL Service	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	BellSouth® 256 DSL Service	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	BellSouth® 256 DSL Service	ACT=T: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	BellSouth® 256 DSL Service	ACT=T: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	BellSouth® 256 DSL Service	ACT=T: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	BellSouth® 256 DSL Service	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	BellSouth® 256 DSL Service	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	BellSouth® 256 DSL Service	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	BellSouth® 256 DSL Service	ACT=W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	BellSouth® 256	ACT=	EU-	change	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			DSL Service	W: EU	FLOOR (M)	to	
17.0	TCIF9	E	BellSouth® 256 DSL Service	ACT= W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= C: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= C: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= C: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= D: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= D: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= D: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= W: EU	EU-BLDG	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
					(M)		
17.0	TCIF9	E	WATS	ACT= W: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	WATS	ACT= W: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Uniserv UAN / CSA / ANI	ACT= D: EU	EU- BLDG (M)	add field as	optional
17.0	TCIF9	E	Uniserv UAN / CSA / ANI	ACT= D: EU	EU- FLOOR (M)	add field as	optional
17.0	TCIF9	E	Uniserv UAN / CSA / ANI	ACT= D: EU	EU- ROOM (M)	add field as	optional
17.0	TCIF9	E	Uniserv UAN / CSA / ANI	ACT= D: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	E	Uniserv UAN / CSA / ANI	ACT= W: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= C: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= C: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= C: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= N: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= N: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises	ACT= N: EU	EU- ROOM (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Extensions/DPA				
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= P: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= P: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= P: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= Q: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= Q: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= Q: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= T: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= T: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= T: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= V: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off	ACT= V: EU	EU- FLOOR	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Premises Extensions/DPA		(M)		
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= V: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= W: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= W: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Complex PBX On/Off Premises Extensions/DPA	ACT= W: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	SASS (M)	add field as	conditional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	E	Non-Complex	ACT=	EU-	change	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			On/Off Premises Extensions/DPA	N: EU	ROOM (M)	to	
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= P: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= P: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= P: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= Q: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= Q: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= Q: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU-BLDG (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= W: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	Non-Complex On/Off Premises Extensions/DPA	ACT= W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	BellSouth® Metro Ethernet	ACT= N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	BellSouth® Metro Ethernet	ACT= N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	BellSouth® Metro Ethernet	ACT= N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	BellSouth® Metro Ethernet	ACT= V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	BellSouth® Metro Ethernet	ACT= V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	E	BellSouth® Metro Ethernet	ACT= V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	E	BellSouth® Metro Ethernet	ACT= W: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	E	BellSouth® Metro Ethernet	ACT= W: EU	EU-FLOOR	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
					(M)		
17.0	TCIF9	E	BellSouth® Metro Ethernet	ACT=W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	J	Directory Listing	ACT=N: EU	SASD	change to	conditional
17.0	TCIF9	J	Directory Listing	ACT=N: EU	SASF	change to	conditional
17.0	TCIF9	J	Directory Listing	ACT=N: EU	SASS	change to	conditional
17.0	TCIF9	J	Directory Listing	ACT=N: EU	SATH	change to	conditional
17.0	TCIF9	J	Directory Listing	ACT=R: EU	SASD	change to	conditional
17.0	TCIF9	J	Directory Listing	ACT=R: EU	SASF	change to	conditional
17.0	TCIF9	J	Directory Listing	ACT=R: EU	SASS	change to	conditional
17.0	TCIF9	J	Directory Listing	ACT=R: EU	SATH	change to	conditional
17.0	TCIF9	M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	ACT=B: EU	SASN	change to	SASN*
17.0	TCIF9	M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	ACT=D: EU	SANO	change to	conditional
17.0	TCIF9	M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	ACT=D: EU	SANO*	change to	SANO
17.0	TCIF9	M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	ACT=D: EU	SASN	change to	SASN*
17.0	TCIF9	M	UNE-P/WLP Bus/Res (Switched	ACT=L: EU	SASN	change to	SASN*

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Combo Bus/Res)				
17.0	TCIF9	M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	ACT=S: EU	SASN	change to	SASN*
17.0	TCIF9	M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	ACT=W: EU	SASN	change to	SASN*
17.0	TCIF9	M	UNE-P/WLP Bus/Res (Switched Combo Bus/Res)	ACT=Y: EU	SASN	change to	SASN*
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT=C: EU	EU-BLDG (M)	add field as	optional
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT=C: EU	EU-FLOOR (M)	add field as	optional
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT=C: EU	EU-ROOM (M)	add field as	optional
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT=D: EU	EU-BLDG (M)	add field as	optional
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT=D: EU	EU-FLOOR (M)	add field as	optional
17.0	TCIF9	M	UNE-P/WLP	ACT=	EU-	add field	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Remote Call Forwarding (RCF Switched Combo)	D: EU	ROOM (M)	as	
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT= D: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT= N: EU	EU-CITY (M)	change to	required
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT= N: EU	EU-STATE (M)	change to	required
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT= N: EU	EU-ZIP CODE (M)	change to	required
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT= T: EU	EU-CITY (M)	change to	required
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT= T: EU	EU-STATE (M)	change to	required
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT= T: EU	EU-ZIP CODE (M)	change to	required
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched	ACT= W: EU	EU-CITY (M)	change to	conditional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Combo)				
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT=W: EU	EU-STATE (M)	change to	conditional
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT=W: EU	EU-ZIP CODE (M)	change to	conditional
17.0	TCIF9	M	UNE-P/WLP Remote Call Forwarding (RCF Switched Combo)	ACT=W: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	M	UNE-P/WLP Coin	ACT=D: EU	SASN	change to	SASN*
17.0	TCIF9	M	UNE-P/WLP Coin	ACT=W: EU	SASN	change to	SASN*
17.0	TCIF9	M	UNE-P/WLP PBX	ACT=D: EU	EU-BLDG (M)	remove field from	conditional
17.0	TCIF9	M	UNE-P/WLP PBX	ACT=D: EU	EU-FLOOR (M)	remove field from	conditional
17.0	TCIF9	M	UNE-P/WLP PBX	ACT=D: EU	EU-ROOM (M)	remove field from	conditional
17.0	TCIF9	M	UNE-P/WLP PBX	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP PBX	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP PBX	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP PBX	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP PBX	ACT=V: EU	EU-FLOOR	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
					(M)		
17.0	TCIF9	M	UNE-P/WLP PBX	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire ISDN PRI Combination	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire ISDN PRI Combination	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire ISDN PRI Combination	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire ISDN PRI Combination	ACT=N: EU	SASD (M)	change to	conditional
17.0	TCIF9	M	UNE-P/WLP 4-wire ISDN PRI Combination	ACT=N: EU	SASF (M)	change to	conditional
17.0	TCIF9	M	UNE-P/WLP 4-wire ISDN PRI Combination	ACT=N: EU	SASS (M)	change to	conditional
17.0	TCIF9	M	UNE-P/WLP 4-wire ISDN PRI Combination	ACT=N: EU	SATH (M)	change to	conditional
17.0	TCIF9	M	UNE-P/WLP 4-wire ISDN PRI Combination	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire ISDN PRI Combination	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire ISDN PRI Combination	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=C: EU	EU-CITY (M)	add field as	conditional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=C: EU	EU-STATE (M)	add field as	conditional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=C: EU	EU-ZIP CODE (M)	add field as	conditional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=D: EU	EU-BLDG (M)	remove field from	conditional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=D: EU	EU-CITY (M)	add field as	conditional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=D: EU	EU-FLOOR (M)	remove field from	conditional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=D: EU	EU-ROOM (M)	remove field from	conditional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=D: EU	EU-STATE (M)	add field as	conditional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=D: EU	EU-ZIP CODE (M)	add field as	conditional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=C: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=C: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	2-wire DID UNE	ACT=	EU-	change	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Combination	C: EU	ROOM (M)	to	
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=D: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=D: EU	EU-CITY (M)	add field as	conditional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=D: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=D: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=D: EU	EU-STATE (M)	add field as	conditional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=D: EU	EU-ZIP CODE (M)	add field as	conditional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=D: EU	SASN (M)	change to	SASN* (M)
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	2-wire DID UNE Combination	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP DDITS - DS1	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP	ACT=	EU-	change	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			DDITS - DS1	N: EU	FLOOR (M)	to	
17.0	TCIF9	M	UNE-P/WLP DDITS - DS1	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP DDITS - DS1	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP DDITS - DS1	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP DDITS - DS1	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP DDITS - Trunk Service	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP DDITS - Trunk Service	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP DDITS - Trunk Service	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP DDITS - Trunk Service	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP DDITS - Trunk Service	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP DDITS - Trunk Service	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (DS1 Service)	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (DS1 Service)	ACT=N: EU	EU-FLOOR (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Service)				
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (DS1 Service)	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (DS1 Service)	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (DS1 Service)	ACT=V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (DS1 Service)	ACT=V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (Trunk Service)	ACT=C: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (Trunk Service)	ACT=C: EU	EU-CITY (M)	add field as	conditional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (Trunk Service)	ACT=C: EU	EU-FLOOR (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (Trunk Service)	ACT=C: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (Trunk Service)	ACT=C: EU	EU-STATE (M)	add field as	conditional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (Trunk Service)	ACT=C: EU	EU-ZIP CODE (M)	add field as	conditional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (Trunk Service)	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (Trunk Service)	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (Trunk Service)	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (Trunk Service)	ACT=V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP 4-	ACT=	EU-	change	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			wire DS1 Loop with Channelization with Port (Trunk Service)	V: EU	FLOOR (M)	to	
17.0	TCIF9	M	UNE-P/WLP 4-wire DS1 Loop with Channelization with Port (Trunk Service)	ACT= V: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Centrex	ACT= N: EU	SASD (M)	change to	conditional
17.0	TCIF9	M	UNE-P/WLP Centrex	ACT= N: EU	SASF (M)	change to	conditional
17.0	TCIF9	M	UNE-P/WLP Centrex	ACT= N: EU	SASS (M)	change to	conditional
17.0	TCIF9	M	UNE-P/WLP Centrex	ACT= N: EU	SATH (M)	change to	conditional
17.0	TCIF9	M	UNE-P/WLP Complex PBX On/Off Premises Extensions/DPA	ACT= C: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Complex PBX On/Off Premises Extensions/DPA	ACT= C: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Complex PBX On/Off Premises Extensions/DPA	ACT= C: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Complex PBX On/Off Premises Extensions/DPA	ACT= C: EU	SASS (M)	add field as	conditional
17.0	TCIF9	M	UNE-P/WLP Complex PBX On/Off Premises	ACT= N: EU	EU-BLDG (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Extensions/DPA				
17.0	TCIF9	M	UNE-P/WLP Complex PBX On/Off Premises Extensions/DPA	ACT= N: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Complex PBX On/Off Premises Extensions/DPA	ACT= N: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Complex PBX On/Off Premises Extensions/DPA	ACT= V: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Complex PBX On/Off Premises Extensions/DPA	ACT= V: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Complex PBX On/Off Premises Extensions/DPA	ACT= V: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex	ACT= C: EU	SASS (M)	add field as	conditional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			On/Off Premises Extensions/DPA				
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= P: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= P: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= P: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= Q: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= Q: EU	EU- FLOOR (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= Q: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= W: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off	ACT= W: EU	EU- FLOOR (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Premises Extensions/DPA				
17.0	TCIF9	M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT=W: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	N	DID Resale Service	ACT=D: EU	EU-CITY	add field as	conditional
17.0	TCIF9	N	DID Resale Service	ACT=D: EU	EU-STATE	add field as	conditional
17.0	TCIF9	N	DID Resale Service	ACT=D: EU	EU-ZIP CODE	add field as	conditional
17.0	TCIF9	N	DID Resale Service	ACT=D: EU	SASN	change to	SASN*
17.0	TCIF9	P	BellSouth® Centrex®	ACT=L: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT=L: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT=L: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT=N: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT=N: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT=N: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT=P: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT=P: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT=P: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	P	BellSouth®	ACT=	EU-	change	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			Centrex®	Q: EU	BLDG (M)	to	
17.0	TCIF9	P	BellSouth® Centrex®	ACT= Q: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= Q: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= Q: EU	SASD (M)	add field as	conditional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= Q: EU	SASF (M)	add field as	conditional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= Q: EU	SASS (M)	add field as	conditional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= Q: EU	SATH (M)	add field as	conditional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= S: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= S: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= S: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= T: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= T: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= T: EU	EU-ROOM (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= V: EU	EU-BLDG (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= V: EU	EU-FLOOR (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= V: EU	EU-ROOM (M)	change to	optional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	P	BellSouth® Centrex®	ACT= W: EU	EU- BLDG (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= W: EU	EU- FLOOR (M)	change to	optional
17.0	TCIF9	P	BellSouth® Centrex®	ACT= W: EU	EU- ROOM (M)	change to	optional
17.0	TCIF9	P	ESSX®	ACT= D: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= D: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= D: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= D: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= L: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= L: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= L: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= L: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= P: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= P: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= P: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= P: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= Q: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= Q: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= Q: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= Q: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= S: EU	SASD (M)	change to	conditional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
17.0	TCIF9	P	ESSX®	ACT= S: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= S: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= S: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= T: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= T: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= T: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= T: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= V: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= V: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= V: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= V: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= W: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= W: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= W: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	ESSX®	ACT= W: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= L: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= L: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= L: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= L: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	MultiServ® /	ACT=	SASD	change	conditional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			MultiServ PLUS®	N: EU	(M)	to	
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= N: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= N: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= N: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= P: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= P: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= P: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= P: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= Q: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= Q: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= Q: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= Q: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= S: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= S: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ	ACT= S: EU	SASS (M)	change to	conditional

Rel	Map	Reqtyp	Product	Type	Field from	Action	Field to
			PLUS®				
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= S: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= T: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= T: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= T: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= T: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= V: EU	SASD (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= V: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= V: EU	SASS (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= V: EU	SATH (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= W: EU	SASF (M)	change to	conditional
17.0	TCIF9	P	MultiServ® / MultiServ PLUS®	ACT= W: EU	SASS (M)	change to	conditional

TCIF9**FB-FLOOR – Final Bill Floor****EU Form/Screen**

(TCIF9 / LSOG4 map)

Definition:

Identifies the floor of the billing address associated with the billing name.

Definition Notes:

None

Valid Entries:

None

Valid Entry Notes:

None

Data Characteristics:

Manual: Up to 4 alpha/numeric characters

Electronic: Up to 12 alpha/numeric characters

Examples:

32

Conditional Usage Notes:**Electronic****Note 1: Optional when the FBI field is Y, otherwise prohibited****Manual:****Note 2: Optional when the FBI field is D, otherwise prohibited****None****Business Rules**

None

***** End of definition for FB-FLOOR / EU form screen *****

FB-ROOM – Final Bill Room**EU Form/Screen**

(TCIF9 / LSOG4 map)

Definition:

Identifies the room for the billing address associated with the billing name.

Definition Notes:

None

Valid Entries:

None

Valid Entry Notes:

None

Data Characteristics:

Up to 9 alpha/numeric characters

Examples:

1K151A

Conditional Usage Notes:**Electronic****Note 1: Optional when the FBI field is Y, otherwise prohibited****Manual:****Note 2: Optional when the FBI field is D, otherwise prohibited.**~~None~~**Business Rules**

None

***** End of definition for FB-ROOM / EU form screen *****

FB-SBILLNM – Final Billing Secondary Name**EU Form/Screen**

(TCIF9 / LSOG4 map)

Definition:

Identifies the name of a department or group within the designated BILLNM entry.

Definition Notes:

None

Valid Entries:

None

Valid Entry Notes:

None

Data Characteristics:

Up to 25 alpha/numeric characters

Examples:

ACCOUNTS RECEIVABLE

Conditional Usage Notes:**None****Electronic****Note 1: Optional when the FBI field is Y, otherwise prohibited****Manual:****Note 2: Optional when the FBI field is D, otherwise prohibited****Business Rules**

None

***** End of definition for FB-SBILLNM / EU form screen *****

CCP 2039 Attachment Listed Below

TCIF9

Unbundled Copper Loop - Non-Designed (UCL-ND)

Product Listing

Unbundled Copper Loop - Non-Designed (UCL-ND)

Tables to request Unbundled Copper Loop – Non-Designed (UCL-ND) service are located in this section.

Ordering Forms/Screens

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Unbundled Copper Loop - Non-Designed (UCL-ND)												
SI	LSR	Hunting	EU	DL	DSCR	RS	DRS	PS	NP	LS	LSNP	Proprietary
O	R		R							R		
R = Required C = Conditional O = Optional												

Completing the DL and DSCR Forms/Screens

If directory listings are required, please refer to **REQTYP J** for more information on completing the DL and DSCR forms/screens.

Completing the LSR and EU Forms/Screens

Account level activities (ACT) apply to the entire account. A complete list of ACTs and their definition can be found in the Data Dictionary entry for ACT.

The following chart shows all of the valid account level activities for this service.

Valid Account Level Activities Unbundled Copper Loop - Non-Designed (UCL-ND)												
N	C	D	T	R	V	S	B	W	L	Y	P	Q
X	X	X	X	-	X	-	-	X	-	-	X	X

“X” denotes valid account level activities. A dash (-) indicates a non-valid account level activity.

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid ACT code in the **ACT Tables** section.

Completing the LS Form/Screen

The Loop Service (LS) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid Line Level Activities (LNAs). These LNAs determine how, or if, the LS form/screen should be populated. A complete list of LNAs and their definition can be found in the Data Dictionary entry for LNA.

The following chart gives the valid LNAs for each account level activity (ACT) and the associated LS form/screen usage for this service.

If ACT is:	Then LNA is:	And LS form is:
N	N	Required
C	N, D	Required
D	D N/A	Required Prohibited
T	C	Required
V	N, V	Required
W	W	Required
P	V	Required
Q	V	Required

The Required, Conditional and Optional (R/C/O) fields for the Loop Service (LS) form/screen are listed according to the Line Level Activity (LNA) in the **LNA Tables** Section.

CCP 2043 Attachment Listed Below**TCIF 9 and ELMS 6**

Removing this section and creating a new section in the General Local Service Ordering chapter.

~~# Local Resale Assumption Agreements~~

~~For 'Switch As Is' and 'Switch With Change' requests, if the End User has an existing contract arrangement with BellSouth®, then the CLEC must decide whether to assume or decline that existing contract.~~

~~To make this decision:~~

- ~~1. The CLEC will review the Customer Service Record (CSR) and determine if any of the Universal Service Order Codes (USOCs) indicate that the services are provided under a contractual arrangement. The CSR will indicate the date that the contract was signed and the total number of months in the contract period.~~
- ~~2. If the CLEC does not plan to assume the contract, a Remarks entry should be included on the LSR stating: "CLEC not assuming contract; bill termination charges to end user." The LSR should be issued to the LCSC as Switch With Change, due to changes that must be made on the customer's record to remove the contract information. The Firm Order Confirmation (FOC) will contain the amount due as termination charges. To determine the amount of the termination charges due prior to receiving the FOC, the CLECs may calculate the total termination charge as specified in the tariff for that particular service based on the months remaining multiplied by the total monthly charges of the USOCs under contract. If the CLEC disagrees with the amount shown on the FOC, normal escalation procedures will be followed.~~
- ~~3. If the CLEC does want to assume the contract, a copy of the Assumption Agreement template should be downloaded from the BellSouth® Web site, completed and signed by the CLEC. Attachment A should include a list of all of the USOCs included in the original agreement, as indicated on the CSR. The CLEC must send the signed Assumption Agreement, along with the Switch As Is LSR, to the CRSG. The CRSG will verify the USOCs, sign the agreement, return a copy to the CLEC, and forward the order to the LCSC.~~

TCIF9 & ELMS6

New section in the General Local Service Ordering chapter

TITLE: Resale Contract Assumption Agreements

DESCRIPTION:



Contract Service Arrangements (CSA), Term Agreements (TA) and Special Assemblies are special arrangements used to offer special pricing or discounts on BellSouth® products and services.

CSAs and TAs are used to provide special pricing or discounts for tariffed service; while Special Assemblies (SA) are used for non-tariffed offerings.

When migrating from BST to Resale, or when migrating from Resale to Resale the new LSP may exercise the option to assume the CSA, TA and SA when one is present on the end users account at the time of migration.

When the Customer Service Record (CSR) has a contractual agreement indicator on the account, the CLEC must decide at the time of migration whether to assume the existing contractual arrangement, or decline. If the CLEC opts not to assume the contractual agreement, termination charges if applicable will be billed to the billing party of record if applicable.

A contract service arrangement/Special Assembly when present is formatted in the Bill section of the CSR as well as in the S&E section, below is an example of how the information is formatted on the CSR:

Example:

---**Bill**

CN 950234, MM-DD-YY

---**S&E**

USOC/CN 950234

Where 95=Year (2 numerics)

Where 0234=Contract Number (4 numerics)

Where MM-DD-YY=Expiration date

Note: Only the USOCS listed in the contract service arrangement will have the CN indicator floated next to them. Special Assembly USOCS typically begin with a W (example: WV5U)

Term agreements like CSA and Special Assembly agreements are also indicated in the billing and S&E sections of the CSR.

---**BILL**

TA 36, MM-DD-YY

Where 36=The number of months included in the term agreement payment plan

Where MM-DD-YY=The **beginning** or start date of the contract

---**S&E**

USOC/SPP VT1/TA 36

Where SPP=Special Pricing Plan
 Where VT1=Variable term entry
 Where TA 36=Number of months in payment plan

To determine if a contractual agreement exist the CLEC should obtain copies of the existing CSR and check for the following information:

IF	Then
The FID CN appears in the Bill section of the CSR EXAMPLE: ---BILL CN XXXXXX, MM-DD-YY	The customer should verify the expiration date to determine if the contract arrangement is still in effect.
The expiration date is still in effect	Contact the CRSG (Complex Resale Service Group) to determine what options are available.
The FID TA appears in the Bill section of the CSR EXAMPLE: ---BILL TA, XX, MM-DD-YY	The customer should verify the expiration date to determine if the contract arrangement is still in effect.
The expiration date is still in effect	Contact the CRSG (Complex Resale Service Group) to determine what options are available.
If the CN or TA is expired.	The LSR request may be submitted to the appropriate BellSouth order processing group based on product ordering specifications (ex:CSRG/LCSC).

SERVICE RESTRICTIONS:

Contract Service arrangements do not apply to UNE/UNE-P or WLP services.

LSR RESTRICTIONS:

- If the migrating account has a contractual agreement that is still in effect and the CLEC does not wish to assume responsibility for the contract the LSR must be submitted as ACT=V
- All assumptions/terminations of contractual agreements must be processed by the CRSG (Note: once the account has been transferred to or orders issued to transfer to the new LSP, the new LSP may process subsequent order activities via the normal process).
- When termination charges are applicable, the termination charges will be returned on the FOC.

TARIFF REFERENCE:

N/A

USOC & FID REFERENCES:

N/A



Attachment
SN91084235

SITUATIONS/EXHIBITS:

N/A

RELEATED TOPICS/INFORMATION:

None

CCP 2045 Attachment Listed Below

TCIF9 & ELMS6

Product	ACT	LSRPage	Field	Status	Change Status To
ISDN-BRI Resale Service	D	LSR	DDDO	C	O
ISDN-BRI Resale Service	T	LSR	DDDO	C	R
Coin	V	LSR	DDDO	C	O
SMARTRing® Service	D	LSR	DDDO	C	O
LIGHTGATE® Services	D	LSR	DDDO	C	O
Private Line	D	LSR	DDDO	C	O
Synchronet	D	LSR	DDDO	C	O
UNE-P/WLP 2-wire ISDN-BRI UNE Combo	D	LSR	DDDO	C	O
DID Resale Service	T	LSR	DDDO	R	Delete
DID Resale Service	V	EU	DDDO	C	Delete
DID Resale Service	V	LSR	DDDO	O	Delete
UNE-P/WLP 2-wire DID	V	LSR	DDDO	O	Delete
PBX Resale Service	T	LSR	DDDO	R	O
PBX Resale Service	V	LSR	DDDO	O	Delete
UNE-P/WLP PBX	V	LSR	DDDO	O	Delete

Product	ACT	LSR Page	Field	Status	New Status
ISDN-BRI Resale Service	T	LSR	DDDO	C	R
Coin	V	LSR	DDDO	C	O
Private Lines	D	LSR	DDDO	C	O
UNE-P/WLP 2-wire ISDN-BRI UNE Combo	D	LSR	DDDO	C	O
DID Resale Service	T	LSR	DDDO	R	Delete

TCIF9

DDDO – Desired Due Date Out

LSR Form/Screen

(TCIF9 / LSOG4 map)

Definition:

Identifies the customer's desired due date for the disconnection of service at the old location when the end user service is moving to a new location.

Definition Notes:

None

Valid Entries:

Manual:

Entry	Description
1 and 2	Two Digit Month (01-12)
3	Always a Hyphen
4 and 5	Two Digit Day (01-31)
6	Always a Hyphen
7 and 8	Two Digit Century (20-99)
9 and 10	Two Digit Year (00-99)

Electronic:

Entry	Description
Two Digit Century (CC)	20-99
Two Digit Year (YY)	00-99
Two Digit Month (MM)	01-12
Two Digit Day (DD)	01-31

Valid Entry Notes:

None

Data Characteristics:

Manual: 10 alpha/numeric characters

Electronic: 8 numeric characters

Examples:

Manual: 03-22-2001

Electronic: 20010322

Conditional Usage Notes:

~~Manual~~

~~Note 1: Required when the ACT field is T, and the 2nd character of the TOS field is H.~~

Business Rules

Rule 1: Interval between the DDD and DDDO fields must be 30 calendar days or less.

~~Rule 2: The DDDO is populated on requests to move service. Therefore, population of both the DDD and DDDO field is required.~~

Rule 32: Must be a valid date.

***** End of definition for DDDO / LSR form screen *****

CCP 2047 Attachment Listed Below

TCIF9

DDDO – Desired Due Date Out**LSR Form/Screen**

(TCIF9 / LSOG4 map)

Definition:

Identifies the customer's desired due date for the disconnection of service at the old location when the end user service is moving to a new location.

Definition Notes:

None

Valid Entries:

Manual:

Entry	Description
1 and 2	Two Digit Month (01-12)
3	Always a Hyphen
4 and 5	Two Digit Day (01-31)
6	Always a Hyphen
7 and 8	Two Digit Century (20-99)
9 and 10	Two Digit Year (00-99)

Electronic:

Entry	Description
Two Digit Century (CC)	20-99
Two Digit Year (YY)	00-99
Two Digit Month (MM)	01-12
Two Digit Day (DD)	01-31

Valid Entry Notes:

None

Data Characteristics:

Manual: 10 alpha/numeric characters

Electronic: 8 numeric characters

Examples:

Manual: 03-22-2001

Electronic: 20010322

Conditional Usage Notes:Manual



Attachment
SN91084235

~~Note 1: Required when the ACT field is T, and the 2nd character of the TOS field is H.~~
Business Rules

Rule 1: Interval between the DDD and DDDO fields must be 30 calendar days or less.

~~Rule 2: The DDDO is populated on requests to move service. Therefore, population of both the DDD and DDDO field is required.~~

Rule 32: Must be a valid date.

***** End of definition for DDDO / LSR form screen *****

CCP 2047 Attachment Listed Below

TCIF9 & ELMS6

**Reqtyp E, Non-complex
Non-Complex Resale Service**

Product Listing

Non-Complex Resale Service

Resale Services are those bundled services where the service provider is different from the network provider. Competitive Local Exchange Carriers (CLECs) can purchase telecommunications products, features and services from Local Exchange Carriers such as BellSouth®, for resale to their customers.

Ordering Forms/Screens

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens Non-Complex Resale Service										
LSR	Hunting	EU	DL	RS	DRS	PS	NP	LS	LSNP	RPL
R	O [1]	R	C [2]	C [3]						
R = Required C = Conditional O = Optional										

[1] = Hunting is optional only when ACT is N, C, T or V, otherwise Hunting is prohibited.

[2] = DL form/screen is required when the ACT is N or T.

[3] = RS form/screen is required only when the ACT is N, C, T, V or S. Otherwise, the RS form/screen is not required.

Note: Changes to the RESCN (Resellers contact name) are not allowed with Non-Complex REQTYP E ACTs of B, L, S and Y.

Completing the DL Form/Screen

If directory listings are required, refer to **REQTYP J** for more information on completing the DL form/screen.

Completing the HUNTING Section on the LSR-HGI Form/Screen

Hunting is an optional feature only when the ACT is N, C, T or V. For more information on Hunting, refer to the Hunting Section.

Note 1: ELECTRONIC ORDERS - When ACT is V, if Hunting exists on the account being converted and the CLEC wishes to *keep the EXISTING hunting*, the HA field should be populated with "E" and all other required fields populated, **or** the HA field should **not be populated** (NO Hunting Page submitted Electronically).

Note 2: When ordering Hunting Service in conjunction with other service(s) refer to the Hunting section of the LOH-Local Ordering Handbook for processing the hunting portion of the LSR request.

Completing the LSR and EU Forms/Screens

Account level activities (ACT) apply to the entire account. A complete list of ACTs and their definition can be found in the Data Dictionary entry for ACT.

The following chart shows all of the valid account level activities for this service.

Valid Account Level Activities Non-Complex Resale Service										
N	C	D	T	R	V	S	B	W	L	Y
X	X	X	X	-	X	X	X	X	X	X
Note: "X" denotes valid account level activities. A dash (-) indicates a non-valid account level activity.										

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid ACT code in the **ACT Tables** section.

Completing the RS Form/Screen

The Resale Service (RS) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid Line Level Activities (LNAs). These LNAs determine how, or if, the RS form/screen should be populated. A

complete list of LNAs and their definition can be found in the Data Dictionary entry for LNA.

The following chart gives the valid LNAs for each account level activity (ACT) and the associated RS form/screen usage for this service.

If ACT is:	Then LNA is:	And RS form/screen is:
N	N	Required
C	N, C, D, X or P	Required
D	Prohibited	Not Required
T	N, T	Required
V	N, D, G, X, V, W or P	Required
V (UNE-P/WLP to Resale)	N, D, G, X, V or P	Required
S	L or B	Required
B	Prohibited	Not Required
W	Prohibited	Not Required
L	Prohibited	Not Required
Y	Prohibited	Not Required

The Required, Conditional and Optional (R/C/O) fields for the RS form/screen are listed according to the Line Level Activity (LNA) in the **LNA Tables** Section.

UNE-P/WLP (Switched Combination) to Resale Product Listing

UNE-P/WLP (Switched Combination) to Resale

This section will provide information on ordering when converting/migrating Unbundled Network Elements-Platform (UNE-P/WLP) (Switched Combination) to Resale. This Process allows a CLEC End-User to migrate/convert a telephone number(s) from a UNE-P/WLP (Switched Combination) to Resale.

Restrictions

- ~~Electronic Ordering for~~ Limited to ACT of V ~~or W~~.

Ordering Guidelines

- REQTYP: E
- ACTTYP: V ~~or W~~
- LNA: V, G, X, D, ~~W~~ or N
- ~~R/C/O and LNA Tables: Follow and~~ For LSR processing, use the appropriate Reqtyp E, Non-complex ACT of V RCO tables ~~Resale REQTYP E Guidelines~~
- Due Date: Follow BellSouth® Products and Services Interval Guide.

Ordering Forms/Screens

The following chart illustrates the required, conditional and optional forms for ordering this service

Forms/Screens UNE-P/WLP (Switched Combination) to Resale										
LSR	Hunting	EU	DL	RS	DRS	PS	NP	LS	LSNP	RPL
R	Ø [1]	R	€ [2]	€ [3]						

R = Required C = Conditional O = Optional

[1] = Hunting is optional only when ACT is N, C, T or V. Otherwise, Hunting is prohibited.

[2] = DL form/screen is required when the ACT is N or T.

[3] = RS form/screen is required only when the ACT is N, C, T, V or S. Otherwise, the RS form/screen is not required.



Attachment
SN91084235

Completing the Local Service Request Form(s)

When converting/migrating UNE-P/WLP (Switched Combination) to Resale, the R/C/O tables must be used. If also ordering line feature(s)/services, the RS-Resale Service form is *also* required. Not populating these fields and/or forms will result in a clarification of the LSR.

Follow the **REQTYP E Resale Service (Non-Complex) specific ordering guidelines** for the Required, Conditional and Optional (R/C/O) fields on the appropriate form(s).