

---

**BellSouth Interconnection Services**

675 West Peachtree Street  
Atlanta, Georgia 30375

**Carrier Notification  
SN91084287**

Date: November 3, 2004

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version **17.0a**, New Local Service Ordering Guide 6 (LSOG 6) and EDI Local Mechanization Specifications 6 (ELMS 6) for Release 17.0

This is to advise that BellSouth has identified the following documentation defects in the LOH Version **17.0a** for ELMS 6 Release 17.0.

<b>CCP Number</b>	<b>Description Of The Change</b>
2078	WLNP-Correct R/C/O table: R/C/O CHANGE- NPDI [field] will be moved from the 'Conditional' (row) to "Required"(row) for WLNP.  Act of W REQTYP E for DQTY: GLOBAL CHANGE: Change R/C/O table to show "DQTY" in the Required [row] on REQTYP E Fast Packet (Frame Relay) for ACT = W. Refer to Conditional Usage Note 2 for DQTY in the Data Dictionary.
2079	Update to TOS Business Rule: The update to the TOS field in the Data Dictionary will be to add Non-Designed loops to Business Rule 1 for ELMS 6.
2081	Changes to R/C/O tables as the result of an audit of the Ordering LOH by the documentation team. (ELMS6 Release 17. only).

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 6 Release 17.0/LOH Version **17.0b**, scheduled to be posted Monday, November 22, 2004.

A summary of all changes within this document will be listed in the **Summary of Changes Section**. This update can be found on the BellSouth Interconnection Services Web site in the Customer Guides Section at:

<http://www.interconnection.bellsouth.com/guides/html/leo.html>

Please contact your BellSouth local support manager with any questions.

Sincerely,

**ORIGINAL SIGNED BY JERRY HENDRIX**

Jerry Hendrix – Assistant Vice President  
BellSouth Interconnection Services

Attachments

**CCP 2078 Attachment Listed Below****ELMS6**

*ACT Tables: Reqtyp C, Wireless LNP (WLNP)*

**ACT= V: LSR****Required**

ACT	BAN1	CC
D/TSENT	DDD	INIT
INIT-FAX NO.	INIT-TEL NO.	MI
PG_OF_ (M)	PON	REQTYP
SC	TOS	<b>NPD!</b> (ADD)

**Conditional**

AN	ATN	CUST
LOCQTY	NNSP	<b>NPD!</b> (DELETE)
PROJECT	SUP	VER

**Optional**

CCNA	CIC	EXP
REMARKS	RPON	

**ELMS6****ACT= W: LSR**Required

ACT (M)	AN (M)	BAN1 (M)
CC (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	IMPCON-TEL NO. (M)	INIT (M)
INIT-FAX NO. (M)	INIT-TEL NO. (M)	LSO (M)
PG_OF_ (M)	PON (M)	REQTYP (M)
SC (M)	TOS (M)	

Conditional

NOR (M)	RPON (M)	SUP (M)
VER (M)		

Optional

REMARKS (M)	RORD (M)	
-------------	----------	--

ACT Tables: Reqty E, Frame Relay

**ACT= W: EU**Required

AN (M)	CITY (M)	NAME (M)
PG_OF_ (M)	PON (M)	SASN (M)
STATE (M)	ZIP (M)	<b>DQTY(M)</b>

Conditional

AAI (M)	ACC (M)	EAN (M)
FB-BILLCON (M)	FB-BILLCON TEL NO. (M)	FB-BILLNM (M)
FB-CITY (M)	FB-FLOOR (M)	FB-ROOM (M)
FB-SBILLNM (M)	FB-STATE (M)	FB-STREET (M)
FB-ZIP (M)	LD1 (M)	LD2 (M)
LD3 (M)	LV1 (M)	LV2 (M)
LV3 (M)	SANO (M)	SASD (M)
SASF (M)	SASS (M)	SATH (M)
VER (M)		

Optional

FBI* (M)	REMARKS (M)	
----------	-------------	--

**DQTY**

Disconnect Quantity (EU Page)

**Definition**

Identifies the quantity of telephone numbers/circuits affected by this service request.

*Definition Notes:**NOTE 1: This field may be used to identify the number of lines being migrated on a Switch As Is order.**NOTE 2: Indicates the quantity of telephone numbers affecting call transfer information.***Valid Entries**

00001-99999

*Valid Entry Notes:**None***Data Characteristics**

5 numeric characters

**Examples**

00001

**Conditional Usage Notes**

Note 1: Required when the DISC NBR field is populated.

Manual:

Note 2: Required when the REQTYP is E and the ACT field on the LSR is "W".
--

**Business Rules**

None.

\*\*\*\*\*End of definition for field DQTY\*\*\*\*\*

**CCP 2079 Attachment Listed Below****17.0 ELMS 6****TOS – Type of Service****LSR Form/Screen, NA Section**

(LSOG6 / ELMS6 map)

**Definition:**

Identifies the type of service for the line ordered.

**Definition Notes:**

NOTE 1: The type of service identifies the end user account as business, residential or government.

**Valid Entries:**

1st Character (type)

1 = Business

2 = Residence

3 = Government

4 = Coin

2nd Character (product)

A = Multi-Line (Not Applicable for Complex Service.)

B = Single Line (Not Applicable for Complex Service.)

C = Coin

D = All other complex services

E = BellSouth® Centrex®, ESSX®, and MultiServ®, and UNE-P/WLP Centrex

H = ISDN-BRI

J = PBX Trunk

P = LINE SPLITTING

Q = DID

R = Line Share

9 = EELs

- (hyphen) = not applicable

3rd Character (class)

M = Measured

F = Flat Rate

G = Message

- (hyphen) = not applicable

## 4th Character

N = CO Based Line Share DLEC Owned Splitter

W = WATS

S = Toll Free Dialing

R = Remote Call Forwarding

F = FXS (Foreign Exchange Service)

Y = Hotel/Motel

Z = Hospital

- (hyphen) = not applicable

Valid Entry Notes:

NOTE 1: The 4th character of TOS values of W, or S is not valid for electronic ordering.

NOTE 2: The 3rd character of this field must not be F when the REQTYP is F.

NOTE 3: The 2nd character of TOS must be a (Hyphen) when the REQTYP is J.

NOTE 4: The 3rd character of TOS must be a (Hyphen) when the REQTYP is J or A.

NOTE 5: When the 1st character of TOS is 2, the only valid entry for the 2nd character is A, B, H, J, P, R or Hyphen.

NOTE 6: When the 1st character of the TOS is 3 the 2nd character of TOS must not be R.

NOTE 7: When 1st character of the TOS is 1, 2 or 3, the 2nd character must not be C.

NOTE 8: When the 1st character of the TOS is '4', then the 2nd character must be C.

NOTE 9: If a request is submitted and the RPON field is populated, the TOS must be as follows:

- 1st character 1, 2 or 4
- 2nd character A, B, C, H, J, P or R
- 3rd character M, F, G or – (Hyphen)
- 4th Character – (Hyphen) (For Line Share DLEC owned Splitter 4th character can be N)

NOTE 10: When the REQTYP is A (Excluding Line Share DLEC Owned Splitter), the valid TOS entries are:

- 1st character 1 or 2
- 2nd character is A, B, R, P or 9
- 3rd – (Hyphen)
- 4th Character – (Hyphen)

NOTE 11: The 3rd character of the TOS must be a – (HYPHEN) when the REQTYP is N and the 4th character of the TOS field is Y or Z.

NOTE 12: When the 4th character of the TOS field is F, the 2nd character must be A, B, H or J.

NOTE 13: When the 1st character of the TOS field is 4, the 4th character must be a – (Hyphen)

NOTE 14: The 4th character of the TOS field must be a – (Hyphen) when the REQ TYP is J.

NOTE 15: When both PBX and DID trunks are on the same request the 2nd character of the TOS must be Q.

NOTE 16: When the 4th character of this field is N, 2nd character of the TOS must be R or P.

NOTE 17: When the LSR request is for Remote Call Forwarding (RCF) the valid values for TOS must be as specified below:

- 1st character: 1, 2, or 3
- 2nd character: A or B
- 3rd character: F or M
- 4th character: R

NOTE 18: When the 4th character of this field is R the REQ TYP must be E or M.

NOTE 19: The TOS must be one of the following when changing from a residence class of service to a business class of service and the REQ TYP is E (Non-Complex) or M (Switched Combination RES/BUS)

- 1AM-
- 1BM-
- 1AF-
- 1BF-

NOTE 20: The TOS must be one of the following when changing from a business class of service to a residence class of service and the REQ TYP is E (Non-Complex) or M (Switched Combination RES/BUS):

- 2AM-
- 2BM-
- 2AF-
- 2BF-

NOTE 21: The TOS must be one of the following when changing from a business class of service to a residence class of service or from a residence to a business class of service and the REQ TYP is J:

- 1---
- 2---



NOTE 22: When the 2nd character of TOS is – (hyphen) the REQ TYP must be JB

Manual:

NOTE 23: When the REQ TYP is P the 2nd character of the TOS field must be E.

NOTE 24: When the 2nd character of the TOS field is E, the 1st character must not be 2 or 4.

NOTE 25: When the REQ TYP is M (UNE-P/WLP Centrex) the 2nd character of the TOS must be E, the 3rd must be M, and the 4th must be a hyphen (-).

NOTE 26: When the REQ TYP is E (WATS), the 2nd character of the TOS must be D, and the 4th character must be W.

NOTE 27: When the REQ TYP is E (Toll Free Dialing), the 2nd character of the TOS must be D and the 4th character must be S.

NOTE 28: The 4th character of the TOS must be F when the request is for foreign exchange (FX) or foreign central office (FCO).

NOTE 29: The 4th character of the TOS must be Y when the request is for Hotel/Motel service.

NOTE 30: The 4th character of the TOS must be Z when the request is for Hospital Service.

NOTE 31: When the 2nd character of the TOS is P and the splitter is DLEC owned, the 4th character of the TOS must be N.

Electronic:

NOTE 32: For REQ TYP = C, when the 4th character of TOS is F, then the 2nd character of TOS = D is prohibited.

***Data Characteristics:***

4 alpha/numeric characters

***Examples:***

1AM-  
1R-N

***Conditional Usage Notes:***

None

**Business Rules**

Rule 1: For REQ TYP A, Designed **and Non-Designed** Loops, the 2nd character of the TOS should indicate multi-line or single line based on the number of circuits being requested on the LSR, except for Line Sharing, Line Splitting and EELs.

Rule 2: For REQ TYP B and C, the TOS field must reflect the service that is currently on the BellSouth CSR.

Rule 3: If the data in the LNECLS SVC field is a business class of service then the first character of the TOS must be 1.

Rule 4: If the data in the LNECLS SVC field is a residence class of service, then the first character of the TOS must be 2.

Rule 5: The Third and Fourth Characters of this field must be a hyphen (-) for REQ TYPs B and C, NPT = D (LNP/WLNP).

Rule 6: [BULK] For UNE to UNE BULK Ordering, TOS (Default) field is required once for every UNE to UNE.

BULK request. Note: If there is a mixture of account classes of service, TOS (Override) may be shown per EATN.

Rule 7: [BULK] TOS (Default) For UNE to UNE BULK Ordering Note: If TOS entered at the BULK [Header] level, then all EATNs on BULK request will default to this TOS value.

Rule 8: [BULK] TOS (Override) is optional for UNE BULK Ordering. Note: Overridable at the Account level.

Manual:

Rule 9: If REQ TYP = M (for UNE-P Centrex) the 2nd character of the TOS field must be "E" and the 3rd character must be "M".

**CCP 2081 Attachment Listed Below**
**ELMS6**

Reqtyp	Product	Type	Field from	Action	Field to
A	EELs	ACT= C: EU	IWO	add field to	conditional
A	EELs	ACT= C: LSR	IWCON	remove field from	conditional
A	EELs	ACT= C: LSR	IWCON-TEL NO.	remove field from	conditional
A	EELs	ACT= C: LSR	IWO	remove field from	conditional
A	Unbundled Sub-Loops	ACT= N: EU	LCON (M)	change field name to	LCON-NAME (M)
A	Unbundled Sub-Loops	ACT= V: EU	LCON (M)	change field name to	LCON-NAME (M)
A	Unbundled CO-based Line Share (DLEC-Owned Splitter)	ACT= V: EU	LCON	change field name to	LCON-NAME
B	INP, Designed Analog Loop	ACT= V: EU	IWCON (M)	remove field from	conditional
B	INP, Designed Analog Loop	ACT= V: EU	IWCON-TEL NO. (M)	remove field from	conditional
B	INP, Non-Designed Analog Loop	ACT= V: EU	IWCON (M)	remove field from	conditional
B	INP, Non-Designed Analog Loop	ACT= V: EU	IWCON-TEL NO. (M)	remove field from	conditional
B	INP, Unbundled Copper Loop – Designed (UCL-D)	ACT= V: EU	IWCON (M)	remove field from	conditional
B	INP, Unbundled Copper Loop – Designed (UCL-D)	ACT= V: EU	IWCON-TEL NO. (M)	remove field from	conditional
B	INP, xDSL Loops	ACT= V: EU	IWCON (M)	remove field from	conditional
B	INP, xDSL Loops	ACT= V: EU	IWCON-TEL NO. (M)	remove field from	conditional
B	INP, Digital Designed Basic Rate ISDN	ACT= V: EU	IWCON (M)	remove field from	conditional
B	INP, Digital Designed Basic Rate ISDN	ACT= V: EU	IWCON-TEL NO. (M)	remove field from	conditional
B	INP, Digital Data Designed Loop (DS0)	ACT= V: EU	IWCON (M)	remove field from	conditional
B	INP, Digital Data Designed Loop (DS0)	ACT= V: EU	IWCON-TEL NO. (M)	remove field from	conditional
B	INP, Unbundled Copper Loop – Non-Designed (UCL-ND)	ACT= V: EU	IWCON (M)	remove field from	conditional

Reqtyp	Product	Type	Field from	Action	Field to
B	INP, Unbundled Copper Loop – Non-Designed (UCL-ND)	ACT= V: EU	IWCON-TEL NO. (M)	remove field from	conditional
C	INP	ACT= D: NP	TC OPT (M)	remove field from	conditional
E	ISDN-BRI Resale Service	ACT= W: EU	FB-SBILLNM	add field to	conditional
E	Coin	ACT= W: EU	FB-BILLNM	add field to	conditional
E	AccuPulse®	ACT= T: LSR	IWO* (M)	remove field from	optional
E	Frame Relay (Fast Packet Services)	ACT= V: EU	FB-FLOOR (M)	add field to	conditional
E	NMLI	ACT= W: EU	FB-BILLNM (M)	add field to	conditional
E	Primary Rate ISDN -PRI	ACT= W: EU	FB-SBILLNM (M)	add field to	conditional
E	SMARTRing® Service	ACT= W: EU	IWO* (M)	add field to	optional
E	TFD	ACT= D: LSR	IMPCON-TEL NO. (M)	remove field from	conditional
E	TFD	ACT= V: LSR	BILLNM-CITY (M)	remove field from	required
E	TFD	ACT= V: LSR	BILLNM-STATE (M)	remove field from	required
E	TFD	ACT= W: LSR	BILLNM-CITY (M)	remove field from	required
E	TFD	ACT= W: LSR	BILLNM-STATE (M)	remove field from	required
E	WATS	ACT= N: EU	AFT (M)	remove field from	optional
E	WATS	ACT= V: LSR	BILLNM-CITY (M)	remove field from	required
E	WATS	ACT= V: LSR	BILLNM-STATE (M)	remove field from	required
E	WATS	ACT= W: LSR	BILLNM-CITY (M)	remove field from	required
E	WATS	ACT= W: LSR	BILLNM-STATE (M)	remove field from	required
E	Uniserv UAN / CSA / ANI	ACT= D: EU	IWCON (M)	remove field from	conditional
E	Uniserv UAN / CSA / ANI	ACT= N: EU	IWCON-TEL NO. (M)	remove field from	conditional
E	Uniserv UAN / CSA / ANI	ACT= V: EU	FB-BILLCON (M)	add field to	conditional
E	Uniserv UAN / CSA / ANI	ACT= V: LSR	BILLNM-STATE (M)	remove field from	required
E	Uniserv UAN / CSA / ANI	ACT= W: EU	FB-ZIP (M)	add field to	conditional
E	Complex PBX On/Off Premises Extensions/DPA	ACT= C: EU	EU-CITY (M)	remove field from	conditional

Reqtyp	Product	Type	Field from	Action	Field to
E	Complex PBX On/Off Premises Extensions/DPA	ACT= C: EU	EU-NAME (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= C: EU	EU-STATE (M)	remove field from	conditional
E	Complex PBX On/Off Premises Extensions/DPA	ACT= C: EU	EU-ZIP CODE (M)	remove field from	conditional
E	Complex PBX On/Off Premises Extensions/DPA	ACT= N: EU	EU-CITY (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= N: EU	EU-NAME (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= N: EU	EU-STATE (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= N: EU	EU-ZIP CODE (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= T: EU	EU-CITY (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= T: EU	EU-NAME (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= T: EU	EU-STATE (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= T: EU	EU-ZIP CODE (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= V: EU	EU-CITY (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= V: EU	EU-NAME (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= V: EU	EU-STATE (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= V: EU	EU-ZIP CODE (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= W: EU	EU-CITY (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= W: EU	EU-NAME (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= W: EU	EU-STATE (M)	remove field from	required
E	Complex PBX On/Off Premises Extensions/DPA	ACT= W: EU	EU-ZIP CODE (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU-CITY (M)	remove field from	conditional
E	Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU-NAME (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU-STATE (M)	remove field from	conditional
E	Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU-ZIP CODE (M)	remove field from	conditional
E	Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU-CITY (M)	remove field from	required

Reqtyp	Product	Type	Field from	Action	Field to
E	Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU-NAME (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU-STATE (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU-ZIP CODE (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU-CITY (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU-NAME (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU-STATE (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU-ZIP CODE (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU-CITY (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU-NAME (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU-STATE (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU-ZIP CODE (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= W: EU	EU-CITY (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= W: EU	EU-NAME (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= W: EU	EU-STATE (M)	remove field from	required
E	Non-Complex On/Off Premises Extensions/DPA	ACT= W: EU	EU-ZIP CODE (M)	remove field from	required
K	Private Line	ACT= D: LSR	BILLNM-CITY (M)	remove field from	optional
K	Private Line	ACT= D: LSR	BILLNM-STATE (M)	remove field from	optional
K	Synchronet	ACT= D: LSR	BILLNM-CITY (M)	remove field from	optional
K	Synchronet	ACT= D: LSR	BILLNM-STATE (M)	remove field from	optional
K	Synchronet	ACT= V: EU	FB-SBILLNM (M)	add field to	conditional
M	UNE-P/WLP Coin	ACT= W: EU	FB-BILLNM	add field to	conditional
M	UNE-P/WLP 2-wire ISDN-BRI UNE Combo	ACT= V: EU	FB-FLOOR (M)	add field to	conditional
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU-CITY (M)	remove field from	conditional

Reqtyp	Product	Type	Field from	Action	Field to
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU-NAME (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU-STATE (M)	remove field from	conditional
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= C: EU	EU-ZIP CODE (M)	remove field from	conditional
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU-CITY (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU-NAME (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU-STATE (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= N: EU	EU-ZIP CODE (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU-CITY (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU-NAME (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU-STATE (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= T: EU	EU-ZIP CODE (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU-CITY (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU-NAME (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU-STATE (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= V: EU	EU-ZIP CODE (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= W: EU	EU-CITY (M)	remove field from	required

Reqtyp	Product	Type	Field from	Action	Field to
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= W: EU	EU-NAME (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= W: EU	EU-STATE (M)	remove field from	required
M	UNE-P/WLP Non-Complex On/Off Premises Extensions/DPA	ACT= W: EU	EU-ZIP CODE (M)	remove field from	required
N	PBX Resale Service	TACT= D: DIDPBXDOD	BA*	change field name to	BA* Trunk Service Detail
N	PBX Resale Service	TACT= W: DIDPBXDOD	BLOCK	change field name to	BLOCK Trunk Service Detail
N	UNE Port Service (PBX Stand Alone Port)	TACT= C: DIDPBXDOD	JK (M)	change field name to	JK CODE (M)
N	UNE Port Service (PBX Stand Alone Port)	TACT= D: DIDPBXDOD	BA* (M)	change field name to	BA* (M) Trunk Service Detail
N	UNE Port Service (PBX Stand Alone Port)	TACT= N: DIDPBXDOD	JK (M)	change field name to	JK CODE (M)
N	UNE Port Service (PBX Stand Alone Port)	TACT= X: DIDPBXDOD	JK (M)	change field name to	JK CODE (M)
N	UNE-P/WLP PBX	TACT= C: DIDPBXDOD	JK (M)	change field name to	JK CODE (M)
N	UNE-P/WLP PBX	TACT= D: DIDPBXDOD	BA* (M)	change field name to	BA* (M) Trunk Service Detail
N	UNE-P/WLP PBX	TACT= G: DIDPBXDOD	JK (M)	change field name to	JK CODE (M)
N	UNE-P/WLP PBX	TACT= N: DIDPBXDOD	JK (M)	change field name to	JK CODE (M)
N	UNE-P/WLP PBX	TACT= V: DIDPBXDOD	JK (M)	change field name to	JK CODE (M)
N	UNE-P/WLP PBX	TACT= W: DIDPBXDOD	BLOCK (M)	change field name to	BLOCK (M) Trunk Service Detail
N	UNE-P/WLP PBX	TACT= X: DIDPBXDOD	JK (M)	change field name to	JK CODE (M)
P	MultiServ® / MultiServ PLUS®	ACT= D: LSR	IMPCON-TEL NO. (M)	add field to	conditional
P	MultiServ® / MultiServ PLUS®	ACT= D: LSR	IMPCON-TEL NO. (M)	remove field from	conditional
P	MultiServ® / MultiServ PLUS®	ACT= V: EU	FB-SBILLNM (M)	add field to	conditional