
BellSouth Business Markets

675 West Peachtree Street
Atlanta, Georgia 30375

**Carrier Notification
SN91086167**

Date: August 15, 2006

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - **REVISED** - Update to the BellSouth Local Ordering Handbook (LOH) Version 23.0, New Local Service Ordering Guide 6 (LSOG 6) and EDI Local Mechanization Specifications 06 (ELMS 06) for Release 23.0 (Originally posted on August 8, 2006)

This is to advise that BellSouth will implement the following changes to update documentation in the LOH Version 23.0 for ELMS 06, Release 23.0.

CCP Number	Description Of The Change
2409	CHAN PAIR & CHAN PAIR 2 fields (LSNP Form/Screen) Valid Entry Note: This update will add a Valid Entry Note that <u>leading zeros are prohibited</u> .

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 06, Release 23.0/LOH Version 23.0A, scheduled to be posted on Friday, August 18, 2006.

A summary of all changes within this document will be listed in the **Summary of Changes** section.

This update can be found on the BellSouth Interconnection Services Web site in the Local Exchange Ordering Guides (LEO) at:

http://interconnection.bellsouth.com/reference_library/guides/html/leo.html#loh

Please contact your BellSouth local support manager with any questions.

Sincerely,

ORIGINAL SIGNED BY KRISTEN E. SHORE

Kristen E. Shore – Director
BellSouth Business Markets

Attachments

CCP 2409 Attachment Listed Below

CRB: 4943
CCP: 2409
MAP: ELMS6
Release: 23
LSNP Data Dictionary

CHAN/PAIR

Channel/Pair
LSNP Form / Screen
23.0, LSOG6 / ELMS6

Definition

Identifies the specific channel or pair within the provider's cable to be used for connection.

Definition Notes

None

Valid Entries

None

Valid Entry Notes

Note 1: May not contain leading zeros (Example: 0024 should be 24).

Deleted: None

Data Characteristics

Up to 4 numerics

Examples

24

Conditional Usage NotesManual

- Note 1: For the following Reqtyp B products, when the LNA is N, CHAN/PAIR must be populated when CABLE ID is populated and CFA is not populated, however, CHAN/PAIR must not be populated if CFA is populated: Design Analog Loop with INP; Design Analog Loop with LNP.
- Note 2: For the following Reqtyp B products, when the LNA is N and V, CHAN/PAIR must be populated when CABLE ID is populated and CFA is not populated, however, CHAN/PAIR must not be populated if CFA is populated: INP with Designed Digital Basic Rate ISDN; LNP with Designed Digital Basic Rate ISDN.
- Note 3: Required when CABLE ID is populated.
- Note 4: Required when the LNA is N or V for the following products: Analog Voice Non-Designed; HDSL 2W and 4W Designed; UCL-Non Designed.

Business RulesElectronic

- Rule 1: [BULK Option 1] Conditional for UNE to UNE Bulk Migration, based on current REQTYP B rules/notes and populated once per Ported TN (PORTED NBR).

***** End of definition for field CHAN/PAIR *****

CHAN/PAIR 2

Channel/Pair 2
LSNP Form / Screen
23.0, LSO6 / ELMS6

Definition

Identifies the specific second channel or second pair within the provider's cable to be used for four wire loops.

Definition Notes

None

Valid Entries

None

Valid Entry Notes

Note 1: May not contain leading zeros (Example: 0024 should be 24).

Deleted: None

Data Characteristics

Up to 4 numerics

Examples

24

Conditional Usage Notes

- Note 1: Prohibited when the NCI 2nd character is '2'.
- Note 2: Required when the NCI and SECNCI 1st and 2nd character is the number '04', unless the CFA field is populated, then prohibited.

Business Rules

Electronic

Rule 1: [BULK Option 1] Conditional for UNE to UNE Bulk Migration, based on current REQ TYP B rules/notes and populated once per Ported TN (PORTED NBR).

***** End of definition for field CHAN/PAIR 2 *****