



---

**BellSouth Business Markets**

675 West Peachtree Street  
Atlanta, Georgia 30375

**Carrier Notification  
SN91086168**

Date: August 15, 2006

To: Competitive Local Exchange Carriers (CLECs)

Subject: CLECs – (Documentation/Guides) - **REVISED** - Update to the BellSouth Local Ordering Handbook (LOH) Version 23.0, New Local Service Ordering Guide 10 (LSOG 10) and EDI Local Mechanization Specifications 10 (ELMS 10) for Release 23.0 (Originally posted on August 8, 2006)

This is to advise that BellSouth will implement the following changes to update documentation in the LOH Version 23.0 for ELMS 10, Release 23.0.

<b>CCP Number</b>	<b>Description Of The Change</b>
2409	CHAN PAIR & CHAN PAIR 2 fields (LSNP Form/Screen) Valid Entry Note: This update will add a Valid Entry Note that leading zeros are prohibited.

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 10, Release 23.0/LOH Version 23.0A, scheduled to be posted on Friday, August 18, 2006.

A summary of all changes within this document will be listed in the **Summary of Changes** section.

This update can be found on the BellSouth Interconnection Services Web site in the Local Exchange Ordering Guides (LEO) at:

[http://interconnection.bellsouth.com/reference\\_library/guides/html/leo.html#loh](http://interconnection.bellsouth.com/reference_library/guides/html/leo.html#loh)

Please contact your BellSouth local support manager with any questions.

Sincerely,

**ORIGINAL SIGNED BY KRISTEN E. SHORE**

Kristen E. Shore – Director  
BellSouth Business Markets

Attachments

**CCP 2409 Attachment Listed Below**

**CRB: 4943**  
**CCP: 2409**  
**MAP: ELMS10**  
**Release: 23**  
**LSNP Data Dictionary**

**CHAN/PAIR**

Channel/Pair  
LSNP Form / Screen  
23.0, LSOG10 / ELMS10

**Definition**

Identifies the specific channel or pair within the provider's cable to be used for connection.

**Definition Notes**

None

**Valid Entries**

None

**Valid Entry Notes**

**Note 1: May not contain leading zeros (Example: 0024 should be 24).**

Deleted: None

**Data Characteristics**

Up to 4 numerics

**Examples**

24

**Conditional Usage Notes**Manual

- Note 1: For the following Reqtyp B products, when the LNA is N, CHAN/PAIR must be populated when CABLE ID is populated and CFA is not populated, however, CHAN/PAIR must not be populated if CFA is populated: Design Analog Loop with INP; Design Analog Loop with LNP.
- Note 2: For the following Reqtyp B products, when the LNA is N and V, CHAN/PAIR must be populated when CABLE ID is populated and CFA is not populated, however, CHAN/PAIR must not be populated if CFA is populated: INP with Designed Digital Basic Rate ISDN; LNP with Designed Digital Basic Rate ISDN.
- Note 3: Required when CABLE ID is populated.
- Note 4: Required when the LNA is N or V for the following products: Analog Voice Non-Designed; HDSL 2W and 4W Designed; UCL-Non Designed.

**Business Rules**

None

\*\*\*\*\* End of definition for field CHAN/PAIR \*\*\*\*\*

**CHAN/PAIR 2**

Channel/Pair 2  
LSNP Form / Screen  
23.0, LSOG10 / ELMS10

**Definition**

Identifies the specific second channel or second pair within the provider's cable to be used for four wire loops.

**Definition Notes**

None

**Valid Entries**

None

**Valid Entry Notes**

Note 1: May not contain leading zeros (Example: 0024 should be 24).

Deleted: None

**Data Characteristics**

Up to 4 numerics

**Examples**

24

**Conditional Usage Notes**

- Note 1: Prohibited when the NCI 2nd character is '2'.
- Note 2: Required when the NCI and SECNCI 1st and 2nd character is the number '04' , unless the CFA field is populated, then prohibited.

**Business Rules**

None

\*\*\*\*\* End of definition for field CHAN/PAIR 2 \*\*\*\*\*