
BellSouth Business Markets

675 West Peachtree Street
Atlanta, Georgia 30375

**Carrier Notification
SN91086209**

Date: September 21, 2006

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version 22.0D, New Local Service Ordering Guide 6 (LSOG 6) and EDI Local Mechanization Specifications 06 (ELMS 06) for Release 22.0

This is to advise that BellSouth will implement the following changes to update documentation in the LOH Version 22.0D for ELMS 06 Release 22.0.

CCP Number	Description Of The Change
2419	REQTYP A - Rearrange Outside Wiring of Existing Designed Loop: This request is to add a new R/C/O table to REQTYP A for the process of ordering a Rearrangement of Outside Wiring of Existing Designed Loop (ELMS 10 only).
2424	Moves (Remove reference to REQTYP B): Update to remove reference to REQTYP "B" under the Moves topic in the General Local Service Ordering chapter of Section 3: Ordering in the LOH.

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 06 Release 22.0/LOH Version 22.0E, scheduled to be posted Friday, September 29, 2006.

A summary of all changes within this document will be listed in the **Summary of Changes** section.

This update can be found on the BellSouth Interconnection Services Web site in the Local Exchange Ordering (LEO) Guides at:

http://interconnection.bellsouth.com/reference_library/guides/html/leo.html#loh

Please contact your BellSouth local support manager with any questions.

Sincerely,

ORIGINAL SIGNED BY KRISTEN E. SHORE

Kristen E. Shore – Director
BellSouth Business Markets

Attachments

CCP 2419 Attachment Listed Below

CRB: 4940
CCP: 2419
MAP: ELMS 06
Release: 22
'new' REQTyp A product with R/C/O tables

Rearrange Outside Wiring of Existing Designed Loop

Product Listing

Rearrange Outside Wiring of Existing Designed Loop

Rearrangement of Outside Wiring on an existing loop includes drop wires, Network Interfaces and Jacks used as Network Interfaces.

Ordering Forms/Screens

The following chart illustrates the required, conditional and optional forms/screens for ordering this service. Detailed information will follow to assist you in filling out each of these forms/screens.

Forms/Screens										
Rearrange Outside Wiring of Existing Design Loop										
LSR	Hunting	EU	DE	RS	DRS	PS	NP	LS	LSNP	RPL
R		R						R		
R = Required C = Conditional O = Optional										

Completing the LSR and EU Forms/Screens

Account level activities (ACT) apply to the entire account. A complete list of ACTs and their definition can be found in the Data Dictionary entry for ACT.

The following chart shows all of the valid account level activities for this service.

Valid Account Level Activities										
Rearrange Outside Wiring of Existing Design Loop										
N	C	D	T	R	V	S	B	W	L	Y
!	X	!	!	!	!	!	!	!	!	!

"X" denotes valid account level activities. A dash (-) indicates a non-valid account level activity.

The Required, Conditional and Optional (R/C/O) fields on the LSR and EU forms/screens will be given for every valid ACT code in the **ACT Tables** section.

Completing the LS Form/Screen

The Loop Service (LS) form/screen may be required or invalid depending on the account level activity. Each account level activity has valid Line Level Activities (LNAs). These LNAs determine how, or if, the LS form/screen should be populated. A complete list of LNAs and their definition can be found in the Data Dictionary entry for LNA.

The following chart gives the valid LNAs for each account level activity (ACT) and the associated LS form/screen usage for this service.

If ACT is:	Then LNA is:	And LS form/screen is:
C	C	Required

The Required, Conditional and Optional (R/C/O) fields for the Loop Service (LS) form/screen are listed according to the Line Level Activity (LNA) in the **LNA Tables** Section

RCO Tables

The following tables show the Required, Conditional and Optional (R/C/O) fields on the valid forms/screens for this product. All unmentioned fields are either invalid, not applicable, prohibited or not supported. When fields are populated which are not supported by BellSouth, these not supported fields will be ignored. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Optional fields marked with an asterisk (*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (M).
- Fields used only for electronic orders are followed by (E).
- For fields marked with a DOUBLE asterisk (**) please refer to the Data Dictionary for clarification.

See the Data Dictionary Section for additional information on each field.

ACT Tables: REQ TYP A, Rearrange Outside Wiring of Existing Designed Loop**ACT= C: LSR****Required**

ACNA (M)	ACT (M)	ACTL (M)
AN (M)	BAN1 (M)	BAN2 (M)
CC (M)	CCNA (M)	D/TSENT (M)
DDD (M)	IMPCON (M)	IMPCON-TEL NO. (M)
INIT (M)	INIT-FAX NO. (M)	INIT-TEL NO. (M)
NC (M)	NCI (M)	PG_OF_ (M)
PON (M)	REMARKS (M)	REQ TYP (M)
SC (M)	SECNCI (M)	TOS (M)

Conditional

CUST (M)	DSGCON (M)	DSGCON-CITY (M)
DSGCON-FAX NO. (M)	DSGCON-FLOOR (M)	DSGCON-ROOM/MAIL STOP (M)
DSGCON-STATE (M)	DSGCON-STREET (M)	DSGCON-TEL NO. (M)
DSGCON-ZIP CODE (M)	LSO (M)	PROJECT (M)
RPON (M)	SUP (M)	VER (M)
BI1 (M)	BI2 (M)	

Optional

CIC (M)	DRC* (M)	EXP (M)
RORD (M)		



Attachment
SN91086209

ACT= C: EU

Required

AN (M) NAME (M) PG_OF_ (M)

PON (M)

Conditional

AAI (M) CITY (M) EAN (M)

IWBAN (M) IWCON (M) IWCON-TEL NO. (M)

IWO (M) LD1 (M) LD2 (M)

LD3 (M) LV1 (M) LV2 (M)

LV3 (M) SANO (M) SASD (M)

SASF (M) SASN (M) SASS (M)

SATH (M) STATE (M) VER (M)

ZIP (M)

Optional

LCON-NAME (M) LCON-TEL NO. (M)

LNA Tables: REQTYP A, *Rearrange Outside Wiring of Existing Designed Loop*

LNA= C: LS

Required

AN (M)	ECCKT (M)	LNA (M)
LNUM (M)	LQTY (M)	PG_OF_ (M)
PON (M)		

Conditional

REMARKS (M)	VER (M)
-------------	---------

Optional

CRB: 4940
CCP: 2419
MAP: ELMS 06
Release: 22
LSR Data Dictionary

REMARKS

Remarks
LSR Form / Screen
22.0, LSOG10 / ELMS 06

Definition

Identifies a free flowing field which can be used to expand upon and clarify other data on this form/screen.

Definition Notes

None

Valid Entries

None

Valid Entry Notes

- Note 1: Virgules (/) and asterisks (*) are not allowed in this field.
Note 2: When ordering Pre-Approved Loop Modification on REQ TYP A, 2ND character of TOS is P or R populate this field with this statement: ATTN OSPE - CLEC PRE APPROVES ANY NECESSARY LOOP MOD PER SCA=Y.

Manual

- Note 3: When the REQ TYP is E, M or N with ACT of R and the request submitted is for address correction this field must be populated with "LSR submitted to correct address for record purposes only".

Data Characteristics

Electronic

Up to 240 alpha/numeric characters

Manual

Up to 160 alpha/numeric characters

Examples

SUP DELETED ESX ESF TN 111-456-7890

Conditional Usage Notes

- Note 1: Required when REQ TYP=A with ACT=C and the NIDR and/or JR fields are populated with Y.

Business Rules

- Rule 1: The CLEC may enter Remarks which is a free flowing field which may be used to expand or clarify text data on the LSR.
Rule 2: BellSouth® does not edit this field for alpha/numeric content.

Electronic



Attachment
SN91086209

Rule 3: When ordering SynchroNet®, populate this field with CKL2 information; i.e.- End User Name, End User Address, Contact Person, Contact Telephone Number.

Manual

Rule 4: For TN PSO REQ TYP A, TOS 2nd character R or P this field must be populated with "LSTNPSO pending service order".

Rule 5: On a REQ TYP C, ACT of V; for PRI and Channelized Megalinks®; when ALL numbers are disconnecting or porting, the Remarks section must be populated with information concerning the disposition of the pipe.

Rule 6: When REQ TYP = A and ACT C and request is to Rearrange Outside Wiring of Existing Loop, this field must be populated with RWW.

***** End of definition for field REMARKS *****

CCP 2424 Attachment Listed Below**LOH-22.0E-ELMS 06****Moves****Description:**

A service move applies when the same customer makes a move that meets the tariff criteria for same premises. A service move is considered an inside move based on the following criteria:

- The building, or buildings, together with the surrounding land, is occupied and used as a residence or for conducting business, and the property is not intersected by a public thoroughfare or occupied by others
- The portion of the building occupied by the customer as a residence, or portion being used by the customer to conduct business and is not intersected by a public corridor or space occupied by others
- The building or portion of the building, occupied by the customer used as both a residence and place of business, provided that both the residence and the business bear the same street address
- The continuous property operated as a single farm whether or not it is intersected by a public thoroughfare
- A move from a temporary structure to a permanent structure on the same premises for the same customer (e.g., move from construction pole to building, moving from old trailer to new trailer).

Ordering Considerations:

None

Service Restrictions

Tariff guidelines for each state must be followed to determine eligibility for a move request.

LSR Restrictions:

- REQ TYPs A, E, M and N with valid ACT is: C

Service Order Restrictions:

- At least one of the following USOCs must be populated as Feature Detail or REMARKS section:
 - RWW: Rearrange Outside Wiring (Outside Premise Work)
 - RW2: Rearrange Inside Wiring (Inside Premise Work).
- The CLEC is responsible for determining what type of rearrangement of wiring is required for their end user's inside or outside move.
- When extending a DMARC the RWW or RW2 must be on the LSR, along with Remarks with instructions where the DMARC will be extended.

Service Order Restrictions:

Deleted: B

Formatted: Font: Bold, Highlight