

---

**BellSouth Business Markets**

675 West Peachtree Street  
Atlanta, Georgia 30375

**Carrier Notification  
SN91086244**

Date: October 18, 2006

To: Competitive Local Exchange Carriers (CLEC)

Subject: CLECs – (Documentation/Guides) - Update to the BellSouth Local Ordering Handbook (LOH) Version 23.0B, New Local Service Ordering Guide 6 (LSOG 6) and EDI Local Mechanization Specifications 06 (ELMS 06) for Release 23.0

This is to advise that BellSouth will implement the following changes to update documentation in the LOH Version 23.0B for ELMS 06 Release 23.0.

<b>CCP Number</b>	<b>Description Of The Change</b>
2434	EUMI field (EU Form/Screen): Remove Business Rule that states 'When the REQTYP is J and the ACT is R this field is used to indicate that the telephone number in the ATN field is a CLEC assigned number or a BellSouth ® ported number and the request is to change the service address.'
2435	Metro Ethernet (Interval Guide): Change interval information from business days to negotiation for the Metro Ethernet product in the Interval Guide.
2436	REMARKS field (LSR Form/Screen): Explanation Point (!) - Update Valid Entry Note 1 to exclude exclamation points (!) from REMARKS field/section.

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 06 Release 23.0/LOH Version 23.0C, scheduled to be posted Friday, November 3, 2006.

A summary of all changes within this document will be listed in the **Summary of Changes** section.

This update can be found on the BellSouth Interconnection Services Web site in the Local Exchange Ordering (LEO) Guides at:

[http://interconnection.bellsouth.com/reference\\_library/guides/html/leo.html#loh](http://interconnection.bellsouth.com/reference_library/guides/html/leo.html#loh)

Please contact your BellSouth local support manager with any questions.

Sincerely,

**ORIGINAL SIGNED BY KRISTEN E. SHORE**

Kristen E. Shore – Director  
BellSouth Business Markets

Attachments

**CCP 2434 Attachment Listed Below****LOH-23.0-ELMS06*****EUMI***

End User Moving Indicator  
EU Form / Screen  
LSOG6 / ELMS6

***Definition***

Identifies when the end user's location is changing.

***Definition Notes***

Note 1: End User address information may be required to ensure the telephone number is eligible for portability.

***Valid Entries***

Y = End User is moving  
N = End User is NOT moving

***Valid Entry Notes***

Note 1: [BULK Option 1 and Single LSR Bulk Arrangement Option 2] For UNE to UNE Bulk requests and single LSRs in a Bulk Arrangement EUMI of Y is prohibited.  
Note 2: For REQ TYP = J, ACT = R, the EUMI cannot be Y unless the class of service on the CSR is LNPBL or LNPRL.

***Data Characteristics***

1 alpha character

***Examples***

Y

***Conditional Usage Notes***

Note 1: End user address information for the new location is required when Y is populated.  
Note 2: EUMI cannot be Y when A is indicated in the ELT field on the EU form/screen.  
Note 3: Prohibited when the 4th character of the TOS is R.  
Note 4: Prohibited when the CC or the NNSP field is populated with a wireless OCN.  
Note 5: Prohibited when the REQ TYP is A.  
Note 6: Required when ACT is V (excluding REQ TYP A) and End User is changing locations.

***Electronic***

Note 7: Prohibited on all ACTs except V, except for REQ TYP = J where EUMI is allowed for ACT = R...

***Business Rules******Electronic***

Rule 1: For LENS users, the system will not allow DDDO to be populated with EUMI = Y. Request can be submitted manually without DDDO. The mechanized rate will be applied.

\*\*\*\*\*End of definition for field EUMI \*\*\*\*\*

**Deleted:** *Manual*  
Rule 2: . When the REQTY is J and the ACT is R this field is used to indicate that the telephone number in the ATN field is a CLEC assigned number or a BellSouth ported number and the request is to change the service address.

## CCP 2435 Attachment Listed Below

### LOH-23.0-ELMS06

#### FROM

##### Metro Ethernet Service

ACT	SI	Quantity	Standard Interval	LSR	PM
N, T, C, V	SI	1-5	7 business days	8 business days	Y

#### TO

##### Metro Ethernet Service

ACT	SI	Quantity	Standard Interval	LSR	PM
N, T, C, V, W	SI	ALL	Negotiated	Negotiated	Y

## CCP 2436 Attachment Listed Below

### LOH-23.0-ELMS06

#### REMARKS

Remarks (LSR Page)

##### Definition

Identifies a free flowing field which can be used to expand upon and clarify other data on this form/screen.

##### Definition Notes

None

##### Valid Entries

None

##### Valid Entry Notes

Note 1: Virgules ( / ), asterisks ( \* ), **and exclamation points ( ! )** are not allowed in this field.

Note 2: When ordering Pre-Approved Loop Modification on REQ TYP A, 2ND character of TOS is P or R populate this field with this statement: ATTN OSPE - CLEC PRE APPROVES ANY NECESSARY LOOP MOD PER SCA=Y.

##### Manual

Note 3: When the REQ TYP is E, M or N with ACT of R and the request submitted is for address correction this field must be populated with "LSR submitted to correct address for record purposes only".

##### Data Characteristics

###### Electronic

Up to 240 alpha/numeric characters

###### Manual

Up to 160 alpha/numeric characters

##### Examples

SUP DELETED ESX ESF TN 111-456-7890

##### Conditional Usage Notes

Note 1: Required when REQ TYP=A with ACT=C and the NIDR and/or JR fields are populated with Y.

##### Business Rules

Rule 1: The CLEC may enter Remarks which is a free flowing field which may be used to expand or clarify text data on the LSR.

Rule 2: BellSouth<sup>®</sup> does not edit this field for alpha/numeric content.

###### Electronic

Rule 3: When ordering SynchroNet<sup>®</sup>, populate this field with CKL2 information; i.e.- End User Name, End User Address, Contact Person, Contact Telephone Number.



**Deleted:** and

**Formatted:** Highlight

**Formatted:** Font color: Red, Highlight

**Formatted:** Font: Bold, Font color: Red, Highlight

**Formatted:** Font: Bold, Font color: Red

Manual

Rule 4: For TN PSO REQ TYP A, TOS 2nd character R or P this field must be populated with "LSTNPSO pending service order".

Rule 5: On a REQ TYP C, ACT of V; for PRI and Channelized Megalinks®; when ALL numbers are disconnecting or porting, the Remarks section must be populated with information concerning the disposition of the pipe.

Rule 6: When REQ TYP = A and ACT C and request is to Rearrange Outside Wiring of Existing Loop, this field must be populated with RWW.