



675 West Peachtree Street
Atlanta, Georgia 30375

Carrier Notification
SN91087057

Date: April 6, 2007
To: Competitive Local Exchange Carriers (CLEC)
Subject: CLECs – (Documentation/Guides) - Update to the Local Ordering Handbook (LOH), Version 25.0, New Local Service Ordering Guide 10 (LSOG 10) and EDI Local Mechanization Specifications 10 (ELMS 10) for Release 25.0

BellSouth Telecommunications, Inc. d/b/a AT&T Southeast (“AT&T”) will implement the following changes to update documentation in the LOH, Version 25.0, ELMS 10 for Release 25.0.

CCP Number	Description Of The Change
2481	Change Data Characteristics of Pre-Ordering LSO field for EDI and TAG: Change the data characteristics of the LSO field (EDI and TAG) to state: “6 numerics or 6 alpha/numerics.” Add Valid entry notes to define which transactions are used with which data characteristics. Only transaction TNAQ-MISC is changing to 6 alpha/numerics.
2482	REQ A, ACT C, for UNE Loops (CHC & DFDT fields): Update to reflect that order Coordination (CHC) and Time Specific (DFDT) are allowable options by adding these fields to the R/C/O tables.

Please refer to the attachments for specific details of the changes listed above.

These changes will be reflected in the next update of the ELMS 10, Release 25.0/LOH Version 25.0A, scheduled to be posted on Friday, April 13, 2007.

A summary of all changes within this document will be listed in the **Summary of Changes** section.

This update can be found on the BellSouth Interconnection Services Web site in the Local Exchange Ordering (LEO) Guides at:

http://interconnection.bellsouth.com/reference_library/guides/html/leo.html#loh

Please contact your AT&T local support manager with any questions.

Sincerely,

Original signed by Kristen E. Shore

Kristen E. Shore – Director
AT&T Southeast
Attachments

CCP 2481 Attachment Listed Below**LOH-25.0-ELMS10****CRB: 5006****CCP: 2481****MAP: ELMS10****Release: 25****Pre-Ordering EDI Data Dictionary****LSO***Local Serving Office (EDI)***Data Characteristics:** 6 numerics **or 6 alpha/numerics****Definition:** Identifies the NPA/NXX of the local or alternate serving central office of the customer location or primary location of the end**Valid Entry Notes****# Transaction Note**

- 1 All Applicable Wire Center Format = NPANXX
 2 AAQ LSO should be populated with the NPANXX of the telephone number for which the appointment availability is being queried.

- 3 AAQ The data characteristics are 6 numerics.**
4 TNAQ-MISC The data characteristics are 6 alpha/numerics.
5 TNSQ The data characteristics are 6 numerics.
6 TNCAN-TN The data characteristics are 6 numerics.
7 TNCAN-MLH The data characteristics are 6 numerics.
8 TNCAN-DID The data characteristics are 6 numerics.
9 ESDQ The data characteristics are 6 numerics.
10 AVR-GSG The data characteristics are 6 numerics.

Occurrence Notes**Transaction Occurrences**

- AVR-GSG This information is subordinate to the community information and can occur 1-80 times.

Conditional Usage Notes**# Transaction**

- | # Transaction | Note |
|---------------|---|
| 1 TNAQ-MISC | Required when CITY and STATE are not populated. |
| 2 TNSQ | Required if LST is not populated. |
| 3 TNCAN-TN | Required if LST is not populated. |
| 4 TNCAN-MLH | Required if LST is not populated. |
| 5 TNCAN-DID | Required if LST is not populated. |

6 ESDQ

LSO is required when the Reqtyp is AB and the LNA is C.

Related Ordering Forms

Form Field

LSR LSO - Local Serving Office

RPL RLSO - Resale local Serving Office (SECLOC)

RPL RLSO - Resale local Serving Office (PRILOC)

CRB: 5006
CCP: 2481
MAP: ELMS10
Release: 25
Pre-Ordering TAG Data Dictionary

LSO

Local Serving Office (TAG)

TAG Schema Field: LSO
Data Characteristics: 6 numerics **or 6 alpha/numerics**

Definition: Identifies the NPA/NXX of the local or alternate serving central office of the customer location or primary location of the end

Valid Entry Notes

Transaction Note

- 1 All Applicable Wire Center Format = NPANXX
 2 AAQ LSO should be populated with the NPANXX of the telephone number for which the appointment availability is being queried.

- 3 AAQ The data characteristics are 6 numerics.**
4 TNAQ-MISC The data characteristics are 6 alpha/numerics.
5 TNSQ The data characteristics are 6 numerics.
6 TNCAN-TN The data characteristics are 6 numerics.
7 TNCAN-MLH The data characteristics are 6 numerics.
8 TNCAN-DID The data characteristics are 6 numerics.
9 ESDQ The data characteristics are 6 numerics.
10 AVR-GSG The data characteristics are 6 numerics.

Occurrence Notes

Transaction Occurrences

- AVR-GSG This information is subordinate to the community information and can occur 1-80 times.

Conditional Usage Notes

- | # Transaction | Note |
|---------------|---|
| 1 TNAQ-MISC | Required when CITY and STATE are not populated. |
| 2 TNSQ | Required if LST is not populated. |
| 3 TNCAN-TN | Required if LST is not populated. |
| 4 TNCAN-MLH | Required if LST is not populated. |
| 5 TNCAN-DID | Required if LST is not populated. |
| 6 ESDQ | LSO is required when the Reqtyp is AB and the LNA is C. |

Related Ordering Forms

Form Field

LSR LSO - Local Serving Office
RPL RLSO - Resale local Serving Office (SECLOC)
RPL RLSO - Resale local Serving Office (PRILOC)

CCP 2482 Attachment Listed Below**LOH-25.0-ELMS10****LOH - 25.0-ELMS10****REQ A, ACT C****ACT Tables: Reqtyp A, Analog Non-Designed Loop****ACT= C: LSR****Required**

ACNA	ACT	ACTL
AN	BAN1	CC
CCNA	D/TSENT	DDD
IMPCON	IMPCON-TEL NO.	INIT
INIT-FAX NO.	INIT-TEL NO.	NC
PG_OF_(M)	PON	REQTYP
SC	TOS	

Conditional

AAN (E)	AI (M)	APOT (M)
CUST	DSGCON	DSGCON-CITY
DSGCON-FAX NO.	DSGCON-FLOOR	DSGCON-ROOM/MAIL STOP
DSGCON-STATE	DSGCON-STREET	DSGCON-TEL NO.
DSGCON-ZIP CODE	LSO	NOR
PROJECT	PROJINDR	RCC (E)
RPON	SUP	VER

CHC**Optional**

CIC	DRC*	EXP
REMARKS	RESID	RORD (M)

DFDT*

ACT Tables: Reqtyp A, Analog Designed Loop**ACT= C: LSR****Required**

ACNA	ACT	ACTL
AN	BAN1	CC
CCNA	D/TSENT	DDD
IMPCON	IMPCON-TEL NO.	INIT
INIT-FAX NO.	INIT-TEL NO.	NC
NCI	PG_OF_ (M)	PON
REQTYP	SC	SECNCI
TOS		

Conditional

AAN (E)	AI (M)	APOT (M)
CUST	DSGCON	DSGCON-CITY
DSGCON-FAX NO.	DSGCON-FLOOR	DSGCON-ROOM/MAIL STOP
DSGCON-STATE	DSGCON-STREET	DSGCON-TEL NO.
DSGCON-ZIP CODE	LSO	NOR
PROJECT	PROJINDR	RCC (E)
RPON	SUP	VER

Optional

CIC	DRC*	EXP
REMARKS	RESID	RORD (M)

DFDT

ACT Tables: Reqtyp A, Digital Data Designed Loop (DS0)**ACT= C: LSR**Required

ACNA	ACT	ACTL
AN	BAN1	CC
CCNA	D/TSENT	DDD
IMPCON	IMPCON-TEL NO.	INIT
INIT-FAX NO.	INIT-TEL NO.	NC
NCI	PG_OF_ (M)	PON
REQTYP	SC	SECNCI
TOS		

Conditional

AAN (E)	AI	ALT-IMPCON-TEL NO.
APOT	CUST	DSGCON
DSGCON-CITY	DSGCON-FAX NO.	DSGCON-FLOOR
DSGCON-ROOM/MAIL STOP	DSGCON-STATE	DSGCON-STREET
DSGCON-TEL NO.	DSGCON-ZIP CODE	LSO
NOR	PROJECT	PROJINDR
RCC (E)	RPON	SUP
VER		

Optional

ALT-IMPCON*	CIC	DRC*
EXP	REMARKS	RESID
RORD (M)	DFDT	

ACT Tables: Reqtyp A, Digital Designed Loop (Basic Rate ISDN)**ACT= C: LSR****Required**

ACNA	ACT	ACTL
AN	BAN1	CC
CCNA	D/TSENT	DDD
IMPCON	IMPCON-TEL NO.	INIT
INIT-FAX NO.	INIT-TEL NO.	NC
NCI	PG_OF_ (M)	PON
REQTYP	SC	SECNCI
TOS		

Conditional

AAN (E)	AI	ALT-IMPCON-TEL NO.
APOT	CUST	DSGCON
DSGCON-CITY	DSGCON-FAX NO.	DSGCON-FLOOR
DSGCON-ROOM/MAIL STOP	DSGCON-STATE	DSGCON-STREET
DSGCON-TEL NO.	DSGCON-ZIP CODE	LSO
NOR	PROJECT	PROJINDR
RCC (E)	RPON	SUP
VER		

Optional

ALT-IMPCON*	CIC	DRC*
EXP	REMARKS	RORD (M)

DFDT

ACT Tables: Reqtyp A, Digital Data Designed Loop (DS1) and (Non-Channelized) DS1**ACT= C: LSR****Required**

ACNA	ACT	ACTL
AN	BAN1	CC
CCNA	D/TSENT	DDD
IMPCON	IMPCON-TEL NO.	INIT
INIT-FAX NO.	INIT-TEL NO.	NC
NCI	PG_OF_ (M)	PON
REQTYP	SC	SECNCI
TOS		

Conditional

AI	ALT-IMPCON-TEL NO.	APOT
CUST	DSGCON	DSGCON-CITY
DSGCON-FAX NO. (M)	DSGCON-FLOOR	DSGCON-ROOM/MAIL STOP
DSGCON-STATE	DSGCON-STREET	DSGCON-TEL NO.
DSGCON-ZIP CODE	LSO	NOR
PROJECT	PROJINDR	RCC (E)
RPON	SUP	VER

Optional

ALT-IMPCON*	CIC	DRC*
EXP	REMARKS	RORD

DFDT

ACT Tables: Reqtyp A, Unbundled Copper Loop – Designed (UCL)**ACT= C: LSR****Required**

ACNA	ACT	ACTL
AN	BAN1	CC
CCNA	D/TSENT	DDD
IMPCON	IMPCON-TEL NO.	INIT
INIT-FAX NO.	INIT-TEL NO.	NC
NCI	PG_OF_ (M)	PON
REQTYP	SC	SECNCI
TOS		

Conditional

AAN (E)	CUST	DSGCON
DSGCON-CITY	DSGCON-FAX NO.	DSGCON-FLOOR
DSGCON-ROOM/MAIL STOP	DSGCON-STATE	DSGCON-STREET
DSGCON-TEL NO.	DSGCON-ZIP CODE	LSO
NOR	PROJECT	PROJINDR
RCC (E)	RPON	SUP
VER		

Optional

CIC	DRC*	EXP
REMARKS	RORD (M)	DFDT

ACT Tables: Reqtyp A, Unbundled Copper Loop – Non-Designed (UCL-ND)**ACT= C: LSR**Required

ACNA	ACT	ACTL
AN	BAN1	CC
CCNA	D/TSENT	DDD
IMPCON	IMPCON-TEL NO.	INIT
INIT-FAX NO.	INIT-TEL NO.	NC
PG_OF_(M)	PON	REQTYP
SC	TOS	

Conditional

AI (M)	APOT (M)	CUST
DSGCON	DSGCON-CITY	DSGCON-FAX NO.
DSGCON-FLOOR	DSGCON-ROOM/MAIL STOP	DSGCON-STATE
DSGCON-STREET	DSGCON-TEL NO.	DSGCON-ZIP CODE
LSO	NOR	PROJECT
PROJINDR	RCC (E)	RPON
SUP	VER	CHC

Optional

CIC	DRC*	EXP
REMARKS	RESID	RORD
SCA	DFDT*	

ACT Tables: Reqtyp A, Universal Digital Channel (UDC)**ACT= C: LSR****Required**

ACNA (M)	ACT (M)	ACTL (M)
AN (M)	BAN1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	IMPCON-TEL NO. (M)	INIT (M)
INIT-FAX NO. (M)	INIT-TEL NO. (M)	NC (M)
NCI (M)	PG_OF_ (M)	PON (M)
REQTYP (M)	SC (M)	SECNCI (M)
TOS (M)		

Conditional

AI (M)	APOT (M)	CUST (M)
DSGCON (M)	DSGCON-CITY (M)	DSGCON-FAX NO. (M)
DSGCON-FLOOR (M)	DSGCON-ROOM/MAIL STOP	DSGCON-STATE (M)
DSGCON-STREET (M)	DSGCON-TEL NO. (M)	DSGCON-ZIP CODE (M)
LSO (M)	NOR (M)	PROJECT (M)
PROJINDR (M)	RPON (M)	SUP (M)
VER (M)		

Optional

DRC*	EXP (M)	REMARKS (M)
RORD (M)	DFDT	

ACT Tables: Reqtyp A, xDSL Loops**ACT= C: LSR**Required

ACNA	ACT	ACTL
AN	BAN1	CC
CCNA	D/TSENT	DDD
IMPCON	IMPCON-TEL NO.	INIT
INIT-FAX NO.	INIT-TEL NO.	NC
NCI	PG_OF_ (M)	PON
REQTYP	SC	SECNCI
TOS		

Conditional

AAN (E)	AI (M)	APOT (M)
CUST	DSGCON	DSGCON-CITY
DSGCON-FAX NO.	DSGCON-FLOOR	DSGCON-ROOM/MAIL STOP
DSGCON-STATE	DSGCON-STREET	DSGCON-TEL NO.
DSGCON-ZIP CODE	LSO	NOR
PROJECT	PROJINDR	RCC (E)
RESID (E)	RPON	SUP
VER		

Optional

CIC	DRC*	EXP
REMARKS	RORD (M)	DFDT

ACT Tables: Reqtyp A, Unbundled Sub-Loops**ACT= C: LSR****Required**

ACNA (M)	ACT (M)	ACTL (M)
AN (M)	BAN1 (M)	CC (M)
CCNA (M)	D/TSENT (M)	DDD (M)
IMPCON (M)	IMPCON-TEL NO. (M)	INIT (M)
INIT-FAX NO. (M)	INIT-TEL NO. (M)	NC (M)
PG_OF_ (M)	PON (M)	REQTYP (M)
SC (M)	TOS (M)	

Conditional

AI (M)	APOT (M)	CUST (M)
DSGCON (M)	DSGCON-CITY (M)	DSGCON-FAX NO. (M)
DSGCON-FLOOR (M)	DSGCON-ROOM/MAIL STOP	DSGCON-STATE (M)
DSGCON-STREET (M)	DSGCON-TEL NO. (M)	DSGCON-ZIP CODE (M)
LSO (M)	PROJECT (M)	PROJINDR (M)
RPON (M)	SUP (M)	VER (M)

CHC (M)**Optional**

CIC (M)	DRC* (M)	EXP (M)
REMARKS (M)	RORD (M)	DFDT (M)*

CRB: 5008
CCP: 2482
MAP: ELMS10
REL: 25
LSR Data Dictionary

CHC

Coordinated Hot Cut
 LSR Form / Screen
 LSOG10 / ELMS10

Definition

Indicates the customer is requesting near seamless cutover activity.

Definition Notes

- Note 1: This field may require manual intervention and coordination between BellSouth® and the Customer.
- Note 2: This field is used with a cutover coordination of two services (e.g., switch lines to number portability).

Valid Entries

Electronic

Y = Yes, N = No

Manual

Y = Hot Cut Authorized, or blank

Valid Entry Notes

None

Data Characteristics

1 alpha character

Examples

Y

Conditional Usage Notes

Note 1: Prohibited when the CC or NNSP field is populated with a wireless OCN.

Note 2: Required for ACT = **C and V** when the product is REQTYP A analog voice (Non-Designed), **Unbundled Copper**

Loop Non-Designed or Unbundled Sub Loops and the DFDT field is populated.

Note 3: Required for REQTYP is B and the NC begins with TY and the DFDT field is populated.

Note 4: Prohibited when the REQTYP is A, with ACT of C and the product type is UNTW.

Note 5: Prohibited when the RESID field is populated with NOIDL and the product type is Analog Non-Designed Loop for ACT=V.

Electronic

Note 6: Prohibited when the request is an LNP to Resale UNE-P/WLP Migration for REQTYP E, M, P and N. And when the SC field is "LCSL".

Manual

Note 7: Required when DFDT is populated with specific time, and the request is for a hot cut of a REQTYP A Transport Product: Non-Channelized DS3, STS-1 and IOC, Unbundled Dark Fiber

(UDF), Ordinarily Combined UNEs (OCU) and EELs, Commingled Non-Channelized DS3, STS-1 and IOC connected to Wholesale, Commingled Ordinarily Combined UNEs (OCU) and EELs connected to Wholesale, and Single bandwidth Commingled, and ACT = N and ACT = D LSRs are being submitted.

Business Rules

None

***** End of definition for field CHC *****